

$$\mu \nmid -f \cdot " \quad \text{and} \quad " \vdash " \quad , \quad f \nmid < " \cdot \quad \text{for } i, \mu <$$

$$\circ \text{ } \mathbb{C}' \circ \text{ } \dagger \%_{00} \text{ } i < \cdot \mu_j > \frac{3}{4} f l \%_{00} \bullet - \dagger \circ \text{ } \mathbb{C} > f f i$$

. Ó´-ÔÒÑÓÖ-Ð´ Ô~ÑÌÔÔ~´ Ö-, ´ÓÑ~-ÐØ-´ÑÕÓÖ^Ñ''

i .£. f. 'Ù" .Ì

[illegible]

PACS numbers: 65.80.+n, 73.23.Ad, 73.63.Fg

DOI: 10.3367/JFENr.0179.200903a.0225

 $\pm \tilde{N} \cdot \vec{O} \vec{E} -$

1. E- - - - (225).
2. -'0-N0 -'0a - - - -N000 -'Ø (226).
 2.1. ° -N0 .N1 -P- -' -N000 -' , 2.2. fi-N'N0 .N1 -P- -' -N000 -' ,
3. -'0'-N0 Ø 0 - - - -N000 -'Ø (235).
4. ' - - -ÆU - - - (241).
 ±0 ON - - - 0 0 000P (241).



1. £ ~ ~ ~ - .

[illegible][illegible]

i .E. f. U' .l. +N00, l0' .l -'0U-Pl U'-00 "< 00U .0N'0' .l , -00, 000",
 0. < 00U .0N'0' 1, 123182 fiN0' ., +N00, l0' .a 11' .0 U. a
 . . 11' .0 (499) 196-99-78
 E-mail: eletsjii@imp.kiae.ru

†Ö´Öâ òÑòÖò, 17 ò-Öâ´ôâ 2008 -,
òÑò, ~Ñó´ÑÖ", 25 Ñ"Öâ´ôâ 2008 -.

0-N1 00- μfi. N00. N0 -ON- 0. 0. B-
-N00. N-N0 N1-a -N000-NE 0 N- 0B. B-
-0. U 0- N ON 000N-N- "N-P 0-N1 00-
-U 0- -00 U-N1 N-P 0-N1 ON. 000N-N-
-N-N1 -N000- 0. 0- ON. B-N N0 0. 0. B-N00.
-N 0-E. N0 00- -0 00P -N000-N, 0-0-
-00- P0 00-00-P -ON- 0-N-N1 0-0a
0- U 0-N N0-E- 0 ON- (CVD), 0-a aU a
(LA), N-P U-N 0-0-0 0. 0AE00a -U 0. B-P 0-ON-
ON- , 0- UON ON. 0U- μfi. ON0-N0 U 0- 0 N-
U 00- 0 0 -P a "00N-P 0-0-0 0 00
a- a 00a N0- B-N1 0-0-N N- U 0-N1 U. EN-ON-
P0 , -N000- 0-0-00-P 00-00-P
ON- , N-P U-N AE 0-P ON-0AE "N-U-00 U AE 0000-
000-P0 x "ON- aEU 0 -a "00N-P 0-N1 00-
μfi. fi 0a 0 ON 0000-000-P x "0 00 00000-0 0
0-E- NONON "N U 00-N "ONO-ON- , 0. 0- U-P0
N "0 0- N, 00 ON- -P0 -U-1 00-
-N000- -aEU 0 a "00N-0AE 0000-0000.
< N U 00-N 00 ON- 0- -P0-00U-1 B-N1
0000-000P -N000- 0a0 -ON. B-N N0 -ON-
ON. 0U- a, -N 0-E. N0 N- B-P0 -U-1 0 0-0-
ON- , 0-0-0 0. 0AEU 0 00 N- a ON00 μfi. < U 0. 0
0- 0 0-0-00N N0-N0a00a 0-0 0 0 000 , 0-NON00B
-00- -N-N N ONON- U- -00-
a "00 U 0-N N ON a 0. fU N- 00 U- -N-N
-0- a -N000-N- N- 00. 00 -N-N 00N. B-N-
-a 0-a- -0-0B- P0N-N1 00N- N00BAE ON. 0U- a
U 00P0 N-0-UN- μfi. 0-P U-N N-0-UP, ON-0E U
μfi. 0. B-N -0a- -P 0- U-P 00-0a- , 0-
- U 00 UP -N0-ON- -NU 00 UP -0-
U 0-N N-0- ONO, N-00E -P- -N-N0 N1-N1 -0-x-
ON-N1 N-N. NU-N1. μ a0 0 00-01 NU 00-
N-0-U- N 00N-a -P U 90% 00-00- a 0 ON-N1
-0B- 000-N- 0AE 0 0-N N- U 0-0AE 00N- , 0- AE-
U AEU0AE -0-a -N-N 0-0-0AE N-0- N0-0 N-0-U 0. B-
-P- N-0. 0. a- ONU-0- 0 U-00 x0 ON-
x B00 U-1 0. B00-0-N-N1 (μ) N-0- N0-N1. E0 aON
ON- 0 00N N00B U 00P0 N-0-UN- μfi. N 00N-a
0-P U 500 N- -0- UON 0- AEU 0-0-00N-N-
00N. B-N- aON-N-0 0

[illegible]

-NŌ ū... -' ōō ~ōō~ā ō ō N~ñl ōōōñ- —ñ : ŭ ō ů ñ ōñ~ñ~
 ...ū-Nl āũ l''' 2N, ... N ~PÓ É '~ōōā ō... ōÆ Ů l
 ×NŌ ō ſ̃ñl Ū Ő ° ,_~~''Ŋ P Ø ŵ ŷ β-NŌØ _-'~ÑŌŌŌ'', ...n; mł
 [9° 11]:

$$N \sim \frac{2 \dots n^2 \pm m^2 \pm nm t}{d_R} : \quad \dots 5t$$

fi-N̄ N̄. N̄. -ā μfi. 0 - Ū - -000- -
 -00N̄ 100 50- μN̄N̄-000- -N̄. 0'000Na- -E'0
 00- -" 0,34 - ON̄ OE. 0 - N̄. 74-0 0. N̄. ¥E'
 00- ON̄ -ā, uON̄ "E' p̄l 0 N̄l N̄ - -0' 0' Ū'0"
 0-N̄l 00- - -0'0'0'0'0'00a 00N̄-N̄ N̄00BÆ 2G₀,
 N̄E-N̄ N̄E - 0B, uON̄ 00N̄-N̄ N̄00B 0' "N̄l -N̄000- -
 00- p̄ Ū'0 - Ū -p̄ 148G₀, "N̄N̄0'ā 00 Ū'00- -N̄ -B-
 Ū' - -0' -N̄-N̄ - Ū -ā 460G₀. -N̄0'N̄. B'0, " -
 -00-N̄, -ā 0N̄. 000N̄-N̄ - "N̄-p̄ μfi. Ū' 0' - -00'-
 Ū' -N̄l N̄-p̄ N̄'0'0'-N̄ 00N̄0N̄0 Ū. N̄ -B- -0' - -000,
 -0' 0. N̄. 0N̄00 -āÆ Ū' 0'00'00' - -0Æ fi±fi.
 -Æ0 - Ū0N̄E-N̄ - Ū - Ū' 0' -p̄ -00' Ū' -N̄l N̄-p̄
 (-N̄-N̄ -B Ū' 0' 0'0'00p̄) N̄-00 Ū' 0'0B0a -0'-
 Ū'0' - 00N̄-N̄ - - 00N̄-N̄ N̄00B "N̄0N̄0p̄ -
 -0' 0'0' N̄0 0' - -0' 0000'000-p̄0 N̄0N̄ -N̄00' l, " -
 -00' 0'0' B-N̄00B. - - -00 Ū' - 00N̄. B
 -p̄0N̄-N̄ - Ū -ā 00N̄-N̄ N̄00. fi±fi. N̄00'00a N̄
 "N̄-Ū' - a0-N̄l.

[illegible]

$$G \sim G_{th} N_p \frac{I_p}{L \pm I_p}; \quad \dots 6t$$

[illegible][illegible][illegible]

$$k \sim \frac{GL}{S} \quad \dots 71$$

3. — 'Ó' - Ñô õ'ò ' ~ — ' - Ñõóö^''ø

[illegible]

$$G_{th} \sim \frac{p^2 k^2 T}{3h} \sim 9.46 \cdot 10^{13} \frac{Wt}{K^2} T: \quad \dots 4f$$

[illegible][illegible]

... 3. '—'—, a 0N00N0 ... a (0...B—N—N 0N00N0 ... a) μfi. ... 0—P' 0...U—P... 0N0... E 00 0B... 00N...U' 0...U—P' 00...—P 0'0...00P, N00... aE... 0'0'0'000—0A... 0...N00B a... 00N0N00N0 ... a. E 0,0U... 0... a0N U, 0... 00'U'—Nl 'N—P... a—0' a... 0...U... DE, 0'0'0'000—'a... 0...N00B... 0...R exp...DE=T†; 0,0U... 00'0'—oI... 0...N00, 00...—N'—'U'—, 0N...0' a 00'0'—, a

fi 0'0', '...	±N00N0...; "° (“N—'0—'a 0'0'0'000")	" 0...—'00'U'—Nl 'N—P ... a—0' a... 0...U... aE ... 0N...0' 0'00'0'—oI ... 0...N00, R...T†	> 0'0'— 000'
α 00 μfi. , 0N, 0U'—P l a... 00N'0'N—P... 0N—N'	6;5 10 ³		[49]
° 0...—0, 0N'—'a 0...—' μfi.	2 10 ⁴		[50]
" —... 0' 0' B—'a fi ±fi.	...0;82Ÿ12† 10 ³		[51]
" —... 0' 0' B—'a fi ±fi.	...5;1Ÿ5;8† 10 ⁶		[52]
" —... 0' 0' B—'a fi ±fi.	...0;3Ÿ3† 10 ⁵	0,17° 0,26	[53]
< N~ 0N' 0 μfi. ° 0' N...	3;4 10 ⁴		[54]
fi ±fi.		0,08	[55]
fi ±fi.	...0;53Ÿ1;9† 10 ³	0,19° 0,29	[56]
fi ±fi. , ... 0N'—'P' 0N0N'	...0;7Ÿ7;7† 10 ²	0,055° 0,070	[56]
fi ±fi. , 0N, 0U'—P' ... 0N—N' CVD	3;5 2;6		[35]
fi ±fi. , 0N, 0U'—P' a... 00N'0'N—P... 0N—N'	10° 20		[36]
fi ±fi. ...—Nl 3 ~... 00N~ 30° 100—, 0N, 0U'—P' ... 0N—N' CVD	47 (" 00'—'—')		[57]
α 00P fi ±fi. ... 00N~ 0,66° 2,82 ~...	30Ÿ8;8 10 ³		[58]
α 00° ±fi. , 0N, 0U'—P l ... 0N—N' ... 0—Nl ... aU...	14		[23]
α 00° ±fi.	1,5		[59]
" —... 0' 0' B—P' ° ±fi. ...—Nl 95° 590—	1,5° 37		[22]
—N, N0... ° ±fi. 0... 0N~ 2 6 ~	5 10 ³		[60]
" —... 0' 0' B—'a ° ±fi.	10	R T ^a , a Ÿ1;4	[24]
fi ±fi. ...—Nl 4 ~...	60		[62]
" —... 0' 0' B—'a ... 0' U'0' a ° ±fi.	2;5 10 ³	R T ^a , a Ÿ0;6	[25]
" —... 0' 0' B—'a 0N, 00N—N'—, "N' a ° ±fi.	10 ⁴	R T ^a , a Ÿ3;4	[25]
" —... 0' 0' B—'a fi ±fi. ...—Nl 3° 11 ~... 00N~ 30° 60—	130		[63]
" —... 0' 0' B—'a fi ±fi. ...—Nl 1,2 ~... 00N~ 3—	20		[64]
" —... 0' 0' B—'a fi ±fi. 0'—'U—, ...—000'—, ... 00' ~, 100 50—	34,4 ° ~		[38]
" —... 0' 0' B—'a fi ±fi. ... 00N~ 8,6— ...—Nl 2,6 ~...	2,4 (T ^ 520 <)		[74]
" —... 0' 0' B—'a fi ±fi. ... 00N~ 15,1— ...—Nl 2,5 ~...	1,7 (T ^ 520 <)		[74]
. "'— 0N—N'—P l 0, Nl ° ±fi. 0... 0N~ 3 0;2 ~	0,012		[75]
. "'— 0N—N'—P l 0, Nl ° ±fi. 0... 0N~ 2 0;2 25 ~	0,0032	R T ^a , a Ÿ0;55	[76]
μ... 0N'—'a—, 0B... 00N' 150—	4;4 10 ³		[65]
i ...	10 ²⁶	5,47	[9]
∠ 0' x, 0 ("N, B... 0'—N—' B—Nl 0, N0' N00,)	50	0,04	[9]
	μ... B—N' 0N00N0...; "° (“N—'0—'a 0'0'0'000")		
fi ±fi. ... 00N~ 9—	10		[61]
" —... 0' 0' B—'a fi ±fi. ...—Nl 4° 10 ~... 00N~ 83° 225—	0,69		[37]
" —... 0' 0' B—'a ° ±fi. , P0'U'—'a ~ 0N—N' CVD	10 2		[26]
° ±fi. ...—Nl 4 ~	6° 7		[31]

43. Brown E et al. Appl. Phys. Lett. 87 023107 (2005); AIP Conf. Proc. 723 91 (2004)
44. Chang C W et al. Phys. Rev. Lett. 101 075903 (2008)
45. Hone J, Whitney M, Zettl A Synthetic Met. 103 2498 (1999); Hone J et al. Phys. Rev. B 59 R2514 (1999)
46. Kim P et al. Phys. Rev. Lett. 87 215502 (2001)
47. Pop E et al. Nano Lett. 6 96 (2006)
48. Yu C et al. Nano Lett. 5 1842 (2005)
49. Song S N et al. Phys. Rev. Lett. 72 697 (1994)
50. de Heer W A et al. Science 268 845 (1995)
51. Dai H, Wong E W, Lieber C M Science 272 523 (1996)
52. Ebbesen T W et al. Nature 382 54 (1996)
53. Kasumov A Yu et al. Europhys. Lett. 43 89 (1998)
54. Wang Q H et al. Appl. Phys. Lett. 70 3308 (1997)
55. Carroll D L et al. Phys. Rev. Lett. 81 2332 (1998)
56. Wei B et al. Appl. Phys. Lett. 74 3149 (1999)
57. Dohn S, Mølhave K, Bøggild P Sensor Lett. 3 300 (2005)
58. Wakaya F, Katayama K, Gamo K Microelectron. Eng. 67 – 68 853 (2003)
59. Appenzeller J et al. Appl. Phys. Lett. 78 3313 (2001)
60. Bozhko A D et al. Appl. Phys. A 67 75 (1998)
61. Bachtold A et al. Nature 397 673 (1999); Phys. Rev. Lett. 84 6082 (2000)
62. de Pablo P J et al. Appl. Phys. Lett. 75 3941 (1999)
63. Bussolotti F et al. Phys. Rev. B 76 125415 (2007)
64. Yaish Y et al. Phys. Rev. Lett. 92 046401 (2004)
65. Zhang L et al. Appl. Phys. Lett. 84 3972 (2004)
66. Yi W et al. Phys. Rev. B 59 R9015 (1999)
67. Hone J et al. Appl. Phys. Lett. 77 666 (2000)
68. Chiu H-Y et al. Phys. Rev. Lett. 95 226101 (2005)
69. Itkis M E et al. Nano Lett. 7 900 (2007)
70. Samsonidze G G et al. Appl. Phys. Lett. 85 1006 (2004)
71. Arnold M S et al. Nature Nanotechnol. 1 60 (2006)
72. Hersam M C Nature Nanotechnol. 3 387 (2008)
73. Hsu I-K et al. Appl. Phys. Lett. 92 063119 (2008)
74. Wei B Q et al. Appl. Phys. Lett. 79 1172 (2001)
75. Gaal R, Salvétat J-P, Forro L Phys. Rev. B 61 7320 (2000)
76. Zahab A et al. Phys. Rev. B 62 10000 (2000)

Transport properties of carbon nanotubes

A.V. Eletskii
 Russian Research Center "Kurchatov Institute",
 pl. Kurchatova 1, 123182 Moscow, Russian Federation
 Tel./Fax (7-499) 196-99 78
 E-mail: eletskii@imp.kiae.ru

Current experimental knowledge of the transport properties of carbon nanotubes (CNTs) is reviewed. Methods of measuring transport coefficients in CNTs are considered. Experimental data on how the thermal and electrical conductivities of single- and multiwall CNTs depend on the temperature and the tube length are analyzed in terms of ballistic charge and heat transport.

PACS numbers: 65.80. + n, 73.23.Ad, 73.63.Fg

DOI: 10.3367/UFNr.0179.200903a.0225

Bibliography 176 references

Received 17 September 2008, revised 25 October 2008

Uspekhi Fizicheskikh Nauk 179 (3) 225 – 242 (2009)

Physics – Uspekhi 52 (3) (2009)