
Appreciating Digital Materials for Longevous Computational Artifacts

Mehmet Aydın Baytaş

Aykut Coşkun

Asım Evren Yantaç

Koç University

Istanbul, Turkey

{mbaytas,aykutcoskun,eyantac}@ku.edu.tr

Morten Fjeld

Chalmers University of Technology

Gothenburg, Sweden

fjeld@chalmers.se

ABSTRACT

While we benefit greatly from rapid advances in the technologies and design of consumer electronics, the flip side of the coin is that the associated digital artifacts obsolesce quickly, with significant cultural and environmental impact. In design literature, attempts to explain and counter this phenomenon often foreground social and personal motives. We would like to contribute comments on a pertinent technical topic, focusing on the issue of durability in modern microelectronics. Responsible innovation requires that designers be mindful of long-term use and design accordingly, using appropriate materials. We argue that, for interaction designers, this relates to a sophisticated understanding of the properties of microelectronics, and introduce relevant knowledge.

KEYWORDS

Longevity, durability, sustainability, microelectronics, materiality, wearout, electromigration.

INTRODUCTION AND BACKGROUND

The technologies that underlie interactive consumer electronics progress at a fast pace, and businesses continuously capitalize on these developments through rapid, recurrent product development cycles. This process, where more and more advanced devices are brought to market periodically, continuously creates value for both consumers and businesses in a reasonably efficient manner. Its downside is significant, multi-pronged impact on culture and the environment, as old generations of



Figure 1: Microscope image of electromigration-induced "hillock" and "void" deformations on conductive interconnects in microelectronic circuit. Hillocks tend to cause short circuits between sites that should not connect, while voids lead to open circuits by prohibiting current flow. Even though devices can be engineered to counter them for some time, defects like these eventually accumulate and cause total failure. (Image from [12].)

¹While in some cases, rapid obsolescence is desired by the manufacturer to optimize for profit, in other cases a reduced life expectancy must be accepted as the price of optimizing for other design parameters such as cost, weight, speed, etc.



Figure 2: “Point-to-point” wiring on a guitar amplifier from the 1960s, allows for repairs. (Image by Ian Abbott, CC BY-SA 2.0)

devices are discarded due to obsolescence. The vast majority of contemporary computing artifacts are intentionally¹ designed, manufactured, and marketed based on the premise that they will be discarded within a few years [6]. Many scholars foreground business factors, along with social and personal motives, in explaining this phenomenon [5, 6, 19, 20]. The argument is that businesses desire recurrent profits, and consumers desire the latest widgets. This is a valid analysis, but we propose that a more fine-grained examination of the underlying technical factors can have the potential to inform design-driven shifts of the status quo for the better. The fundamental desires of consumers and corporations, after all, are not easy for product and interaction designers to influence; but technical suboptimalities may be conquered through design innovations on products and processes. To this end, this paper calls attention to the issue of durability in modern microelectronics. An appreciation for the characteristics of digital materials in long-term use and appropriate design can contribute to the responsible innovation agenda in interaction design. Concretely, this relates to a sophisticated understanding of some properties of microelectronics, which we introduce in this paper.

Our position follows from how the notion of “materiality” is handled in interaction design literature (see sidebar). Both users and designers have certain mental models for how they expect certain materials, and therefore the artifacts made out of them, will behave. For example, one well-known approach to modulating users’ mental models of materials with regard to longevity is based on the use of natural, durable, and repairable materials for structural, decorative, and interactive purposes to invoke perceptions of durability and familiarity [18, 23]. Further, as noted in a study on a Jacquard loom from the mid-1800s [9], it is often possible to reveal information about computational abstractions that drive functionality through “materiality” and “graspability.” Another observation in the same study is that material qualities of the loom motivate a sentimental bond between it and the craftspeople involved in its operation. Such designs can be contrasted with today’s commodity computers (especially mobile devices), which are built around monolithic, irreparable circuit boards that cannot be accessed by most end-users; with highly generic, mutable user interfaces.

THE LIMITATIONS OF MICROELECTRONICS AS A DESIGN MATERIAL

Modern computer hardware cannot be taken for granted as longevous design material. Microelectronic components in modern consumer devices are simply not designed to last for decades, even when there are no defects or usage issues. Electronic components under regular use continuously damage themselves over time and inevitably degrade their own functionality [22]. The processes that result in such damage have to do with the innate physical properties of these devices. Electromigration, which denotes the displacement of conducting material in circuits by continuous current flows (see Figure 1), is one such destructive mechanism that ensues under regular use [14]. Other mechanisms of failure have to do with heat- and radiation-driven distortions in the microstructures of the semiconductor and insulator layers [21]. Mechanisms like these, as well as other macroscopic of failure modes (e.g.

The theoretical notion of interaction designers giving “form” to “digital materials” is a common theme in the literature [24]. It has been discussed based on various foundations, at different granularities, and engaging with many social and practice-related issues [8, 11, 13, 16, 17, 25]. Code and electronics are often the foci of these discussions, though scholars have considered, for example, human movement [1, 3, 15, 27], drones [4, 10], and light-based machine-to-machine communication [26] as materials for interaction design.

simple mechanical breakdown due to impact etc.), tend to affect tightly packaged microelectronics more than circuits with larger components (see Figure 2), since microelectronics have delicate features and are more difficult to cool down.

Furthermore, while most mechanical artifacts can be somehow maintained or repaired, microelectronics are often designed to be thrown away when they fail. For much of modern consumer electronics, repairs may cost orders of magnitude more than the cost of replacing the whole device. Of course, there are devices designed to enable replacing certain circuit boards or individual components, but this makes sense only within a limited timeframe, since the components must be available from vendor that manufactures and distributes them. In turn, manufacturing particular integrated circuits requires an investment that only makes sense if there is demand for large quantities of them [7]. Thus, in the long run, as technologies and market forces change, particular microelectronic components phase out of availability.

Limitations such as these are innate to the technologies that enable modern computing artifacts to have their current forms and functions. If repairability and longevity were primary concerns, it would likely not be possible to pack the affordances of modern computing into mobile form factors.

CONCLUSION

We wish to motivate designers working with “digital materials” and computational artifacts to develop a sophisticated understanding of the “material properties” of electronics, particularly in relation to longevity and repairability. We believe that this will inform design decisions related to long-term use, and have the potential to inform designs with positive sustainability impacts. In previous speculative work, we proposed design concepts founded on these motivations [2]. In future work, we aim to investigate what resources and tools might empower designers to capitalize on these ideas, and undertake constructive design research around artifacts that target consumers. We hope that the workshop will inform us to better align this future work with the responsible innovation agenda.

REFERENCES

- [1] Mehmet Aydin Baytaş, Tilbe Goksun, and Oğuzhan Ozcan. 2016. The Perception of Live-sequenced Electronic Music via Hearing and Sight. In *Proc. NIME 2016*. http://www.nime.org/proceedings/2016/nime2016_paper0040.pdf
- [2] Mehmet Aydin Baytaş, Aykut Coşkun, Asım Evren Yantaç, and Morten Fjeld. 2018. Towards Materials for Computational Heirlooms: Blockchains and Wristwatches. In *Proc. DIS '18*. <https://doi.org/10.1145/3196709.3196778>
- [3] Mehmet Aydin Baytaş, Yücel Yemez, and Oğuzhan Özcan. 2014. Hotspotizer: End-user Authoring of Mid-air Gestural Interactions. In *Proc. NordiCHI '14*. <https://doi.org/10.1145/2639189.2639255>
- [4] Mehmet Aydin Baytaş, Damla Çay, Yuchong Zhang, Mohammad Obaid, Asım Evren Yantaç, and Morten Fjeld. 2019. The Design of Social Drones. In *Proc. CHI '19*. <https://doi.org/10.1145/3290605.3300480>
- [5] Eli Blevis. 2007. Sustainable Interaction Design: Invention & Disposal, Renewal & Reuse. In *Proc. CHI '07*. <https://doi.org/10.1145/1240624.1240705>

- [6] Brian Burns. 2010. Re-evaluating Obsolescence and Planning for It. In *Longer Lasting Products: Alternatives to the Throwaway Society*, Tim Cooper (Ed.). Gower Publishing, Ltd., Chapter 2, 39–60.
- [7] Stephen A Campbell. 2001. *The science and engineering of microelectronic fabrication*. Oxford University Press, USA.
- [8] Paul Dourish and Melissa Mazmanian. 2011. Media as material: Information representations as material foundations for organizational practice. In *Third international symposium on process organization studies*. 92.
- [9] Ylva Fernaeus, Martin Jonsson, and Jakob Tholander. 2012. Revisiting the Jacquard Loom: Threads of History and Current Patterns in HCI. In *Proc. CHI '12*. <https://doi.org/10.1145/2207676.2208280>
- [10] Antonio Gomes, Calvin Rubens, Sean Braley, and Roel Vertegaal. 2016. BitDrones: Towards Using 3D Nanocopter Displays As Interactive Self-Levitating Programmable Matter. In *Proc. CHI '16*. <https://doi.org/10.1145/2858036.2858519>
- [11] Heekyoung Jung and Erik Stolterman. 2012. Digital Form and Materiality: Propositions for a New Approach to Interaction Design Research. In *Proc. NordiCHI '12*. <https://doi.org/10.1145/2399016.2399115>
- [12] Kyung-Hoae Koo. 2011. *Comparison study of future on-chip interconnects for high performance VLSI applicationsk*. Ph.D. Dissertation. Stanford University.
- [13] Rikard Lindell. 2014. Crafting interaction: The epistemology of modern programming. *Personal and Ubiquitous Computing* 18, 3 (01 Mar 2014), 613–624. <https://doi.org/10.1007/s00779-013-0687-6>
- [14] JR Lloyd. 1999. Electromigration in integrated circuit conductors. *Journal of Physics D: Applied Physics* 32, 17 (1999), R109.
- [15] Lian Loke and Toni Robertson. 2013. Moving and Making Strange: An Embodied Approach to Movement-based Interaction Design. *ACM Trans. Comput.-Hum. Interact.* 20, 1, Article 7 (April 2013), 25 pages. <https://doi.org/10.1145/2442106.2442113>
- [16] Jonas Löwgren and Erik Stolterman. 2004. *Thoughtful interaction design*. MIT Press.
- [17] Jonas Löwgren. 2017. Interaction design, research practices and design research on the digital materials. <http://jonas.löwgren.info/Material/idResearchEssay.pdf>. Accessed: 2017-12-11.
- [18] William Odom, James Pierce, Erik Stolterman, and Eli Blevis. 2009. Understanding Why We Preserve Some Things and Discard Others in the Context of Interaction Design. In *Proc. CHI '09*. <https://doi.org/10.1145/1518701.1518862>
- [19] Yue Pan, David Roedl, John C. Thomas, and Eli Blevis. 2012. Re-conceptualizing Fashion in Sustainable HCI. In *Proc. DIS '12*. <https://doi.org/10.1145/2317956.2318049>
- [20] Miles Park. 2010. Defying Obsolescence. In *Longer Lasting Products: Alternatives to the Throwaway Society*, Tim Cooper (Ed.). Gower Publishing, Ltd., Chapter 4, 77–106.
- [21] Paul Solomon. 1977. Breakdown in silicon oxide- A review. *Journal of Vacuum Science and Technology* 14, 5 (1977).
- [22] Alvin W Strong, Ernest Y Wu, Rolf-Peter Vollertsen, Jordi Sune, Giuseppe La Rosa, Timothy D Sullivan, and Stewart E Rauch III. 2009. *Reliability wearout mechanisms in advanced CMOS technologies*. Vol. 12. John Wiley & Sons.
- [23] Vasiliki Tsaknaki, Ylva Fernaeus, and Mischa Schaub. 2014. Leather As a Material for Crafting Interactive and Physical Artifacts. In *Proc. DIS '14*. <https://doi.org/10.1145/2598510.2598574>
- [24] Anna Vallgård. 2014. Giving form to computational things: developing a practice of interaction design. *Personal and Ubiquitous Computing* 18, 3 (01 Mar 2014), 577–592. <https://doi.org/10.1007/s00779-013-0685-8>
- [25] Anna Vallgård and Johan Redström. 2007. Computational Composites. In *Proc. CHI '07*. <https://doi.org/10.1145/1240624.1240706>
- [26] Charles Windlin and Jarmo Laaksolahti. 2017. Unpacking Visible Light Communication As a Material for Design. In *Proc. CHI '17*. <https://doi.org/10.1145/3025453.3025862>
- [27] Adviye Ayça Ünlüer, Mehmet Aydin Baytaş, Oğuz Turan Buruk, Zeynep Cemalcilar, Yücel Yemez, and Oğuzhan Özcan. 2018. The Effectiveness of Mime-Based Creative Drama Education for Exploring Gesture-Based User Interfaces. *International Journal of Art & Design Education* 37, 3 (2018), 353–366. <https://doi.org/10.1111/jade.12136>