

ActionSUPPLY

AUTO SAN 12

COMMERCIAL DISH WASHER

SANITIZER & DESTAINER

AUTO SAN 12

See your technical sales representative for detailed usage information when using automatic dispensing pumps.

DIRECTIONS

Manual Destaining:

- Add 2 ml per litre of water, to obtain 225 ppm of chlorine.
- Replenish the solution at regular intervals, as chlorine dissipates fairly quickly.
- Use test paper for precise measurement.

Destaining:


- Add 10 ml per litre of water.
- Immerse the articles to be destained for 15 minutes.
- Rinse well with clear water.

WARNING:

DO NOT MIX WITH ACIDS OR ANY OTHER CHEMICAL.
USE RUBBER GLOVES
DO NOT SPILL ON CLOTHES OR SKIN

ACTION SUPPLY
154 Highway #8 West
Flamborough, ON
1-866-806-4898 HC 12

FOR INDUSTRIAL AND INSTITUTIONAL USE



Net Contents: 4L

AUTO SAN 12



SEE
MATERIAL
SAFETY
DATA
SHEET
VOIR
LA FICHE
TECHNIQUE
SANTÉ
SÉCURITÉ



DANGER: Causes Burns! Becomes unstable at elevated temperatures
PRECAUTION: Avoid excessive heat and exposure to light. Avoid skin and eye contact. Avoid breathing vapour. Use with adequate ventilation. Wear protective equipment during handling. Avoid prolonged storage.
FIRST AID: If inhaled remove victim to fresh air. If breathing stopped, begin artificial respiration. Call physician. For skin and eye contact, flush with water for 15 minutes, while removing contaminated clothing. If ingested, do NOT induce vomiting. Give water or milk. DO NOT give baking soda or acid antacids. Never give anything by mouth if victim is unconscious. Obtain medical attention.

DANGER: Provoque des brûlures. Devenir instable à des températures élevées.
MISE EN GARDE: Éviter la chaleur excessive et l'exposition à la lumière. Éviter tout contact avec la peau ou les yeux. Éviter d'inhaler la vapeur. Utiliser une ventilation adéquate. Porter un équipement de protection lors de la manipulation. Éviter un entreposage de longue durée.
PREMIERS SOINS: En cas d'inhalation, transporter la victime à l'air frais. En cas d'arrêt respiratoire, pratiquer la respiration artificielle. Appliquer un médecin. En cas de contact avec la peau ou les yeux, rincer à grande eau pendant au moins 15 minutes tout en enlevant les vêtements contaminés. En cas d'ingestion ne pas faire vomir. Fournir de l'eau ou du lait. NE PAS donner d'antécédents à base d'acide ou de bicarbonate de soude. Ne rien faire avant si la victime est inconsciente. Appeler un médecin immédiat.

SUPPLIER IDENTIFICATION/IDENTIFICATEUR DU FOURNISSEUR
FOR MORE INFORMATION SEE MATERIAL SAFETY DATA SHEET
CONSULTER LA FICHE SIGNALÉTIQUE POUR PLUS DE RENSEIGNEMENTS
ACTION SANITATION, FLAMBOROUGH, ONTARIO

KEEP OUT OF REACH OF CHILDREN