

Safety Data Sheet

Product: Clean Sensation Hand Gel Sanitizer

Section 01: Identification

Supplier Identifier	Sensibly Clean Inc. 5040 Maingate Drive Unit 10 Mississauga, Ontario L9W 1X5 905 206 1769
Product Id	Clean Sensation Hand Gel Sanitizer
Product Code	HDSAN
Emergency Telephone	CANUTEC 24-HOUR NUMBER (613-996-6666)

Section 02: Hazard Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)	
Hazard Classification	Flammable Liquids – Category 2. Eye Irritation – Category 2A
Signal Word	DANGER
Hazard Statement	H225 Highly Flammable liquid and vapor. H319 Causes serious eye irritation.
Precautionary Statements	No smoking. P233 Keep container tightly closed. P280 Wear eye protection. P370 +P378 in case of fire: Use water to extinguish. P305+P351:P338 If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice or attention. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container to an approved waste disposal plant.
Other Hazards	None

Section 03: Composition / Information on Ingredients

Chemical Name and Synonyms	CAS #	WT %
Ethanol	67-63-0	70% bv

<the exact concentration of composition has been withheld as a trade secret>

Section 04: First Aid Measures

Routes of Exposure	
Inhalation	Remove victim to fresh air and keep at rest in position comfortable for breathing. If symptoms persist, obtain medical attention.
Ingestion	Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical attention if necessary. Never give anything by mouth to an unconscious person.

Skin Contact	Rinse skin thoroughly with plenty of water. If irritation develops, get medical aid.
Eye Contact	Promptly flush with large amounts of cold water for least 15 minutes. If irritation persist, consult a physician.
Most important symptoms and effects both acute and delayed	The most important symptoms and effects are described in the labelling (see section 2 and or/in section 11.
Medical Attention and special treatment	Treat symptomatically. Symptoms may be delayed.

Section 05: Fire-Fighting Measures

Extinguishing media	Use water spray, or fog, foam, carbon dioxide or dry chemical. Do not use water jet as an extinguisher, this will spread the fire
Hazardous combustion products	Carbon oxides.
Special protective equipment and precautions	Firefighters should be equipped with self-contained breathing apparatus and turn-out gear. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Containers may explode when heated.
Sensitivity to static discharge	Expected to be sensitive. Take precautionary measures against static discharge.
Sensitivity to mechanical impact	Expected to be sensitive to mechanical impact.
Further information	Closed containers may explode when exposed to extreme heat. Contaminated water must be disposed of in accordance with official regulations. Vapors are heavier than air and may flow along surfaces to remote ignition sources and flash back. In a fire or if heated, a pressure increase will occur, and the container may burst.

Section 06: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Wear protective equipment goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined area. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8)
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Methods and materials for containment and cleaning up	Contain and absorb spilled liquid with noncombustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Do not place containers where ignition sources such as cigarettes or other ignition sources may be discarded. Contaminated absorbent material may pose the same hazards as the spilled product.

Section 07: Handling and Storage

Handling precautions	Use only with adequate ventilation. Avoid contact with eyes. Avoid breathing vapors. Do not smoke when handling. Keep container closed when not in use. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use only non-sparking tools.
Storage needs	Keep in a dry, cool and well-ventilated place. Keep away from sources of ignition. No smoking. Keep away from incompatible materials.
Materials to avoid	Keep away from oxidizing agents.

Section 08: Exposure Controls | Personal Protection

INGREDIENTS	TWA	ACGIHTL STEL	PEL	OSHA PEL STEAL	REL NIOSH
Ethyl alcohol	200 ppm	400 ppm	400 ppm	500 ppm	N/A

Engineering controls	Good general ventilation (typically 10 air changes per hour) should be used
Individual protection measures	
Eye/type	Safety glasses with side shields
Gloves/type	None required under normal conditions of use.
Respiratory/type	Generally not required. Wear respiratory protection if ventilation is inadequate.
Clothing type	If splashing is possible, wear chemically resistant protective clothing.
Footwear type	Suitable protective footwear.
Hygiene measures	Not required.

Section 09: Physical and Chemical Properties

Appearance	Liquid clear
Color	Alcohol like
Odor	N/A
Odor threshold	6.5 – 7.5
pH	N/A
Melting point (Celsius)	<0
Freezing point (Celsius)	83
Initial boiling point (Celsius)	21
Flash point (Celsius) method	N/A

Evaporation rate	12.5
Upper flammability limit (% vol)	2
Lower flammability limit (% vol)	N/A
Vapor pressure (mm Hg)	>1
Relative density/Specific Gravity	Soluble
Water solubility	
Solubility in other solvents	N/A
Partition coefficient – n-octano/water	N/A
Auto ignition temperature (Celsius)	>200 Celsius
Thermal decomposition temperature	N/A
Viscosity	Thick liquid

Section 10: Stability and Reactivity

Reactivity	No hazardous reactions if stores and handles as prescribed/indicated.
Chemical stability	The product is stable if stored and handled as prescribed and indicated.
Conditions to avoid	Avoid heat and open flame. Exposure to sunlight. Do not mix with other chemicals. Keep away from heat. Keep away from sources of ignition. Keep away from incompatibles such as oxidizing agents.
Incompatible agents	Strong oxidizing agents
Hazardous decomposition products	No hazardous decomposition products if stores and handled as prescribed/indicated.

Section 11: Toxicological Information

INGREDIENTS	LC50	LD50
Ethanol	41.7mg/l (inhalation rate, 4h)	4,720 mg/kg (oral-rat), 12,980 mg/kg (dermal rabbit)

Routes of exposure	
Inhalation	High concentrations of vapors may be irritating to respiratory tract. May cause headaches, dizziness, nausea and vomiting.
Ingestion	Ingestion of this product, may cause nausea, vomiting and diarrhea.
Skin contact	Prolonged or repeated contact may dry skin and cause irritation.
Eye contact	Eye irritation.
Acute Effects	
Acute oral toxicity	Acute toxicity estimate >2000 mg/kg. Method: calculation method. Virtually non-toxic after a single ingestion.
Acute dermal toxicity	LD50 Rabbit >2000mg/kg Method: calculation method. Virtually non-toxic after a single skin contact.
Skin corrosion/irritation	Non-irritant
Serious eye damage/eye irritation	Result: Serious eye irritation
Respiratory or skin sensitization	Non-sensitizing.
Specific target organ toxicity (STOT) single exposure	Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Aspiration hazard	No aspiration hazard.
Chronic toxicity/effects. Specific target organ toxicity (STOT) repeated exposure	No known significant effects or critical hazards.
Carcinogenicity	No carcinogenic substances are defined by IARC, NTP, OSHA, and or ACGIH.
Reproductive toxicity	No known significant effects or critical hazards.
Germ Cell Mutagenicity	No known significant effects or critical hazards.
Remarks	The product has not been tested. The statement has been derived from the properties of the individual components.
Symptoms exposure	The most known symptoms and effects are described in the labeling (see section 2) and (section 11). Further important symptoms and effects are so far non known.

Section 12: Ecological Information

Ecotoxicity	Not expected to be harmful to aquatic organisms
Persistence and degradability	Biodegrades readily under aerobic and anaerobic conditions. No tendency to bioaccumulate.
Bioaccumulative potential	No data available
Mobility in soil	No data available
Other adverse effects	No data available

Section 13: Disposal Considerations

Disposal Methods	
Waste disposal of substance	Dispose of in accordance with national, state, and local regulations.
Container disposal	Dispose of in licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of containers.

Section 14: Transport Information

TDG classification	UN 1170 Ethanol solution, Class 3. PGII. Not regulated in containers with capacity less than 1 liter.
--------------------	---

Section 15: Regulatory Information

WHMIS regulatory status	This product has been classified in accordance with hazard criteria of Canadian Hazardous products regulations and the safety data sheet contains all the information required by the Hazardous Products Regulations (2015). This product is WHMIS 2015 controlled.
-------------------------	---

Section 16: Other Information

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of publication. The information given is designed only as guidance for safe handling, use, processing and storage, transportation, disposal and releases and is not to be considered a warranty or quality specification.
Prepared by	Abdul Bari
Preparation date	2020-02-11