
Lock&Key

Projekat iz Web programiranja 1 https://lthechubbyl.github.io/lock_key/



Miloš Čubrak 35/21 Internet Tehnologije

Table of Contents

<u>1</u>	<u>UVOD</u>		<u>2</u>
1.1		ŠĆENI PROGRAMSKI JEZICI	
1.2			
1.3	ТЕМР	PLATE	2
<u>2</u>	ORGAN	NIZACIJA	3
2.1		ANIZACIONA ŠEMA	
2.2			
2.3	SLIKE	STRANICA I OPISI FUNKCIONALNOSTI	4
<u>3</u>	KODOV	/1	10
3.1	HTML		10
	3.1.1	index.html	10
	3.1.2	contact.html	19
3.2	CSS		27
	3.2.1	my-style.css	27
3.3	JAVASCRIPT		28
	3.3.1	main.js	28
	3.3.2	custom-jquery.js	41
	3.3.3	template-main.js - (TEMPLATE)	42

LOCK&KEY

1 Uvod

1.1 KORIŠĆENI PROGRAMSKI JEZICI

- HTML5, CSS3, Bootstrap 5.2, JavaScript, JQuery, Swiper, FontAwesome
- Visual Studio Code

1.2 OPIS FUNKCIONALNOSTI

- Dinamicko kreiranje navigacije
- Dinamicko kreiranje elemenata pomocu nizova i matrica putem javascripta
- Slideri koji prikazuju slike ili neki sadrzaj pomocu Swiper.js
- Filtriranje elemenata preko tastera u zavisnosti od odabranih opcija unutar padajucih lista
- Filtriranje elementa preko dugmica
- Ispisivanje dodatnog tekstualnog sadrzaja preko dugmeta
- Dinamicko kreiranje footer-a
- Sticky navigacija
- Back to top dugme
- Validacija forme, koriscenje regularnih izraza i ispisivanje gresaka
- Pracenje broja karaktera unutar textarea polja

1.3 TEMPLATE

- https://htmlcodex.com/real-estate-html-template-free/


2.1 ORGANIZACIONA ŠEMA

index.html contact.html

2.2 MAPA SAJTA

2.3 SLIKE STRANICA I OPISI FUNKCIONALNOSTI

- Funkcionalnosti koje nisu napravljene od strane mene su: "sticky navbar" prilikom skrolovanja i "back to top" dugme



<u>1.</u>


- Linkovi unutar navigacionog menija su dinamicki kreirani
- Dodeljivanje active klase ispitivanjem sadrzaja title taga kroz javascript

<u>2.</u>

- Slider koji se nalazi unutar header-a je kreiran pomocu Swiper.js, automatski se menja, a moze i rucno pomocu strelica ili povlacenja

<u>3.</u>

- Omoguceno pretrazivanje iliti filtriranje kroz "Property Type" padajucu listu i "Number of bedrooms" padajucu listu, obe liste su dinamicki kreirane koristeci jednu funkciju
- Unutar "Property Type" DDL se bira tip objekta od ponudjenih "Apartment, Building, Home, Villa"
- Unutar "Number of bedrooms" DDL se bira broj soba od ponudjenih "3 bedroom/s, 6 bedroom/s"
- Klikom na taster "Search" se poziva funkcija koja filtira elemente koji se prikazuju u sledecoj sekciji "Property Listing" prema uputstvima bilo koje kombinacije odabira unutar obe liste
- Ukoliko se izabere kombinacija opcija unutar padajucih lista za koju ne odgovara nijedan element, prikazuje se poruka umesto elemenata koja skrece paznju na to




<u>4.</u>

- U gornjem desnom uglu sekcije se nalaze opcije filtriranja elemenata unutar same sekcije
- Opcije nestaju ukoliko ne postoje elementi koji se poklapaju sa zahtevima iz prethodnih padajucih lista
- Opcija "All" prikaz svih elemenata
- Opcija "For Sale" prikaz samo onih elemenata sa oznakom "For Sale", odnosno koji se prodaju
- Opcija "For Rent" prikaz samo onih elemenata sa oznakom "For Rent", odnosno koji se iznajmljuju


<u>5.</u>

- Dinamicki kreirani elementi zajedno sa svim sadrzajem koristeci dvodimenzionalni niz podataka iliti matricu
- Prelaskom preko bilo kog elementa, slika se zoom-ira



<u>6.</u>

 Klikom na taster "Read More" se dinamicki prikazuje dodatni tekst u obliku paragrafa pomocu jquery metode .slideToggle('slow')



<u>7.</u>

Elementi sekcije "Property Agents" su dinamicki kreirani iz javascripta

<u>8.</u>


- Sadrzaj slider-a formiran kroz javascript iz matrice, a funkcionalnost slider-a pomocu Swiper.js, automatski se menja, a moze i rucno pomocu strelica ili povlacenja

<u>9.</u>

- Linkovi unutar "Quick Links" kreirani iz niza
- Sadrzaj unutar "Get in touch" zajedno sa ikonicama kreiran iz niza

<u>9.</u>

- Takozvano back to top dugme koje vodi nazad na vrh stranice



<u>1.</u>

- Linkovi unutar navigacionog menija su dinamicki kreirani
- Dodeljivanje active klase ispitivanjem sadrzaja title taga kroz javascript

<u>2.</u>

- Klikom na taster "Send message" se poziva funkcija koja proverava ispravnost unetih podataka u svako polje forme
- Validacija forme pomocu regularnih izraza i preko DOM atributa
- Ukoliko postoji greska prilikom unosa ili se neko polje koje je obavezno ne popuni, svaki deo forme koji nije popunjen ili je pogresno popunjen dobija crvenu borduru i ima zaseban element odmah ispod polja, koje ce se prikazati i u kome ce biti ispisana greska, sta se podrazumeva za unos u polje zajedno sa pravilnim primerom unosa
- Sva polja su obavezna zajedno sa checkbox-om
- Ispod textarea polja se nalazi counter koji odbrojava pri svakom unosu nekog karaktera unutar njega

- Ukoliko ne postoji greska prilikom unosa, forma se resetuje, prikazuje se sakriveni element ispod forme sa porukom o uspesnom popunjavanju forme i poslatom porukom

<u>3.</u>

- Linkovi unutar "Quick Links" kreirani iz niza
- Sadrzaj unutar "Get in touch" zajedno sa ikonicama kreiran iz niza

<u>4.</u>

- Takozvano back to top dugme koje vodi nazad na vrh stranice

3.1 HTML

3.1.1 index.html

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>Lock&Key | Home</title>
        <meta content="width=device-width, initial-scale=1.0"</pre>
name="viewport">
        <meta content="" name="keywords">
        <meta content="" name="description">
        <link href="img/favicon.ico" rel="icon"/>
        k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.
css" rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/swiper@8/swiper-bundle.min.css"/>
        <link href="assets/css/my-style.css" rel="stylesheet"/>
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600&fami
ly=Inter:wght@700;800&display=swap" rel="stylesheet">
        <!-- Customized Bootstrap Stylesheet -->
        <link href="css/bootstrap.min.css" rel="stylesheet"/>
```

```
<link href="css/style.css" rel="stylesheet"/>
    </head>
    <body>
        <div class="container-xxl bg-white p-0">
            <div class="container-fluid nav-bar bg-transparent">
                <nav class="navbar navbar-expand-lg bg-white navbar-light</pre>
py-0 px-4">
                    <a href="index.html" class="navbar-brand d-flex align-</pre>
items-center text-center">
                        <div class="icon p-2 me-2">
                             <img class="img-fluid"</pre>
src="assets/img/lock key logo.png" alt="lock key logo"/>
                        </div>
                        <h1 class="m-0 text-primary">Lock<span
class="text-secondary">&</span><span class="text-dark">Key</span></h1>
                    </a>
                    <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
                        <i class="fa-solid fa-bars-staggered"></i></i>
                    </button>
                    <div class="collapse navbar-collapse"</pre>
id="navbarCollapse">
                    </div>
                </nav>
            </div>
            <div class="container-fluid header bg-white p-0">
                <div class="row g-0 align-items-center flex-column-reverse</pre>
flex-md-row">
                    <div class="col-md-6 p-5 mt-lg-5">
                        <h1 class="display-5 mb-4"><span class="text-
primary">Real Estate</span> service you won't find anywhere else.</h1>
                        Top-ranked real estate
agency in New York, offering the finest luxury homes and providing world
class service
```

```
<a href="#property-section" class="btn btn-primary
py-3 px-5 me-3">Get Started</a>
                     </div>
                     <div class="col-md-6">
                         <div class="swiper swiperHeader">
                              <div class="swiper-wrapper">
                                  <div class="swiper-slide">
                                      <img class="img-fluid"</pre>
src="assets/img/key_in_lock.jpg" alt="key_in_lock"/>
                                  </div>
                                  <div class="swiper-slide">
                                      <img class="img-fluid"</pre>
src="assets/img/moving in.jpg" alt="moving in"/>
                                  </div>
                                  <div class="swiper-slide">
                                      <img class="img-fluid"</pre>
src="assets/img/sold_sign.jpg" alt="sold_sign"/>
                                  </div>
                             </div>
                              <div class="swiper-button-prev text-</pre>
light"></div>
                             <div class="swiper-button-next text-</pre>
light"></div>
                              <div class="swiper-scrollbar mb-2"></div>
                         </div>
                     </div>
                 </div>
            </div>
            <!-- Search Start -->
            <div id="search-section" class="container-fluid bg-primary mb-</pre>
5">
                 <div class="container">
                     <div class="row g-2 justify-content-center">
                         <div class="col-md-8">
                              <div class="row g-3">
                                  <div class="col-md-5 search-form-item">
                                  </div>
                                  <div class="col-md-5 search-form-item">
                                  </div>
                             </div>
```

```
</div>
                     <div class="col-md-2">
                         <a id="search-btn" href="#search-btn"
class="btn btn-dark border-0 w-100 py-3">Search</a>
                     </div>
                  </div>
              </div>
          </div>
           <!-- Search End -->
          <div class="container-xxl py-5" id="property-section">
              <div class="container">
                  <div class="row g-0 gx-5 align-items-end">
                     <div class="col-lg-6">
                         <div class="text-start mx-auto mb-5">
                             <h1 class="mb-3">Property Listing</h1>
                             >Browse through our collection of the
best properties available on the market at the moment. Save time by never
having to jump from website to website searching for properties because
everything you need is right here.
                         </div>
                     </div>
                     <div class="col-lg-6 text-start text-lg-end">
                         justify-content-end mb-5" id="property-filters">
                             <a class="btn btn-outline-primary</pre>
active" data-bs-toggle="pill" href="#property-section-content">All</a>
                            <a class="btn btn-outline-primary"</pre>
data-bs-toggle="pill" href="#property-section-content">For Sale</a>
                             <a class="btn btn-outline-primary"
data-bs-toggle="pill" href="#property-section-content">For Rent</a>
                             </div>
                  </div>
                  <div class="tab-content">
```

```
<div id="tab-1" class="tab-pane fade show p-0</pre>
active">
                          <div class="row g-4" id="property-section-</pre>
content">
                          </div>
                          text-center h5 p-5 hide">
                   </div>
               </div>
           </div>
           <div class="container-xxl py-5">
               <div class="container">
                   <div class="row g-5 align-items-center">
                       <div class="col-lg-6">
                          <div class="about-img position-relative</pre>
overflow-hidden p-5 pe-0">
                              <img class="img-fluid w-100"</pre>
src="assets/img/about-us.jpg" alt="about_us"/>
                          </div>
                       </div>
                       <div class="col-lg-6">
                          <h1 class="mb-4">Leading the Way Since
1911</h1>
                          Lock&Key, the place to find
the perfect property. Above all, we are passionate about delivering
unparalleled experiences. From sales, rentals and new development to
mortgages and title insurance, our agents are relentless advocates for our
clients. Our team is the top in the industry—they have access to the best
and most reliable information and education, allowing them to expertly
advise at every stage.
                          We are backed
by over a century's worth of insights and expertise We represent owners
and tenants of all sizes across all industries, our goal is to achieve
your objectives more easily. As the most trusted brand with the largest
global network, Lock&Key is a genuine home for agents. By helping agents
to be exceptional at what they do, we are ensuring that our customers
receive the best level of service.
```

```
<button id="read-more-btn" class="btn btn-</pre>
primary py-3 px-5 mt-3">Read More</button>
                         </div>
                    </div>
                </div>
            </div>
            <div class="container-xxl pv-5">
                <div class="container">
                    <div class="bg-light rounded p-3">
                         <div class="bg-white rounded p-4 green-dashed-</pre>
border">
                             <div class="row g-5 align-items-center">
                                 <div class="col-lg-6">
                                     <img class="img-fluid rounded w-100"</pre>
src="assets/img/call-to-action.jpg" alt="call-to-action"/>
                                 </div>
                                 <div class="col-lg-6">
                                     <div class="mb-4">
                                         <h1 class="mb-3">Contact Our
Certified Agent</h1>
                                         If you have any questions don't
hesitate to contact one of our agents through a phone call.
                                     </div>
                                     <a href="tel:0601234567" class="btn</pre>
btn-secondary py-3 px-4 me-2"><i class="fa fa-phone-alt me-2"></i>Make A
Call</a>
                                 </div>
                             </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="container-xxl py-5">
                <div class="container">
                    <div class="text-center mx-auto mb-5">
```

```
<h1 class="mb-3">Property Agents</h1>
                        The people that made this company what it is
today.
                    </div>
                    <div id="agent-section" class="row g-4">
                    </div>
                </div>
            </div>
            <div class="container-xxl py-5">
                <div class="container">
                    <div class="text-center mx-auto mb-5">
                        <h1 class="mb-3">Our Clients Say!</h1>
                        Some of the latest reviews from our extremely
satisfied customers.
                    </div>
                    <div>
                        <div class="swiper swiperTestimonials">
                            <div id="testimonials" class="swiper-wrapper">
                                <div class="swiper-slide">
                                </div>
                                <div class="swiper-slide">
                                </div>
                                <div class="swiper-slide">
                                </div>
                            </div>
                            <div class="swiper-button-prev text-</pre>
white"></div>
                            <div class="swiper-button-next text-</pre>
white"></div>
                        </div>
                    </div>
                </div>
            </div>
```

```
<div class="container-fluid bg-dark text-white-50 footer pt-5</pre>
mt-5">
                <div class="container py-5">
                    <div class="row g-5 justify-content-center">
                         <div id="footer-quick-link" class="col-md-4">
                             <h5 class="text-white mb-4">Quick Links</h5>
                         <div id="footer-info" class="col-md-4">
                             <h5 class="text-white mb-4">Get In Touch</h5>
                         </div>
                    </div>
                </div>
                <div class="container">
                    <div class="copyright">
                         <div class="row">
                             <div class="col-md-6 text-center text-md-start</pre>
mb-3 mb-md-0">
                                 © <a class="border-bottom"</pre>
href="index.html">Lock&Key</a>, All Right Reserved.
you keep the footer author's credit link/attribution link/backlink. If
                                 Designed By <a class="border-bottom"
href="#">HTML Codex</a>
                             </div>
                             <div class="col-md-6 text-center text-md-end">
                                 <div class="footer-menu">
                                     <a href="index.html">Home</a>
                                     <a href="index.html">Cookies</a>
                                     <a href="index.html">Help</a>
                                     <a href="index.html">FQAs</a>
                                 </div>
                             </div>
                         </div>
                    </div>
                </div>
            </div>
```

```
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-</pre>
to-top"><i class="fa-solid fa-circle-chevron-up"></i></a>
        </div>
        <script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.2/jquery.min.js"
integrity="sha512-
tWHlutFnuG0C6nQRlpvrEhE4QpkG1nn2MOUMWmUeRePl4e3Aki0VB6W1v3oLjFtd0hVOtRQ9PH
pSfN6u6/QXkQ==" crossorigin="anonymous" referrerpolicy="no-
referrer"></script>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle
.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
        <script src="https://cdn.jsdelivr.net/npm/swiper@8/swiper-</pre>
bundle.min.js"></script>
        <script src="https://kit.fontawesome.com/270460494f.js"</pre>
crossorigin="anonymous"></script>
        <script src="assets/js/main.js"></script>
        <script src="assets/js/custom-jquery.js"></script>
        <script src="js/template-main.js"></script>
    </body>
</html>
```

3.1.2 contact.html

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <title>Lock&Key | Contact</title>
        <meta content="width=device-width, initial-scale=1.0"</pre>
name="viewport">
        <meta content="" name="keywords">
        <meta content="" name="description">
        <link href="img/favicon.ico" rel="icon">
        klink
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.
css" rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAq046Mgn0M80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65"
crossorigin="anonymous"/>
        <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/swiper@8/swiper-bundle.min.css"/>
        <link href="assets/css/my-style.css" rel="stylesheet"/>
        <link rel="preconnect" href="https://fonts.googleapis.com"/>
        <link rel="preconnect" href="https://fonts.gstatic.com"</pre>
crossorigin/>
        k
href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600&fami
ly=Inter:wght@700;800&display=swap" rel="stylesheet">
        <link href="css/bootstrap.min.css" rel="stylesheet"/>
        <link href="css/style.css" rel="stylesheet"/>
    </head>
    <body>
        <div class="container-xxl bg-white p-0">
```

```
<div class="container-fluid nav-bar bg-transparent">
               <nav class="navbar navbar-expand-lg bg-white navbar-light</pre>
py-0 px-4">
                   <a href="index.html" class="navbar-brand d-flex align-</pre>
items-center text-center">
                       <div class="icon p-2 me-2">
                          <img class="img-fluid"</pre>
src="assets/img/lock_key_logo.png" alt="lock_key_logo">
                       </div>
                       <h1 class="m-0 text-primary">Lock<span
class="text-secondary">&</span><span class="text-dark">Key</span></h1>
                   </a>
                   <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
                       <i class="fa-solid fa-bars-staggered"></i></i>
                   </button>
                   <div class="collapse navbar-collapse"</pre>
id="navbarCollapse">
                   </div>
               </nav>
           </div>
           <div class="container-fluid header bg-white p-0">
               <div class="row g-0 align-items-center flex-column-reverse</pre>
flex-md-row">
                   <div class="col-md-6 p-5 mt-lg-5">
                       <h1 class="display-5 mb-4">Contact Us</h1>
                           <nav aria-label="breadcrumb">
                              <a</pre>
href="index.html">Home</a>
                                  active" aria-current="page">Contact
                              </nav>
                       >We're here to help you throughout the entire
home-buying process so you can finally find your dream home. Just let us
```

```
know and we'll help kickstart the process for you. We're available and
ready when you are and we are happy to work around your schedule.
                    </div>
                    <div class="col-md-6">
                        <img class="img-fluid" src="assets/img/call-to-</pre>
action.jpg" alt="call-to-action">
                    </div>
                </div>
            </div>
            <div class="container-xxl py-5">
                <div class="container-fluid">
                    <div class="row g-4">
                        <div class="col-12">
                            <div class="row gy-4">
                                <div class="col-md-6 col-lg-4">
                                    <div class="bg-light rounded p-3">
                                        <div class="d-flex align-items-</pre>
center bg-white rounded p-3 green-dashed-border">
                                            <div class="icon me-3">
                                                <i class="fa fa-map-
</div>
                                            <span>123 Street, New York,
USA</span>
                                        </div>
                                    </div>
                                </div>
                                <div class="col-md-6 col-lg-4">
                                    <div class="bg-light rounded p-3">
                                        <div class="d-flex align-items-</pre>
center bg-white rounded p-3 green-dashed-border">
                                            <div class="icon me-3">
                                                <i class="fa fa-envelope-</pre>
open text-primary"></i>
                                            </div>
                                            <span>info@example.com</span>
                                        </div>
                                    </div>
                                </div>
                                <div class="col-md-6 col-lg-4">
```

```
<div class="bg-light rounded p-3">
                                         <div class="d-flex align-items-</pre>
center bg-white rounded p-3 green-dashed-border">
                                             <div class="icon me-3">
                                                 <i class="fa fa-phone-alt</pre>
text-primary"></i>
                                             </div>
                                             <span>+012 345 6789</span>
                                         </div>
                                     </div>
                                </div>
                            </div>
                        </div>
                        <div class="col-md-6">
                            <iframe id="maps" class="position-relative</pre>
rounded w-100 h-100"
                            src="https://www.google.com/maps/embed?pb=!1m1
8!1m12!1m3!1d2830.3586717145054!2d20.482226115733457!3d44.81425718459493!2
m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x475a7a9609031735%3A0xc1
7ed71f59ac4725!2sICT%20College!5e0!3m2!1sen!2srs!4v1671078028178!5m2!1sen!
2srs"
                                frameborder="0" loading="lazy"
allowfullscreen="" aria-hidden="false"
                                tabindex="0"></iframe>
                        </div>
                        <div class="col-md-6">
                            <div>
                                <form name="form-contact" id="form-</pre>
contact">
                                    <div class="row g-3">
                                         <div class="col-md-6">
                                             <div class="form-floating">
                                                 <input type="text"</pre>
class="form-control" id="form-name" placeholder="Your Full Name"/>
                                                 <label for="form-</pre>
name">Full Name<span class="text-danger ms-1">*</span></label>
                                             alert-danger mt-1 p-2 hide">
                                         </div>
                                         <div class="col-md-6">
                                            <div class="form-floating">
```

```
<input type="email"</pre>
class="form-control" id="form-email" placeholder="Your Email"/>
                                             <label for="form-email">E-
mail<span class="text-danger ms-1">*</span></label>
                                         alert-danger mt-1 p-2 hide">
                                      </div>
                                      <div class="col-12">
                                         <div class="form-floating">
                                             <input type="text"</pre>
class="form-control" id="form-subject" placeholder="Subject"/>
                                             <label for="form-</pre>
subject">Subject<span class="text-danger ms-1">*</span></label>
                                         alert-danger mt-1 p-2 hide">
                                      </div>
                                      <div class="col-12">
                                         <div class="form-floating">
                                             <textarea class="form-</pre>
control" placeholder="Leave a message here" id="form-message"></textarea>
                                             <label for="form-</pre>
message">Message<span class="text-danger ms-1">*</span></label>
                                             <small id="char-count"</pre>
class="d-block text-end text-dark">500/500</small>
                                         </div>
                                         alert-danger mt-1 p-2 hide">
                                     </div>
                                      <div class="col-12">
                                         <div class="form-check">
                                             <input class="form-check-</pre>
input" type="checkbox" id="form-terms-conditions"/>
                                             <label class="form-check-</pre>
label" for="form-terms-conditions">Agree to terms and conditions<span
class="text-danger ms-1">*</span></label>
                                         </div>
                                         alert-danger mt-1 p-2 hide">
                                     </div>
                                     <div class="col-12">
```

```
<input type="button" id="form-</pre>
btn" class="btn btn-primary w-100 py-3" value="Send Message"/>
                                       </div>
                                    </div>
                                    alert-success mt-3 p-3 text-center hide">
                                </form>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="container-fluid bg-dark text-white-50 footer pt-5</pre>
mt-5">
                <div class="container py-5">
                    <div class="row g-5 justify-content-center">
                        <div id="footer-quick-link" class="col-md-4">
                            <h5 class="text-white mb-4">Quick Links</h5>
                        </div>
                        <div id="footer-info" class="col-md-4">
                            <h5 class="text-white mb-4">Get In Touch</h5>
                        </div>
                    </div>
                </div>
                <div class="container">
                    <div class="copyright">
                        <div class="row">
                           <div class="col-md-6 text-center text-md-start</pre>
mb-3 mb-md-0">
                               © <a class="border-bottom"</pre>
href="index.html">Lock&Key</a>, All Right Reserved.
you keep the footer author's credit link/attribution link/backlink. If
link/attribution link/backlink, you can purchase the Credit Removal
```

```
Designed By <a class="border-bottom"
href="#">HTML Codex</a>
                             </div>
                             <div class="col-md-6 text-center text-md-end">
                                 <div class="footer-menu">
                                     <a href="index.html">Home</a>
                                     <a href="index.html">Cookies</a>
                                     <a href="index.html">Help</a>
                                     <a href="index.html">FQAs</a>
                                 </div>
                             </div>
                         </div>
                    </div>
                </div>
            </div>
            <a href="#" class="btn btn-lg btn-primary btn-lg-square back-</pre>
to-top"><i class="fa-solid fa-circle-chevron-up"></i></a>
        </div>
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.6.2/jquery.min.js"
integrity="sha512-
tWHlutFnuG0C6nQRlpvrEhE4QpkG1nn2MOUMWmUeRePl4e3Aki0VB6W1v3oLjFtd0hVOtRQ9PH
pSfN6u6/QXkQ==" crossorigin="anonymous" referrerpolicy="no-
referrer"></script>
         <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle
.min.js" integrity="sha384-
kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
         <script src="https://cdn.jsdelivr.net/npm/swiper@8/swiper-</pre>
bundle.min.js"></script>
         <script src="https://kit.fontawesome.com/270460494f.js"</pre>
crossorigin="anonymous"></script>
         <script src="assets/js/main.js"></script>
         <script src="assets/js/custom-jquery.js"></script>
```

3.2 CSS

3.2.1 my-style.css

- Najveci deo stilizovanja koji sam ja dodavao je uradjen preko Bootstrap klasa unutar samog HTML-a
- Ostatak je iz posebnog CSS fajla koji se dobije uz sam template

```
.hide {
    display: none !important;
.error-message {
    font-size: 0.8rem;
.icon {
   width: 3rem;
   height: 3rem;
.green-dashed-border {
    border: 1px dashed rgba(0, 185, 142, .3);
#search-section {
    padding: 2rem;
#maps {
    min-height: 400px;
#form-message {
   height: 10rem;
    resize: none;
```

3.3 JAVASCRIPT

3.3.1 main.js

```
if (location.pathname == '/index.html' || location.pathname == '/') {
   /* *-* BEGIN|DYNAMIC "PROPERTY LISTING" CONTENT *-* */
    var propertySectionContent = document.getElementById('property-
section-content');
    const contentPropertyMatrix = [
        ['For Sale', 'Home', '500.000', 'Halpine Manor', '528 Whitemarsh
Ave. Brentwood, New York', 'blue_house'],
        ['For Rent', 'Villa', '9.999', 'Brownhill Villa', '5 Lafayette
Ave. Bronx, New York', 'villa'],
        ['For Sale', 'Apartment', '250.000', 'Powlett House', '9034
Franklin St. Freeport, New York', 'apartment'],
        ['For Rent', 'Home', '4.999', 'Moore Estate', '9370 Willow St.
Massapequa, New York', 'green_house'],
        ['For Sale', 'Home', '100.000', 'McArthy Garden', 'Canal St.
Hempstead, New York', 'brown house'],
        ['For Sale', 'Building', '150.000.000', 'Sabilline Building',
'8465 Sunnyslope Drive Bronx, New York', 'building construction']
   ];
    const contentPropertyDetails = [[1000, 6, 4], [500, 3, 2], [1000, 6,
4], [500, 3, 2], [1000, 6, 4], [500, 3, 2]];
    const contentPropertyDivClasses = ['property-list-part col-lg-4 col-
md-6', 'property-item rounded overflow-hidden', 'position-relative
overflow-hidden', 'sale-or-rent bg-primary rounded text-white position-
absolute start-0 top-0 m-4 py-1 px-3', 'bg-white rounded-top text-primary
position-absolute start-0 bottom-0 mx-4 pt-1 px-3', 'p-4 pb-0', 'd-flex
border-top'];
    const contentPropertyIconClasses = ['fa fa-ruler-combined text-primary
me-2', 'fa fa-bed text-primary me-2', 'fa fa-bath text-primary me-2'];
   for (let index = 0; index < 6; index++) {</pre>
        for(let index = 1; index <= 7; index++) {</pre>
            window['propertyDiv' + index] = document.createElement('div');
```

```
window['propertyDiv' + index].setAttribute('class',
contentPropertyDivClasses[index-1]);
        let propertyAnchor1 = document.createElement('a');
        propertyAnchor1.setAttribute('href', '#property-section');
        propertyAnchor1.setAttribute('disabled', 'disabled');
        let propertyImage = document.createElement('img');
        Object.assign(propertyImage, {
            className: 'img-fluid',
            src: `assets/img/${contentPropertyMatrix[index][5]}.jpg`,
            alt: contentPropertyMatrix[index][5]
        });
        let propertyHeader5 = document.createElement('h5');
        propertyHeader5.setAttribute('class', 'text-primary mb-3');
        let propertyAnchor2 = document.createElement('a');
        propertyAnchor2.setAttribute('class', 'd-block h5 mb-2');
        propertyAnchor2.setAttribute('href', '#property-section');
        let propertyParagraph = document.createElement('p');
        let propertyIcon = document.createElement('i');
        propertyIcon.setAttribute('class', 'fa fa-map-marker-alt text-
primary me-2');
        for (let index = 1; index <= 3; index++) {</pre>
            window['propertySmall' + index] =
document.createElement('small');
            window['propertySmall' + index].setAttribute('class', 'flex-
fill text-center border-end py-2');
            window['propertyIcon' + index] = document.createElement('i');
            window['propertyIcon' + index].setAttribute('class',
contentPropertyIconClasses[index - 1]);
            window['propertySmall' +
index].appendChild(window['propertyIcon' + index]);
            propertyDiv7.appendChild(window['propertySmall' + index]);
        propertyDiv5.classList.add('text-secondary');
        propertySmall2.classList.add('bedroom-num');
        propertySmall3.classList.remove('border-end');
        propertyDiv1.appendChild(propertyDiv2);
            propertyDiv2.appendChild(propertyDiv3);
                propertyDiv3.append(propertyAnchor1, propertyDiv4,
propertyDiv5);
                    propertyAnchor1.appendChild(propertyImage);
```

```
propertyDiv4.textContent +=
contentPropertyMatrix[index][0];
                    propertyDiv5.textContent +=
contentPropertyMatrix[index][1];
            propertyDiv2.appendChild(propertyDiv6);
                propertyDiv6.append(propertyHeader5, propertyAnchor2,
propertyParagraph);
                    propertyHeader5.innerHTML +=
contentPropertyMatrix[index][2] + '€';
                        propertyAnchor2.innerHTML +=
contentPropertyMatrix[index][3];
                        propertyParagraph.appendChild(propertyIcon);
                        propertyParagraph.innerHTML +=
contentPropertyMatrix[index][4];
            propertyDiv2.appendChild(propertyDiv7);
                    propertySmall1.innerHTML +=
contentPropertyDetails[index][0] + 'm²';
                    propertySmall2.innerHTML +=
contentPropertyDetails[index][1] + ' bedroom/s';
                    propertySmall3.innerHTML +=
contentPropertyDetails[index][2] + ' bathrooom/s';
    propertySectionContent.append(propertyDiv1);
    var propertyFilters = document.querySelectorAll('#property-filters li
a');
    var propertySaleOrRent = document.querySelectorAll('.sale-or-rent');
    var propertyListPart = document.querySelectorAll('.property-list-
part');
   for (const element of propertyFilters) {
        element.addEventListener('click', function() {
            document.querySelector('#property-filters li
a.active').classList.remove('active');
            element.classList.add('active');
            for (let index = 0; index < propertyListPart.length; index++)</pre>
                if((element.innerHTML != 'All') && !(element.innerHTML ==
propertySaleOrRent[index].innerHTML)) {
                    propertyListPart[index].classList.add('hide');
```

```
else {
                    propertyListPart[index].classList.remove('hide');
        })
    /* *-* BEGIN|DYNAMIC "SEARCH" CONTENT *-* */
    var searchFields = document.querySelectorAll(".search-form-item");
    var searchPropertySort = ['3 bedroom/s', '6 bedroom/s'];
    var searchPropertyTypes = ['Apartment', 'Building', 'Home', 'Villa'];
    var typeSelect, typeOption, sortSelect, sortOption;
    function CreateSearchDDL(ddlName, ddlId, defaultValue, valueArray,
optionName, position) {
        ddlName = document.createElement('select');
        ddlName.setAttribute('class', 'form-select border-0 py-3 search-
form-ddl');
        ddlName.setAttribute('id', ddlId);
        searchFields[position].append(ddlName);
        var typeDefaultOption = document.createElement('option');
        typeDefaultOption.setAttribute('value', 0);
        typeDefaultOption.innerHTML += defaultValue;
        ddlName.append(typeDefaultOption);
        for (let index = 0; index < valueArray.length; index++) {</pre>
            optionName = document.createElement('option');
            optionName.setAttribute('value', valueArray[index]);
            optionName.innerHTML += valueArray[index];
            ddlName.append(optionName);
    CreateSearchDDL(typeSelect, 'search-type', 'Property Type...',
searchPropertyTypes, typeOption, 0);
    CreateSearchDDL(sortSelect, 'search-sort', 'Number of bedrooms...',
searchPropertySort, sortOption, 1);
    var searchFieldType = document.querySelector('#search-type');
    var searchFieldSort = document.quervSelector('#search-sort');
```

```
var searchFieldBtn = document.querySelector('#search-btn');
    var propertyBedroom = document.getElementsByClassName('bedroom-num');
    searchFieldBtn.addEventListener('click', function() {
        for (let index = 0; index < propertyListPart.length; index++) {</pre>
            propertyListPart[index].classList.remove('hide');
            if (!(searchFieldType.value == '0') && !(searchFieldSort.value
== '0')) {
                if ((!(searchFieldType.value ==
propertySaleOrRent[index].nextElementSibling.innerHTML)) | |
(!(searchFieldSort.value == propertyBedroom[index].textContent))) {
                    propertyListPart[index].classList.add('hide');
                }
            else if (!(searchFieldType.value == '0') &&
!(searchFieldType.value ==
propertySaleOrRent[index].nextElementSibling.innerHTML)) {
                propertyListPart[index].classList.add('hide');
            else if (!(searchFieldSort.value == '0') &&
!(searchFieldSort.value == propertyBedroom[index].textContent)) {
                propertyListPart[index].classList.add('hide');
            else {
                propertyListPart[index].classList.remove('hide');
   });
   var agentSection = document.getElementById('agent-section');
    const contentAgentDetails = [['Mackenzie Perkins', 'Real Estate
Brokerage Manager', 'mackenzie'], ['Clark Wilson', 'Senior Real Estate
Specialist', 'clark'], ['Lilly Johnson', 'Commercial Investment Member',
'lily'],['Jordan Woods', 'Accredited Land Consultant', 'jordan']];
    const contentAgentDivClasses = ['col-lg-3 col-md-6 wow fadeInUp',
'team-item rounded overflow-hidden', 'position-relative', 'position-
absolute start-50 top-100 translate-middle d-flex align-items-center',
'text-center p-4 mt-3'];
```

```
const contentAgentIconClasses = ['fab fa-facebook-f', 'fab fa-
twitter', 'fab fa-instagram'];
    for (let index = 0; index < 4; index++) {</pre>
        for (let index = 1; index <= 5; index++) {</pre>
            window['agentDiv' + index] = document.createElement('div');
            window['agentDiv' + index].setAttribute('class',
contentAgentDivClasses[index-1]);
        let agentImage = document.createElement('img');
        Object.assign(agentImage, {
            className: 'img-fluid',
            src: `assets/img/${contentAgentDetails[index][2]}.jpg`,
            alt: contentAgentDetails[index][2]
        });
        for (let index = 0; index < 3; index++) {</pre>
            window['agentAnchor' + index + 1] =
document.createElement('a');
            window['agentAnchor' + index + 1].setAttribute('class', 'btn
btn-square mx-1');
            window['agentAnchor' + index + 1].setAttribute('href',
'#agent-section');
            window['agentIcon' + index + 1] = document.createElement('i');
            window['agentIcon' + index + 1].setAttribute('class',
contentAgentIconClasses[index]);
            window['agentAnchor' + index +
1].appendChild(window['agentIcon' + index + 1]);
            agentDiv4.appendChild(window['agentAnchor' + index + 1]);
        let agentHeader5 = document.createElement('h5');
        agentHeader5.setAttribute('class', 'fw-bold mb-0');
        let agentSmall = document.createElement('small');
        agentDiv1.appendChild(agentDiv2);
            agentDiv2.appendChild(agentDiv3);
                agentDiv3.append(agentImage, agentDiv4);
            agentDiv2.appendChild(agentDiv5);
                agentDiv5.append(agentHeader5, agentSmall);
                    agentHeader5.innerHTML +=
contentAgentDetails[index][0]
                    agentSmall.innerHTML += contentAgentDetails[index][1]
    agentSection.append(agentDiv1);
```

```
/* *-* END|DYNAMIC "PROPERTY AGENTS" CONTENT *-* */
    /* *-* BEGIN/DYNAMIC "TESTIMONIALS" CONTENT *-* */
    var testimonialsSection = document.querySelectorAll('#testimonials
.swiper-slide');
    const contentTestimonialsDetails = [
        ['"When I found Clark I knew I was finally working with a real
professional I could rely on."' ,'Naomi Mitchell', '- happy Lock&Key
client', 'naomi'],
        ['"Everyone is on the same page. Lock&Key is the ultimate time
saver for people like me."' ,'Charles Wilson', '- grateful Lock&Key
client', 'charles'],
        ['"With Lock&Key, I have finally accomplished things that have
been waiting forever to get done."' ,'Zoe Diaz', '- thankful Lock&Key
client', 'zoe']
    1;
    const contentTestimonialsDivClasses = ['testimonial-item bg-light
rounded p-3', 'bg-white border rounded p-4', 'd-flex align-items-center',
ps-3'];
   for (let index = 0; index < 3; index++) {</pre>
        for (let index = 1; index <= 4; index++) {</pre>
            window['testimonialDiv' + index] =
document.createElement('div');
            window['testimonialDiv' + index].setAttribute('class',
contentTestimonialsDivClasses[index-1]);
        let testimonialParagraph = document.createElement('p');
        let testimonialImage = document.createElement('img');
        Object.assign(testimonialImage, {
            className: 'img-fluid flex-shrink-0 rounded-circle',
            src: `assets/img/${contentTestimonialsDetails[index][3]}.jpg`,
            alt: contentTestimonialsDetails[index][3]
        });
        testimonialImage.style.width = '45px';
        testimonialImage.style.height = '45px';
        let testimonialHeader6 = document.createElement('h5');
        testimonialHeader6.setAttribute('class', 'fw-bold mb-1');
        let testimonialSmall = document.createElement('small');
        testimonialDiv1.appendChild(testimonialDiv2);
```

```
testimonialDiv2.append(testimonialParagraph, testimonialDiv3);
                testimonialParagraph.innerHTML +=
contentTestimonialsDetails[index][0];
                testimonialDiv3.append(testimonialImage, testimonialDiv4);
                    testimonialDiv4.append(testimonialHeader6,
testimonialSmall);
                        testimonialHeader6.innerHTML +=
contentTestimonialsDetails[index][1];
                    testimonialSmall.innerHTML +=
contentTestimonialsDetails[index][2];
    testimonialsSection[index].append(testimonialDiv1);
else if (location.pathname == '/contact.html') {
    /* *-* BEGIN/CONTACT FORM VALIDATION *-* */
    var formSubmit = document.querySelector('#form-btn');
    formSubmit.addEventListener('click', formValidation);
    var errors = 0;
    function regExValidation(formPart, regEx, errorMessage) {
        if(!regEx.test(formPart.value)) {
            formPart.classList.add('border-2', 'border-danger',
rounded');
            formPart.parentElement.nextElementSibling.innerHTML =
errorMessage;
            formPart.parentElement.nextElementSibling.classList.remove('hi
de');
            errors++;
        else{
            formPart.classList.remove('border-2', 'border-danger',
'rounded');
            formPart.parentElement.nextElementSibling.innerHTML = '';
            formPart.parentElement.nextElementSibling.classList.add('hide'
    function formValidation() {
```

```
errors = 0;
        let formFullName, formEmail, formSubject, formMessage, formTerms,
formSuccess;
        let regExFullName, regExEmail, regExSubject;
        formFullName = document.querySelector('#form-name');
        formEmail = document.querySelector('#form-email');
        formSubject = document.querySelector('#form-subject');
        formMessage = document.querySelector('#form-message');
        formTerms = document.querySelector('#form-terms-conditions');
        formSuccess = document.querySelector('#no-error-message');
        regExFullName = /^[A-ZČĆŠĐŽ][a-zčćđŠž]{2,14}([\s][A-ZČĆŠĐŽ][a-
zčćđšž]{2,14})+$/;
        regExEmail = /^[a-z0-9+...]+@[a-z0-9...]+\.[a-z]{2,3}$/;
        regExSubject = /^[A-ZČĆŠĐŽa-zčćđšž0-9\s\.,!?""-]{3,}$/;
        regExValidation(formFullName, regExFullName, 'Field "Full name"
accepts only letters. </br><<mall> - example: John Doe</small></em>');
        regExValidation(formEmail, regExEmail, 'Field "E-mail" is invalid.
</br><em><small> - example: john.doe@gmail.com</small></em>');
        regExValidation(formSubject, regExSubject, 'Field "Subject"
accepts letter, numbers and (!?.,-")');
        if(!formTerms.checked) {
            formTerms.classList.add('border-2', 'border-danger',
'rounded');
            formTerms.nextElementSibling.classList.add('text-danger');
            errors++;
        else {
            formTerms.classList.remove('border-2', 'border-danger',
 rounded');
            formTerms.nextElementSibling.classList.remove('text-danger');
        if(formMessage.textLength < 10) {</pre>
            formMessage.classList.add('border-2', 'border-danger',
rounded');
            formMessage.parentElement.nextElementSibling.innerHTML =
'Field "Message" must contain at least 10 characters.';
            formMessage.parentElement.nextElementSibling.classList.remove(
'hide');
```

```
errors++;
        else{
            formMessage.classList.remove('border-2', 'border-danger',
'rounded');
            formMessage.parentElement.nextElementSibling.innerHTML = '';
            formMessage.parentElement.nextElementSibling.classList.add('hi
de');
        if(errors==0) {
            formSuccess.classList.remove('hide');
            formSuccess.innerHTML = 'Thank you for contacting us. We will
reply to your message ASAP!';
            document.getElementById("form-contact").reset();
        *-* END CONTACT FORM VALIDATION *-* */
var navPart = document.getElementById('navbarCollapse');
const navMatrix = [
    ['index.html', 'nav-item nav-link', 'Home'],
    ['contact.html', 'nav-item nav-link', 'Contact'],
    ['https://lthechubbyl.github.io/portfolio/', 'nav-item nav-link',
'Portfolio'],
    ['documentation.pdf', 'nav-item nav-link', 'Documentation']
let navDiv = document.createElement('div');
navDiv.setAttribute('class', 'navbar-nav ms-auto');
for (let index = 1; index <= 4; index++) {</pre>
    window['navAnchor' + index] = document.createElement('a');
    window['navAnchor' + index].setAttribute('href', navMatrix[index -
1][0])
    window['navAnchor' + index].setAttribute('class', navMatrix[index -
1][1]);
    window['navAnchor' + index].innerHTML += navMatrix[index - 1][2];
    navDiv.append(window['navAnchor' + index]);
navAnchor4.setAttribute('target', '_blank');
navPart.append(navDiv);
```

```
if (document.title == 'Lock&Key | Home') {
    navAnchor1.classList.add('active');
else if (document.title == 'Lock&Key | Contact') {
    navAnchor2.classList.add('active');
 * *-* END|DYNAMIC "NAVBAR" LINKS *-* */
/* *-* BEGIN|DYNAMIC "FOOTER" CONTENT *-* */
var footerQuickLink = document.getElementById('footer-quick-link');
const footerQuickLinkMatrix = [['Home', 'index.html'], ['Contact',
'contact.html'], ['Portfolio',
'https://lthechubbyl.github.io/portfolio/'], ['Documentation',
'documentation.pdf']];
var footerInfo = document.getElementById('footer-info');
const footerInfoMatrix = [
    ['fa fa-map-marker-alt me-3', '8483 Buckingham St. New York'],
    ['fa fa-phone-alt me-3', '+0601234567'],
    ['fa fa-envelope me-3', 'lockkey@gmail.com']
];
const footerIconPartArray = ['fab fa-twitter', 'fab fa-facebook-f', 'fab
fa-youtube', 'fab fa-linkedin-in'];
for (let index = 0; index < footerQuickLinkMatrix.length; index++) {</pre>
    footerQuickLink.innerHTML += `<a class="btn btn-link text-white-50"</pre>
href="${footerQuickLinkMatrix[index][1]}">${footerQuickLinkMatrix[index][0]}
]}</a>`
for (let index = 0; index < footerInfoMatrix.length; index++) {</pre>
    footerInfo.innerHTML += `<i</pre>
class="${footerInfoMatrix[index][0]}"></i>${footerInfoMatrix[index][1]}
let footerInfoTemp = `<div class="d-flex pt-2">`;
for (let index = 0; index < footerIconPartArray.length; index++) {</pre>
    footerInfoTemp += `<a class="btn btn-outline-light btn-social"</pre>
href="#"><i class="${footerIconPartArray[index]}"></i></a>`;
footerInfoTemp += `</div>`;
footerInfo.innerHTML += footerInfoTemp;
```

```
var swiperHeader = new Swiper('.swiperHeader', {
    effect: "fade",
    autoplay: {
        delay: 3000,
        disableOnInteraction: false,
        pauseOnMouseEnter: true,
    },
    navigation: {
     nextEl: '.swiper-button-next',
     prevEl: '.swiper-button-prev',
    },
    scrollbar: {
     el: '.swiper-scrollbar',
      draggable: true,
    },
});
var swiperTestimonials = new Swiper('.swiperTestimonials', {
    loop: true,
    slidesPerView: 2,
    centeredSlides: true,
    effect: "creative",
    creativeEffect: {
        prev: {
          shadow: true,
         translate: ["-120%", 0, -500],
        },
        next: {
         shadow: true,
          translate: ["120%", 0, -500],
        },
    },
    autoplay: {
        delay: 4000,
        disableOnInteraction: false,
        pauseOnMouseEnter: true,
    },
    navigation: {
```

```
nextEl: '.swiper-button-next',
    prevEl: '.swiper-button-prev',
},

pagination: {
    el: ".swiper-pagination",
    dynamicBullets: true,
    },
});
```

3.3.2 custom-jquery.js

```
$(document).ready(function(){
   $('#read-more').hide();
   $('#read-more-btn').click(() => {
       $('#read-more').slideToggle('slow');
   });
   $('#search-btn').click(() => {
       if ($('#property-section-content').height() == 0) {
           $('#no-property').removeClass('hide');
           $('#no-property').html('<i class="fa-solid fa-house-circle-</pre>
criteria!');
           $('#property-filters').parent().addClass('hide');
       else {
           $('#no-property').addClass('hide');
           $('#property-filters').parent().removeClass('hide');
   });
   $("#form-message").keyup(function(){
       $("#char-count").text("500/" + (500 - $(this).val().length));
   });
});
```

3.3.3 template-main.js - (TEMPLATE)

```
(function ($) {
    "use strict";
    $(window).scroll(function () {
        if ($(this).scrollTop() > 45) {
            $('.nav-bar').addClass('sticky-top');
        } else {
            $('.nav-bar').removeClass('sticky-top');
    });
    $(window).scroll(function () {
        if ($(this).scrollTop() > 300) {
            $('.back-to-top').fadeIn('slow');
        } else {
            $('.back-to-top').fadeOut('slow');
    });
   $('.back-to-top').click(function () {
        $('html, body').animate({scrollTop: 0}, 1000, 'linear');
        return false;
    });
})(jQuery);
```