ワークフローシステムの起動方法


Flask_WorkFrow
ワークフローシステムをフォルダごと
デスクトップなどに貼り付ける


コマンド プロンプト
Microsoft Windows [Version 10.0.18362.1016]
(c) 2019 Microsoft Corporation. All rights reserved.
C:¥Users¥user.DESKTOP-6CB38B5>cd C:¥Users¥user.DESKTOP-6CB38B5¥Desktop¥Flask_WorkFrow
1.コマンドプロンプトを開く
2. 「CD」 + 半角スペース +先ほど貼り付けたフォルダのありかを入力
3.Enterキーをたたく


コマンド プロンプト
Microsoft Windows [Version 10.0.18362.1016]
(c) 2019 Microsoft Corporation. All rights reserved.
C:¥Users¥user.DESKTOP-6CB38B5>cd C:¥Users¥user.DESKTOP-6CB38B5¥Desktop¥Flask_WorkFrow
C:¥Users¥user.DESKTOP-6CB38B5¥Desktop¥Flask_WorkFrow>python app.py
「python app.py」と入力し、enterキーを押す


コマンドプロンプト - python app.py
future. Set it to True or False to suppress this warning.
warnings.warn(FSADeprecationWarning(
C:¥Users¥user.DESKTOP-6CB38B5¥AppData¥Local¥Programs¥Python¥Python38¥lib¥site-packages¥flask_sqlalchemy¥__init__.py:833:
FSADeprecationWarning: SQLALCHEMY_TRACK_MODIFICATIONS adds significant overhead and will be disabled by default in the
future. Set it to True or False to suppress this warning.
warnings.warn(FSADeprecationWarning(
C:¥Users¥user.DESKTOP-6CB38B5¥AppData¥Local¥Programs¥Python¥Python38¥lib¥site-packages¥flask_sqlalchemy¥__init__.py:833:
FSADeprecationWarning: SQLALCHEMY_TRACK_MODIFICATIONS adds significant overhead and will be disabled by default in the
future. Set it to True or False to suppress this warning.
warnings.warn(FSADeprecationWarning(
C:¥Users¥user.DESKTOP-6CB38B5¥AppData¥Local¥Programs¥Python¥Python38¥lib¥site-packages¥flask_sqlalchemy¥__init__.py:833:
FSADeprecationWarning: SQLALCHEMY_TRACK_MODIFICATIONS adds significant overhead and will be disabled by default in the
future. Set it to True or False to suppress this warning.
warnings.warn(FSADeprecationWarning(
* Serving Flask app "app" (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
* Debug mode: off
* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)
すると色んなログが出力され、最後に「http://127.0.0.1:5000」というURLが
表示されるのでこれをコピーする（これがシステムを使うためのURLとなる）


新しいタブ
http://127.0.0.1:5000/
InPrivate (2 個)
お気に入りバーにお気に入りを登録すると、簡単にアクセスできるようになります。今すぐお気に入りを管理する
ブラウザを開き、URL欄に先ほどコピーしたURLを貼り付ける
Microsoft Bing を使用した InPrivate 検索
InPrivate ブラウズの内容
すべての InPrivate ウィンドウを閉じるときに閲覧情報を削除する
お気に入りとダウンロードを保存する (ダウンロード履歴は保存しない)
Microsoft Bing Search が自分に関連付けられることを防止する
InPrivate ブラウズで実行されない内容
学校、雇用主、インターネット サービス プロバイダーで閲覧を非表示にする
既定ではトラッキングから追加の保護を取得する
通常の閲覧で利用できるコンテンツに保護を追加する



これでシステムが使えるようになります