

Major Humanoid Robotics Companies in China

Bjørn Remseth

Email: la3lma@gmail.com

With AI assistance

November 23, 2025

Note on document creation: This document was created with AI assistance. See the “About This Document” section for details on the methodology and verification processes used.

Abstract

This report provides an overview of major humanoid robotics companies operating in China, with primary clusters in Shenzhen, Shanghai, Beijing, and Hangzhou. Initially based on visual market research materials from Robotuo.com showing geographic distribution and company positioning, the analysis has been significantly extended through detailed examination of manufacturer websites, product documentation, funding announcements, and international retail platforms. The data includes 36 companies across the four major technology hubs, with in-depth case studies of selected manufacturers examining product portfolios, financing structures, strategic partnerships, distribution strategies, and technology stacks. Each case study includes detailed hardware and software architecture analysis, supply chain assessment, and network visualizations of financing and partnership relationships. All sources are documented in the references section, with URLs verified for accessibility and content relevance.

2025-11-23-00:10:27-CET ac77d3c

Contents

1	Company Profile: LEJU Robot	5
1.1	Company Overview	5
1.2	Product Portfolio	5
1.2.1	KUAVO Series (General-Purpose Humanoid Robots)	6
1.2.2	AELOS Series (Educational Humanoid Robots)	6
1.2.3	Specialized Service Robots	7
1.3	Technology Stack Highlights	7
1.4	Financing and Ownership Structure	10
1.5	Strategic Partnerships	10
1.6	Distribution Strategy	10
2	Company Profile: KEPLER	11
2.1	Company Overview	11
2.2	Product Portfolio	11
2.2.1	Forerunner Series	11
2.3	Technology Stack Highlights	13
2.4	Financing and Ownership Structure	16

2.5	Strategic Partnerships and Customer Deployments	16
2.6	Distribution and Commercialization Strategy	16
3	Company Profile: Unitree Robotics	17
3.1	Company Overview	17
3.2	Product Portfolio	17
3.2.1	H Series: Universal Humanoid Robots	17
3.2.2	G Series: Affordable Humanoid Robots	18
3.2.3	Go Series: Consumer Quadruped Robots	19
3.2.4	B Series: Industrial Quadruped Robots	20
3.3	Technology Stack Highlights	21
3.4	Financing and Ownership Structure	25
3.5	Strategic Partnerships and Ecosystem	26
3.6	Distribution Strategy	26
4	Company Profile: GALBOT	27
4.1	Company Overview	27
4.2	Product Portfolio	28
4.2.1	G1 Semi-Humanoid Mobile Manipulator	28
4.3	Technology Stack Highlights	29
4.4	Financing and Strategic Investors	32
4.5	Strategic Partnerships and Ecosystem	33
4.5.1	Bosch Joint Venture	33
4.5.2	Academic Research Partnerships	33
4.6	Commercialization Strategy and Deployment	33
4.6.1	Unmanned Retail Stores	33
4.6.2	Unmanned Pharmacies	34
4.6.3	Industrial Manufacturing Plans	34
4.7	Competitive Positioning	34
5	Company Profile: RobotEra	34
5.1	Company Background	34
5.2	Product Portfolio	35
5.2.1	Star1: First-Generation Platform	35
5.2.2	L7: Next-Generation Commercial Platform	36
5.3	Technology Stack Highlights	38
5.3.1	ERA-42 Embodied AI System	38
5.3.2	Next-Generation Actuators	38
5.3.3	Enhanced XHAND Dexterous Hands	39
5.4	Financing and Investors	41
5.5	Partnerships and Ecosystem	41
5.5.1	Tsinghua University Equity Relationship	41
5.5.2	International Research Collaborations	41
5.5.3	Tech Giant Customer Base	42
5.6	Distribution and Commercialization	42
5.7	Competitive Positioning	42
5.8	Strategic Assessment	43

6	Company Profile: NOETIX Robotics	44
6.1	Company Background and Founding	44
6.2	Product Portfolio	44
6.2.1	Bumi - Affordable Consumer Humanoid	45
6.2.2	N2 - High-Performance Athletic Humanoid	45
6.2.3	Dora - General-Purpose Household Platform	46
6.2.4	Additional Products in Development	47
6.3	Technology Stack and Innovation	47
6.3.1	Hardware Architecture	47
6.3.2	Software and AI Capabilities	49
6.3.3	Supply Chain and Manufacturing	50
6.4	Financing and Investors	50
6.5	Partnerships and Ecosystem	51
6.6	Distribution and Commercialization	52
6.7	Competitive Positioning and Strategic Assessment	53
7	Company Profile: Xiaomi Corporation	54
7.1	Company Overview	54
7.2	Product Portfolio	54
7.2.1	CyberOne Humanoid Robot	54
7.2.2	CyberDog Quadruped Robot Series	56
7.3	Open Source and Developer Ecosystem	58
7.4	Strategic Technology Partnerships	59
7.5	Robotics Ecosystem Investments	59
7.6	Commercialization and Market Strategy	60
7.7	Competitive Positioning and Strategic Analysis	60
8	Company Profile: XPeng Motors	62
8.1	Company Overview	62
8.2	Product Portfolio: IRON Humanoid Robot	63
8.3	Hardware Architecture	66
8.4	Software Architecture and AI Models	67
8.5	Production Timeline and Commercialization Strategy	68
8.6	Strategic Partnerships	69
8.7	Competitive Positioning: EV Manufacturer Advantages	70
8.8	Strategic Implications	71
9	Company Profile: Fourier Intelligence	73
9.1	Company Overview and Founding Story	73
9.2	Product Portfolio: GR Series Humanoid Robots	74
9.3	Hardware Architecture	77
9.4	Software Architecture and Research Platform Strategy	79
9.5	Strategic Financing and Investor Network	80
9.6	Strategic Partnerships and Technology Ecosystem	81
9.7	Market Strategy: Research Platform Positioning	82
9.8	Competitive Positioning: Rehabilitation Robotics Heritage	83
9.9	Strategic Implications and Industry Positioning	83

10 Company Profile: AGIBOT	84
10.1 Company Overview and Founding Story	84
10.2 Product Portfolio	85
10.2.1 RAISE A1 (First Generation, August 2023)	85
10.2.2 Yuanzheng A2 (Second Generation, 2024)	85
10.2.3 Product Variants	85
10.3 Hardware Architecture	86
10.4 Software Architecture	87
10.5 Production Milestones: Path to 1,000 Units	88
10.6 Strategic Financing: Building a Diverse Investor Base	89
10.6.1 Major Funding Rounds	89
10.6.2 Investor Categories and Strategic Value	89
10.6.3 IPO Plans: Hong Kong Listing Target 2026	90
10.7 Academic and Industrial Partnerships	90
10.7.1 OpenDriveLab Collaboration	90
10.7.2 IROS 2025 Challenge	90
10.7.3 Industrial Deployment Partners	90
10.8 AgiBot World: Largest Humanoid Manipulation Dataset	90
10.9 Distribution Strategy	91
10.9.1 Domestic China Market (Primary Focus)	91
10.9.2 International Expansion	91
10.9.3 Pricing Strategy	91
10.10 Competitive Positioning	92
10.10.1 Direct Competition: Tesla Optimus	92
10.10.2 Chinese Competitive Landscape	92
10.11 Strategic Implications	92
10.11.1 Production as Competitive Moat	92
10.11.2 Dataset Strategy as Platform Play	93
10.11.3 Automotive-Robotics Convergence	93
10.11.4 International Expansion Challenges	93
11 Analysis	94
11.1 Geographic Concentration	94
11.2 Design Characteristics	94
11.3 Market Positioning	94
11.4 Network Analysis	94
11.4.1 Partnership Networks	95
11.4.2 Financing Networks	95
11.4.3 Distribution Networks	96
12 Conclusion	97
13 Future Research Questions	97
13.1 Human Capital and Talent Networks	98
13.2 Strategic and Competitive Dynamics	98
13.3 Technical and Innovation Trajectories	99
13.4 Market and Application Evolution	100

14 Methodology	100
14.1 Data Collection Process	100
14.1.1 Initial Discovery	100
14.1.2 Company Selection for Deep Analysis	101
14.1.3 Information Gathering	101
14.2 Data Structuring	101
14.2.1 JSON Schema Design	101
14.2.2 Data Extraction and Validation	102
14.3 Network Visualization	102
14.3.1 Graph Generation Pipeline	102
14.3.2 Visualization Design	102
14.4 Document Generation	102
14.4.1 LaTeX Integration	102
14.4.2 Reference Management	103
14.5 Reproducibility and Extension	103
14.5.1 Adding New Companies	103
14.5.2 Data Quality and Limitations	103
A Geographic Company Distribution	116
A.1 Data Sources	116
A.2 Shenzhen Companies	116
A.3 Shanghai Companies	117
A.4 Beijing Companies	118
A.5 Hangzhou Companies	119
B Source Geographic Maps	119
B.1 Shenzhen Humanoid Robotics Ecosystem	120
B.2 Hangzhou Humanoid Robotics Ecosystem	120
B.3 Shanghai Humanoid Robotics Ecosystem	121
B.4 Beijing Humanoid Robotics Ecosystem	121

1 Company Profile: LEJU Robot

This section provides an in-depth analysis of LEJU Robot (Shenzhen) as a representative case study of China's humanoid robotics industry. LEJU Robot (乐聚机器人) is one of the major companies identified in the Shenzhen cluster and offers insights into the broader industry landscape.

1.1 Company Overview

LEJU Robot, officially Leju (Shenzhen) Robotics Co., Ltd., was founded in 2016 as a spin-off from Harbin Institute of Technology (HIT) [1]. The company describes itself as “a high-tech enterprise dedicated to the research, development, manufacturing, and sales of high-end intelligent humanoid robots” [2]. Headquartered in Shenzhen with additional offices in Harbin and Hangzhou, LEJU has positioned itself as a leader in industrializing humanoid robot technology with independent intellectual property in hardware and control systems.

1.2 Product Portfolio

LEJU Robot offers a diverse range of humanoid robots spanning educational, research, industrial, and specialized service applications:

1.2.1 KUAVO Series (General-Purpose Humanoid Robots)

The KUAVO series represents LEJU's flagship general-purpose humanoid robot platform. The KUAVO 3.0 features human-scale dimensions at 175 cm height and 45 kg weight (with battery), with 26 degrees of freedom distributed across 14 in the arms and 12 in the legs [3]. The robot achieves omnidirectional walking speeds up to 4.6 km/h and can jump up to 20 cm high while carrying payloads up to 3 kg.

Technical specifications include self-developed high-torque joints capable of 360 Nm peak torque at 150 rpm rated speed. The robot runs KaihongOS (based on OpenHarmony) and integrates Huawei's Pangu embodied intelligence for AI capabilities including voice control, computer vision, and task planning [3]. Navigation is enabled through depth cameras for 3D environment perception, and the robot features WiFi connectivity, HDMI interface, and USB 3.0 ports.

The KUAVO-MY variant offers an open-scale platform with enhanced specifications: dimensions of 170×55×38 cm, weight range of 50-80 kg, and walking speeds of 1.5-3 m/s (max 4.5 km/h) [4]. This model features a 3-5 kWh, 48V LiPo battery system with hot-swappable modules providing 3-5 hours runtime per charge. Manipulator capabilities include carrying capacity of 15-25 kg per arm and deadlift capacity of 50-100 kg.

The KUAVO-MY includes comprehensive sensory systems: RGB cameras, depth cameras, LiDAR, IMU, force/torque sensors, gyroscope, accelerometer, and joint encoders. Control interfaces support touchscreen, voice commands, and remote control software, with connectivity via Wi-Fi 5/6, Ethernet, and Bluetooth 5.0. The platform runs a Linux-based OS with ROS 2 support and Python SDK [4]. Price range is \$50,000-\$150,000 with availability in USA, Canada, EU, Japan, Singapore, and South Korea. The system carries CE, ISO 13849-1, and RoHS certifications.



Figure 1: *LEJU Robot's KUAVO 3.0 humanoid robot, featuring 26 degrees of freedom, 175 cm height, and omnidirectional walking capabilities up to 4.6 km/h. Source: [3]*

1.2.2 AELOS Series (Educational Humanoid Robots)

The AELOS series targets educational markets with robots designed for teaching and research applications. The AELOS PRO features 19 degrees of freedom with high-precision servo motors constructed from high-strength aluminum alloy and ABS plastic [5]. The robot includes an intelligent high-resolution camera and 14+ external ports for quick sensor connections.

AI and vision capabilities include facial recognition, object tracking, and color detection for smart interaction and environment awareness. Programming options support visual drag-and-drop coding (Blockly/App), Python scripting, and mobile app control for both Android and iOS platforms. Connectivity is provided through WiFi and Bluetooth [5].

The AELOS Lite represents the entry-level model with 17 new-generation high-toughness, high-torque composite material servos, advanced motion control algorithms, 180-degree head rotation, and an optional mechanical gripper. The first-generation AELOS 1S entered mass production in August 2016 [1].




Figure 2: *LEJU Robot's AELOS PRO educational humanoid robot with 19 degrees of freedom, built-in camera, and support for visual programming, Python scripting, and mobile app control. Source: [5]*

1.2.3 Specialized Service Robots

LEJU's Fluvo medical logistics robot addresses hospital logistics applications including medical supply delivery, meal transportation, and healthcare facility automation [6]. The Clamber Man model targets heavy-duty transport, special purposes, and dangerous operations.

1.3 Technology Stack Highlights

LEJU Robot's technology strategy demonstrates a sophisticated dual-market approach with distinct platforms for international and domestic Chinese markets:

- **Actuator Technology:** Self-developed high-torque actuators delivering 360 Nm peak torque at 150 rpm, representing significant vertical integration in critical components
- **Dual Software Strategy:** KUAVO-MY (ROS 2, Linux, international markets) versus KUAVO 3.0 (OpenHarmony/KaihongOS, Huawei Pangu AI, domestic China), reflecting strategic adaptation to geopolitical technology landscapes
- **Power Systems:** Hot-swappable 3-5 kWh LiPo battery modules (KUAVO-MY) providing 3-5 hour runtime, enabling extended operational deployments without downtime
- **Huawei Ecosystem Integration:** Deep partnership with Huawei provides access to Pangu embodied intelligence, HarmonyOS, and cloud infrastructure, creating domestic technology independence while potentially limiting international compatibility

- **Modularity:** Medium modularity level with hot-swappable batteries and documented end-effector interfaces, though detailed hardware specifications remain largely undisclosed limiting independent verification

The dual-platform strategy enables LEJU to serve international research markets (ROS 2 compatibility, standard interfaces) while maintaining competitive positioning in China's domestic market through Huawei technology integration, though at the cost of increased platform complexity.




Figure 3: *LEJU Robot KUAVO-MY hardware architecture. International research platform with 52 DOF, Intel Core i5 computing, ROS 2 compatibility. RGB-D camera + LiDAR + IMU sensor suite. 2 kWh battery provides 4-6h runtime. Designed for open robotics research and education.*




Figure 4: *LEJU Robot KUAVO 3.0 hardware architecture. Domestic China platform with 52 DOF, Huawei Ascend/Kirin computing integrated with Pangu AI. Same sensor suite as KUAVO-MY but optimized for Huawei ecosystem. Dual-platform strategy serves different markets with tailored technology stacks.*




Figure 5: *LEJU Robot software stack illustrating the dual-platform strategy: KUAVO-MY with Linux/ROS 2 for international markets versus KUAVO 3.0 with OpenHarmony/Huawei Pangu AI for domestic China.*

LEJUROBOT Supply Chain & Sourcing




Figure 6: *LEJU Robot supply chain and vertical integration strategy showing limited external component sourcing with high in-house development focus.*

1.4 Financing and Ownership Structure

LEJU Robot has demonstrated significant success in raising capital to support its growth and production scaling ambitions. The company completed a Series B funding round in June 2019, raising \$36.2-36.4 million led by Aplus Capital with participation from Tencent [7]. Total funding through 2019 reached \$45.3-46.1 million over 3 rounds from 6-9 institutional investors including Jiuzhao Capital, Kinghood Investment, EyeShenzhen, Hongtai Capital Holdings, Tencent Cloud Native Accelerator, Shenzhen Capital Group, and Green Pine Capital Partners.

In October 2025, LEJU completed a substantial pre-IPO funding round of 1.5 billion yuan (approximately \$200-210.5 million) [8, 9, 10]. Lead investors included CITIC Goldstone, Shenzhen Investment Holdings Capital, Shenzhen Longhua Capital, Qianhai Foundation Investment, Dongfang Precision Science & Technology, and Tuopu Group. The funding is designated to strengthen R&D of core technologies, explore new use cases, promote mass production, and support wider adoption of humanoid robots. Cumulative funding now totals approximately \$246-256 million, positioning LEJU for anticipated IPO (timeline not publicly disclosed).

Specific founder identities and ownership percentages have not been publicly disclosed. The company maintains significant institutional ownership from Chinese investment firms and strategic technology partners, with confirmed backing from Tencent making it a “Tencent-backed” enterprise [8].

1.5 Strategic Partnerships

LEJU Robot has established an extensive partnership ecosystem encompassing approximately 40 companies across multiple sectors [11]. Technology partnerships include Huawei Technologies for cloud computing, AI integration, and operating system development. The collaboration with Huawei Cloud focuses on industrial implementation of humanoid robots in high-value scenarios, while HarmonyOS integration provides access to Pangu AI capabilities without licensing costs, enabling voice control, computer vision, and task planning features [11].

Telecommunications partnerships with China Telecom address elder care market expansion through packages for elder care robots, safety monitoring systems, and family companionship robots, expanding the total addressable market from research laboratories to consumer IoT applications. China Mobile provides connectivity and telecommunications integration for network-connected robot operations.

Industrial partnerships include FAW Group (First Automotive Works) for manufacturing applications and factory robotics, and Haier Group for home appliances and domestic robotics applications in smart home integration. Academic collaborations feature a national joint laboratory with Peking University serving as a common teaching and research platform to capture university and vocational training budgets while building relationships with the next generation of robotics researchers and engineers [11].

Manufacturing scale-up is supported through partnership with Hengtong Manufacturing Center for KUAVO production scaling and manufacturing optimization.

1.6 Distribution Strategy

LEJU Robot employs distinct distribution strategies for domestic Chinese and international markets. Within China, the company utilizes direct sales channels through its website and official channels, direct B2B sales to enterprise customers, and educational institution partnerships. Application markets include scientific research (universities and research institutions), business support services (commercial applications, healthcare facilities), industrial applications (manufacturing automation, automotive sector), and domestic/consumer use (smart home integration, elder care, family companionship robots).

International distribution has been confirmed for KUAVO-MY in the United States, Canada, European Union, Japan, Singapore, and South Korea [4]. The educational AELOS series is dis-

tributed through international retailers including Robocraze (India/International), REES52 (India/International), Ednology Marketplace (educational institutions), and Edurobots (European market) [5, 12, 13, 14].

By 2025, LEJU had delivered its 100th full-size humanoid robot, indicating achievement of commercial production scale [15]. The company's recent \$200+ million funding round signals continued investment in production scaling, R&D capacity expansion, and market penetration with domestic market prioritization and international expansion as a secondary focus primarily through educational products.

2 Company Profile: KEPLER

This section examines KEPLER (Shanghai Kepler Exploration Robot Co., Ltd.) as a representative of China's newest generation of humanoid robotics companies, founded in August 2023 and already achieving significant commercial deployments [16].

2.1 Company Overview

KEPLER describes itself as “a high-tech innovative enterprise focusing on the research and development, production and application ecology of general humanoid robots.” Headquartered in Pudong, Shanghai at the Torch Lotus Business Park, the company was founded by CEO Hu Debo with a clear focus on industrial applications from inception [17].

2.2 Product Portfolio

2.2.1 Forerunner Series

The Forerunner series represents KEPLER's complete product line of general-purpose humanoid robots. The K1, released in November 2023, established the foundation with a 25 kg payload capacity and 8-hour battery life. However, the Forerunner K2, launched at GITEX GLOBAL 2024 in Dubai, represents a substantial advancement and is marketed as the company's fifth-generation model despite sequential naming [18].

Forerunner K2 Technical Specifications The K2 features 52 degrees of freedom throughout its body, including 2 degrees for head rotation and 11 degrees of active and passive freedom per five-digit hand [18]. The rope-driven tactile manipulators represent a key technical innovation, with each hand capable of lifting up to 15 kg (33 pounds). Fingertip sensors provide 96 contact points per finger, enabling sophisticated tactile feedback and manipulation capabilities.

Power systems include a 2.33 kWh battery pack supporting up to 8 hours of continuous operation, with support for both direct and automated charging. The design emphasizes improved arm and leg rigidity while maintaining easier manufacturing and maintenance through an integrated limb structure [17].

Intelligence and Capabilities CEO Hu Debo characterizes the K2 as “showcasing a seamless integration of the humanoid robot's cerebral, cerebellar, and high-load body functions” [17]. The system incorporates embodied intelligence, imitation learning, and reinforcement learning models combined with cloud-based cognitive systems. KEPLER claims the K2 has “nearly mastered” specific autonomous tasks through these integrated AI capabilities.

Enhanced vision systems provide real-time environmental awareness and improved navigation for complex industrial settings. The robot demonstrates stronger human-robot interaction protocols and stabilized mobile movement with optimized walking speeds suitable for factory environments [18].

Pricing and Value Proposition The K2 base model is priced at \$30,000, with KEPLER positioning this as equivalent to approximately 1.5 full-time human employees in comparable timeframes [19]. This pricing strategy targets industrial customers seeking to automate specific high-value tasks while maintaining cost-effectiveness relative to human labor.



Figure 7: *KEPLER's Forerunner K2 humanoid robot featuring 52 degrees of freedom, rope-driven tactile manipulators with 15kg per-hand capacity, and 96 tactile points per fingertip. Source: Origin of Bots*



Figure 8: *KEPLER Forerunner K2 showing the industrial mech-style design optimized for factory environments. The robot stands 178 cm tall and weighs 85 kg. Source: [20]*



Figure 9: *Close-up view of the Forerunner K2's rope-driven dexterous hands showing the sophisticated tactile manipulator design. Each five-digit hand features 96 contact points per finger for advanced tactile feedback, enabling precise object manipulation and lifting up to 15 kg per hand. Source: [18]*



Figure 10: *KEPLER Forerunner K2 deployed in industrial setting, demonstrating real-world operational capabilities in manufacturing environments. The K2 has been deployed at SAIC-GM automotive plants for quality inspection and assembly operations. Source: [18]*

2.3 Technology Stack Highlights

KEPLER's technology strategy emphasizes proprietary innovations in actuation and sensing combined with industrial-grade reliability:

- **Proprietary Actuators:** Planetary roller screw actuators delivering 8,000 Newtons thrust force, representing world-first innovation in linear actuation for humanoid robotics with superior force density compared to traditional rotary joint approaches
- **Advanced Tactile Sensing:** 96 force-sensing contact points per fingertip (25 per finger) with 6-axis wrist force/torque sensors, enabling precision manipulation comparable to human dexterity including assembly of small components
- **Industrial Computing:** 100 TOPS AI computing power through NEBULA system supporting real-time perception, decision-making, and autonomous learning with visual SLAM and multimodal interaction
- **Hot-Swappable Power:** 2.33 kWh battery providing 8-hour runtime with 2-hour charging and automated charging capability, critical for 24/7 industrial operation
- **Standards Compliance:** CE marking, ISO 13849 safety standards, IP54 ingress protection, and EMI/EMC compliance demonstrate commitment to industrial certification requirements often overlooked by competitors
- **ROS Compatibility:** Integration with ROS ecosystem while maintaining proprietary NEBULA AI provides flexibility for system integrators and research institutions

KEPLER's focus on industrial-grade specifications (IP54, safety certifications, 8-hour runtime) rather than showcasing maximum performance metrics reflects strategic positioning for immediate commercial deployment rather than future capability demonstrations.




Figure 11: *KEPLER Forerunner K2* hardware architecture featuring proprietary planetary roller screw actuators (8,000 N thrust), 96-point tactile sensing per fingertip, 100 TOPS NEBULA AI computing, and industrial-grade power systems with 8-hour runtime.




Figure 12: *KEPLER* software stack architecture showing integration of proprietary *NEBULA* AI system with *ROS* ecosystem compatibility, enabling both autonomous operation and flexible system integration.

KEPLER Supply Chain & Sourcing



Figure 13: *KEPLER supply chain strategy demonstrating focus on proprietary core technology development (actuators, sensing) with limited external component sourcing disclosure.*

2.4 Financing and Ownership Structure

As a company founded in 2023, KEPLER has demonstrated rapid success in securing funding. The company completed an Angel Round in April 2024 with participation from Haitang Fund and Shangshi Fund, followed by a Pre-A+ funding round on May 28, 2024 [21, 16].

The Pre-A+ round included strategic investors with direct relevance to humanoid robotics: Shanghai Zhangjiang Science & Technology Venture Capital Co., Ltd. (government-backed VC), Suzhou Veichi Electric Co., Ltd. (industrial automation), Keli Sensing Technology (Ningbo) Co., Ltd. (sensor technology), Henan Hanwei Electronics Company, Jirfine Intelligent Equipment, and PDVC. While specific funding amounts remain undisclosed, the diversity of strategic investors suggests strong industry confidence in KEPLER's technology and market approach.

The involvement of industrial automation and sensor technology companies as investors likely provides technical collaboration opportunities beyond capital, particularly relevant to KEPLER's advanced tactile sensing capabilities and industrial focus.

2.5 Strategic Partnerships and Customer Deployments

KEPLER's most significant partnership centers on the SAIC-GM automotive plant in Shanghai, where K2 "Bumblebee" humanoids have been deployed for quality inspections and assembly operations [22, 19]. This deployment represents a crucial validation of humanoid robot technology in a demanding industrial environment, with robots performing tasks including quality inspections, handling large and heavy components, autonomous loading of stamped parts, and mechanical fixture manipulation.

The SAIC-GM partnership holds particular significance as the facility manufactures Buick, Chevrolet, and Cadillac vehicles for Chinese and select international markets, representing a high-stakes production environment where reliability and quality standards are paramount.

Beyond SAIC-GM, KEPLER has delivered units to early customers including the Shanghai History Museum, demonstrating versatility across industrial and public service applications. The company consulted with approximately 50 target customers during K2 development, incorporating feedback from intelligent manufacturing, warehousing/logistics, high-risk operations, and research sectors [17].

KEPLER has secured "thousands of preorders" according to company statements, though specific numbers and customer identities remain largely undisclosed. The company has entered limited-series production with industrial use cases as the initial focus.

2.6 Distribution and Commercialization Strategy

KEPLER employs a three-stage commercialization pathway: initial deployment (current phase), vertical scenario generalization (planned), and universal application across scenarios (future

goal) [17]. This staged approach prioritizes establishing proven use cases in specific industries before expanding to broader applications.

Current distribution focuses on the domestic Chinese market through direct B2B sales to industrial and commercial customers. Primary target sectors include intelligent manufacturing (particularly automotive), warehousing and logistics, high-risk operations requiring enhanced safety, and research/education institutions.

International presence remains limited to marketing and awareness activities, notably the K2 launch at GITECH GLOBAL 2024 in Dubai. The company's emphasis on industrial applications and domestic market prioritization reflects a pragmatic commercialization strategy focusing on near-term revenue generation through proven industrial use cases.

CEO Hu Debo has stated that "the primary driver of the humanoid robot industry's growth is their genuine integration into thousands of real-world applications, creating more value for customers" [17], emphasizing practical deployment over speculative applications.

3 Company Profile: Unitree Robotics

This section examines Unitree Robotics (Hangzhou Yushu Technology Co., Ltd.), a rapidly growing robotics company that has emerged as a global leader in affordable, high-performance quadruped and humanoid robots since its founding in 2016.

3.1 Company Overview

Unitree Robotics, founded by Wang Xingxing in May 2016, traces its origins to Wang's post-graduate studies at Shanghai University where he developed quadrupeds starting in 2013 [23]. His first quadruped device, XDog, was created in 2016 for his master's thesis. After working briefly at DJI, Wang resigned to establish Unitree, headquartered in the Binjiang District of Hangzhou—often called "the Silicon Valley of Hangzhou."

Recognized as one of China's leading robotics start-ups, Unitree distinguishes itself through robust supply chain management and exceptional vertical integration, including in-house production of core components such as high-torque motors [23]. This vertical integration enables the company to achieve aggressive pricing while maintaining high performance specifications, democratizing access to advanced robotics technology.

3.2 Product Portfolio

Unitree offers a comprehensive product portfolio spanning both humanoid and quadruped platforms, targeting consumer, research, and industrial markets with distinct product lines optimized for each segment.

3.2.1 H Series: Universal Humanoid Robots

The H1 represents Unitree's flagship research-grade humanoid platform. Standing 180 cm tall and weighing 47 kg, the H1 features 19 degrees of freedom distributed across its bipedal body and dual arms [24]. The robot holds the Guinness World Record for fastest full-sized humanoid robot at 3.3 m/s (7.38 mph), with potential speeds exceeding 5 m/s [24].

Technical specifications demonstrate Unitree's emphasis on high-performance actuation: knee joints deliver 360 N·m of torque, hip joints 220 N·m, ankles 45 N·m, and arm joints 75 N·m, powered by Unitree's custom M107 motors achieving 189 N·m/kg peak torque density [24]. The robot integrates MID-360 LiDAR and Intel RealSense depth cameras for 360° depth sensing and environmental perception.

Powered by an Intel Core i5 or i7 processor, the H1 supports SDK programming in C++, Python, and ROS2, with an 864 Wh quickly replaceable battery system [25]. Priced below

\$90,000 (some retailers list at \$99,900), the H1 targets universities and research institutions seeking a high-performance development platform.

The upgraded H1-2 variant, launched in 2024, offers enhanced capabilities while maintaining the same form factor and degree-of-freedom count [26].



Figure 14: Unitree H1 humanoid robot specifications and performance comparison. The H1 holds the Guinness World Record for fastest full-sized humanoid at 3.3 m/s, featuring 19 DOF, 360 N·m knee torque, and Intel Core i5/i7 processing. Source: [24]

3.2.2 G Series: Affordable Humanoid Robots

Released in August 2024 for mass production, the G1 represents Unitree's aggressive push toward affordably-priced humanoid robots [27]. At \$16,000, the G1 costs roughly one-sixth the price of the H1 while delivering impressive capabilities in a more compact form factor.

The G1 stands 127 cm tall and weighs 35 kg, featuring 23 to 43 degrees of freedom depending on configuration [28]. Powered by a 9,000 mAh quick-release battery providing up to 2 hours of runtime, the robot achieves walking speeds up to 6.5 feet per second (4.43 mph) under control

of an 8-core CPU managing its joints.

Key innovations include force-controlled dexterous hands enabling fine object manipulation, advanced agility permitting dynamic maneuvers including backflips, and sophisticated sensing through 3D LiDAR, RealSense depth camera, and noise-canceling microphone arrays supporting voice command input [29]. The G1's combination of affordability, agility, and dexterous manipulation positions it as a breakthrough platform for mass-market humanoid robot applications.



Figure 15: *Unitree G1 humanoid robot, launched August 2024 at \$16,000 for mass production. Standing 127 cm tall and weighing 35 kg, the G1 features 23-43 DOF, force-controlled dexterous hands, and backflip capability. Source: [28]*




Figure 16: *Unitree G1 demonstrating dynamic movement capabilities. The G1 integrates 3D LiDAR, depth cameras, and voice command support, achieving 4.43 mph walking speed with 2-hour battery runtime. Source: [28]*

3.2.3 Go Series: Consumer Quadruped Robots

The Go series establishes Unitree as a pioneer in consumer-accessible quadruped robotics. The Go1, launched in 2021, weighs 12 kg with folded dimensions of 0.588 x 0.22 x 0.29 meters, featuring adaptive load capacity of 3-5 kg [30]. Achieving top speeds of 17 km/h (4.7 m/s), the Go1 integrates a 16-core CPU and 384-core GPU supporting its SSS Super-sensing System with 10-view detection and ISS Intelligent Side-Follow System.

Three variants target different market segments: Go1 Air (\$2,700), standard Go1 (\$3,500), and Go1 Edu (\$8,500) with enhanced capabilities for educational applications [31]. Battery life ranges from 2-3 hours depending on usage conditions.



Figure 17: *Unitree Go1 quadruped robot. Launched in 2021, the Go1 weighs 12 kg and achieves 17 km/h top speed with its SSS Super-sensing System. Available in three variants from \$2,700-\$8,500. Source: [30]*

The Go2, launched in 2023, represents a comprehensive upgrade: weighing 15 kg with speeds exceeding 2.5 m/s, the platform features upgraded knee joint torque of 45 N·m and revolutionary 4D LIDAR L1 providing 360°x90° hemispherical recognition with minimum detection distance of 0.05 meters [32, 33]. A front-facing camera captures 1280x720 pixels through a wide-angle lens, while improved 28.8V battery systems offer 8,000 mAh capacity (1-2 hours) with optional 15,000 mAh batteries extending runtime to 2-4 hours. Remote control distance exceeds 30 meters with 50% improved positioning accuracy, and the Pro variant adds voice recognition technology.

The Go2 Air at \$1,600 and Go2 Pro at \$2,800 establish new benchmarks for affordable advanced quadruped platforms [34].

3.2.4 B Series: Industrial Quadruped Robots

The B2 series targets industrial inspection, security, and automation applications with ruggedized, high-performance specifications. The standard B2 achieves 6 m/s speeds—fastest among industrial-grade quadrupeds—while supporting maximum standing loads of 120 kg and walking payloads exceeding 40 kg [35]. Peak joint torque reaches 360 N·m, enabling climbing heights up to 40 cm forward, angles beyond 45°, and continuous stair climbing of 20-25 cm steps. The robot can leap over 1.6-meter obstacles and survive drops from 2.8 meters.

A 45 Ah (2,250 Wh) quick-change battery provides 4-6 hours operation with endurance of 15 km carrying 20 kg loads or 20 km without payload [36]. IP67-rated water resistance and operating temperature range of -20°C to 55°C enable deployment in harsh environments. Applications include power inspections, emergency rescue operations, security patrolling, and industrial automation. The B2 is priced at \$100,000 [37].

The B2-W variant adds wheeled mobility, switching between legged and wheeled locomotion to achieve speeds up to 20 km/h in wheeled mode [38]. Battery capacity exceeds 2 kWh at 58V, providing endurance of 25 km with 40 kg loads or 30 km without payload. Intel Core i5/i7 processors with optional Jetson Orin NX modules support advanced perception and planning algorithms [39].



Figure 18: *Unitree B2 industrial quadruped robot. Achieves 6 m/s speeds (fastest industrial-grade quadruped), supports 120 kg standing loads, 360 N·m peak torque, and IP67 water resistance. 4-6 hour runtime with 45 Ah battery. Priced at \$100,000. Source: [35]*



Figure 19: *Unitree B2-W wheeled quadruped variant. Combines legged mobility with wheeled speed (20 km/h), offering dual locomotion modes. 2+ kWh battery provides 25-30 km endurance. Integrates Intel Core i5/i7 processors with optional NVIDIA Jetson Orin NX. Source: [39]*

3.3 Technology Stack Highlights

Unitree's technology strategy demonstrates extreme vertical integration combined with strategic openness in software ecosystems:

- **Extreme Vertical Integration:** 90%+ of core components developed in-house including custom M107 motors (189 N·m/kg torque density), gear reducers, controllers, LiDAR sensors, and battery systems—enabling 10-50× cost advantage versus Western competitors
- **Cost Breakthrough:** G1 humanoid priced at \$16,000 represents dramatic democratization of humanoid robotics, achieved through vertical integration and leveraging China's manufacturing ecosystem while maintaining technical performance

- **Dual Computing Architectures:** H series (Intel Core i5/i7 with optional NVIDIA Jetson Orin NX) versus G1 (8-core ARM + Jetson Orin NX 100 TOPS), demonstrating architectural flexibility across product lines
- **Open Software Ecosystem:** Full ROS 2 commitment with open-source SDK (unitree_sdk2, unitree_ros2, unitree_mujoco, unitree_il_lerobot), enabling community development while maintaining hardware IP control
- **G1-D AI Platform:** End-to-end development platform with distributed training (90% GPU utilization), dataset sharing, and integration with GROOT, PI, and LeRobot frameworks—positioning Unitree as platform play rather than hardware-only vendor
- **Hot-Swappable Power:** Universal across all platforms (H1: 864 Wh, G1: 9000 mAh, B2: 2,250 Wh) enabling 24/7 operation, critical for both research and industrial applications
- **UnifoLM Embodied Intelligence:** Unified large model for G1 integrating world modeling, imitation learning, and reinforcement learning—representing sophisticated AI integration beyond basic perception

Unitree’s strategic positioning balances closed hardware (proprietary actuators, batteries, mounting interfaces create ecosystem lock-in) with radically open software (ROS 2, open-source AI frameworks), enabling cost leadership through manufacturing scale while cultivating developer ecosystem loyalty.




Figure 20: *Unitree H1 hardware architecture. Full-size research humanoid (180cm, 47kg) with 25 DOF, custom M107 motors (189 N·m/kg torque density), Intel Core i5 computing, RealSense D435i RGB-D camera, IMU sensors. 15 kWh battery, hot-swappable design. Priced at \$90,000-\$150,000.*




Figure 21: Unitree H1-2 hardware architecture. Evolution of H1 with 3D LiDAR added to sensor suite, same 25 DOF and M107 motor system. Enhanced compute options with NVIDIA Jetson Orin. Same battery and hot-swap capability as H1. Maintains cost leadership at \$90,000-\$150,000 price point.




Figure 22: Unitree G1 hardware architecture. Aggressive cost-reduction platform (starting \$16,000) with 23-43 DOF scalable design, ARM+NVIDIA Jetson Orin computing. Maintains M107 motor technology and hot-swappable battery. Modular hands (3 or 5 finger options). G1-D variant optimized for AI development with 90% GPU utilization, full ROS 2 + UnifoLM integration.




Figure 23: Unitree software stack demonstrating full ROS 2 commitment with open-source SDK ecosystem (*unitree_sdk2*, *unitree_ros2*, *unitree_mujoco*, *unitree_illrobot*), G1-D AI development platform with 90% GPU utilization, and UnifoLM embodied intelligence integration.




Figure 24: *Unitree supply chain strategy highlighting exceptional vertical integration with 90%+ of core components developed in-house, enabling 10-50× cost advantage versus Western competitors through manufacturing scale and China’s supply chain ecosystem.*

3.4 Financing and Ownership Structure

Unitree has demonstrated exceptional success in raising capital from China’s leading technology companies and venture capital firms. Since 2016, the company has completed 10 rounds of financing, raising between \$155 million (per CB Insights) and \$248 million (per PitchBook), with the company valued at \$1.7 billion as of June 2025 [40, 41].

Between 2020 and 2022, Unitree executed Pre-A, A, A+, B, and B+ funding rounds with participation from prominent investors including Sequoia Seed, Sequoia China, First Capital, Vertex Ventures, Shunwei Capital, Matrix Partners, Zhongguancun Science City, Beijing Robotics Industry Investment Fund, and Shanghai Science and Technology Innovation Fund [42].

The Series B2 round on February 22, 2024, raised approximately \$139 million (1 billion CNY), representing Unitree’s largest funding round [43]. Participants included Meituan (major lifestyle platform), Goldstone Investment, Source Code Capital, with reinvestment from existing shareholders Shenzhen Capital Group and China Internet Investment Fund [44].

The Series C round, completed June 19, 2025, raised nearly 700 million yuan and featured unprecedented strategic alignment with China’s technology giants [45]. Lead investors included:

- **Tencent:** Technology conglomerate with cloud services, AI capabilities, and vast consumer ecosystem
- **Alibaba Group:** E-commerce giant with logistics infrastructure and cloud computing platforms
- **Ant Group:** Fintech leader with payment and financial services capabilities

- **Geely Capital:** Major automotive manufacturer exploring robotics applications
- **China Mobile Capital:** Telecommunications leader providing connectivity infrastructure
- **Jinqiu Capital:** Investment firm with technology sector focus

This investor constellation positions Unitree at the intersection of consumer technology (Tencent, Alibaba, Ant Group), telecommunications (China Mobile), automotive (Geely), and delivery/logistics (Meituan from Series B2), suggesting strategic relationships extending beyond capital provision into technology integration, distribution channels, and potential customer partnerships.

3.5 Strategic Partnerships and Ecosystem

While Unitree maintains limited public disclosure of formal partnerships, the company's investor base reveals potential strategic relationships across multiple sectors. Founder Wang Xingxing's background includes experience at DJI, connecting Unitree to Shenzhen's established robotics and drone ecosystem [23].

The concentration of strategic corporate investors suggests several potential collaboration areas:

Technology Integration: Tencent's investment implies potential integration with Tencent Cloud services, AI platforms, and consumer applications. Alibaba and Ant Group connections suggest e-commerce and payment system integration opportunities.

Telecommunications and Connectivity: China Mobile's participation indicates interest in cellular-connected robotics, 5G integration, and IoT platform development.

Automotive Applications: Geely's investment as a major automotive manufacturer signals interest in humanoid and quadruped applications within automotive manufacturing, inspection, or mobility services.

Delivery and Logistics: Meituan's Series B2 participation as China's dominant food delivery and lifestyle services platform suggests exploration of robotic delivery applications.

However, Unitree's primary competitive advantage remains vertical integration with in-house motor production and supply chain control, reducing dependence on external partnerships for core component supply [23].

3.6 Distribution Strategy

Unitree employs a dual-channel distribution model combining direct online sales with a global network of specialized robotics retailers, enabling rapid international expansion while maintaining price competitiveness.

Direct Sales Channel The company operates an official online shop (shop.unitree.com) as its primary distribution channel, selling directly to consumers, research institutions, and industrial customers worldwide [46]. This direct model eliminates distributor margins, enabling Unitree's aggressive pricing strategy positioning the G1 at \$16,000 and Go2 Air at \$1,600—substantially below comparable platforms.

International Retailer Network Unitree products reach global markets through specialized distributors including:

- **Roboworks** (North America): Educational and research supplier carrying H1 and Go2 platforms
- **RobotShop** (Global): Online marketplace offering H1 and H1-2 variants

- **Top3DShop** (North America): Industrial supplier with H1 and H1-2 sales and leasing options
- **RoboStore** (Global): Industrial supplier specializing in B2 and B2-W quadrupeds
- **Generation Robots** (Europe): Educational distributor serving European research institutions
- **Amazon** (Global): Consumer marketplace for Go2 consumer quadrupeds

This multi-tier distribution enables market segmentation: direct sales for price-sensitive consumers and small research groups, specialized robotics suppliers for universities and industrial customers requiring technical support, and mass-market platforms like Amazon for consumer quadrupeds.

Market Segments and Applications Unitree targets four distinct market segments with tailored products:

- **Consumer Robotics:** Go series positioned as affordable companion robots, with Go2 Air at \$1,600 establishing entry-level quadruped accessibility
- **Research and Education:** H1, G1, and Go series as development platforms for universities, with pricing (\$16,000-\$90,000) enabling institutional procurement
- **Industrial Inspection:** B2 series for power infrastructure, security, and facility inspection at \$100,000, competing with traditional inspection methods
- **Emergency Services:** B2 ruggedized platforms for rescue operations in harsh environments

Commercialization Timeline Unitree has executed rapid product launches establishing market presence across multiple categories: Go1 in 2021 initiated consumer quadruped mass production, followed by H1 (2023) for research, Go2 (2023) for upgraded consumer applications, B2 (2023) for industrial deployment, and G1 (August 2024) for mass-market humanoid robotics. This aggressive launch cadence, combined with breakthrough pricing, positions Unitree as a democratizing force in robotics technology.

The company's distribution strategy emphasizes global reach with Chinese domestic market and international expansion proceeding simultaneously, unlike many Chinese robotics companies prioritizing domestic commercialization before international expansion.

4 Company Profile: GALBOT

This section examines GALBOT (Beijing Galaxy General Robot Co., Ltd., 银河通用机器人), a rapidly emerging embodied AI robotics company that has achieved unicorn status within two years of its founding in May 2023.

4.1 Company Overview

GALBOT represents one of China's fastest-growing humanoid robotics startups, distinguished by its focus on practical automation in retail and industrial environments. Founded in May 2023 in Beijing, the company achieved unicorn valuation (over \$1 billion) in the first half of 2025, backed by over RMB 2.4 billion (\$330 million) in total funding [47].

The company's leadership reflects deep integration with China's AI research ecosystem. Co-founder and CTO Wang He serves simultaneously as a professor at Peking University and

director of the Embodied Intelligence Research Center at the Beijing Academy of Artificial Intelligence [48, 49]. This academic foundation is institutionalized through joint laboratories with both Peking University and the Beijing Academy of AI, providing GALBOT with access to cutting-edge embodied intelligence research.

GALBOT operates research and development centers across three major Chinese technology hubs: Beijing (headquarters), Shenzhen, and Suzhou. This multi-city R&D strategy enables the company to access diverse talent pools and manufacturing capabilities while maintaining centralized strategic direction from Beijing.

The company’s strategic philosophy emphasizes practical automation over technological showcasing. As articulated in industry analysis, GALBOT deliberately focuses on “boring but essential” tasks—movement, picking, and placing—rather than demonstrating advanced capabilities that lack immediate commercial applicability [50]. This pragmatic approach has enabled rapid commercial deployment in retail and pharmacy sectors.

4.2 Product Portfolio

GALBOT’s product strategy centers on the G1 semi-humanoid mobile manipulator, a wheeled dual-arm platform optimized for structured environments where mobility and manipulation precision matter more than bipedal locomotion.

4.2.1 G1 Semi-Humanoid Mobile Manipulator

The G1 represents a deliberate design tradeoff: sacrificing bipedal locomotion for superior stability, longer runtime, and cost efficiency. Standing 173 cm tall and weighing 85 kg, the G1 features a 190 cm arm span with 65 cm of vertical torso lift, enabling a maximum reach of 240 cm—sufficient for most retail and warehouse shelving systems [51].



Figure 25: *GALBOT G1 semi-humanoid mobile manipulator showing wheeled base and dual-arm configuration. The 173 cm robot features 25 DOF, 5 kg payload per arm, and 10-hour battery runtime. Source: [51]*

The robot’s mobility system employs a 360° omnidirectional wheeled chassis rather than legs, trading versatility for reliability and energy efficiency. This design choice reflects GALBOT’s focus on indoor structured environments—retail stores, pharmacies, warehouses—where flat surfaces dominate and wheeled motion suffices.

Manipulation capabilities include dual dexterous arms with 5 kg payload capacity each, achieving a 98% success rate in item picking and placement tasks [51, 50]. This reliability metric represents a critical commercial threshold: consistent enough for unsupervised operation in customer-facing environments. The system integrates multi-modal sensors including visual cameras and tactile feedback for accurate object perception and gentle handling.

The G1's computing architecture combines an 8-core high-performance CPU with specialized AI processors supporting real-time perception, decision-making, and control [51]. Software capabilities include AI-driven control with adaptive learning algorithms, voice recognition with natural language processing, and cloud connectivity for remote monitoring and over-the-air updates. Development support includes simulation via NVIDIA Isaac Sim, enabling virtual testing before physical deployment.

Power management prioritizes extended autonomous operation: the rechargeable battery system provides 10 hours of continuous runtime, sufficient for full retail shifts without recharging [51]. This extended runtime distinguishes G1 from many bipedal humanoids that require frequent recharging due to the high energy demands of balance maintenance and walking.



Figure 26: *GALBOT G1 deployed in unmanned retail store environment, demonstrating the robot's primary commercial application. The system autonomously manages 5,000 SKUs across 6,000 storage slots in 50-square-meter stores. Source: [52]*



Figure 27: *GALBOT G1 demonstrating manipulation flexibility and dual-arm coordination capabilities. The robot's dexterous hands and tactile sensors enable gentle object handling with 98% success rate. Source: [52]*

The G1's design reflects a clear understanding of commercial robotics' current constraints: rather than attempting to replicate human bipedal locomotion's full versatility, GALBOT optimizes for the specific task requirements of structured indoor environments. This focused approach enables higher reliability, lower cost, and faster commercial deployment compared to more anthropomorphic designs.

4.3 Technology Stack Highlights

GALBOT's technology strategy prioritizes AI-first development with proprietary vision-language-action models and strategic hardware partnerships:

- **NVIDIA Jetson Thor Early Adoption:** G1 Premium features Jetson Thor (2070 FP4 TFLOPS, 128 GB memory, 14-core Arm Neoverse V3AE) providing $7.5\times$ AI performance versus Orin—positioning GALBOT as technology leader in edge AI computing

- **Proprietary VLA Models:** GraspVLA (grasping), GroceryVLA (retail), TrackVLA (navigation) represent sophisticated vision-language-action integration achieving 95%+ grasp success with zero-shot generalization, trained on massive synthetic datasets
- **DexGraspNet Dataset:** 1.32 million ShadowHand grasps across 5,355 objects (133 categories)—two orders of magnitude larger than prior datasets—with UniDexGrasp++ achieving 90.7% real-world dexterous grasping success
- **Simulation-First Training:** NVIDIA Isaac Sim generates tens of millions of scene data and billions of grasping data, enabling zero-shot real-world deployment without extensive physical data collection
- **Pragmatic Wheeled Design:** 360° omnidirectional base costs 10× less than bipedal legs while providing superior reliability in structured environments—exemplifying engineering pragmatism over anthropomorphic showcasing
- **Exceptional Runtime:** 10-hour battery capacity unique in humanoid category, critical for commercial retail deployments requiring full-shift operation
- **Strategic Partnerships:** NVIDIA (computing/simulation), CATL (battery expertise via lead investor), Bosch JV (global market access) provide technology and distribution advantages beyond pure capital
- **World Competition Validation:** Gold medal at 2025 World Humanoid Robot Games competing fully autonomously without teleoperation, validating real-world AI capabilities

GALBOT's positioning emphasizes "boring but essential" automation (retail, pharmacy, manufacturing back-end) rather than general-purpose capabilities, with AI/ML viewed as primary differentiator while treating hardware as commodity enabler. Low hardware transparency contrasts with high AI/ML transparency (research papers, datasets, Isaac Sim partnership).




Figure 28: *GALBOT G1 hardware architecture featuring NVIDIA Jetson Thor (2070 FP4 TFLOPS, 7.5× performance vs. Orin), pragmatic 360° omnidirectional wheeled chassis (10× less expensive than bipedal legs), and exceptional 10-hour battery runtime for full-shift retail operation.*




Figure 29: GALBOT software stack emphasizing proprietary vision-language-action models (GraspVLA, GroceryVLA, TrackVLA) achieving 95%+ grasp success, trained on billion-frame synthetic datasets (DexGraspNet, SynGrasp-1B) using NVIDIA Isaac Sim simulation platform.




Figure 30: *GALBOT supply chain strategy showing strategic partnerships with NVIDIA (computing/simulation), CATL (battery technology via lead investor), and Bosch JV (global distribution), while treating hardware as commodity enabler for AI differentiation.*

4.4 Financing and Strategic Investors

GALBOT's financing trajectory represents one of the most aggressive capital-raising campaigns in China's humanoid robotics sector. Within its first two years of operation, the company secured over RMB 2.4 billion (\$330 million) across multiple rounds, culminating in unicorn status by mid-2025 [47, 48].

The company's latest funding round closed in June 2025, raising RMB 1.1 billion (approximately \$150 million) in what became the largest-ever single-round investment in China's humanoid robotics and embodied intelligence sector [47]. This round was led by CATL Capital (the investment arm of Contemporary Amperex Technology, the world's largest EV battery manufacturer) and Puquan Capital, with participation from Beijing Robotics Industry Fund, China Development Bank's CDB Sci-Tech Innovation Fund, and prominent venture capital firm GGV Capital [48, 47].

The investor consortium of 34+ organizations spans multiple strategic categories [53, 54]:

Battery and Energy Technology: CATL's lead investment signals strategic interest in robotics as a growth market for battery technology, with humanoid robots requiring high-energy-density power systems similar to electric vehicles.

Automotive Industry: BAIC Industry Investment and SAIC Hengxu represent major Chinese automotive manufacturers positioning for factory automation through humanoid robotics.

AI and Technology: Xunfei Fund (from iFlytek, China's leading speech technology company) and Matrix Partners provide AI capabilities alignment, particularly for voice recognition and natural language processing.

Food Delivery and Retail: Meituan Investment connects GALBOT to China's largest food delivery and local services platform, suggesting potential deployment scenarios in last-mile logistics and retail automation.

Government Support: Beijing Robotics Industry Fund, CDB Sci-Tech Innovation Fund, and Beijing State-owned Capital Operation and Management indicate strong government backing for domestic humanoid robotics development.

Financial Institutions: China Merchants Bank International and CCB International (China Construction Bank) provide financial sector credibility and potential enterprise customer connections.

This diverse investor base provides GALBOT with strategic access to multiple deployment domains (manufacturing, logistics, retail) and technology capabilities (batteries, AI, telecommunications) beyond pure financial capital.

4.5 Strategic Partnerships and Ecosystem

GALBOT's partnership strategy emphasizes integration with global industrial ecosystems while maintaining roots in Chinese AI research institutions.

4.5.1 Bosch Joint Venture

On June 17, 2025, GALBOT signed a strategic Memorandum of Understanding with Bosch China and Bosch Ventures (Boyuan Capital, the investment arm of Bosch Group), establishing a joint venture to commercialize and scale humanoid robotics production [48, 47]. This partnership represents GALBOT's most significant international collaboration, providing access to Bosch's global manufacturing network and industrial customer base.

The Bosch partnership's strategic significance extends beyond capital: Bosch's century of manufacturing expertise and global presence in automotive, industrial technology, and consumer goods sectors positions GALBOT for rapid international expansion. The joint venture specifically targets industrial manufacturing scenarios worldwide, leveraging Bosch's established relationships with global manufacturers.

4.5.2 Academic Research Partnerships

GALBOT maintains joint laboratories with two of China's premier AI research institutions:

Peking University: A joint robotics laboratory operates on campus, with CTO Wang He serving as assistant professor. This arrangement provides GALBOT with access to top-tier engineering talent and fundamental robotics research.

Beijing Academy of Artificial Intelligence: Wang He's role as director of the Embodied Intelligence Research Center at BAAI creates a direct conduit for cutting-edge embodied AI research to flow into GALBOT's commercial products. BAAI, established by the Beijing municipal government and leading Chinese tech companies, represents China's effort to establish world-class AI research capabilities.

These academic partnerships distinguish GALBOT from purely commercial robotics ventures, providing theoretical grounding for the company's embodied intelligence approach while creating talent recruitment pipelines from elite universities.

4.6 Commercialization Strategy and Deployment

GALBOT pursues a "vertical-first" commercialization strategy: perfecting solutions in specific verticals (retail, pharmacy) before horizontal expansion to other sectors [50]. This approach contrasts with companies attempting simultaneous deployment across multiple industries.

4.6.1 Unmanned Retail Stores

In March 2025, GALBOT launched the world's first humanoid robot-powered smart retail solution [47]. The system operates 50-square-meter unmanned stores managing 5,000 SKUs across 6,000 storage slots, with G1 robots handling all operations: inventory management, shelf stocking, item retrieval, and delivery to pickup windows.

As of June 2025, 10 stores operate in Beijing with plans to expand to 100 stores by year-end [47, 50]. This 10x expansion target represents an aggressive commercialization schedule, though still smaller in scale than major Chinese retail chains' thousands of locations.

The retail deployment demonstrates several technical milestones:

- Fully autonomous operation without human staff during business hours
- Integration with point-of-sale systems and inventory management software
- Customer-facing service with sufficient reliability for unsupervised operation

- Multi-robot coordination in confined spaces (50 sq m stores)

4.6.2 Unmanned Pharmacies

GALBOT operates approximately 10 unmanned pharmacies in Beijing functioning 24/7, with G1 robots sorting medications and delivering them to couriers [47, 50]. The pharmacy application presents higher complexity than retail: medication dispensing requires precise identification and handling of pharmaceuticals, with zero tolerance for errors that could endanger patient safety.

The 24/7 operation model demonstrates the G1's reliability and the economic value proposition: a single robot with 10-hour battery life can cover more than two human shifts daily (with recharging during low-traffic periods), potentially reducing labor costs by 60-70% while providing round-the-clock service availability.

4.6.3 Industrial Manufacturing Plans

Through the Bosch partnership, GALBOT plans expansion into automotive manufacturing, electronics production, food processing, and general industrial automation [51, 48]. These deployments target 2026 and beyond, following validation of the retail and pharmacy models.

The industrial focus aligns with global manufacturing trends: automotive and electronics sectors face persistent labor shortages for repetitive tasks while requiring high precision and consistency. Humanoid robots offer advantages over traditional industrial robots in flexibility (can work in spaces designed for humans) and reconfigurability (software updates vs. mechanical retooling).

4.7 Competitive Positioning

GALBOT's strategic positioning reflects several distinctive choices:

Wheeled vs. Bipedal: While competitors like Unitree, UBTECH, and Fourier pursue bipedal humanoids, GALBOT prioritizes wheeled mobility for structured environments, accepting reduced versatility for higher reliability and efficiency.

Practical vs. Aspirational: The company's focus on "boring" tasks (inventory management, shelf stocking) contrasts with competitors demonstrating backflips, running, or dancing. This pragmatic approach accelerates commercial deployment but may limit marketing appeal.

Vertical Integration vs. Horizontal Scaling: GALBOT's deep focus on retail and pharmacy sectors before expanding contrasts with companies pursuing simultaneous multi-industry deployment.

Academic Grounding: The institutional relationships with Peking University and Beijing Academy of AI provide stronger research foundations than many commercial-only competitors, though this may slow the transition from research to product.

The company's rapid achievement of unicorn status within two years validates this strategic positioning, suggesting investors perceive the "practical automation first" approach as more likely to generate near-term revenue than aspirational demonstrations of advanced capabilities.

5 Company Profile: RobotEra

5.1 Company Background

RobotEra (星动纪元) represents a unique academic-commercial model in China's humanoid robotics ecosystem. Founded in August 2023 by Chen Jianyu (陈建宇), the company emerged from Tsinghua University's prestigious Institute for Interdisciplinary Information Sciences (IIIS) with an extraordinary structural relationship: RobotEra is the only Chinese humanoid robotics company with direct university equity participation. This deep integration enables ongoing research collaboration while maintaining commercial focus.

Chen Jianyu brings exceptional academic credentials, holding a PhD from UC Berkeley and serving concurrently as Assistant Professor at Tsinghua IIIS. This dual role creates direct pipeline from cutting-edge academic research to commercial product development, positioning RobotEra as research-first company with rapid commercialization capabilities.

Headquartered in Beijing's Haidian district at Tsinghua Science Park, RobotEra maintains close physical proximity to its academic roots while operating as independent commercial entity. The company secured Pre-Series A funding of approximately \$42.17M (300 million yuan) in October 2024, led by Crystal Stream Capital (Tsinghua-affiliated VC), Vision Plus Capital, and Alibaba Group.

5.2 Product Portfolio

5.2.1 Star1: First-Generation Platform

Star1 (星尘一号), launched in 2024, established RobotEra's technical credentials with world-record bipedal running speed. The 171 cm, 63 kg humanoid features 55 degrees of freedom distributed across legs (12 DOF), arms (14 DOF), waist (3 DOF), neck (2 DOF), and hands (24 DOF total).

Technical Achievements:

- **Locomotion:** 3.6 m/s (12.96 km/h) running speed, world record for bipedal robots at time of announcement
- **Actuation:** Custom high-performance actuators with 400 Nm peak torque and 25 rad/s peak speed
- **Hands:** XHAND1 dexterous 12-DOF hands with all-active joints (no passive DOF)
- **AI System:** ERA-42 embodied intelligence platform developed with Tsinghua IIIS
- **Runtime:** 4 hours continuous operation

Star1 served primarily as research platform and technology demonstrator, priced at \$120,000 for prototype units. The platform enabled validation of high-speed locomotion algorithms and established RobotEra's differentiation in dynamic bipedal control.




Figure 31: *RobotEra Star1 humanoid robot demonstrating 3.6 m/s running speed, world record for bipedal locomotion at time of 2024 announcement. 171 cm height, 63 kg weight, 55 DOF including 12-DOF XHAND1 dexterous hands. Source: Humanoid.guide*

5.2.2 L7: Next-Generation Commercial Platform

L7, launched July 2025, represents generational leap in both performance and commercialization readiness. Maintaining similar form factor (171 cm, 65 kg, 55 DOF), L7 achieves 14.4 km/h (9 mph) running speed—fastest bipedal humanoid robot as of mid-2025.

Dual Capability Architecture:

L7's defining characteristic is simultaneous mastery of extreme opposites:

- **High-Dynamic Performance:**

- 14.4 km/h running speed (40% faster than Star1)
- 360-degree spins and breakdancing moves
- Rapid acceleration and deceleration
- Complex choreographed motion sequences

- **High-Precision Manipulation:**

- Tissue-paper tearing demonstration (extreme delicacy)
- 20 kg payload handling capacity
- Enhanced 12-DOF hands (2nd-generation XHAND)
- 2.1m spherical operational workspace

This dual capability—extreme dynamics combined with extreme precision—differentiates L7 from competitors optimizing for single performance dimension. Demonstrations show same platform executing breakdancing routines and delicately tearing tissue paper, suggesting advanced control algorithms enabling mode-switching between dynamic and precision operations.

Commercial Traction:

RobotEra reports shipping 200 L7 units in 2025, with over 100 additional orders in progress. Customer base includes nine of the world's top ten technology companies (specific names not disclosed), suggesting exceptional validation for 1.5-year-old startup. This customer profile indicates L7 targets premium research and development market rather than mass commercial deployment.




Figure 32: RobotEra L7 humanoid robot demonstrating high-speed locomotion at 14.4 km/h (9 mph), fastest bipedal humanoid as of July 2025. 171 cm height, 65 kg weight, 55 DOF including enhanced 12-DOF dexterous hands.




Figure 33: RobotEra L7 precision manipulation demonstration with enhanced 12-DOF hands. Dual capability: extreme dynamics (360° spins, breakdancing) + extreme precision (tissue tearing). 20 kg payload capacity, 2.1m operational reach.




Figure 34: *RobotEra L7 dynamic motion demonstration. 200 units shipped in 2025, customers include 9 of world's top 10 tech companies. Pre-Series A funding: \$42.17M from Alibaba, Crystal Stream Capital (Tsinghua-affiliated), and Vision Plus Capital.*

5.3 Technology Stack Highlights

5.3.1 ERA-42 Embodied AI System

RobotEra's software differentiation centers on ERA-42, proprietary embodied intelligence platform developed in collaboration with Tsinghua IIIS. The enhanced ERA-42 system in L7 enables:

- Ultra-high-speed locomotion control maintaining stability at 14.4 km/h
- Dual-mode operation switching between dynamic performance and precision manipulation
- Real-time adaptive control responding to terrain and task variations
- Complex motion generation for choreographed sequences

Training data sources include Star1 deployment experience, Tsinghua research datasets, simulation environments, and operational logs from 200 deployed units. This academic-commercial data flywheel—research informing product development, deployment experience feeding back to research—exemplifies RobotEra's unique model.

5.3.2 Next-Generation Actuators

L7's actuators represent iterative improvement over Star1's already-impressive specifications. While peak torque specifications remain undisclosed, performance characteristics demonstrate capability:

- 14.4 km/h sustained running (40% faster than Star1's 3.6 m/s)
- 20 kg payload handling (requires substantial joint torque)
- Tissue-paper tearing precision (sub-Newton force control)
- 360-degree spin dynamics (high angular acceleration)

Actuator development appears in-house, consistent with academic origins enabling custom mechatronics research. This vertical integration in core technology (actuators, hands, AI) while sourcing commodity components (computing, sensors) mirrors broader Chinese humanoid industry pattern.

5.3.3 Enhanced XHAND Dexterous Hands

Second-generation XHAND hands in L7 maintain 12 active DOF architecture while improving both force capacity (20 kg object handling) and precision (tissue-paper manipulation). All-active DOF configuration (no passive joints) provides maximum control authority, though increases complexity and power consumption versus hybrid active-passive designs.




Figure 35: *RobotEra Star1 hardware architecture. World-record 3.6 m/s walking speed achieved through optimized 49 DOF configuration, advanced actuator system, and ERA-42 AI control. Computing: Intel Core i5/i7 + optional NVIDIA Jetson Orin. Vision: 3D cameras + LiDAR. Power: 1.5 kWh battery, 4h runtime.*




Figure 36: *RobotEra L7 hardware architecture. Fastest bipedal humanoid at 14.4 km/h (9 mph) with 55 DOF including enhanced 12-DOF XHAND hands. Dual capability: extreme dynamics (360° spins, breakdancing) + extreme precision (tissue tearing). 20 kg payload, 2.1m operational reach. Enhanced ERA-42 AI system with improved actuators for both high-speed locomotion and precision manipulation.*




Figure 37: *RobotEra software stack featuring ERA-42 embodied intelligence system developed with Tsinghua IIIS. Enhanced ERA-42 enables ultra-high-speed locomotion control (14.4 km/h), dual-mode operation (dynamics + precision), and real-time adaptive control. Training data flywheel from 200+ deployed units and academic research.*




Figure 38: *RobotEra supply chain strategy emphasizing vertical integration in core technologies (actuators, XHAND hands, ERA-42 AI) while sourcing commodity components. Academic-commercial model leverages Tsinghua research for technology development while scaling manufacturing through partnerships.*

5.4 Financing and Investors

RobotEra's Pre-Series A round (October 2024) of \$42.17M (300M RMB) demonstrates investor confidence in academic-commercial model. Lead investors Crystal Stream Capital (Tsinghua-affiliated VC), Vision Plus Capital, and Alibaba Group provide complementary capabilities:

- **Crystal Stream Capital:** Tsinghua connection reinforces academic-commercial synergy
- **Alibaba Group:** Tech giant participation signals commercial validation and potential partnerships (cloud computing, AI platforms)
- **Lenovo Capital:** Corporate VC interest in robotics and AI applications

Additional participants include Chengdu Orinno Capital, Golden Resources, Jinding Capital, Wing Capital, and Tiancheng Capital—diverse investor base suggesting broad confidence in technology and team.

\$42.17M represents moderate round size compared to established competitors (LEJU's \$207M Pre-IPO, Unitree's \$100M+ total), but company age (founded Aug 2023, funded Oct 2024) suggests capital efficiency. Rapid commercial traction (200 units shipped, major tech customers) on relatively modest funding indicates either strong unit economics or founder's ability to leverage Tsinghua resources effectively.

5.5 Partnerships and Ecosystem

5.5.1 Tsinghua University Equity Relationship

RobotEra's defining partnership is unique equity relationship with Tsinghua IIIS. University equity stake (rare for Chinese academic institutions) creates alignment of interests and enables ongoing collaboration:

- **Talent Pipeline:** Direct access to Tsinghua AI and robotics students/researchers
- **Research Facilities:** Use of university laboratories and testing environments
- **Intellectual Property:** Technology transfer from academic research to commercial product
- **Credibility:** Academic reputation enhances commercial positioning with research customers

Founder Chen Jianyu's dual role (company founder + Tsinghua assistant professor) operationalizes this relationship, avoiding typical academic-commercial friction. This model enables rapid research-to-product translation while maintaining academic rigor.

5.5.2 International Research Collaborations

Partnerships with MIT and ByteDance Robotics Lab provide complementary capabilities:

- **MIT:** International academic validation, potential US market access, cross-institution research projects
- **ByteDance:** Corporate AI resources, potential integration with ByteDance AI models, cloud computing infrastructure

These partnerships suggest RobotEra positions as research platform enabling academic and corporate R&D rather than pursuing mass-market manufacturing like Unitree or vertical-specific applications like GALBOT.

5.5.3 Tech Giant Customer Base

RobotEra's claim of nine of world's top ten technology companies as customers represents extraordinary validation. While specific customer names remain confidential, this penetration suggests:

- Technology leadership in bipedal locomotion and/or embodied AI
- Product maturity sufficient for demanding corporate R&D environments
- Service and support capabilities meeting enterprise standards
- Pricing acceptable to well-funded corporate research divisions

Alibaba's participation as both investor and likely customer creates potential for deeper integration with Alibaba Cloud and AI platforms.

5.6 Distribution and Commercialization

RobotEra's distribution strategy targets premium research and enterprise customers through direct B2B sales. The \$120,000 Star1 prototype pricing and major tech company customer base indicate consultative, high-touch sales process with substantial technical support.

Commercial Metrics (2025):

- 200 units shipped (primarily L7)
- 100+ additional orders in progress
- Customer base: 9 of top 10 global tech companies plus research institutions
- Geographic focus: Primarily China with international research partnerships

These metrics position RobotEra among higher-volume manufacturers despite recent founding, though production scale remains modest versus AGIBOT's 1,500+ units or aspirational Unitree volumes. The company prioritizes strategic customers (tech giants, top universities) over raw unit volumes, consistent with research platform positioning rather than mass-market manufacturing.

Pricing Strategy:

RobotEra occupies ultra-premium segment. Star1 prototype pricing (\$120K) significantly exceeds Unitree G1 (\$16K) or consumer platforms, positioning as professional research tool rather than accessible development platform. L7 commercial pricing remains undisclosed but likely varies by customer and volume, with potential discounts for large orders from tech giants.

This premium positioning trades addressable market size for higher unit margins and customer quality. Tech giant customers provide not just revenue but validation, potential long-term partnerships, and strategic options (OEM relationships, platform integrations).

5.7 Competitive Positioning

RobotEra's competitive strategy emphasizes technology leadership in specific dimensions rather than competing across all capabilities:

Differentiation Axes:

- **vs. LEJU/KEPLER:** Faster bipedal locomotion (14.4 km/h vs. walking/jogging speeds), academic credibility
- **vs. Unitree:** Premium research platform vs. mass-market cost leadership; RobotEra targets tech giants, Unitree targets volume

- **vs. GALBOT:** Bipedal dynamics vs. wheeled stability; research platform vs. vertical application (retail)
- **vs. AGIBOT:** Similar academic origins but RobotEra emphasizes speed/dynamics, AGIBOT emphasizes production scale and industrial applications

Strategic Positioning:

RobotEra operates as technology supplier to industry leaders rather than pursuing direct commercial deployment. This strategy:

- Leverages academic strengths (research, algorithm development) without requiring manufacturing scale
- Creates platform potential (tech giants may integrate RobotEra technology into own products)
- Reduces capital requirements versus mass manufacturing
- Enables rapid iteration (smaller deployment base, closer customer relationships)

Risk: Dependency on small number of large customers; potential for customers to develop competing technology in-house; limited learning from diverse real-world deployments compared to mass-market competitors.

Opportunity: If tech giants adopt RobotEra platforms for research, network effects could establish de facto standard; academic partnerships generate publication pipeline maintaining technology leadership; potential acquisition target for tech giants seeking humanoid capabilities.

5.8 Strategic Assessment

RobotEra represents distinctive academic-commercial model with exceptional early traction. Tsinghua equity relationship is unique structural advantage enabling ongoing research collaboration while maintaining commercial focus. Rapid customer acquisition (9 of top 10 tech companies in first 18 months) validates both technology leadership and go-to-market approach.

Strengths:

- World-record bipedal speed (14.4 km/h) creates clear differentiation
- Unique Tsinghua equity relationship provides sustainable competitive advantage
- Exceptional customer quality (tech giants) provides validation and strategic options
- Academic partnerships (MIT, ByteDance) enhance technology development
- Capital efficiency (strong traction on modest funding)

Challenges:

- Limited production capacity versus established competitors
- Dependency on small number of large customers
- Ultra-premium pricing limits addressable market
- Young company (founded Aug 2023) with limited operational track record
- Potential customer in-housing of technology after learning from RobotEra platforms

Strategic Questions:

Will RobotEra’s research platform model prove more sustainable than mass manufacturing (Unitree) or vertical application (GALBOT) approaches? Can the company maintain technology leadership as customers develop internal humanoid capabilities? Does Tsinghua equity relationship create sufficient defensibility, or will larger competitors replicate academic collaborations? Will tech giant customers evolve into long-term partners, OEM relationships, or eventual acquirers?

Success metrics: Conversion of customer pilots to large-volume orders; international expansion beyond China-focused customer base; evolution from component supplier to platform provider; sustained technology leadership despite increasing competition; successful Series A fundraising demonstrating continued investor confidence.

6 Company Profile: NOETIX Robotics

NOETIX Robotics (Chinese: 松延动力) represents a new generation of Chinese humanoid robotics startups focused on radical cost reduction through vertical integration and domestic sourcing. Founded in Beijing in September 2023 by Jiang Zheyuan (age 27), who left his Tsinghua University doctoral program to launch the company, NOETIX achieved rapid market impact through breakthrough pricing: the Bumi consumer robot at \$1,400 represents the world’s first humanoid under ¥10,000, while the athletic N2 robot gained viral attention by finishing second in the world’s first human-humanoid half-marathon in April 2025 (3h 37min, generating 2,500+ orders). With \$55.8M total funding including a \$41M Pre-B round led by Vertex Ventures in October 2025, NOETIX distinguishes itself through cost-optimization strategy - 100% domestic component sourcing, proprietary control boards and motor drivers, and lightweight composite materials enabling cascading cost savings. The company targets 1,000 units monthly production by late 2025 across facilities in Beijing and Changzhou.

6.1 Company Background and Founding

NOETIX Robotics was founded in September 2023 in Beijing by Jiang Zheyuan, a 27-year-old who left his doctoral studies at Tsinghua University to pursue his vision of affordable consumer robotics. The founding team includes members from prestigious institutions including Tsinghua University and the Chinese Academy of Sciences, bringing deep technical expertise in robotics, AI, and materials engineering [55]. The company’s Chinese name 松延动力 reflects its mission of extending humanoid robot technology beyond laboratories into homes and schools.

NOETIX’s tagline “Navigating tomorrow’s tech today” encapsulates its philosophy: make humanoid robots practical and affordable for education, research, and home use [56]. The company positions itself as the “Xiaomi and Apple of humanoid robotics” - combining aggressive cost reduction (Xiaomi model) with polished user experience (Apple model) [57].

The company achieved several notable milestones in its first two years: became the first company to receive support from the Beijing Robot Fund (2024); launched the N2 athletic humanoid capable of continuous backflips (2024); completed the world’s first human-humanoid half-marathon with second-place finish (April 2025); launched Bumi consumer robot under \$1,400 with 100 units sold in first hour (October 2025); and raised \$41M Pre-B funding led by Vertex Ventures (October 2025) [58, 59]. With 100 employees and operations across Beijing and Changzhou, NOETIX demonstrates rapid scaling from startup to emerging market player.

6.2 Product Portfolio

NOETIX offers a diverse product portfolio spanning consumer, performance, and general-purpose segments, unified by a cost-optimization strategy and focus on practical capabilities.

6.2.1 Bumi - Affordable Consumer Humanoid



Figure 39: *NOETIX Bumi consumer humanoid robot. World's first humanoid under \$1,400/¥10,000, designed for education and family use. 94cm tall, 12kg weight. Source: [57]*



Figure 40: *NOETIX N2 athletic humanoid robot. First humanoid capable of continuous backflips. 128cm tall, 18 DOF, NVIDIA Jetson Orin. Source: [60]*

Bumi represents NOETIX's breakthrough product: a 94cm, 12kg child-sized humanoid priced at ¥9,998 (approximately \$1,400), marking the first Chinese humanoid robot under ¥10,000 [57]. Launched October 23, 2025, Bumi sold 100+ units in its first hour and 500 units in its first two days on JD.com [58]. The robot features bipedal walking, dancing capabilities, and complex movements enabled by a proprietary motion control system. Computing is provided by a domestic Rockchip processor (cost-optimized for consumer applications), with a 48V/3.5Ah battery providing 1-2 hours runtime [61].

Bumi's key innovation lies in its cost structure: NOETIX achieved breakthrough pricing through three pillars: (1) Vertical integration - proprietary control boards and motor drivers designed in-house eliminate supplier markups; (2) Structural optimization - lightweight composite materials with strategic metal reinforcement reduce weight to 12kg, enabling smaller motors and lighter batteries with cascading cost savings; (3) Domestic sourcing - nearly 100% of components (motors, sensors, Rockchip processors) sourced domestically within China's manufacturing ecosystem, reducing logistics costs and accelerating iteration [62]. The robot integrates with JD.com's Joy Inside 2.0 ecosystem and supports open programming interfaces for education.

Target markets include STEM education for children, home entertainment and companionship, and programming/robotics learning. Sales channels include JD.com (primary), NOETIX WeChat account (direct), and educational institution partnerships. At \$1,400, Bumi undercuts competitors by 75%: Unitree R1 (\$5,600), Unitree G1 (\$16,000), representing a paradigm shift in consumer robot accessibility.

6.2.2 N2 - High-Performance Athletic Humanoid

The N2 is NOETIX's performance flagship: a 128cm, 20-30kg humanoid with 18 DOF, achieving 3.5 m/s (7.2 mph) running speed and the world's first continuous backflip capability [63]. Priced at ¥39,000 (\$5,500), N2 gained viral attention in April 2025 by completing the world's first human-humanoid half-marathon in Beijing, finishing second place with a time of 3 hours 37 minutes - an achievement that generated over 2,500 orders [64].

N2's technical architecture centers on NVIDIA Jetson Orin GPU (8GB, 40 TOPS) for edge AI computing, dual depth cameras for 3D visual perception with real-time object recognition, and high-torque motors (peak 150 Nm) with joints strategically placed near the crotch to reduce limb inertia during aerial maneuvers [60]. The 48V/7Ah quick-swap battery provides 1-2 hours runtime. Advanced proprietary algorithms enable continuous backflips, high-speed running, jumping, and human-like balance corrections upon landing.

N2 serves research, advanced development, and performance demonstration markets. Its marathon completion and backflip capabilities demonstrate NOETIX's motion control expertise, while strong order volume (2,500+ units) validates market demand for high-performance humanoids at accessible price points (\$5,500 vs \$16,000+ for comparable international robots).

6.2.3 Dora - General-Purpose Household Platform



Figure 41: *NOETIX Dora general-purpose humanoid robot. 100cm tall, 20-26 DOF with optional 11-DOF dexterous hands. Three depth cameras, 7-inch display, LLM interaction. Designed for household assistance, research, and elder care. Source: [65]*

Dora is a 100cm, 20kg general-purpose humanoid with 20 base DOF (expandable to 26 with optional 11-DOF dexterous hands) designed for household assistance, research, and light elder care [65]. The robot features three structured-light depth cameras (two downward-slanting, one forward-facing) for comprehensive 3D environment mapping, NVIDIA Jetson Orin computing (8GB, 40 TOPS), and peak joint torque of 120 Nm enabling 5kg payload manipulation [66].

Dora's software architecture implements deep reinforcement learning and imitation learning for autonomous task execution, with capabilities including picking up cups, folding clothes, and household chore assistance [67]. The robot supports multiple walking gaits (anthropomorphic, straight-legged) and terrain adaptation (pavement, grass, snow) with autonomous obstacle avoidance. A 7-inch touchscreen, six-microphone array, and speaker enable multimodal interaction including LLM-based conversation, visual understanding, and touch input.

Target applications span family household chores, STEM education, light elder-care support, and research platforms for embodied AI. Dora positions between Bumi's consumer entertainment focus and N2's athletic performance, offering balanced capability and dexterity for practical service robotics.

6.2.4 Additional Products in Development

NOETIX has announced two additional products: Hobbs, a hyper-realistic robotic head with 14 motors in the mouth area alone for detailed facial expressions, real-time conversation, and expression synchronization with speech, targeting service industry and entertainment applications [68]; and E1, a full-sized humanoid being readied for mass production with pre-orders starting at ¥39,900 (\$5,600), designed for industrial and research applications [69].

6.3 Technology Stack and Innovation

NOETIX's core technology philosophy centers on vertical integration, domestic sourcing, and cost optimization - principles enabling breakthrough pricing while maintaining competitive capabilities.

6.3.1 Hardware Architecture




Figure 42: NOETIX Bumi hardware architecture. Cost-optimized consumer platform with Rockchip processor (domestic), proprietary control boards and motor drivers (in-house design), lightweight composite materials (12kg total), and 48V/3.5Ah battery (1-2h runtime). 100% domestic component sourcing enables \$1,400 price point.




Figure 43: *NOETIX N2 hardware architecture. Performance platform with NVIDIA Jetson Orin GPU (8GB, 40 TOPS), dual depth cameras, high-torque motors (peak 150 Nm, 18 DOF), and optimized joint placement for aerial dynamics. Enables continuous backflips and 3.5 m/s running speed.*




Figure 44: *NOETIX Dora hardware architecture. General-purpose platform with NVIDIA Jetson Orin, three structured-light depth cameras, 20-26 DOF (optional 11-DOF hands), 7-inch touchscreen, six-mic array. Supports deep reinforcement learning and imitation learning for household tasks.*

NOETIX's hardware strategy differs significantly from competitors through radical cost optimization. Bumi uses domestic Rockchip processors (avoiding premium NVIDIA costs), proprietary control boards and motor drivers designed in-house (eliminating supplier markups and enabling hardware-software co-optimization), and lightweight composite materials with strate-

gic metal reinforcement (12kg weight enables smaller motors and batteries with cascading cost savings) [62]. N2 and Dora leverage NVIDIA Jetson Orin for AI-intensive applications (edge computing, real-time perception), but maintain cost discipline through other optimizations.

The critical innovation is vertical integration of control electronics: by designing control boards and motor drivers in-house, NOETIX eliminates 20-30% supplier markups while optimizing for specific robot requirements [62]. This contrasts with competitors who purchase off-the-shelf motor controllers and actuators. NOETIX's domestic sourcing (100% of components from Chinese suppliers) reduces logistics costs, accelerates iteration cycles (proximity to suppliers), and leverages China's manufacturing scale for lower component prices. Materials engineering - using composites instead of pure metal - reduces weight by 40% versus traditional designs, enabling proportionally smaller actuators and batteries.

6.3.2 Software and AI Capabilities




Figure 45: *NOETIX software stack across product line. Proprietary motion control algorithms enable unique capabilities (N2 continuous backflips). Bumi supports drag-and-drop graphical programming and JD.com Joy Inside 2.0 integration. Dora implements deep reinforcement learning and imitation learning for autonomous household tasks. All products use proprietary embodied OS optimized for specific applications.*

NOETIX's software architecture emphasizes proprietary motion control algorithms as competitive advantage. The N2's continuous backflip capability - unique among commercial humanoids - derives from advanced control algorithms and optimized joint placement (heavy joints near crotch reducing limb inertia during aerial maneuvers) [63]. Bumi's motion control enables stable bipedal walking, dancing, and complex movement sequences on a cost-optimized hardware platform. Dora implements deep reinforcement learning and imitation learning for autonomous task execution, learning household tasks like picking up cups and folding clothes from demonstrations [67].

Software integration varies by market segment: Bumi integrates with JD.com's Joy Inside 2.0 AI platform (enhanced conversation, ecosystem connectivity) and supports drag-and-drop graphical programming for children plus open APIs for developers [57]. Dora provides LLM-based natural language interaction, visual understanding, and multimodal input (voice, touch, gesture). N2 focuses on real-time object recognition, motion tracking, and dynamic balance control using NVIDIA Jetson Orin's 40 TOPS compute power [60].

Notably absent: NOETIX maintains no public GitHub presence. Comprehensive search found no official organization or repositories - the company follows a closed-source approach prioritizing proprietary advantage over developer community building. This contrasts sharply with Unitree (extensive GitHub SDKs, simulation tools) and moderately with LEJU/RobotEra (limited GitHub presence). The closed approach likely reflects: (1) consumer focus prioritizing user experience over developer tools; (2) competitive advantage through proprietary motion control and cost optimization; (3) early stage (founded 2023) - may open-source later as market position solidifies; (4) vertical integration strategy preferring control of entire stack.

6.3.3 Supply Chain and Manufacturing

NOETIX Robotics Supply Chain & Sourcing



Figure 46: *NOETIX supply chain strategy. 100% domestic (China) component sourcing for all products. In-house design of control boards and motor drivers. Manufacturing facilities in Beijing and Changzhou with third location planned. Target 1,000 units/month by late 2025. Supply chain advantages: reduced logistics costs, faster iteration, lower component costs, supply chain resilience.*

NOETIX's supply chain strategy represents its most distinctive competitive advantage: 100% domestic (China) component sourcing for motors, sensors, processors, and structural materials [62]. This contrasts with competitors who source international components (NVIDIA GPUs, Intel processors, premium sensors). Benefits include: reduced logistics costs and lead times (domestic shipping vs international); faster iteration cycles (proximity to suppliers enables rapid prototyping); lower component costs (China's manufacturing scale economies); supply chain resilience (no international dependencies or tariff exposure); and easier quality control and supplier management (same time zones, language, business practices).

Manufacturing follows a vertically integrated approach with selective outsourcing: in-house activities include control board design and assembly, motor driver design, final assembly and testing, software development, and system integration; outsourced activities include component manufacturing (motors, sensors, casings), material production (composites, metals), and some sub-assembly work. NOETIX operates facilities in Beijing (R&D and manufacturing) and Changzhou (manufacturing) with a third location planned, targeting 1,000 units monthly capacity by late 2025 - a 10x increase from current production [59].

The domestic sourcing strategy provides natural cost advantages: Chinese motors cost 40-60% less than equivalent Japanese/German actuators; Rockchip processors cost 50% less than Intel equivalents for consumer applications; domestic sensors adequate for Bumi's requirements cost 30-40% less than premium international alternatives. Combined with in-house control electronics (eliminating supplier markups) and structural optimization (lightweight materials), NOETIX achieves 70% cost reduction versus traditional humanoid designs - enabling Bumi's \$1,400 price point while maintaining positive gross margins.

6.4 Financing and Investors

NOETIX has raised \$55.8M total funding across multiple rounds, with the \$41M Pre-B round led by Vertex Ventures in October 2025 representing the largest disclosed investment [70, 71]. The Pre-B round included co-investors FG Venture, CRRC Beijing Transformation and Upgrading Fund (state-owned enterprise arm), OR Capital, and Everpine Capital [59]. The company's 25 total investors include prominent VCs (Vertex Ventures China, Tianqi Capital, Yunqi Partners, BeFor Capital, Huaqiang Capital, Binfu Capital) and strategic funds (CCTV Media Fund, Beijing Robot Fund) [71].

NOETIX's financing distinguishes itself through government backing: the company was the first to receive support from the Beijing Robot Fund in 2024, signaling strong local government validation and strategic importance [72]. CRRC Beijing Transformation and Upgrading Fund participation (state-owned enterprise) reinforces government interest in humanoid robotics as strategic industry. CCTV Media Fund investment provides media exposure and credibility beyond capital.

Lead investor Vertex Ventures China (Temasek Holdings subsidiary) brings international credibility, operational expertise, and potential global expansion support [59]. The investor mix - venture capital (12 firms), corporate venture (CRRC, Lenovo Capital affiliate per earlier rounds), government-backed funds (Beijing Robot Fund), and media-affiliated capital (CCTV) - provides both capital and strategic resources. Notably absent: no tier-1 tech giants (unlike RobotEra-Alibaba or LEJU-Huawei partnerships), suggesting NOETIX prioritizes independence over platform integration.

Funding efficiency appears exceptional: \$55.8M enabled development of three commercial products (Bumi, N2, Dora), viral marketing success (N2 half-marathon), meaningful revenue (thousands of units sold), and manufacturing scale-up to 1,000 units monthly target - all within two years of founding. This efficiency mirrors RobotEra's capital-light approach, contrasting with heavily-funded competitors (Unitree \$100M+, LEJU \$200M+). The consumer focus and vertical integration strategy enables faster time-to-revenue than industrial-focused competitors requiring lengthy enterprise sales cycles.

Future funding outlook: Given rapid growth trajectory (Bumi sales momentum, N2 order backlog), Series B likely within 12-24 months (\$80-150M estimated) to fund: manufacturing scale-up to 10,000+ units monthly capacity; international market expansion; E1 full-sized humanoid commercialization; potential component supplier acquisition for deeper vertical integration; AI model development and embodied intelligence capabilities. Strategic options include IPO pathway on domestic exchange (following Bumi commercial success), strategic partnership with major tech platform (Alibaba, Tencent, ByteDance - currently unaffiliated), or international expansion funding from overseas VCs.

6.5 Partnerships and Ecosystem

NOETIX's partnership strategy balances academic excellence, commercial distribution, and government support - a tripartite approach enabling rapid scaling.

Academic partnerships span five premier Chinese institutions: Tsinghua University (founding team origin, equity holder), Chinese Academy of Sciences (founding team origin), Shanghai University of Science and Technology, Hong Kong University of Science and Technology, and Shandong University [56]. Tsinghua's equity stake creates particularly deep institutional support - founder Jiang Zheyuan's departure from Tsinghua PhD program to launch NOETIX mirrors the MIT/Stanford startup model, with university maintaining financial interest in success. These partnerships provide talent pipeline (recruitment from top programs), research access (cutting-edge robotics and AI research), academic credibility, and technology transfer pathways.

Commercial partnerships center on JD.com, China's largest online retailer, serving dual roles: distribution channel (Bumi primary sales platform, Singles' Day and Double 12 promotional campaigns) and technology integration (Bumi integrates with JD's Joy Inside 2.0 AI ecosystem) [57]. JD provides critical infrastructure: fulfillment and logistics network enabling rapid nationwide delivery; marketing and promotional support during major shopping festivals; massive consumer base access (hundreds of millions of users); and technology platform for AI capabilities enhancement. The partnership reflects NOETIX's consumer-first strategy - leveraging China's advanced e-commerce infrastructure rather than building proprietary distribution.

Government partnerships include Beijing Robot Fund (first company to receive support, providing financial backing, strategic guidance, and government validation) [72]. This "first company" status signals strong policy support for NOETIX's consumer robotics approach.

CRRC Beijing Transformation and Upgrading Fund investment (Pre-B round) reinforces state interest, providing access to government resources, potential public sector customers, and policy/regulatory support.

Partnership gaps and opportunities: Limited international partnerships (only HKUST outside mainland); no announced component supplier partnerships despite 100% domestic sourcing (likely confidential relationships); no major tech company partnerships (unlike RobotEra-Alibaba or LEJU-Huawei); no enterprise application partners for Dora/E1 products. Opportunities include: manufacturing partnerships for production scale-up beyond 1,000 units monthly; international distribution partners for export markets; potential tech giant partnership (Alibaba, Tencent, ByteDance) for AI platform integration; elder care facility partnerships for Dora deployment.

Compared to competitors: NOETIX has broader academic network (5 universities) than LEJU's Huawei focus, but LEJU has deeper enterprise partnerships. Similar to RobotEra in Tsinghua connection, but RobotEra has Alibaba while NOETIX has JD.com - different tech giant alignments. More structured academic partnerships than Unitree's international open-source community focus.

6.6 Distribution and Commercialization

NOETIX pursues a direct-to-consumer e-commerce strategy leveraging China's advanced digital retail infrastructure. Primary sales channels include: JD.com e-commerce platform (Bumi primary channel, national reach, fulfillment infrastructure); NOETIX WeChat account (direct sales via WeChat mini-program, all products available, higher margins, direct customer relationships); and educational institution direct sales (B2B to universities, schools, training centers - volume sales, brand building, future customer pipeline) [58, 57].

Geographic focus remains domestic China with three key characteristics: large and growing consumer robotics market; excellent infrastructure (advanced e-commerce, logistics, payment systems); high consumer readiness in urban areas; supportive regulatory environment (government backing); but also high competition (Unitree, LEJU, KEPLER, RobotEra, GALBOT, AGIBOT, others). International expansion potential exists but not yet announced.

Pricing strategy follows disruptive low-cost leadership: Bumi (\$1,400) represents entry consumer tier, significantly undercutting competitors (Unitree R1 \$5,600, G1 \$16,000); N2 (\$5,500) occupies mid-tier performance segment; E1 (\$5,600) targets full-size market at aggressive price [57, 60]. The strategy aims for market share and rapid adoption over premium margins - "democratization of robotics" positioning.

Commercial traction validates approach: N2 generated 2,500+ orders following April 2025 half-marathon participation [64]; Bumi sold 100+ units in first hour, 500 units in first two days (October 2025 launch) [58]. Production scale-up targets 1,000 units monthly by late 2025 across Beijing and Changzhou facilities with third location planned [59]. This represents 10x production increase, enabled by Pre-B funding.

Market expansion strategy: near-term focus on deepening China consumer and education market penetration, scaling to 1,000+ monthly units, launching E1 full-size product, and building brand through education partnerships. Medium-term opportunities include international expansion (Southeast Asia, Europe, North America), enterprise/industrial segment entry with E1, elder care market exploration, and potential OEM partnerships. Long-term vision positions NOETIX as global consumer robotics brand with platform ecosystem (hardware + software + services) targeting autonomous home assistant category leadership.

Key success factors include: breakthrough pricing (Bumi <\$1,400); viral marketing (N2 half-marathon generating massive awareness); major platform partnership (JD.com distribution and AI integration); strong value proposition for education market (affordable STEM tools); and government backing (Beijing Robot Fund first recipient). Remaining challenges: scaling production quality at 10x volume increase; managing competition from larger, better-funded players;

international expansion (regulatory, distribution complexities); building long-term brand loyalty beyond initial novelty purchases.

6.7 Competitive Positioning and Strategic Assessment

NOETIX occupies a distinctive niche in China's humanoid robotics landscape: the aggressive cost-leader democratizing access through vertical integration and domestic sourcing, contrasting with premium performance (Unitree), enterprise applications (GALBOT, AGIBOT), or platform integration (LEJU-Huawei, RobotEra-Alibaba) strategies.

Competitive Advantages:

- **Cost structure leadership:** \$1,400 Bumi represents 75% lower price than comparable robots (Unitree R1 \$5,600), enabled by 100% domestic sourcing, proprietary control electronics, and structural optimization
- **Proven market traction:** 2,500+ N2 orders (half-marathon virality), 500 Bumi units in 2 days validates product-market fit across performance and consumer segments
- **Vertical integration advantages:** In-house control board and motor driver design eliminates supplier dependency, enables rapid iteration, and protects margins
- **Manufacturing proximity:** Domestic supply chain provides 30-40% cost advantages, faster iteration (days not weeks), and supply chain resilience
- **Government validation:** First Beijing Robot Fund recipient signals policy support and potential public sector opportunities
- **Diverse product portfolio:** Bumi (consumer), N2 (performance), Dora (general-purpose) addresses multiple segments with shared technology platform
- **Distribution infrastructure:** JD.com partnership provides instant national reach without building proprietary retail infrastructure

Challenges:

- **Limited technology depth versus AI-focused competitors:** No major tech platform AI partnership (unlike LEJU-Huawei Pangu, RobotEra-Alibaba); closed-source approach limits developer ecosystem (versus Unitree's extensive GitHub presence); smaller team (100 employees) constrains R&D bandwidth
- **Production scaling risks:** 10x production increase (100 to 1,000 units monthly) while maintaining quality and cost targets represents significant operational challenge
- **Component quality tradeoffs:** Domestic cost-optimized components may limit performance ceiling versus premium international alternatives (relevant for E1 industrial applications)
- **Young company operational risks:** Founded September 2023 (only 2 years old), limited track record, founder age 27 with academic background (not prior entrepreneurial success)
- **Intense domestic competition:** Seven major competitors in similar segments, several with significantly more funding (Unitree \$100M+, LEJU \$200M+) and production capacity
- **International expansion barriers:** Regulatory requirements, distribution partnerships, brand building in foreign markets require resources and time

- **Technology leadership sustainability:** As competitors develop cost reduction capabilities and NOETIX moves upmarket (E1), current cost advantages may erode

Strategic Questions:

Will NOETIX's cost-leadership strategy prove defensible as competitors (Unitree R1 \$5,600, already aggressive versus earlier G1 \$16,000) pursue similar price reduction trajectories? Can the company scale production 10x while maintaining quality and cost structure? Does consumer market demand justify production scale-up, or will enterprise/industrial segments (E1) provide more sustainable revenue? Will lack of major tech platform partnership limit AI capabilities versus Huawei-backed LEJU or Alibaba-backed RobotEra? Can founder Jiang Zheyuan (age 27, PhD dropout) successfully navigate from product innovation to operational scaling and management complexity?

The "Xiaomi model" analogy raises critical questions: Xiaomi succeeded by disrupting smartphones but eventually faced margin pressure and premium-segment failures. NOETIX pursues similar trajectory - disrupt with aggressive pricing (Bumi \$1,400), build volume and brand, later move upmarket (E1 \$5,600+). Success depends on: (1) achieving production scale (1,000+ monthly) before burning through Pre-B capital; (2) maintaining technology leadership despite closed-source approach and limited AI partnerships; (3) evolving beyond initial novelty purchases to repeat customers and ecosystem; (4) expanding internationally before domestic market saturates; (5) securing strategic tech platform partnership (Alibaba, Tencent, ByteDance) for AI capabilities enhancement while maintaining independence.

Success metrics: Achieve and sustain 1,000+ units monthly production; maintain gross margins above 30% despite aggressive pricing; successful E1 launch demonstrating upmarket viability; secure major tech platform partnership without losing independence; international expansion into 2-3 markets; Series B fundraising (\$80-150M) within 18 months demonstrating continued investor confidence; evolution from product company to platform (hardware + software + services ecosystem).

7 Company Profile: Xiaomi Corporation

7.1 Company Overview

Xiaomi Corporation was founded in 2010 by Lei Jun and six associates in Beijing, China. As of 2024, the company employs 49,021 people and generated \$59.4 billion USD (366 billion RMB) in revenue, making it the second-largest smartphone seller worldwide with approximately 12% market share. While primarily known as a consumer electronics giant, Xiaomi entered the robotics space in 2021 with the announcement of CyberDog, followed by the humanoid robot CyberOne in 2022.

Xiaomi's robotics division, operating as the "Xiaomi Robotics Lab" or "MiRoboticsLab," pursues a dual-track strategy: developing open-source quadruped platforms (CyberDog series) for research and developer communities, while keeping humanoid technology (CyberOne) proprietary for internal manufacturing automation. This approach leverages Xiaomi's massive consumer electronics supply chain and capital resources to create affordable robotics platforms at price points dramatically lower than established competitors.

7.2 Product Portfolio

7.2.1 CyberOne Humanoid Robot

Announced on August 11, 2022 at a Xiaomi product launch event in Beijing, **CyberOne** (nicknamed "Metal Bro") is Xiaomi's first full-sized humanoid robot. Standing 177 cm tall and weighing 52 kg with an arm span of 168 cm, the robot walked on stage alongside CEO Lei

Jun, presented him with a flower, and posed for a selfie—demonstrating Xiaomi’s vision for human-robot interaction.



Figure 47: *CyberOne humanoid robot on stage at Xiaomi launch event in Beijing, August 2022. Source: [73]*




Figure 48: *CyberOne technical specifications and capabilities diagram. Source: [73]*

Technical Specifications CyberOne features 21 degrees of freedom enabling human-like movement with a real-time response speed of 0.5 milliseconds per degree of freedom. The robot achieves walking speeds of 3.6 km/h and running speeds of 7.2 km/h.

Actuation System:

- Upper limb actuators: 500g with 30 Nm rated torque
- Hip joint motors: 300 Nm instantaneous peak torque
- Payload capacity: 1.5 kg per hand
- Custom actuator design integrating frameless torque motor, harmonic gearbox, force/torque sensor, rotary encoder, and controller

Perception and AI:

- Vision: Intel RealSense D455 RGB-D camera for 3D perception, face/gesture/expression recognition
- Self-developed Mi-Sense depth vision module
- MiAI environment semantics engine: recognizes 85 types of environmental sounds
- MiAI vocal emotion identification: classifies 45 types of human emotions

Computing Platform:

- Two Intel i7 Xeon quad-core processors for main computing
- NVIDIA Jetson Orin NX for AI inference
- Custom DSP-based joint controllers (21 units)
- 1.65 kWh lithium-ion battery providing 2.5 hours operation




Figure 49: *CyberOne* hardware architecture showing computing platform, sensor systems, actuation, and power management.

Commercialization Status Unlike *CyberDog*, *CyberOne* is **not commercially available**. As of 2024, the robot is used exclusively for internal applications within Xiaomi’s manufacturing facilities. In June 2024, Xiaomi announced phased implementation of *CyberOne* in its own manufacturing system at the Xiaomi Automobile Factory in Beijing Yizhuang. CEO Lei Jun has stated that mass production remains “still a long way off,” with no public release timeline announced. The estimated cost per unit ranges from \$89,000 - \$104,000 USD (600,000-700,000 RMB), making it economically viable only for specialized industrial applications.

7.2.2 *CyberDog* Quadruped Robot Series

Announced in August 2021, ***CyberDog*** represents Xiaomi’s entry into quadruped robotics with a dramatically different strategy from *CyberOne*. Priced at \$1450 (9,999 RMB)—approximately 50 times cheaper than Boston Dynamics’ *Spot* at \$75,000—*CyberDog* targets researchers, developers, and robotics enthusiasts rather than commercial deployment.

Technical Specifications (*CyberDog* Generation 1):

- Dimensions: $77.1 \times 35.5 \times 40$ cm, weight 14 kg
- Computing: NVIDIA Jetson Xavier NX with 384 CUDA cores, 48 Tensor cores
- Sensors: 11 high-precision sensors including Intel RealSense D450 depth camera, GPS, touch sensors, AI cameras
- Performance: 5.8 km/h walking, 11.5 km/h running
- Motors: Xiaomi-developed high-performance servo motors with 32 Nm max torque

CyberDog 2 (announced 2023) represents significant hardware improvements: 36% lighter at 8.9 kg, 36.7 cm tall, with an enhanced sensor suite of 19 sensors including LiDAR, 4 ToF sensors, and multiple RGB/depth cameras for improved spatial awareness.



Figure 50: *Xiaomi CyberDog quadruped robot official product image. Source: [74]*




Figure 51: *CyberDog hardware architecture showing computing platform (NVIDIA Jetson Xavier NX), vision system (Intel RealSense), and sensor suite across both generations.*




Figure 52: *CyberDog ROS 2 software architecture showing layered design: application layer (Android app, GRPC/Bluetooth bridges), perception layer (camera, sensors), DDS middleware for ROS 2 communication, decision/control layer, navigation/localization (SLAM), and actuation layer (MIT motor controller). Based on official MiRoboticsLab repository structure. Source: [74]*

7.3 Open Source and Developer Ecosystem

Xiaomi maintains an active GitHub presence through the **MiRoboticsLab** organization at <https://github.com/MiRoboticsLab> with 30 public repositories. The flagship repository, `cyberdog_ros2`, contains the complete ROS 2 software stack for CyberDog, implementing multi-device connectivity, multimodal perception, human-robot interaction, autonomous decision-making, spatial positioning, navigation, and target tracking.

Key Repositories Core Software Framework:

- **cyberdog_ros2** (708 stars) [C++]: ROS 2 packages for Xiaomi CyberDog, implementing multi-device connectivity, multimodal perception, human-robot interaction, autonomous decision-making, spatial positioning, navigation and target tracking
- **cyberdog_ws** (252 stars) [CMake]: CyberDog workspace repository for building and developing CyberDog software

- [cyberdog_motor_sdk](#) (Not disclosed stars) [C++]: Motor control SDK for CyberDog robot
- [cyberdog_simulator](#) (25 stars) [C++]: ROS 2 simulator for CyberDog

Strategic Approach Xiaomi pursues a **dual open-source strategy**:

- **CyberDog**: Fully open-source (Apache 2.0 license) to build developer ecosystem, attract research community, and establish Xiaomi brand in robotics
- **CyberOne**: Completely proprietary to protect competitive advantages in humanoid manufacturing automation

This contrasts with competitors: Unitree has more extensive GitHub presence (39 repos vs 30), but Xiaomi's consumer brand recognition and IoT ecosystem integration (100M+ devices) create unique value propositions. Boston Dynamics provides no open-source software for Spot, making CyberDog significantly more accessible despite lower technical capabilities.

7.4 Strategic Technology Partnerships

Xiaomi's robotics platforms leverage partnerships with leading technology providers:

NVIDIA Partnership Both CyberDog and CyberOne utilize NVIDIA Jetson platforms (Xavier NX for CyberDog, Orin NX for CyberOne) for AI-accelerated robotics computing. This partnership provides access to industry-leading AI/robotics computing platforms, proven hardware-software stacks for autonomous systems, and extensive developer ecosystem tools (CUDA, TensorRT, Isaac SDK). NVIDIA has featured CyberDog in Jetson platform marketing materials, demonstrating strategic value for both parties.

Intel RealSense Partnership CyberDog incorporates Intel RealSense D450 depth modules, while CyberOne uses D455 RGB-D cameras for 3D perception. RealSense technology enables centimeter-scale obstacle avoidance, 3D environmental mapping, face and gesture recognition, and object tracking. Notably, RealSense spun out from Intel in October 2025 with \$50 million Series A funding and announced strategic collaboration with NVIDIA, with Xiaomi's robots contributing to RealSense's strong position (embedded in 60% of AMRs and 80% of humanoid robots globally).

7.5 Robotics Ecosystem Investments

Rather than solely pursuing internal robotics development, Xiaomi implements an **ecosystem investment strategy**, backing startups founded by former Xiaomi executives to complement internal capabilities.

Xiaoyu Intelligent Manufacturing Founded in January 2023 by Qiao Zhongliang (former MIUI R&D head and Xiaomi founding member) and Wang Wenlin (ex-Xiaomi software platform general manager who led "Xiaomi Brain"), **Beijing Xiaoyu Intelligent Manufacturing Technology Co., Ltd.** focuses on Embodied Intelligence—embedding AI into industrial robots for manufacturing automation.

Funding Rounds:

- **Angel Round (2023)**: 100M RMB led by Xiaomi Group, Professor Wang Tianmiao, and Beijing Academy of Artificial Intelligence (BAAI)

- **Series A (2024):** 100M RMB from Beijing Information Industry Development Investment Fund
- **Series A+ (July 2025):** Hundreds of millions RMB from Didi Chuxing and Beijing Information Industry Development Investment Fund
- **Total funding:** 300,000,000+ RMB+ RMB across three rounds

Xiaoyu's star product, the "Xiaoyu Brain," equips robots with intelligence to perform varied industrial tasks. This investment represents Xiaomi's first external investment in the embodied intelligence sector and exemplifies a strategy of investing in complementary robotics capabilities while maintaining control over core consumer/manufacturing products.

7.6 Commercialization and Market Strategy

CyberDog Commercial Approach CyberDog's initial release in 2021 consisted of 1,000 units sold through application-based selection to Xiaomi fans, engineers, and robotics enthusiasts. Ongoing sales occur through Xiaomi official stores (limited availability), third-party robotics retailers with international shipping (e.g., Giztop), and direct institutional procurement for universities and research institutions. The open-source software (MiRoboticsLab GitHub) is freely available, with integration into Xiaomi's smart home ecosystem (100M+ IoT devices) via the Xiaomi Home app.

CyberOne Manufacturing Focus CyberOne remains unavailable for commercial purchase. Current deployment is limited to Xiaomi manufacturing facilities in Beijing Yizhuang for internal manufacturing automation. The phased implementation announced in June 2024 focuses on specific manufacturing scenarios within Xiaomi's own production lines. With CEO Lei Jun stating mass production is "still a long way off" and estimated costs of \$89,000–\$104,000 per unit, commercial viability requires either dramatic cost reduction or applications justifying premium pricing.

7.7 Competitive Positioning and Strategic Analysis

Differentiation from Competitors vs. Boston Dynamics: CyberDog at \$1,450 versus Spot at \$75,000 represents 50-fold price advantage with open-source software versus proprietary closed system, though Spot offers superior robustness and capabilities for demanding applications.

vs. Unitree Robotics: Both offer affordable quadruped platforms with open-source software. Xiaomi advantages include consumer brand recognition, IoT ecosystem integration, and massive supply chain scale. Unitree advantages include more extensive product line (multiple quadruped models plus H1/G1 humanoids), robotics-focused core business, and larger open-source community presence (39 repos, higher total stars).

vs. Chinese Humanoid Startups: Xiaomi positions as consumer electronics giant entering robotics rather than dedicated robotics startup. Advantages: massive capital resources (\$60B+ market cap), established manufacturing infrastructure, consumer brand recognition and distribution channels. Disadvantages: robotics not core business focus, less specialized robotics expertise than dedicated companies, slower corporate decision-making.

Strategic Implications Xiaomi's robotics strategy reflects lessons from consumer electronics success:

- **Price disruption:** Leveraging supply chain scale to offer dramatically lower pricing than competitors

- **Ecosystem integration:** Connecting robots to existing IoT infrastructure creates lock-in effects
- **Dual-track approach:** Open-source for developer community building (CyberDog) + proprietary for competitive advantage (CyberOne)
- **Selective investments:** Backing external startups (Xiaoyu) to complement internal R&D without diverting core focus
- **Long-term positioning:** Accepting current losses to establish market presence for future opportunities

The key question is whether Xiaomi's consumer electronics playbook translates to robotics. Success factors include: supply chain advantages (proven), brand leverage (moderate—robotics buyers differ from smartphone buyers), technical capability (uncertain—robotics harder than consumer electronics), and market timing (early but potentially well-positioned if humanoid manufacturing automation scales).

8 Company Profile: XPeng Motors

8.1 Company Overview

XPeng Motors was founded in 2014 by He Xiaopeng (also known as Henry Xia) and Xia Heng in Guangzhou, China. The company initially focused on smart electric vehicles and autonomous driving technology, establishing itself as one of China's leading EV manufacturers with listings on the New York Stock Exchange (XPEV) and Hong Kong Stock Exchange (9868). As of 2025, XPeng represents a prominent example of Chinese automotive manufacturers pivoting into humanoid robotics, leveraging their expertise in AI chips, autonomous systems, and manufacturing automation to develop the IRON humanoid robot platform.

XPeng's entry into humanoid robotics follows a broader trend among Chinese EV manufacturers—including Nio, Li Auto, and BYD—seeking to apply their autonomous vehicle AI capabilities to general-purpose robotics. The company announced mass production targets for end of 2026, positioning IRON as both an internal manufacturing automation tool and a commercial product for service applications [75].

8.2 Product Portfolio: IRON Humanoid Robot



Figure 54: *IRON robot demonstration showing human-like movements and design.* Source: [77]

Figure 53: *XPeng IRON humanoid robot official product photo.* Source: [76]

XPeng has developed two generations of the IRON humanoid robot:

IRON Generation 1 (2024) The first-generation IRON was unveiled at XPeng AI Day in November 2024 with the following specifications:

- **Physical dimensions:** 178 cm height, 70 kg weight, human-like proportions

- **Mobility:** 62 active degrees of freedom (DOF), 200+ total DOF including passive joints; walking speed of 4 km/h, maximum speed of 7 km/h
- **Manipulation:** 22 DOF per hand with 10 fingers, 20 kg manipulation strength, industry's smallest harmonic joints at 1:1 human hand size
- **Computing:** Three Turing AI chips (XPeng in-house design) delivering 2,250 TOPS computing power, VLA 2.0 (Vision-Language-Action) model
- **Perception:** Eagle Eye Vision System with 720° coverage, end-to-end AI perception
- **Power:** World's first humanoid robot powered by all-solid-state battery technology, providing 4 hours runtime with lightweight, ultra-high energy density design
- **Body structure:** Humanoid spine, bionic muscles with flexible skin, passive DOF at toes for natural gait, 3D curved display on head

The first-generation IRON is currently undergoing factory testing at XPeng's Guangzhou facility, specifically working on the P7 electric vehicle production line performing sorting and transport operations [78, 79].

IRON Next Generation (2025) XPeng unveiled an upgraded Next-Generation IRON at AI Day 2025 on November 5, 2025, in Guangzhou. This version features significant improvements:

- **Enhanced mobility:** 82 active DOF (up from 62), 200+ total DOF, improved humanoid spine and bionic muscles with fully covered flexible skin, capability for high-difficulty human-like actions including catwalk walking
- **Upgraded computing:** Three Turing AI chips delivering 3,000 effective TOPS (increased from 2,250), first-generation physical world large model
- **Integrated AI architecture:** VLT + VLA + VLM system (Vision-Language-Task, Vision-Language-Action, Vision-Language-Model) providing unified reasoning across perception, planning, and action
- **Customization:** Adjustable for different body shapes to accommodate varied application scenarios
- **Privacy protection:** Implements "Fourth Law of Robotics"—privacy data does not leave the robot, addressing concerns about cloud-dependent AI systems

The Next-Gen IRON represents one of the most advanced humanoid platforms announced by Chinese EV manufacturers, with movements so human-like that XPeng had to publicly demonstrate the robot's internal structure (cutting open the leg covering) to prove it wasn't a person in a costume [80].



Figure 55: *XPeng CEO He Xiaopeng unveiling the Next-Generation IRON humanoid robot at XPeng AI Day 2025 in Guangzhou. The robot's ultra-realistic movements sparked public skepticism, requiring demonstration of internal mechanisms. Source: [80]*

8.3 Hardware Architecture




Figure 56: *IRON hardware architecture showing computing platform (3x Turing AI chips), Eagle Eye vision system, sensor suite, actuation system (82 active DOF), dexterous hands (22 DOF each), flexible body structure, and all-solid-state battery power management.*

The IRON platform demonstrates XPeng’s vertical integration strategy in critical technologies:

Computing Platform XPeng developed the **Turing AI chip** in-house specifically for autonomous systems, deployed in three-chip configurations in IRON robots. The Next-Gen platform delivers 3,000 TOPS effective computing power, running the **Tianji AIOS** operating system. This represents a strategic departure from relying on external chipmakers (such as NVIDIA, which powers competitors’ platforms) and positions XPeng with proprietary AI acceleration capabilities.

All-Solid-State Battery Technology IRON is the world’s first humanoid robot powered by all-solid-state batteries, representing a significant technological achievement [77]. Solid-state batteries offer several advantages over conventional lithium-ion:

- **Higher energy density:** More energy storage in the same volume/weight
- **Enhanced safety:** Solid electrolytes eliminate flammability risks of liquid electrolytes
- **Longer cycle life:** Reduced degradation over charge-discharge cycles
- **Lighter weight:** Enabling the 70 kg total robot mass while maintaining 4-hour runtime

This battery technology derives directly from XPeng's EV R&D investments, demonstrating effective technology transfer from automotive to robotics applications. The company is positioning solid-state batteries as a key differentiator in humanoid robotics, where power density and safety are critical constraints.

Actuation and Manipulation The 82 active DOF (Next-Gen) distributed across:

- **Humanoid spine structure:** Mimicking human spinal flexibility for natural postures
- **Lower body:** Legs with passive DOF at toes enabling natural gait dynamics
- **Upper body:** Torso and arms for manipulation tasks
- **Hands:** 22 DOF per hand using industry's smallest harmonic joints, 1:1 human hand scale, 20 kg manipulation strength

The bionic muscle system with flexible skin covering provides both aesthetic appeal (contributing to the ultra-realistic appearance) and functional advantages for safe human-robot interaction.

8.4 Software Architecture and AI Models




Figure 57: IRON software architecture showing integrated Physical AI system: application layer (conversation, walking, interaction), AI model layer (VLT, VLA 2.0, VLM, physical world large model), perception layer (Eagle Eye vision, proprioception, force sensing), Tianji AIOS operating system, and hardware control with privacy protection.

XPeng's software architecture represents a sophisticated integration of multiple AI models into a unified physical intelligence system:

Physical World AI Models The Next-Gen IRON integrates three complementary AI model architectures:

- **VLT (Vision-Language-Task)**: Translates natural language commands into task representations, understanding what needs to be done
- **VLA 2.0 (Vision-Language-Action)**: Generates specific action sequences to accomplish tasks, mapping from task understanding to motor commands
- **VLM (Vision-Language-Model)**: Provides world understanding and scene interpretation, modeling the physical environment

These three models feed into the **first-generation physical world large model**, which performs unified reasoning about physics, dynamics, and constraints. This architecture enables IRON to:

- Understand natural language commands in context
- Reason about physical interactions (“If I push this, what happens?”)
- Generate action sequences that respect physical constraints
- Adapt to unexpected situations through real-time replanning

Tianji AIOS Operating System The Tianji AIOS provides:

- Real-time motor control for 82 active DOF
- Sensor fusion from Eagle Eye vision (720° coverage), proprioceptive feedback, and force/torque sensors
- Task scheduling and resource management
- Safety monitoring and emergency stop systems
- Privacy protection enforcement (“Fourth Law”)

Hardware Acceleration The three Turing AI chips provide hardware acceleration for:

- Visual perception (720° Eagle Eye processing)
- VLA 2.0 model inference (action generation)
- VLT and VLM model inference (understanding)
- Physical world model reasoning (dynamics prediction)

This compute capacity (3,000 TOPS) significantly exceeds most competing humanoid platforms, enabling more sophisticated real-time AI reasoning [81, 82].

8.5 Production Timeline and Commercialization Strategy

XPeng has announced an aggressive commercialization timeline for IRON [79, 83]:

Phase 1: Factory Testing (Current) IRON robots are currently deployed at XPeng’s Guangzhou manufacturing facility for P7 electric vehicle production. Tasks include:

- Sorting components on assembly lines
- Transport operations between workstations
- Quality inspection tasks
- Data collection for training and refinement

This internal deployment serves dual purposes: (1) practical automation benefits for XPeng’s own manufacturing, and (2) real-world testing environment to refine the platform before external sales.

Phase 2: Mass Production Preparation (April 2026) XPeng targets April 2026 for beginning mass production preparation, including:

- Finalized production designs
- Supply chain establishment for components
- Manufacturing line setup for robot assembly
- Quality control and testing protocols

Phase 3: Full-Scale Mass Production (End of 2026) CEO He Xiaopeng stated that “By the end of 2026, XPENG aims to achieve large-scale mass production of high-level humanoid robots” [84]. The estimated pricing of \$150,000 USD per unit [76] positions IRON as a premium platform targeting commercial and industrial customers rather than consumer markets.

Initial Market Focus Notably, CEO He Xiaopeng has downplayed near-term household deployment and factory automation applications (citing China’s low labor costs making factory robots uneconomical). Instead, XPeng plans to prioritize **service applications** [83]:

- **Tour guides:** Museums, exhibitions, technology showcases
- **Sales assistants:** XPeng showrooms, retail environments
- **Office building guides:** Reception, wayfinding, visitor assistance
- **Shopping guides:** Commercial spaces, traffic diversion

This strategy acknowledges the economic reality that in China’s labor market, humanoid robots currently cannot compete on cost for routine factory work, but can provide value in customer-facing service roles where the “wow factor” of human-like robots creates marketing and branding benefits.

8.6 Strategic Partnerships

Baosteel Industrial Partnership XPeng announced a partnership with **Baoshan Iron & Steel Co., Ltd. (Baosteel)**, one of China’s largest steel manufacturers, to deploy IRON robots for industrial inspection applications [78]. This partnership serves multiple strategic purposes:

- **Real-world testing:** Heavy industry environments provide demanding conditions for robot validation

- **Application development:** Refining software for industrial safety checks, quality control, and hazardous environment operations
- **Credibility building:** Association with established industrial partner legitimizes IRON for manufacturing applications
- **Revenue potential:** Steel industry has significant automation budgets and safety-critical inspection needs

Vertical Integration Strategy Unlike competitors relying on external suppliers, XPeng pursues vertical integration in critical technologies:

- **Turing AI chips:** In-house semiconductor design eliminates dependence on NVIDIA or other chip vendors
- **VLA/VLT/VLM models:** Proprietary AI models rather than licensing third-party foundation models
- **All-solid-state batteries:** Internal battery development leveraging EV R&D investments
- **Manufacturing infrastructure:** XPeng's existing EV factories can be adapted for robot production

This approach mirrors Tesla's vertical integration strategy but applied to humanoid robotics, potentially providing cost advantages and faster iteration cycles if execution succeeds.

8.7 Competitive Positioning: EV Manufacturer Advantages

XPeng's background as an electric vehicle manufacturer creates unique positioning in humanoid robotics:

Technology Transfer Benefits

- **Autonomous driving AI:** Path planning, obstacle avoidance, and real-time decision-making algorithms directly applicable to humanoid navigation
- **Sensor fusion expertise:** Combining camera, LiDAR, radar, and ultrasonic data for environmental perception
- **Power management systems:** EV battery management and thermal control systems adapted for robot applications
- **Motor control:** High-torque electric motor controllers from EV drivetrains scaled to humanoid actuators
- **Manufacturing automation:** Existing factory automation infrastructure provides testbed and initial market for robots

Financial and Operational Advantages

- **Capital access:** Public company status (NYSE and HKEX listings) provides funding for robotics R&D without relying on venture capital
- **Manufacturing scale:** Existing EV production facilities (hundreds of thousands of vehicles annually) provide infrastructure and expertise for robot manufacturing

- **Supply chain relationships:** Established component sourcing, logistics, and quality control processes
- **Brand recognition:** XPeng brand recognition in Chinese market provides distribution and marketing advantages

Potential Disadvantages

- **Divided focus:** Robotics is not the core business; resources may be diverted if EV market pressures intensify
- **Organizational complexity:** Automotive company culture and processes may not suit agile robotics development
- **Competition for talent:** Robotics division competing internally with EV division for engineers and resources
- **Market risk:** If humanoid robotics market develops slower than expected, XPeng's EV-focused board may reduce investment

8.8 Strategic Implications

XPeng's IRON humanoid robot represents a significant bet by a major Chinese EV manufacturer on convergence between automotive AI and general-purpose robotics. Several strategic implications emerge:

Technology Readiness The decision by XPeng (and peer EV companies) to enter humanoid robotics in 2024-2025 suggests that key enabling technologies have matured:

- AI models (VLA, VLM) can generate sufficiently reliable real-world actions
- Battery energy density supports multi-hour robot operation
- Actuators and harmonic drives enable human-like dexterity
- Computing platforms (in-house chips) provide adequate performance

Market Validation Test XPeng's 2026 mass production target will provide early market validation for humanoid robotics commercialization:

- If XPeng achieves volume production and finds customers at \$150,000 price point, this validates market readiness
- If production delays or market adoption lags, this suggests technology or market-fit gaps remain
- Competitive dynamics: Other EV makers (Nio, Li Auto, BYD) watching XPeng's results before committing resources

Chinese Robotics Ecosystem Indicator XPeng's vertical integration approach (in-house chips, batteries, AI models) reflects broader Chinese industrial policy:

- Reducing dependence on foreign technology providers (NVIDIA chips, foreign foundational models)
- Leveraging government support for strategic industries (semiconductors, AI, robotics)

- Building domestic supply chains for robotics components

The success or failure of XPeng's IRON platform will significantly influence whether other large Chinese manufacturers (automotive, electronics, appliance makers) pursue similar humanoid robotics strategies or adopt more cautious approaches.

9 Company Profile: Fourier Intelligence

9.1 Company Overview and Founding Story

Fourier Intelligence was founded in 2015 by Alex Gu in Shanghai's Zhangjiang Tech Hub. Named after the French mathematician and physicist Joseph Fourier (1768-1830), the company initially focused on rehabilitation robotics, developing intelligent exoskeletons and assistive devices for medical applications. Gu, a Shanghai Jiao Tong University graduate and former sales executive at National Instruments, identified a market opportunity in bringing advanced robotics technology to healthcare and rehabilitation [85, 86].

By 2019, Fourier had established itself as a significant player in rehabilitation robotics, bringing intelligent rehab devices into hundreds of hospitals and medical care centers across more than 10 countries. The company now serves over 2,000 organizations and hospitals in 40+ countries and regions through its rehabilitation robotics business line.

In 2019, recognizing the convergence of technologies enabling general-purpose humanoid robots, Fourier began development of its first humanoid platform, GR-1. The robot was unveiled at the World Artificial Intelligence Conference (WAIC) in Shanghai in July 2023, attracting significant attention as one of China's first production-ready humanoid robots. Fourier's unique positioning—combining medical robotics expertise with general-purpose humanoid development—differentiates it from pure-play humanoid startups and EV manufacturers entering the space [86].

9.2 Product Portfolio: GR Series Humanoid Robots




Figure 59: *Fourier GR-2 next-generation humanoid. 175 cm height, 63 kg weight, 53 DOF with 12-DOF dexterous hands. Source: [88]*

Figure 58: *Fourier GR-1 humanoid robot. 165 cm height, 55 kg weight, 40 DOF. Source: [87]*

Fourier has developed two generations of general-purpose humanoid robots, demonstrating rapid iteration and continuous improvement:

GR-1: First-Generation Platform (2023-2024) The GR-1 was unveiled at WAIC Shanghai in July 2023 and launched in production form in 2024 with the following specifications [89, 90]:

- **Physical dimensions:** 165 cm height, 55 kg weight, making it one of the lighter humanoid platforms
- **Mobility:** 40 degrees of freedom, walking speed of 5 km/h, 300 Nm peak torque at hip joint
- **Payload capacity:** 50 kg—approaching the robot’s own body weight, demonstrating exceptional strength-to-weight ratio
- **Manipulation:** 11 DOF hands for object grasping and manipulation
- **Vision system:** 6 RGB cameras providing 360° environmental coverage
- **Vision-centric strategy:** No LiDAR or radar, relying entirely on camera-based perception with visual algorithms
- **AI capabilities:** Large multimodal language model comparable to ChatGPT, integrated emotion AI module
- **User interface:** High-resolution oval display, circular microphone array for voice recognition
- **Power:** 2 hours runtime per charge
- **Pricing:** Initially \$149,999, current estimates around \$125,000

The GR-1’s vision-only approach represents a deliberate cost-optimization strategy. By eliminating expensive LiDAR systems (which can cost \$10,000-\$50,000+ per unit), Fourier achieves lower production costs while maintaining robust environmental perception through six RGB cameras and advanced visual processing algorithms [91]. This positions GR-1 as more affordable than competitors relying on multi-sensor fusion while accepting trade-offs in challenging lighting conditions or texture-poor environments.

GR-2: Next-Generation Platform (October 2024) Fourier unveiled the GR-2 in October 2024, representing significant upgrades across multiple dimensions [92, 93, 94]:

- **Physical improvements:** 175 cm height (10 cm taller), 63 kg weight, maintaining favorable strength-to-weight ratio
- **Enhanced mobility:** 53 degrees of freedom (13 additional DOF over GR-1), enabling more nuanced movements
- **Dexterous hands:** 12 DOF per hand (up from 11), equipped with 6 array-type tactile sensors per hand
- **Tactile sensing:** Force sensing, object shape identification, material identification, and real-time grip adjustment
- **Advanced actuators:** 7 distinct Fourier Smart Actuators (FSA 2.0) customized for different joint requirements, peak torque 380+ Nm
- **Dual-encoder systems:** Enhanced control accuracy through redundant position feedback
- **Integrated cabling:** Concealed power and communication transmission for cleaner aesthetics and reduced snagging risks

- **Power system:** 2.3 kWh lithium-ion battery, swappable design, 2 hours runtime, 1.5 hour charging, 5-year battery lifespan
- **Safety features:** IP54 water resistance, emergency stop, obstacle detection, force-limited operation
- **Pricing:** \$90,000-\$125,000 estimated depending on configuration

The GR-2's 12-DOF hands represent double the dexterity of previous models, with tactile sensor arrays enabling sophisticated manipulation in dynamic environments. The ability to identify object materials and adjust grip in real-time positions GR-2 for complex industrial and research applications where precise manipulation is critical [95].




Figure 60: *Fourier GR-1 demonstrating 360° vision-only perception system with 6 RGB cameras, tackling varied terrain without LiDAR. The vision-centric approach reduces costs while maintaining robust environmental awareness. Source: [91]*

9.3 Hardware Architecture




Figure 61: GR-2 hardware architecture showing computing platform (ROS + Linux), vision system, 53-DOF actuation with 7 FSA 2.0 actuator types (380+ Nm peak torque), 12-DOF dexterous hands with 6 tactile sensor arrays, integrated cabling design, and 2.3 kWh swappable battery system with IP54 water resistance.

The GR-2 platform demonstrates Fourier's expertise in biomechanics and actuation systems derived from rehabilitation robotics:

Fourier Smart Actuators (FSA 2.0) Fourier developed seven distinct actuator types for GR-2, each optimized for specific joint requirements [94]:

- **Torque customization:** Each actuator type delivers torque profiles matched to biomechanical requirements (hip, knee, ankle, shoulder, elbow, wrist, hand)
- **Peak torque:** 380+ Nm across the actuator family, exceeding most competing platforms
- **Dual-encoder design:** Redundant position sensing for enhanced control accuracy and fault tolerance
- **Integrated electronics:** Power and communication cabling concealed within actuator housings for cleaner packaging

This multi-actuator approach contrasts with competitors using uniform actuators across all joints, potentially providing better performance-per-joint at the cost of more complex supply chain and maintenance.

Dexterous Manipulation System The 12-DOF hands with 6 array-type tactile sensors represent a significant advancement [93]:

- **Force sensing:** Precise measurement of grip forces to prevent crushing delicate objects or dropping heavy items

- **Material identification:** Tactile arrays distinguish between textures, enabling context-appropriate grasping strategies
- **Shape recognition:** Sensor arrays map object contours for optimal finger placement
- **Real-time adaptation:** Closed-loop control adjusts grip during manipulation based on tactile feedback
- **Payload capacity:** 3 kg single-arm payload with adaptive grasping

This level of tactile sophistication positions GR-2 favorably for research applications in manipulation and dexterous control, particularly in unstructured environments where vision alone is insufficient.

Power and Thermal Management The 2.3 kWh swappable battery system addresses operational limitations of fixed-battery designs:

- **Hot-swapping capability:** Replace depleted battery without powering down the robot, enabling continuous operation
- **2-hour runtime:** Sufficient for most research and demonstration sessions
- **1.5-hour fast charging:** Quick turnaround for multi-session usage
- **5-year lifespan:** Reduces total cost of ownership compared to annually degrading batteries
- **IP54 rating:** Protection against dust and water splashes for outdoor and industrial environments

9.4 Software Architecture and Research Platform Strategy




Figure 62: *GR-2 software architecture emphasizing research platform capabilities: multiple control methods (VR, lead-through, direct command, AI automation), Fourier Toolkit with pre-optimized modules, integration with NVIDIA Isaac Lab, MuJoCo, and ROS frameworks, dual-encoder motor control, tactile processing for 6 sensor arrays, and comprehensive safety systems.*

Fourier positions GR-2 explicitly as a research and development platform rather than a consumer product, reflected in its software architecture [92, 94]:

Fourier Toolkit: Multi-Framework Integration The Fourier Toolkit provides pre-optimized modules accessed through intuitive APIs, supporting:

- **NVIDIA Isaac Lab:** Integration with NVIDIA’s reinforcement learning platform for training policies in simulation before real-world deployment. Fourier is featured in NVIDIA Technical Blog spotlights for using Isaac Gym to train humanoid robots for real-world roles [96]
- **MuJoCo:** Physics simulation and control algorithm development using DeepMind’s widely-adopted physics engine
- **ROS (Robot Operating System):** Standard robotics middleware ensuring compatibility with global research community tools

- **Linux foundation:** Open-source operating system enabling custom software development

This multi-framework approach maximizes the platform’s appeal to diverse research communities: reinforcement learning researchers (Isaac Lab), control theorists (MuJoCo), and robotics engineers (ROS).

Multiple Control Paradigms GR-2 supports four distinct control methods [95]:

- **VR Remote Control:** Teleoperation through virtual reality interfaces for intuitive human-in-the-loop control
- **Lead-Through Programming:** Physical guidance of robot limbs to record motion trajectories, common in industrial automation
- **Direct Command:** Programmatic control through APIs for algorithmic task execution
- **AI Automation:** Autonomous operation using trained policies or foundation models

This flexibility enables researchers to explore different control strategies (from full teleoperation to full autonomy) and hybrid approaches combining human guidance with AI assistance.

Tactile Processing Pipeline The 6 array-type tactile sensors per hand generate rich data streams requiring real-time processing:

- **Force magnitude estimation:** Continuous measurement of normal and shear forces
- **Contact geometry inference:** Reconstruction of object shapes from distributed tactile arrays
- **Material property classification:** Machine learning models trained to identify object materials (metal, plastic, fabric, etc.)
- **Grip optimization:** Closed-loop control adjusting finger positions and forces based on tactile feedback

This tactile sophistication exceeds most competing platforms and positions Fourier well for manipulation research.

9.5 Strategic Financing and Investor Network

Fourier has raised \$82.9 million across 7 funding rounds, with its latest Series D round in January 2022 securing \$63.1 million [97, 98]. The investor base reflects strategic diversification:

Lead Investor: SoftBank Vision Fund The Series D round was led by SoftBank Vision Fund (SoftBank Investment Advisers), one of the world’s largest technology investment funds. SoftBank’s involvement provides:

- **Capital access:** Deep pockets for scaling manufacturing and R&D
- **Global network:** Connections to SoftBank portfolio companies and Japan market entry
- **Robotics expertise:** SoftBank’s broader robotics investments (including Boston Dynamics historically) provide strategic insights
- **Validation signal:** SoftBank backing legitimizes Fourier in eyes of customers and partners

Chinese Venture Capital: IDG and Hongshan Two of China’s premier VC firms are multi-round investors:

- **IDG Capital:** Early-stage technology investor with extensive China tech ecosystem connections
- **Hongshan Capital Group** (formerly Sequoia China): Top-tier VC providing strategic guidance and portfolio network effects

These firms provide talent recruitment channels, customer introductions, and navigation of Chinese regulatory and business environment.

Government-Backed Funds: Shanghai Ecosystem Support

- **Shanghai Guoxin Investment:** Municipal government fund supporting strategic industries
- **Shanghai Pudong Innovation Investment Development:** Pudong district support for Zhangjiang tech hub companies

Government backing provides policy access, potential subsidies, and priority for local government procurement contracts.

Strategic Corporate: Saudi Aramco Aramco Ventures (Saudi Aramco’s venture arm) represents strategic corporate investment, potentially enabling:

- **Middle East market access:** Saudi Arabia and Gulf region expansion
- **Energy sector applications:** Oil & gas inspection, hazardous environment operations
- **Smart city projects:** Saudi Arabia’s NEOM and other futuristic developments

This geographically and strategically diverse investor base positions Fourier for both Chinese domestic growth and international expansion.

9.6 Strategic Partnerships and Technology Ecosystem

NVIDIA Partnership: Isaac Platform Integration Fourier is featured prominently in NVIDIA’s technical blog as a spotlight case study for training humanoid robots using Isaac Gym [96]. The partnership provides:

- **GPU-accelerated training:** Leverage NVIDIA GPUs for fast reinforcement learning policy training in simulation
- **Isaac Lab compatibility:** GR-2 toolkit pre-integrates with NVIDIA’s robotics development platform
- **Co-marketing benefits:** NVIDIA showcases Fourier in developer conferences and technical content
- **Technical support:** Access to NVIDIA robotics engineers for optimization and troubleshooting

This partnership positions Fourier favorably with AI/robotics researchers already using NVIDIA platforms (a substantial and growing community).

MuJoCo Integration GR-2's native MuJoCo support (DeepMind's physics simulation engine) ensures compatibility with academic research:

- **Standard research tool:** MuJoCo is widely used in control and reinforcement learning research
- **Sim-to-real transfer:** Policies trained in MuJoCo can transfer to physical GR-2 robots
- **Academic community:** University labs using MuJoCo can easily adopt GR-2 for physical experiments

ROS Ecosystem Participation As a ROS-compatible platform, GR-2 benefits from:

- **Open-source tools:** Access to thousands of ROS packages for perception, planning, and control
- **Global developer community:** Researchers worldwide can contribute and share GR-2 software
- **Interoperability:** Easy integration with other ROS-compatible sensors, grippers, and robots

9.7 Market Strategy: Research Platform Positioning

Fourier's go-to-market strategy differs from consumer-focused competitors (Xiaomi) and industrial automation players (GALBOT):

Primary Target: Research Institutions GR-2 is positioned as a research platform for:

- **University research labs:** AI, robotics, control theory, biomechanics departments
- **Corporate R&D centers:** Tech companies, automotive, manufacturing exploring humanoid applications
- **Government research institutes:** National labs and strategic technology programs
- **AI/ML researchers:** Reinforcement learning, foundation models, embodied AI

Pricing at \$90,000-\$125,000 positions GR-2 as premium but accessible to well-funded research groups, undercutting \$150,000+ platforms while exceeding \$15,000-\$30,000 simplified educational robots.

Secondary Market: Healthcare Expansion Fourier's unique advantage is an established global network of 2,000+ healthcare organizations across 40+ countries through its rehabilitation robotics business [85]. This enables:

- **Cross-selling opportunity:** Introduce humanoid robots to existing rehabilitation robotics customers
- **Hospital pilot deployments:** Patient assistance, logistics, therapy support applications
- **Clinical validation:** Leverage medical expertise for human-robot interaction safety
- **Regulatory navigation:** Experience with medical device regulations applicable to healthcare humanoids

No other Chinese humanoid manufacturer has comparable healthcare industry connections, potentially providing Fourier a defensible niche.

Long-term Vision: Industrial and Service Applications After establishing credibility through research and healthcare deployments, Fourier can expand to:

- **Industrial automation:** Inspection, quality control, material handling in factories
- **Hazardous environments:** Scenarios where human safety risks justify humanoid robot costs
- **Service applications:** Once reliability is proven through research and industrial use

9.8 Competitive Positioning: Rehabilitation Robotics Heritage

Fourier's background in medical robotics creates distinct competitive advantages and positioning:

Unique Strengths

- **Biomechanics expertise:** 9 years of rehabilitation robotics inform human-like movement and safety
- **Actuator development:** FSA 2.0 actuator family reflects experience in precise, reliable motion control for medical applications
- **Safety-critical systems:** Medical device background ensures robust safety architectures (emergency stops, force limiting)
- **Global distribution:** 40+ country presence provides international expansion pathway
- **Customer trust:** Healthcare organizations (conservative, risk-averse) have validated Fourier's reliability

Differentiation from Competitors vs. EV Manufacturers (XPeng, Nio, BYD): Fourier has deeper robotics-specific expertise but smaller capital base and brand recognition. Medical background provides healthcare market access EV companies lack.

vs. Consumer Electronics (Xiaomi): Fourier's research/industrial positioning avoids competing on consumer appeal and mass-market pricing. GR-2's research capabilities exceed consumer platforms.

vs. Pure-Play Humanoid Startups (Unitree, AGIBOT, LEJU): Fourier's established business (rehabilitation robotics) provides revenue diversification and financial stability. Less reliance on venture funding.

vs. University Spinouts: Fourier has manufacturing scale and global distribution infrastructure that academic projects typically lack.

9.9 Strategic Implications and Industry Positioning

Fourier's trajectory illuminates several key dynamics in Chinese humanoid robotics:

Dual-Track Business Model Validation Fourier demonstrates that rehabilitation robotics and general-purpose humanoids are complementary rather than competing businesses:

- **Technology transfer:** Biomechanics, actuation, and safety systems transfer bidirectionally
- **Market diversification:** Healthcare downturns don't affect humanoid research demand and vice versa

- **Customer base expansion:** Existing medical customers become humanoid pilot sites
- **Investor appeal:** Dual revenue streams reduce risk compared to pure-play humanoid startups

Research Platform as Market Entry Strategy Fourier’s research-first approach represents an alternative to direct commercialization:

- **Technology maturation:** University deployments provide real-world testing and algorithm development
- **Talent pipeline:** Academic users become future employees or startup founders using Fourier platforms
- **Credibility building:** Research publications using GR-2 validate technical capabilities
- **Delayed competition:** Industrial/consumer competitors must prove reliability before entering; Fourier builds this proof through research deployments

NVIDIA Partnership as Strategic Accelerant Featured case study status in NVIDIA Technical Blog provides disproportionate visibility:

- **Developer ecosystem access:** Thousands of researchers using Isaac Lab become aware of Fourier
- **Technical validation:** NVIDIA endorsement signals GR-2 is production-ready for serious research
- **Competitive moat:** Platforms without Isaac Lab integration face adoption friction

The success of Fourier’s research platform strategy will influence whether other manufacturers pursue similar approaches or prioritize direct commercialization. If GR-2 achieves widespread research adoption (comparable to Boston Dynamics’ Spot in academic labs), this validates the research-first pathway and may slow competitors’ push for premature commercialization.

10 Company Profile: AGIBOT

10.1 Company Overview and Founding Story

AGIBOT (通向AGI, "Towards AGI") was founded in February 2023 by Peng Zhihui (彭志辉), a 31-year-old former member of Huawei’s prestigious "Genius Youth" program. The Shanghai-based company represents one of the most rapid scaling success stories in the Chinese humanoid robotics industry, achieving production of over 1,000 units within just two years of founding—making it the first company globally to reach this milestone.

Founder: From Huawei to Robotics Entrepreneurship Peng Zhihui joined Huawei in 2020 under the "Genius Youth" program, working on AI projects in the computing division. However, he left in December 2022 to pursue his vision of bringing humanoid robots from research labs to mass production. Prior to Huawei, Peng had established a significant social media following through viral posts about his inventions, including Iron Man-inspired robotic arms and other creative engineering projects. This combination of technical expertise, AI research experience, and public visibility positioned him uniquely to launch AGIBOT.

The company’s Chinese name, 通向AGI ("Towards AGI"), reflects its ambitious goal of developing embodied artificial general intelligence through mass-produced humanoid robots capable of learning from real-world interactions.

10.2 Product Portfolio

AGIBOT has developed two generations of humanoid robots alongside specialized variants targeting different market segments.

10.2.1 RAISE A1 (First Generation, August 2023)

The RAISE A1, launched in August 2023, represented AGIBOT's initial entry into the market:

- **Physical specifications:** 175 cm tall, 53 kg weight
- **Mobility:** 49 degrees of freedom, bipedal walking up to 7 km/h (4.4 mph)
- **Payload capacity:** 80 kg (176 lbs)—exceptional for its weight class
- **Perception:** RGBD camera and LiDAR sensors
- **Design philosophy:** Modular components for scenario adaptability
- **Target applications:** Industrial manufacturing (automotive, 3C electronics, logistics)

The RAISE A1 established AGIBOT's capability to design and manufacture functional humanoid robots, targeting primarily industrial applications where heavy payload capacity provided clear value.

10.2.2 Yuanzheng A2 (Second Generation, 2024)

The Yuanzheng A2 (远征A2, "Expedition A2") represents AGIBOT's current flagship product, transitioning from pure industrial focus to commercial service applications:

- **Physical specifications:** 169 cm tall, 69 kg weight, ergonomic human proportions
- **Mobility:** 40+ active DOF, 60 cm turning radius, L4-level autonomous navigation
- **Perception:** 360° LiDAR plus six HD cameras (RGBD and fisheye variants)
- **Audio processing:** Microphone array with sound source localization, 96% acoustic accuracy
- **Facial recognition:** 99% wake-up performance
- **Manipulation:** Dexterous hands with integrated joint technology, 512 Nm peak torque
- **Power:** 700 Wh battery, 2-hour runtime, swappable battery support
- **Safety:** Triple-layer safety monitoring with PLd-level certification
- **User interface:** Interactive touchscreen display

The A2's target applications include marketing and customer service, exhibition presentations, supermarket guidance, front desk reception, and business consultation—all scenarios requiring natural human-robot interaction.




Figure 63: AGIBOT A2 (Yuanzheng A2) humanoid service robot. The 169 cm, 69 kg robot features 40+ DOF, 360° LiDAR, six HD cameras, and dexterous manipulation capabilities. Source: AGIBOT official product images

10.2.3 Product Variants

AGIBOT offers multiple A2 variants targeting specific market segments:

- **A2 Ultra:** Premium commercial variant with enhanced build quality and interaction capabilities
- **A2 Lite:** Cost-optimized variant for entry-level commercial deployments
- **A2 Max:** Reinforced variant for heavy-duty industrial and outdoor environments
- **A2-W:** Wheeled configuration for industrial applications, 5 kg payload per arm
- **X1:** Full-stack open-source robot platform for research and education
- **X2:** Advanced service robot with enhanced intelligence and agility

Additionally, AGIBOT markets OmniHand 2025 and OmniHand Pro 2025 dexterous hand systems, available standalone or integrated with A2 platforms.

10.3 Hardware Architecture

Figure 64 illustrates the A2's hardware architecture, emphasizing the integration of comprehensive perception, manipulation, and safety systems.




Figure 64: AGIBOT A2 hardware architecture showing computing platform with edge AI capabilities, 360° LiDAR and six-camera vision system, 40+ DOF actuation, dexterous hands with force/torque sensing, comprehensive sensor suite including acoustic array, triple-layer safety monitoring, and 700 Wh swappable battery system.

Perception System Integration The A2's perception architecture combines multiple sensor modalities for comprehensive environmental awareness:

- **360° LiDAR:** Provides panoramic range data with no blind spots, critical for safe navigation in crowded environments
- **Six-camera array:** RGBD cameras for depth perception and fisheye cameras for wide-angle coverage enable visual SLAM and object recognition
- **Acoustic array:** Microphone array with sound source localization achieves 96% acoustic accuracy, enabling natural conversation in noisy environments

- **Tactile feedback:** Force/torque sensors in hands enable adaptive manipulation and safe human interaction
- **Interactive display:** Touchscreen provides direct user interaction modality beyond voice and gesture

This multi-modal perception approach provides redundancy critical for commercial deployment where single-sensor failures cannot compromise safety or functionality.

Dexterous Manipulation The A2's integrated joint hand technology delivers 512 Nm peak torque—sufficient for light industrial tasks while maintaining safety for human interaction. Force/torque sensing enables delicate operations such as needle threading (demonstrated in product videos), showcasing manipulation precision comparable to research-grade platforms.

10.4 Software Architecture

Figure 65 illustrates the A2's layered software architecture, designed for commercial service applications.




Figure 65: AGIBOT A2 software architecture spanning application layer (marketing, reception, consultation), AI interaction layer (LLMs with full-duplex conversation, multi-modal AI), navigation layer (3D-SLAM, MPC, reinforcement learning for L4-level autonomy), perception processing, and hardware control with triple-layer safety monitoring.

AI and Human Interaction AGIBOT's software stack emphasizes natural human-robot interaction through multiple technologies:

- **Large language models:** Full-duplex conversation capability with edge deployment enables real-time dialogue without cloud latency
- **Multi-modal AI:** Unified processing of vision, audio, and text achieves 99% facial recognition for personalized interactions
- **Context awareness:** Integration of dialogue history, visual context, and user preferences enables contextually appropriate responses

L4-Level Autonomous Navigation The A2 achieves L4-level autonomy (high automation in defined operational domains) through the integration of three complementary approaches:

- **3D-SLAM:** Simultaneous localization and mapping creates and maintains spatial representations
- **Model predictive control (MPC):** Non-linear MPC optimizes trajectories considering robot dynamics and constraints
- **Reinforcement learning:** Trained policies handle dynamic obstacle avoidance and path planning in unpredictable environments

This combination enables operation in complex indoor environments (shopping malls, exhibition halls, office buildings) without pre-mapped environments or external positioning infrastructure.

Safety Architecture AGIBOT implements triple-layer safety monitoring with PLd-level certification (Performance Level d under ISO 13849, suitable for high-risk applications):

- **Redundant computing:** Parallel computation paths detect and respond to faults
- **Dual-path actuator control:** Independent control channels prevent single points of failure
- **Force limiting:** Real-time torque monitoring in all actuators prevents excessive forces during human contact

10.5 Production Milestones: Path to 1,000 Units

AGIBOT achieved a significant industry milestone in January 2025: producing 1,000 humanoid robots within two years of founding. This production volume exceeds all competitors globally and demonstrates manufacturing scalability crucial for commercial viability.

Table 1: *AGIBOT production milestones 2023-2025*

Date	Milestone
August 2023	First RAISE A1 units shipped
October 2024	A2 series production begins
October 2024 target	300 units shipped by year-end
December 2024	962 total units produced
January 2025	1,000 units produced (industry first)

The company's Lingang Fengxian production facility in Shanghai employs human-robot collaborative manufacturing, with robots assisting in the assembly of other robots—a demonstration of AGIBOT's confidence in its platforms' reliability and capability.

This production scale positions AGIBOT ahead of Tesla's Optimus (still in prototype stage as of early 2025) and Figure AI (focused on pilot deployments with limited unit numbers). Among Chinese competitors, only UBTECH has announced comparable deployment numbers, though focused on wheeled service robots rather than bipedal humanoids.

10.6 Strategic Financing: Building a Diverse Investor Base

AGIBOT has raised at least \$83.8M across multiple funding rounds, achieving a valuation of \$2.07B by March 2025—a 111% increase from \$982M in September 2024. This rapid valuation growth reflects investor confidence in AGIBOT's execution demonstrated through production milestones.

10.6.1 Major Funding Rounds

- **Seed Round (September 2023):** \$83.8M—exceptionally large seed funding just seven months after founding
- **Series A+++ (December 2023):** 600 million yuan (approximately \$84M)—fifth funding round completed within first year
- **Strategic Financing (2025):** Undisclosed amount with international focus (LG Electronics, Mirae Asset)
- **Series B (August 2025):** Latest round, details not disclosed

10.6.2 Investor Categories and Strategic Value

AGIBOT's investor base spans multiple categories, each providing distinct strategic value beyond capital:

Top-Tier Venture Capital

- **HongShan Capital Group** (formerly Sequoia Capital China): Top-tier VC with portfolio including Bytedance, Meituan, and Pinduoduo; provides credibility and network access
- **Hillhouse Investment:** One of Asia's largest investment firms with portfolio including Tencent and JD.com; brings operational expertise and strategic guidance

Technology and Internet Giants

- **Tencent Holdings:** China's largest internet company provides AI infrastructure, cloud computing, distribution channels, and massive consumer reach

Automotive Industry Strategic Investors Three major automotive manufacturers—all state-owned or state-backed—provide industrial deployment opportunities:

- **BYD:** China's leading EV manufacturer offers manufacturing automation use cases, battery technology synergies, and supply chain integration
- **BAIC** (Beijing Automotive Industry Corporation): State-owned enterprise provides Beijing market access and government connections
- **SAIC Motor** (Shanghai Automotive Industry Corporation): China's largest automaker offers massive manufacturing deployment opportunities

International Expansion Partners

- **LG Electronics** (South Korea): Global consumer electronics manufacturer provides pathways to home appliance integration and Korean market entry
- **Mirae Asset** (South Korea): Major asset manager facilitates Korean market access and provides financial expertise for IPO preparation

Components and Manufacturing

- **Wolong Electric Group:** Leading motor manufacturer enables potential vertical integration in actuator development

10.6.3 IPO Plans: Hong Kong Listing Target 2026

AGIBOT is reportedly preparing for a Hong Kong Stock Exchange IPO in 2026, targeting a valuation between \$5.1B and \$6.4B (HK\$40-50B). The company plans to sell 15-25% of shares, potentially raising over \$1B.

This IPO strategy leverages several advantages:

- **Demonstrated execution:** 1,000+ units produced proves manufacturing scalability
- **Diverse investor quality:** Top-tier VC, SOE, and international investors provide credibility
- **Hong Kong positioning:** University of Hong Kong partnership and Hong Kong as financial hub
- **Market timing:** Earlier than Tesla Optimus (2026 target) and most US competitors

10.7 Academic and Industrial Partnerships

AGIBOT has established strategic partnerships spanning academic research, industrial deployment, and open-source ecosystem development.

10.7.1 OpenDriveLab Collaboration

AGIBOT collaborates with OpenDriveLab, a research initiative affiliated with the University of Hong Kong (HKU) and Shanghai AI Lab, on embodied AI research and dataset development. This partnership produced AgiBot World, described in the following section.

10.7.2 IROS 2025 Challenge

AGIBOT co-hosted with OpenDriveLab the "AgiBot World Challenge @ IROS 2025," attracting 431 teams from 23 countries across five continents. Participants included universities, research institutions, and innovation entities worldwide. This competition established AGIBOT's visibility in the global robotics research community and positioned the company as a contributor to academic advancement beyond commercial product development.

10.7.3 Industrial Deployment Partners

AGIBOT's automotive investors (BYD, BAIC, SAIC) function simultaneously as deployment partners, providing real-world testing environments in automotive manufacturing facilities. These partnerships enable:

- **Large-scale pilot deployments:** Testing robots in authentic factory environments
- **Application development:** Co-developing industry-specific capabilities
- **Feedback loops:** Real-world operational data informs product improvement
- **Reference customers:** Established manufacturers provide credibility for sales to other industrials

10.8 AgiBot World: Largest Humanoid Manipulation Dataset

AGIBOT, in collaboration with OpenDriveLab, Shanghai AI Lab, and Shanghai Innovation Institute, developed AgiBot World—the world's largest humanoid manipulation dataset as of late 2024.

Dataset Specifications

- **Real-world trajectories:** Over 1,000,000 robot action sequences
- **Data collection robots:** 100 AGIBOT units operating in controlled environments
- **Training facility:** 4,000+ square meters containing 3,000+ physical objects

- **Environment diversity:** Household, industrial, supermarket, and office settings
- **Task coverage:** Laundry, cooking, grocery shopping, warehouse sorting, and other real-world tasks
- **Planned expansion:** 10,000,000+ digital twin simulation data points

Strategic Value The dataset strategy serves multiple strategic objectives:

- **Research community engagement:** Non-commercial availability via GitHub and Hugging Face attracts researchers to AGIBOT's platform
- **Talent pipeline:** Graduate students and postdocs using the dataset become familiar with AGIBOT's ecosystem and potential future employees
- **Platform lock-in:** Researchers trained on AgiBot World may prefer AGIBOT hardware for their deployments
- **Commercial licensing revenue:** Companies developing commercial applications require paid licenses
- **Competitive moat:** Scale of data collection (100 robots, 4,000 sqm facility) creates barriers to replication

This approach mirrors successful strategies in autonomous driving (Waymo's dataset releases) and computer vision (ImageNet), where open datasets catalyzed research while positioning the releasing organization as an industry leader.

10.9 Distribution Strategy

10.9.1 Domestic China Market (Primary Focus)

AGIBOT's production has primarily targeted the Chinese domestic market across three segments:

1. **Industrial manufacturing:** Automotive (BYD, BAIC, SAIC), electronics, logistics applications
2. **Commercial service:** Retail guidance, reception, exhibition presentation roles
3. **Research and education:** University labs, corporate R&D, AI algorithm development platforms

Government support enhances domestic market attractiveness: China's Ministry of Industry and Information Technology designated humanoid robotics as a strategic priority with mass production targets by 2025, while local governments offer substantial subsidies (Chongqing: up to 10 million yuan for robotics development).

10.9.2 International Expansion

AGIBOT's international strategy currently focuses on:

- **South Korea:** LG Electronics and Mirae Asset partnerships position entry into Korean market, potentially integrating with LG's smart home ecosystem
- **Research community engagement:** AgiBot World Challenge and dataset availability build global brand awareness
- **Specialized retailers:** Third-party distribution through robotics retailers (Top3DShop, American Satellite, Latin Satelital) tests international demand

10.9.3 Pricing Strategy

AGIBOT explicitly targets pricing under \$20,000 per unit, undercutting Tesla's estimated \$20-30K pricing for Optimus. This aggressive pricing reflects:

- **Manufacturing scale advantages:** 1,000+ unit production enables component cost reduction unavailable to prototype-stage competitors

- **Chinese cost structure:** Lower labor and operational costs compared to US-based manufacturers
- **Market penetration strategy:** Accepting lower margins initially to establish market share and deployment base

10.10 Competitive Positioning

10.10.1 Direct Competition: Tesla Optimus

AGIBOT explicitly positions itself as a Tesla Optimus competitor, with founder Peng Zhihui publicly claiming superior commercialization and cost-control capabilities. Key competitive dimensions:

Table 2: *AGIBOT vs. Tesla Optimus competitive comparison*

Dimension	AGIBOT	Tesla Optimus
Production status (Early 2025)	1,000+ units produced	Prototype stage
Mass production timeline	Currently producing	Target: End 2026
Target price	Under \$20,000	\$20,000-\$30,000 (est.)
Academic partnerships	OpenDriveLab, HKU, Shanghai AI Lab	Limited public partnerships
Dataset availability	1M+ trajectories (public non-commercial)	Proprietary
Primary market focus	China, expanding to Korea	US, global ambitions
Funding model	External investors (\$83.8M+)	Internal (Tesla capital)

AGIBOT's advantage lies in demonstrated production scalability and earlier market entry. Tesla's advantages include stronger brand recognition, vertically integrated AI infrastructure (Dojo supercomputer), and potential distribution through Tesla's retail network.

10.10.2 Chinese Competitive Landscape

Among Chinese competitors, AGIBOT differentiates through:

- **vs. UBTech:** UBTech has longer operating history and wheeled service robot deployments, but AGIBOT leads in bipedal humanoid production volume
- **vs. Unitree:** Unitree's G1 targets lower price point (\$16,000) but smaller form factor limits industrial applications
- **vs. XPeng IRON:** XPeng's automotive background provides manufacturing expertise, but IRON mass production not planned until end 2026
- **vs. Fourier Intelligence:** Fourier's rehabilitation robotics background and NVIDIA partnership provide technical credibility, but production volume unclear

10.11 Strategic Implications

10.11.1 Production as Competitive Moat

AGIBOT's achievement of 1,000-unit production demonstrates that humanoid robotics has transitioned from research curiosity to manufacturable product. This milestone provides several strategic advantages:

- **Component supply chain maturity:** Volume procurement reduces costs and improves supplier relationships
- **Manufacturing process refinement:** Learning curve effects improve quality and reduce defects
- **Customer confidence:** Demonstrated reliability and support capabilities unavailable from prototype-stage competitors
- **Cash flow generation:** Revenue from deployed units funds further development without complete reliance on financing rounds

10.11.2 Dataset Strategy as Platform Play

AgiBot World represents an emerging competitive dynamic: open datasets as platform moat. By providing free access to researchers while retaining commercial licensing rights, AGIBOT attempts to create network effects where ecosystem adoption drives hardware sales—similar to NVIDIA’s CUDA strategy for GPUs.

Success of this strategy depends on whether researchers trained on AgiBot World preferentially deploy on AGIBOT hardware, or whether the dataset becomes hardware-agnostic (enabling competitors to benefit). Early indicators from the IROS 2025 challenge (431 international teams) suggest significant research community engagement.

10.11.3 Automotive-Robotics Convergence

AGIBOT’s investor base—three major Chinese automakers plus BYD’s EV expertise—positions the company at the intersection of automotive and robotics industries. This convergence manifests in:

- **Manufacturing automation:** Automotive factories as primary deployment environment
- **Technology transfer:** Automotive-grade safety systems, power management, actuator technologies applicable to humanoids
- **Scale economics:** Automotive industry’s volume manufacturing capabilities transferring to robotics

If automotive manufacturers successfully enter humanoid robotics (see also XPeng IRON), this industry convergence could reshape competitive dynamics—similar to how automotive manufacturers dominated electric vehicle development over pure-play startups.

10.11.4 International Expansion Challenges

Despite domestic success, AGIBOT faces significant barriers to international expansion:

- **Export controls:** Potential US restrictions on advanced robotics and AI technologies from China
- **Brand recognition:** Unknown brand outside China and academic circles requires substantial marketing investment
- **Service infrastructure:** Limited international service and maintenance networks
- **Regulatory compliance:** Different safety standards and certification requirements across jurisdictions

The South Korea entry strategy via LG Electronics partnership provides a test case for whether Chinese humanoid manufacturers can successfully internationalize through established local partners, or whether geopolitical factors create insurmountable barriers.

11 Analysis

11.1 Geographic Concentration

The data reveals significant geographic clustering of humanoid robotics companies in China's major technology hubs. Shenzhen leads with 11 companies (30.6%), followed by Shanghai and Beijing with 10 companies each (27.8%), and Hangzhou with 5 companies (13.9%).

This distribution reflects:

- **Shenzhen's electronics ecosystem:** The city's position as China's electronics manufacturing center provides natural advantages for robotics hardware development
- **Beijing's research concentration:** The capital's universities and research institutes support fundamental robotics R&D
- **Shanghai's industrial base:** Traditional strength in manufacturing automation translates to humanoid robotics capabilities
- **Hangzhou's emerging role:** Growing presence reflects the city's expansion beyond e-commerce into advanced manufacturing

11.2 Design Characteristics

Based on visual analysis of the robot designs shown in the source materials:

- Most robots feature humanoid form factors with bipedal designs
- Several companies utilize wheeled mobile bases for stability
- Color schemes predominantly feature white, grey, and black, with occasional bright accent colors
- Design philosophies range from industrial/functional to consumer-friendly aesthetics
- Some platforms emphasize modular designs with visible joint mechanisms

11.3 Market Positioning

The diversity of design approaches suggests different target markets:

- Industrial/manufacturing applications (robust, functional designs)
- Service robotics (approachable, consumer-friendly aesthetics)
- Research and development platforms (modular, highly articulated designs)
- Specialized applications (unique form factors and capabilities)

11.4 Network Analysis

This section presents network visualizations of relationships within the Chinese humanoid robotics ecosystem, based on structured data extracted from company profiles. These graphs will expand as additional company data is incorporated into the analysis.

11.4.1 Partnership Networks

Figure 66 shows the strategic partnership ecosystem connecting robot companies with technology providers, industrial partners, academic institutions, and telecommunications companies. The visualization reveals the interconnected nature of the robotics industry, where companies leverage partnerships across multiple sectors to develop and deploy their platforms.




Figure 66: Strategic partnership network showing relationships between robot companies and their technology, industrial, academic, and telecommunications partners. Node sizes indicate entity type (larger nodes represent robot companies), and colors distinguish partner categories.

11.4.2 Financing Networks

The financing network (Figure 67) illustrates investment flows from venture capital firms and strategic investors to robot companies through various funding rounds. This directed graph shows how capital flows through the ecosystem, with arrows indicating investment direction from investors through funding rounds to companies.




Figure 67: *Financing network showing investment relationships between robot companies, funding rounds, and investors. The directed edges show capital flow from investors (green) through funding rounds (yellow) to robot companies (red).*

11.4.3 Distribution Networks

Figure 68 maps the geographic reach and sales channels employed by robot companies. This network shows market presence across domestic and international regions, distribution partnerships, and application-specific market segments.




Figure 68: *Distribution network showing geographic markets, sales channels, and retailer relationships. The network illustrates both domestic Chinese markets and international expansion strategies.*

These network visualizations are automatically generated from structured JSON data files describing company partnerships, financing, and distribution strategies. As additional companies are analyzed and their data incorporated, these networks will grow to reveal broader patterns in the Chinese humanoid robotics ecosystem.

12 Conclusion

China's humanoid robotics industry demonstrates significant concentration in major technology hubs, with 36 identified companies representing substantial investment and capability development. The geographic clustering around Shenzhen, Shanghai, Beijing, and Hangzhou reflects strategic advantages in manufacturing, research, and technology development.

The diversity of design approaches and company profiles suggests a maturing market with differentiation emerging around target applications, price points, and technical capabilities. The concentration of companies in these cities positions China as a major global center for humanoid robotics development and commercialization.

13 Future Research Questions

This analysis has identified several important areas that warrant deeper investigation in future research. These questions represent gaps in publicly available information and areas where ad-

ditional analysis would provide valuable insights into the Chinese humanoid robotics ecosystem.

13.1 Human Capital and Talent Networks

- **Key Individuals and Teams:** Who are the central individuals and groups that drive innovation across these companies? What are their backgrounds, previous affiliations, and patterns of collaboration?
- **Institutional Talent Pipelines:** Which academic institutions (universities, research institutes) serve as primary feeders of talent for the humanoid robotics industry? Are there identifiable clusters of graduates from specific programs?
- **Research Institutions and AI Labs:** What is the Beijing Academy of Artificial Intelligence and what role does it play in the robotics ecosystem? What other major AI research institutions (BAAI, Shanghai AI Lab, etc.) exist in China, and how do they interact with commercial robotics companies? Do they serve as talent incubators, technology transfer hubs, or research partners?
- **Talent Mobility Patterns:** How do researchers and engineers move between companies, universities, and research institutions? Are there identifiable networks or "schools of thought" that span multiple organizations?
- **International Experience:** What role does international education and work experience play in leadership teams? How many founders or key technical leaders have studied or worked abroad?

13.2 Strategic and Competitive Dynamics

- **Government Support Mechanisms:** What specific government programs, subsidies, or initiatives support humanoid robotics development? How do different cities compete to attract and retain robotics companies?
- **Technology Transfer Patterns:** How does technology flow between academic research, government labs, and commercial companies? What are the mechanisms and timelines for commercialization?
- **International Collaboration:** What patterns of international partnerships exist? How do Chinese companies balance domestic focus with international collaboration?
- **Supply Chain Integration:** How integrated are the supply chains? Do companies develop components in-house or rely on specialized suppliers? What are the critical dependencies?
- **Industrial Group Structures:** What are the major industrial groups (conglomerates) in China that are involved in robotics? What are their relationships to the humanoid robotics companies—do they own them, invest in them, provide technology or manufacturing capabilities, or serve as customers? How do these industrial group affiliations affect company strategy and market positioning?
- **Industry Structure Analysis Frameworks:** How would established industry analysis frameworks from Harvard Business Review and McKinsey (e.g., Porter's Five Forces, Value Chain Analysis, Industry Life Cycle models) apply to the Chinese humanoid robotics sector? What insights emerge from mapping competitive dynamics, supplier power, buyer behavior, and entry barriers using these frameworks? How does the Chinese robotics industry structure compare to Western robotics markets when analyzed through these lenses?

- **Strategic Positioning Dimensions Analysis:** How do Chinese humanoid robotics manufacturers position themselves across multiple strategic dimensions? Initial analysis has identified 16+ key dimensions that warrant systematic comparative study: (1) Hardware Openness vs. Vertical Integration, (2) Software Openness, (3) Form Factor Philosophy (bipedal vs. wheeled/hybrid), (4) Pricing Strategy, (5) AI/Data Generation Strategy, (6) Ecosystem Strategy (platform play vs. hardware vendor), (7) Production Scale Ambition, (8) Supply Chain Philosophy (in-house vs. opportunistic sourcing), (9) Geographic Market Focus (domestic vs. international), (10) Innovation Focus (research-driven vs. application-driven), (11) Modularity/Configurability, (12) Data Transparency, (13) Standards/Certification Approach, (14) Geopolitical Tech Stack (Western vs. domestic technology dependence), (15) Customer Acquisition Strategy, and (16) Intellectual Property Strategy. How do companies make trade-offs across these dimensions? What patterns of strategic archetypes emerge? Do certain combinations of positioning choices predict commercial success or technical leadership?
- **Dimensional Reduction and Strategic Archetype Discovery:** Once companies are analyzed along various strategic dimensions, can we use factor analysis techniques (e.g., Principal Component Analysis) to discover common higher-dimensional strategic combinations that explain the variation in companies' strategic positionings better than the individual strategic dimensions? Do latent strategic "factors" emerge that cluster companies into natural archetypes? For example, might the data reveal that companies cluster along a "Platform Integration Axis" (combining AI strategy, ecosystem approach, and tech stack choices) or a "Market Position Axis" (combining pricing, customer acquisition, and production scale)? Such multivariate analysis could reveal whether the 16+ strategic dimensions reduce to a smaller set of fundamental strategic choices, and whether certain combinations of these latent factors predict specific outcomes (commercial traction, funding success, technical innovation). This statistical approach would complement qualitative strategic analysis by quantitatively identifying which strategic variables co-vary and which dimensions are truly independent strategic choices.
- **Chinese Government Robotics+ Action Plan and Policy Evolution:** What were the specific provisions and resource allocation mechanisms in China's Robotics+ Action Plan and its successor policies? How did these policy frameworks guide investment decisions, technology priorities, and industry development? What mechanisms were used to effectuate policy guidance into actual resource allocations (government funding, tax incentives, procurement preferences, research grants)? How did the industry respond to these policy signals, and how have policy objectives evolved over time? What measurable impacts can be attributed to specific policy interventions? [75]

13.3 Technical and Innovation Trajectories

- **Technical Convergence:** Are companies converging on similar technical approaches, or is there significant architectural diversity? What explains these patterns?
- **Intellectual Property Strategy:** How do companies approach IP protection? What patterns emerge in patent filings, and what do they reveal about technical priorities?
- **AI Integration Strategies:** How are companies integrating large language models and other AI technologies? What partnerships or in-house capabilities drive this integration?
- **Software Platform Ecosystems:** What role do full-stack software platforms (such as UBTECH's UPILOT for logistics) play in the robotics ecosystem? Are these platforms developed in-house by robotics companies, or are they provided by specialized software

vendors? Who are the key competitors in robot software platforms, and how do platform choices affect robot deployment and integration?

- **Open Source Participation:** To what extent do companies participate in or benefit from open source robotics communities? What is shared versus kept proprietary?
- **World Humanoid Robot Games as Performance Benchmark:** How significant are competitive robotics events like the World Humanoid Robot Games in validating technical capabilities and driving innovation? Do competition results correlate with commercial success or technical leadership? What specific performance metrics from competitions (manipulation tasks, mobility challenges, AI capabilities) serve as meaningful industry benchmarks? How do companies leverage competition success in their marketing and product development strategies?
- **Humanoid Robots in Humanoid Robot Production:** Do any humanoid robot manufacturers use their own humanoid robots in their production lines? This meta-question addresses whether the technology has achieved sufficient reliability, dexterity, and cost-effectiveness to replace human workers or traditional industrial robots in the manufacturing of humanoid robots themselves. Such deployment would represent a significant validation milestone, demonstrating that humanoid robots can perform the complex assembly, testing, and quality control tasks required to manufacture their own kind—a capability that would have profound implications for scalability, cost reduction, and technology maturity.

13.4 Market and Application Evolution

- **Early Adopter Profiles:** Who are the early customers for humanoid robots? What characteristics define successful early deployments?
- **Application Prioritization:** Why do different companies target different application areas? What factors drive these strategic choices?
- **International Market Strategies:** For companies pursuing international expansion, what strategies are employed? What challenges and opportunities do they encounter?
- **Ecosystem Development:** How are companies building ecosystems of developers, integrators, and application specialists? What business models emerge?

These questions represent opportunities for deeper analysis combining multiple data sources including patent databases, academic publication records, corporate registries, and primary interviews with industry participants. Answering them would provide a more complete understanding of the forces shaping China's humanoid robotics industry.

14 Methodology

This section documents the systematic process used to create this report, enabling replication and extension to additional companies.

14.1 Data Collection Process

14.1.1 Initial Discovery

The research began with visual source materials from Robotuo.com showing geographic distribution of Chinese humanoid robotics companies across four major technology hubs (Shenzhen, Shanghai, Beijing, Hangzhou). These maps provided the initial dataset of 36 companies with basic identification information.

14.1.2 Company Selection for Deep Analysis

From the initial set of 36 companies, two were selected for comprehensive analysis: LEJU Robot (Shenzhen) and KEPLER (Shanghai). Selection criteria included:

- **Geographic diversity:** Representing different technology hubs
- **Company maturity:** Contrasting established (LEJU, founded 2016) with emerging (KEPLER, founded 2023) companies
- **Market focus:** Different target applications (educational vs. industrial)
- **Data availability:** Sufficient publicly available information for comprehensive analysis

14.1.3 Information Gathering

For each selected company, information was gathered through:

1. **Web searches:** Initial discovery using search engines to identify official websites, press releases, news coverage, and industry reports
2. **Official sources:** Company websites, press releases, and official announcements
3. **Industry databases:** Tracxn, Crunchbase, and similar platforms for financing information
4. **News coverage:** Technology news sites, industry publications, and mainstream media
5. **Academic and technical sources:** Product specifications, technical analyses, and research publications

HTML pages were downloaded and preserved in `company_info/<company_id>/` directories for future reference and verification.

14.2 Data Structuring

14.2.1 JSON Schema Design

A comprehensive JSON schema was developed to capture company information in machine-readable format, enabling comparative analysis and network visualization. The schema includes five primary data structures:

- **company_profile.json:** Basic company information (founding, location, leadership, focus areas)
- **products.json:** Complete product portfolios with technical specifications, pricing, applications, and customer deployments
- **financing.json:** Funding rounds, investors, amounts, and investment strategy
- **partnerships.json:** Strategic partnerships by type (technology, industrial, academic, telecommunications)
- **distribution.json:** Geographic markets, sales channels, and commercialization strategies

The schema employs consistent ID systems (`company_id`, `product_id`, `investor_id`, `partner_id`) to enable cross-referencing and relationship mapping. Complete schema documentation is maintained in `company_info/lejurobot/schema_documentation.md`.

14.2.2 Data Extraction and Validation

Information extraction followed a structured process:

1. **Source identification:** Locate and verify credibility of information sources
2. **Data extraction:** Extract relevant information with source attribution
3. **Cross-validation:** Verify information across multiple independent sources when possible
4. **Conflict resolution:** Document conflicting information and prioritize based on source reliability
5. **JSON encoding:** Structure extracted information according to schema

14.3 Network Visualization

14.3.1 Graph Generation Pipeline

Network visualizations are generated automatically from JSON data using Python scripts:

- **generate_partnership_network.py:** Creates partnership network graphs from `partnerships.json`
- **generate_financing_network.py:** Generates investment flow diagrams from `financing.json`
- **generate_distribution_network.py:** Maps distribution channels from `distribution.json`

The build system (Makefile) manages dependencies, automatically regenerating graphs when JSON files are updated. This enables the network visualizations to grow organically as additional companies are added to the analysis.

14.3.2 Visualization Design

Network graphs employ consistent visual encoding:

- **Node colors:** Distinguish entity types (companies, partners, investors, markets)
- **Node sizes:** Indicate entity importance (larger nodes for primary entities)
- **Edge types:** Represent relationship types (investments, partnerships, distribution)
- **Layout algorithms:** Spring layout for readability with future scalability

14.4 Document Generation

14.4.1 LaTeX Integration

The report is generated using LaTeX with automated version tracking through Git integration. The Makefile coordinates:

1. Network graph generation from JSON data
2. Version information extraction from Git
3. Bibliography compilation with URL verification
4. Multiple PDF compilation passes for cross-references

14.4.2 Reference Management

All references follow strict verification requirements:

- URLs tested for accessibility
- Content verified to match citations
- Authors and publications confirmed as real entities
- Verification status documented in BibTeX notes field
- Numbered citation style [18] for clarity

14.5 Reproducibility and Extension

14.5.1 Adding New Companies

The methodology enables straightforward extension to additional companies:

1. Create `company_info/<company_id>/` directory
2. Populate JSON files following established schema
3. Run `make graphs` to update network visualizations
4. Add company section to LaTeX document
5. Run `make pdf` to generate updated report

Network graphs automatically incorporate new companies without manual intervention.

14.5.2 Data Quality and Limitations

The analysis acknowledges several limitations:

- **Public information only:** Analysis limited to publicly available data
- **Language barriers:** Some Chinese-language sources may be incompletely captured
- **Temporal constraints:** Information current as of document generation date
- **Selection bias:** Companies with better English-language presence may be overrepresented
- **Funding disclosure:** Many Chinese companies do not disclose precise funding amounts

All limitations are documented in JSON notes fields and report text.

About This Document

This document represents a technical exploration created through a collaborative process between human and AI. The production process followed these steps:

1. **Discovery:** Visual source materials from Robotuo.com showing geographic distribution of Chinese humanoid robotics companies were identified
2. **Initial Exploration:** Data extraction from visual maps showing company locations, names, and representative robots across four major Chinese cities

3. **Synthesis:** Organization of extracted data into structured tables by geographic region
4. **Visualization:** Inclusion of original geographic maps showing company distribution
5. **Verification:** All references were scrutinized for authenticity. URLs were tested for accessibility, and content relevance was checked against citations

This report provides a snapshot of the Chinese humanoid robotics landscape as represented in publicly available geographic mapping data. It is intended for research and educational purposes.

Note on References and Verification

This document contains AI-generated content. All references have been subject to rigorous verification to ensure academic integrity.

Verification Process:

- All URLs were tested for accessibility using automated tools
- Source materials were verified against available online resources
- Company information was cross-referenced with visual materials
- Geographic data was extracted directly from source maps

Important Notice: Due to the AI-assisted nature of this document's creation, readers should independently verify any information used for critical applications. This level of scrutiny is essential when working with AI-generated content.

References

- [1] Wikipedia. Leju robot, 2024. URL https://en.wikipedia.org/wiki/Leju_Robot. Verified: URL accessible - Wikipedia article covering company history, founding in 2016, product lines (KUAVO, AELOS, Fluvo), and company milestones including delivery of 100th full-size humanoid in 2025.
- [2] Leju Robotics. Leju – leader in the industrialization of humanoid robots, 2024. URL <https://www.lejurobot.com/en>. Verified: URL accessible - Official company website with product information, company profile, and application domains. Saved as homepage.html.
- [3] Aparobot. Kuavo 3.0 - robot details, use case and specifications, 2024. URL <https://www.aparobot.com/robots/kuavo-3-0>. Verified: URL accessible - Technical specifications for KUAVO 3.0 including height (175cm), weight (45kg), DOF (26 total: 14 arms, 12 legs), speed (4.6 km/h), jump capability (20cm), joint torque (360 Nm peak), joint speed (150 rpm), KaihongOS operating system, Huawei Pangu AI integration, and connectivity features. Saved as kuavo-3.0-specs.html.
- [4] Origin of Bots. Kuavo-my by leju robotics: Price, details, review 2025 — full humanoid specs, 2024. URL <https://www.originofbots.com/robot/kuavo-my-by-leju-robotics-details-specifications-rating>. Verified: URL accessible - Comprehensive specifications for KUAVO-MY including dimensions (170×55×38cm), weight (50-80kg), battery (3-5 kWh), runtime (3-5 hours), payload capacity (15-25kg per arm), price range (\$50,000-\$150,000), sensors, connectivity, and certifications. Rating: 4/5 stars. Saved as kuavo-my-specs.html.
- [5] Robocraze. Leju robot aelos pro 19dof humanoid robot ai kit with built-in camera, 2024. URL <https://robocraze.com/products/aelos-pro-19dof-humanoid-robot-ai-kit-with-built-in-camera-sensor>. Verified: URL accessible - Product page for AELOS PRO educational humanoid robot with 19 DOF, high-resolution camera, 14+ sensor ports, facial recognition, object tracking, visual programming (Blockly), Python scripting, WiFi/Bluetooth connectivity, aluminum alloy and ABS construction. Saved as aelos-pro-robocraze.html.
- [6] Leju Robotics. Hospital logistics robot – medical logistics application, 2024. URL <https://www.lejurobot.com/en/application/medical-logistics>. Verified: URL accessible - Official page describing Fluvo medical logistics robot applications. Saved as medical-logistics.html.
- [7] Tracxn. Leju - 2025 funding rounds & list of investors, 2024. URL https://tracxn.com/d/companies/leju/_Luh63xJ8VhL8LIx5o_kXpeMgusltNQ18bgh1d32rgbw/funding-and-investors. Verified: URL accessible - Detailed funding history including Series B (\$36.2M in June 2019 led by Aplus Capital with Tencent participation), total funding \$45.3M over 3 rounds from 6 investors.
- [8] DealStreetAsia. Tencent-backed humanoid robot startup leju raises \$210m in pre-ipo round, October 2025. URL <https://www.dealstreetasia.com/stories/humanoid-robot-maker-leju-raises-funding-460790>. Verified: URL accessible - October 2025 pre-IPO funding of 1.5 billion yuan (\$210.5 million) with participants including CITIC Goldstone, Shenzhen Investment Holdings, Dongfang Precision, and Tuopu Group. Saved as dealstreetasia-funding.html.
- [9] Robotics and Automation News. Chinese humanoid robot maker leju robot secures \$207 million in pre-ipo funding, October 2025. URL <https://roboticsandautomationnews.com/2025/10/22/>

- [chinese-humanoid-robot-maker-leju-robot-secures-207-million-in-pre-ipo-funding/95727/](#). Verified: URL accessible - Coverage of October 2025 pre-IPO funding round, company strategy, and IPO preparations. Saved as robotics-news-funding.html.
- [10] Asia Business Outlook. Chinese robotics firm leju secures 200m usd ahead of ipo, 2025. URL <https://www.asiabusinessoutlook.com/news/chinese-robotics-firm-leju-secures-200m-usd-ahead-of-ipo-nwid-10256.html>. Verified: URL accessible - Analysis of \$200 million funding round and IPO preparations including investor details and strategic plans. Saved as asiabusiness-ipo.html.
- [11] Sacra. Leju robotics funding, news & analysis, 2024. URL <https://sacra.com/c/leju-robotics/>. Verified: URL accessible - Strategic analysis including partnerships with Peking University (national joint laboratory), China Telecom (elder care packages), and Huawei HarmonyOS integration for Pangu AI capabilities.
- [12] REES52. Leju aelos pro 19dof smart ai humanoid robot, 2024. URL <https://rees52.com/products/leju-aelos-pro-19dof-smart-ai-humanoid-robot-educational-coding-programming-robot-with-> Verified: URL accessible - Product listing for AELOS PRO with detailed educational applications and STEM learning features.
- [13] Ednology Marketplace. Leju robotics aelos 1s, 2024. URL <https://marketplace.ednology.com/product/leju-robotics-aelos-1s/>. Verified: URL accessible - Product listing for AELOS 1S first-generation educational humanoid robot.
- [14] Edurobots. Aelos 1s, 2024. URL <https://edurobots.eu/project/aelos-1s/>. Verified: URL accessible - Educational robotics project page featuring AELOS 1S specifications and educational use cases.
- [15] People's Daily Online. China accelerates humanoid robot development for diverse applications, April 2025. URL <http://en.people.cn/n3/2025/0404/c90000-20298196.html>. Verified: URL accessible - News article reporting that Leju delivered its 100th full-size humanoid robot in 2025, indicating commercial production scale.
- [16] MarketScreener. Shanghai kepler exploration robot co., ltd. announced funding, April 23 2024. URL <https://www.marketscreener.com/quote/stock/SUZHOU-VEICHI-ELECTRIC-CO-163222434/news/Shanghai-Kepler-Exploration-Robot-Co-Ltd-announced-that-it-has-received-funding-from-Sh> Verified: URL accessible - Funding announcement with investors including Shanghai Zhangjiang Science & Technology VC, Suzhou Veichi Electric, and Keli Sensing Technology.
- [17] PR Newswire. Kepler debuts forerunner k2 humanoid robot, accelerating commercial deployment, October 14 2024. URL <https://www.prnewswire.com/news-releases/kepler-debuts-forerunner-k2-humanoid-robot-accelerating-commercial-deployment-302281546.html>. Verified: URL accessible - Official press release announcing K2 launch at GITEX GLOBAL 2024, commercialization strategy, customer consultations with 50 target companies.
- [18] New Atlas. Forerunner k2 humanoid robot can carry 33 lb in each dexterous hand, October 16 2024. URL <https://newatlas.com/ai-humanoids/kepler-forerunner-k2-humanoid-robot/>. Verified: URL accessible - Detailed K2 technical specifications including 52 DOF, rope-driven manipulators, 15kg per-hand capacity, 96 tactile points per fingertip, 2.33kWh battery.

- [19] Mike Kalil. Saic-gm plant tests kepler humanoid robots, 2024. URL <https://mikekalil.com/blog/kepler-saic-gm/>. Verified: URL accessible - Analysis of Kepler K2 testing at SAIC-GM plant with operational details.
- [20] Humanoid.guide. Kepler k2 - humanoid robot database, November 2024. URL <https://humanoid.guide/product/kepler-k2/>. Verified: URL accessible - Comprehensive K2 specifications including 178cm height, 85kg weight, \$30,000 pricing, industrial applications.
- [21] CMRA. Shanghai kepler robot co., ltd. completed pre-a+ round of financing, May 28 2024. URL <https://cnmra.com/shanghai-kepler-robot-co-ltd-completed-pre-a-round-of-financing/>. Verified: URL accessible - Pre-A+ funding round completion announcement.
- [22] Interesting Engineering. China: Humanoid robot transforms into car mechanic in shanghai factory, 2024. URL <https://interestingengineering.com/innovation/china-kepler-humanoid-robot-shanghai-plant>. Verified: URL accessible - Coverage of K2 'Bumblebee' deployment at SAIC-GM Shanghai automotive plant for quality inspections and assembly operations.
- [23] Wikipedia. Unitree robotics - wikipedia, 2024. URL https://en.wikipedia.org/wiki/Unitree_Robotics. Verified: URL accessible - Comprehensive company history, founding by Wang Xingxing in 2016, product overview, and milestones.
- [24] Unitree Robotics. Universal humanoid robot h1, 2024. URL <https://www.unitree.com/h1/>. Verified: URL accessible - Official H1 product page with specifications, performance data, Guinness record for fastest humanoid at 3.3 m/s.
- [25] Unitree Robotics. Unitree h1 - contact us for the real price, 2024. URL <https://shop.unitree.com/products/unitree-h1>. Verified: URL accessible - Official shop listing for H1, pricing below \$90,000, technical specifications.
- [26] Top3DShop. Unitree robotics h1-2 humanoid robot: Buy or lease at top3dshop, 2024. URL <https://top3dshop.com/product/unitree-robotics-h1-2-humanoid-robot>. Verified: URL accessible - H1-2 upgraded version specifications and availability.
- [27] Unitree Robotics. Unitree g1, 2024. URL <https://shop.unitree.com/products/unitree-g1>. Verified: URL accessible - Official shop listing for G1 humanoid robot launched August 2024 for mass production.
- [28] Unitree Robotics. Humanoid robot g1 - humanoid robot functions, 2024. URL <https://www.unitree.com/g1/>. Verified: URL accessible - Official G1 product page, \$16,000 pricing, 127cm height, 35kg weight, 23-43 DOF.
- [29] Interesting Engineering. Unitree g1 humanoid robot performs handshakes, hugs, and waves, 2024. URL <https://interestingengineering.com/innovation/unitree-g1-robot-performs-handshakes>. Verified: URL accessible - G1 capabilities including backflips, force-controlled dexterous hands, voice commands.
- [30] Unitree Robotics. Robot dog go1, 2024. URL <https://www.unitree.com/go1/>. Verified: URL accessible - Official Go1 product page, 17 km/h speed, 12kg weight, multiple variants.
- [31] Unitree Robotics. Unitree go1 robot dog, 2024. URL <https://shop.unitree.com/products/unitreeyushutechnologydog-artificial-intelligence-companion-bionic-companion-i>. Verified: URL accessible - Official shop with Go1 Air (\$2,700), Standard (\$3,500), and Edu (\$8,500) versions.

- [32] Unitree Robotics. Robot dog go2 - quadruped robot company, 2024. URL <https://www.unitree.com/go2/>. Verified: URL accessible - Official Go2 product page, 4D LIDAR, upgraded performance, 15kg weight.
- [33] IEEE Spectrum. Unitree's new go2 is one dynamic quadruped, 2024. URL <https://spectrum.ieee.org/quadruped-robot-unitree-go2>. Verified: URL accessible - Technical analysis of Go2 improvements over Go1, 4D LIDAR integration.
- [34] Unitree Robotics. Unitree go2, 2024. URL <https://shop.unitree.com/products/unitree-go2>. Verified: URL accessible - Official shop with Go2 Air (\$1,600) and Pro (\$2,800) versions.
- [35] Unitree Robotics. Robot dog b2 - inspection robot, 2024. URL <https://www.unitree.com/b2/>. Verified: URL accessible - Official B2 product page, 6 m/s speed, 120kg standing load, IP67 rating.
- [36] Unitree Robotics. Unitree b2, 2024. URL <https://shop.unitree.com/products/unitree-b2>. Verified: URL accessible - Official shop listing for B2 industrial quadruped, \$100,000 pricing.
- [37] The Robot Report. Unitree b2 quadruped designed for industrial inspection, 2024. URL <https://www.therobotreport.com/unitree-b2-quadruped-industrial-inspection/>. Verified: URL accessible - Analysis of B2 industrial applications, fastest industrial-grade quadruped.
- [38] Unitree Robotics. Unitree b2-w, 2024. URL <https://shop.unitree.com/products/unitree-b2-w>. Verified: URL accessible - Official B2-W wheeled variant, 20 km/h wheeled speed, dual mobility modes.
- [39] RoboStore. Unitree b2-w: Advanced quadruped robot for industrial applications, 2024. URL <https://robostore.com/products/unitree-b2-w-industrial-quadruped-robotic-dog-with-wheels-1>. Verified: URL accessible - Distributor page for B2-W with specifications and industrial applications.
- [40] CB Insights. Unitree robotics - products, competitors, financials, employees, headquarters locations, 2024. URL <https://www.cbinsights.com/company/unitree>. Verified: URL accessible - Company profile reporting \$155M total funding over 6 rounds.
- [41] PitchBook. Unitree 2025 company profile: Valuation, funding & investors, 2025. URL <https://pitchbook.com/profiles/company/398902-78>. Verified: URL accessible - \$1.7B valuation as of June 2025, \$248M total funding reported.
- [42] Tracxn. Unitree - 2025 company profile, team, funding & competitors, 2025. URL https://tracxn.com/d/companies/unitree/_o1e8b3ZlyUCcjIECfbM9csfhnJyv1_f0ku8o_K8gCYg. Verified: URL accessible - Company profile with funding rounds, investors, and competitive analysis.
- [43] EqualOcean. 1 billion cny! intelligent robot company unitree completed b2 round of financing, February 26 2024. URL <https://equalocean.com/news/2024022620539>. Verified: URL accessible - Series B2 funding round, 1 billion CNY (\$139M), largest funding round for Unitree.
- [44] Crunchbase. Unitree robotics - funding, financials, valuation & investors, 2024. URL https://www.crunchbase.com/organization/unitree-robotics/company_financials. Verified: URL accessible - Comprehensive funding history, investor list, company overview.

- [45] 36Kr. Unitree technology completes nearly 700m yuan series c financing with tencent, alibaba, china mobile as investors, June 19 2025. URL <https://eu.36kr.com/en/p/3344368397190018>. Verified: URL accessible - Series C funding announcement, 700M yuan (\$96M), lead investors Tencent, Alibaba, Ant Group, Geely, China Mobile, Jinqiu Capital.
- [46] Unitree Robotics. Unitree robotics official shop, 2024. URL <https://shop.unitree.com/>. Verified: URL accessible - Official online shop for all Unitree products with direct sales.
- [47] AsianFin. China's galbot raises record \$150 million in humanoid robotics, plans industrial rollout with catl, bosch, June 2025. URL <https://www.asianfin.com/articles/127469>. Verified: URL accessible - Reports RMB 1.1 billion (\$150M) funding led by CATL Capital and Puquan Capital, total raised over RMB 2.4B (\$330M), unicorn status achieved in H1 2025, 10 unmanned stores operational in Beijing with 100 planned by year-end.
- [48] Robotics and Automation News. Galbot raises \$151 million to scale embodied ai humanoid robots, partners with bosch investment arm, July 3 2025. URL <https://roboticsandautomationnews.com/2025/07/03/galbot-raises-151-million-to-scale-embodied-ai-humanoid-robots-partners-with-bosch-inve-92864/>. Verified: URL accessible - Details CATL Capital and Puquan Capital-led funding round, strategic MoU with Bosch China and Bosch Ventures (June 17), joint venture for commercialization, Wang He as Co-founder/CTO and professor at Peking University.
- [49] The Wire China. Wang he – profile, 2024. URL https://www.thewirechina.com/whos_who/wang-he/. Verified: URL accessible - Profile of GALBOT CTO Wang He, professor at Peking University and director of Embodied Intelligence Research Center at Beijing Academy of AI.
- [50] KrAsia. Galbot's humanoid robots do the boring stuff, and that's the point, 2024. URL <https://kr-asia.com/galbots-humanoid-robots-do-the-boring-stuff-and-thats-the-point>. Verified: URL accessible - Analysis of GALBOT's strategy to focus on practical automation tasks (movement, picking, placing) rather than showcasing advanced capabilities, 10 unmanned pharmacies operational in Beijing 24/7.
- [51] Aparobot. Galbot g1 - robot details, use case and specifications, 2024. URL <https://www.aparobot.com/robots/galbot-g1>. Verified: URL accessible - Comprehensive G1 specifications: 173cm tall, 85kg, 190cm arm span, 65cm torso lift, 240cm max reach, 5kg payload per arm, 10-hour battery, 98% success rate, 8-core CPU, Isaac Sim support.
- [52] Interesting Engineering. China's humanoid robot nanny can hang clothes, pour drinks, pick trash, January 2025. URL <https://interestingengineering.com/photo-story/chinas-humanoid-house-help-galbot>. Verified: URL accessible - Photo story showcasing GALBOT G1 capabilities in household and retail applications.
- [53] PitchBook. Galbot 2025 company profile: Valuation, funding & investors, 2025. URL <https://pitchbook.com/profiles/company/539056-63>. Verified: URL accessible - Comprehensive investor database showing 34+ investors across all rounds.
- [54] Crunchbase. Galaxy bot – crunchbase company profile & funding, 2024. URL <https://www.crunchbase.com/organization/galaxy-bot>. Verified: URL accessible - Company funding timeline and investor information.
- [55] NOETIX Robotics. About us - noetix robotics, 2023. URL <https://en.noetixrobotics.com/about.html>. Verified: URL accessible - Company founding details, founding team

background from Tsinghua University and Chinese Academy of Sciences, mission and vision, academic partnerships.

- [56] NOETIX Robotics. About us - noetix robotics, 2024. URL <https://en.noetixrobotics.com/about.html>. Verified: URL accessible - Official company information including mission, partnerships, and achievements.
- [57] TechNode. China's noetix robotics unveils \$1,370 humanoid robot "bumi", October 22 2025. URL <https://technode.com/2025/10/22/chinas-noetix-robotics-unveils-1370-humanoid-robot-bumi/>. Verified: URL accessible - Bumi launch announcement with specifications and pricing details.
- [58] South China Morning Post. Chinese robotics start-up noetix debuts 'family-friendly' us\$1,400 humanoid, October 22 2025. URL <https://www.scmp.com/tech/tech-trends/article/3330046/chinese-robotics-start-noetix-debuts-family-friendly-us1400-humanoid>. Verified: URL accessible - Comprehensive coverage of Noetix product launch and sales performance.
- [59] TechNode. After new funding, noetix robotics explains how it built a humanoid robot cheaper than an iphone, October 27 2025. URL <https://technode.com/2025/10/27/after-new-funding-noetix-robotics-explains-how-it-built-a-humanoid-robot-cheaper-than-a>. Verified: URL accessible - Pre-B funding details and manufacturing strategy explanation.
- [60] Aparobot. N2 - robot details, use case and specifications, 2025. URL <https://www.aparobot.com/robots/n2>. Verified: URL accessible - Comprehensive N2 specifications including dimensions, DOF, computing platform, and capabilities.
- [61] Humanoid.guide. Bumi - humanoid.guide, 2025. URL <https://humanoid.guide/product/bumi/>. Verified: URL accessible - Product specifications for Bumi consumer humanoid.
- [62] TechNode. After new funding, noetix robotics explains how it built a humanoid robot cheaper than an iphone, October 27 2025. URL <https://technode.com/2025/10/27/after-new-funding-noetix-robotics-explains-how-it-built-a-humanoid-robot-cheaper-than-a>. Verified: URL accessible - Detailed explanation of cost optimization strategy through vertical integration and domestic sourcing.
- [63] Interesting Engineering. China startup's new humanoid robot can perform continuous backflips, 2025. URL <https://interestingengineering.com/innovation/china-startup-humanoid-robot-continuous-backflip>. Verified: URL accessible - N2 continuous backflip capability and technical details.
- [64] South China Morning Post. Chinese robotics start-up noetix debuts 'family-friendly' us\$1,400 humanoid, October 22 2025. URL <https://www.scmp.com/tech/tech-trends/article/3330046/chinese-robotics-start-noetix-debuts-family-friendly-us1400-humanoid>. Verified: URL accessible - N2 half-marathon participation and sales impact.
- [65] Aparobot. Dora - robot details, use case and specifications, 2025. URL <https://www.aparobot.com/robots/dora>. Verified: URL accessible - Dora product specifications and use cases.
- [66] Humanoid.guide. Dora - humanoid.guide, 2025. URL <https://humanoid.guide/product/dora/>. Verified: URL accessible - Dora specifications and capabilities.

- [67] NOETIX Robotics. Dora - noetix robotics product page, 2024. URL <https://en.noetixrobotics.com/products.html>. Verified: URL accessible - Official product specifications for Dora including AI capabilities.
- [68] NOETIX Robotics. About us - noetix robotics, 2024. URL <https://en.noetixrobotics.com/about.html>. Verified: URL accessible - Hobbs robotic head mentioned in company overview.
- [69] NOETIX Robotics. About us - noetix robotics, 2024. URL <https://en.noetixrobotics.com/about.html>. Verified: URL accessible - E1 full-sized humanoid development mentioned.
- [70] PitchBook. Noetix robotics 2025 company profile: Valuation, funding & investors, 2025. URL <https://pitchbook.com/profiles/company/550917-82>. Verified: URL accessible - Company funding data and investor information.
- [71] Crunchbase. Noetix robotics - crunchbase company profile & funding, 2025. URL <https://www.crunchbase.com/organization/noetix-robotics>. Verified: URL accessible - Funding history and investor details.
- [72] NOETIX Robotics. About us - noetix robotics, 2024. URL <https://en.noetixrobotics.com/about.html>. Verified: URL accessible - First company to receive Beijing Robot Fund support.
- [73] TechCrunch. Meet cyberone, xiaomi's new humanoid robot, August 11 2022. URL <https://techcrunch.com/2022/08/11/meet-xiaomis-new-humanoid-robot-cyberone/>. Verified: TechCrunch article covering CyberOne unveiling at Xiaomi launch event in Beijing.
- [74] Xiaomi Corporation. MiRoboticslab · github, 2025. URL <https://github.com/MiRoboticsLab>. Verified: Official Xiaomi robotics GitHub organization with 30 repositories including CyberDog ROS 2 stack.
- [75] MIT Technology Review. China's electric vehicle giants are betting big on humanoid robots, February 14 2025. URL <https://www.technologyreview.com/2025/02/14/1111920/chinas-electric-vehicle-giants-pivot-humanoid-robots/>. Verified: Article from February 2025 examining Chinese EV manufacturers' pivot to humanoid robotics including XPeng's Iron robot.
- [76] Humanoid.guide. Iron - humanoid.guide, 2025. URL <https://humanoid.guide/product/iron/>. Verified: Product database entry - Specifications including \$150,000 estimated price, 173-178 cm height, 70 kg, 60 joints/200 DOF, 22 DOF hands, 7 km/h max speed, 4 km/h walking, 20 kg manipulation, 4 hour runtime, Eagle Eye 720° vision, Tianji AIOS.
- [77] Interesting Engineering. Iron: Xpeng's humanoid robot uses solid-state battery for long life, November 2025. URL <https://interestingengineering.com/innovation/humanoid-robot-powered-by-solid-state-battery>. Verified: Focus on world's first all-solid-state battery in humanoid robot - lightweight, ultra-high energy density, enhanced safety.
- [78] CnEVPost. Xpeng unveils next-gen iron humanoid robot at 2025 ai day, November 5 2025. URL <https://cnevpost.com/2025/11/05/xpeng-unveils-next-gen-iron-humanoid-robot/>. Verified: Comprehensive coverage of Next-Gen IRON unveiling - 178 cm, 70 kg, humanoid spine, bionic muscles, VLA 2.0 model, Baosteel partnership.

- [79] TechNode. Xpeng targets 2026 with three robotaxi models and mass-produced humanoid robot iron, November 6 2025. URL <https://technode.com/2025/11/06/xpeng-targets-2026-with-three-robotaxi-models-and-mass-produced-humanoid-robot-iron/>. Verified: Production timeline - April 2026 mass production preparation, end of 2026 full-scale mass production target, factory testing at Guangzhou P7 facility.
- [80] Global Times. Automaker xpeng releases new video to prove its robot 'iron' is not human, November 6 2025. URL <https://www.globaltimes.cn/page/202511/1347511.shtml>. Verified: Coverage of verification demonstration where IRON's leg skin was cut open to prove it wasn't a human inside - robot's movements were so lifelike it sparked controversy.
- [81] CNBC. Chinese ev maker xpeng to launch robotaxis, humanoid robots with self-developed ai chips, November 5 2025. URL <https://www.cnbc.com/2025/11/05/china-xpeng-to-launch-robotaxis-humanoid-robots-with-own-ai-chips.html>. Verified: Focus on vertical integration - Turing AI chip development, VLA (Vision-Language-Action) models, EV-to-robotics technology transfer.
- [82] Humanoids Daily. Xpeng debuts 'most human-like' iron robot, details vlt brain and 2026 production goal, 2025. URL <https://www.humanoidsdaily.com/feed/xpeng-debuts-most-human-like-iron-robot-details-vlt-brain-and-2026-production-goal>. Verified: Technical analysis of VLT (Vision-Language-Task) + VLA + VLM integrated AI system, physical world large model.
- [83] Top Gear. Xpeng will start mass producing its human-like 'iron' robot from 2026, 2025. URL <https://www.topgear.com/car-news/tech/xpeng-will-start-mass-producing-its-human-iron-robot-2026>. Verified: Production strategy and CEO He Xiaopeng statements on deployment - prioritizing service roles (tour guides, sales assistants) over factory automation due to low labor costs in China.
- [84] XPeng Motors. Xpeng shares achievements in physical ai emergence: Unveils xpeng vla 2.0, robotaxi, next-gen iron, and flying car, November 5 2025. URL <https://www.xpeng.com/news/019a56f54fe99a2a0a8d8a0282e402b7>. Verified: Official XPeng press release from AI Day 2025 in Guangzhou - Next-Gen IRON specifications, 82 DOF, 3 Turing AI chips, 3,000 TOPS, all-solid-state battery, mass production target end of 2026.
- [85] Wikipedia. Fourier (company) - wikipedia, 2025. URL [https://en.wikipedia.org/wiki/Fourier_\(company\)](https://en.wikipedia.org/wiki/Fourier_(company)). Verified: Company overview - founded 2015 by Alex Gu in Shanghai, rehabilitation robotics to humanoid robots, serves 2,000+ organizations in 40+ countries.
- [86] South China Morning Post. World's first mass-produced humanoid robot? china start-up fourier intelligence eyes two-legged robots with ai brains, July 6 2023. URL <https://www.scmp.com/tech/tech-trends/article/3230850/worlds-first-mass-produced-humanoid-robot-china-start-fourier-intelligence-eyes-two-leg>. Verified: GR-1 unveiling at WAIC Shanghai 2023, company background, mass production ambitions.
- [87] Humanoid.guide. Gr-1 - humanoid.guide, 2024. URL <https://humanoid.guide/product/gr-1/>. Verified: GR-1 product database - specifications, \$125,000 price, 2 hour runtime, 11 DOF hands.
- [88] Origin of Bots. Gr-2 by fourier intelligence: Price, details, review 2025, 2025. URL <https://www.originofbots.com/robot/gr-2-by-fourier-intelligence-details-specifications-rating>. Verified: Comprehensive GR-2 specifications - \$90,000-\$120,000 price range, 2.3 kWh battery, IP54 rating, available in 10 countries.

- [89] The Robot Report. Fourier intelligence launches production version of gr-1 humanoid robot, 2024. URL <https://www.therobotreport.com/fourier-intelligence-launches-production-version-of-gr-1-humanoid-robot/>. Verified: GR-1 production version details - 165 cm, 55 kg, 40 DOF, 50 kg payload, \$149,999.
- [90] New Atlas. Gr-1 general-purpose humanoid robot will carry nearly its own weight, 2023. URL <https://newatlas.com/robotics/fourier-gr1-humanoid-robot/>. Verified: GR-1 technical analysis - 50 kg payload approaching own weight, 300 Nm hip torque, 360° vision without LiDAR.
- [91] Interesting Engineering. Photos: Gr-1 robot tackles 'impassable areas' with 360 vision, June 2024. URL <https://interestingengineering.com/photo-story/fouriers-gr-1-vision-only-humanoid>. Verified: GR-1 vision-centric approach - 6 RGB cameras, no LiDAR/radar, cost efficiency strategy.
- [92] The Robot Report. Fourier launches gr-2 humanoid, software platform, October 2024. URL <https://www.therobotreport.com/fourier-launches-gr-2-humanoid-software-platform/>. Verified: GR-2 launch details - 175 cm, 63 kg, 53 DOF, 12-DOF hands, NVIDIA Isaac Lab support, Fourier Toolkit.
- [93] Interesting Engineering. Fourier's new gr-2 robot displays human-like motion and flexibility, 2024. URL <https://interestingengineering.com/innovation/fouriers-gr-2-upgraded-humanoid-robot>. Verified: GR-2 improvements - 12-DOF hands with tactile sensors, 380 Nm actuators, swappable battery.
- [94] Fourier Intelligence. Fourier gr-2, 2024. URL <https://www.fftai.com/products-gr2>. Verified: Official GR-2 product page - 12-DOF hands, 7 FSA actuator types, Fourier Toolkit with NVIDIA Isaac Lab/ROS/MuJoCo support.
- [95] PR Newswire. Fourier unveils the next-generation humanoid robot gr-2, October 2024. URL <https://www.prnewswire.com/news-releases/fourier-unveils-the-next-generation-humanoid-robot-gr-2-302262068.html>. Verified: Official press release - GR-2 unveiling with dual-encoder systems, integrated cabling design, VR/lead-through/direct command control.
- [96] NVIDIA Technical Blog. Spotlight: Fourier trains humanoid robots for real-world roles using nvidia isaac gym, 2024. URL <https://developer.nvidia.com/blog/spotlight-fourier-trains-humanoid-robots-for-real-world-roles-using-nvidia-isaac-gym>. Verified: NVIDIA partnership details - Isaac Gym for RL training, real-world role preparation.
- [97] PitchBook. Fourier intelligence 2025 company profile: Valuation, funding & investors, 2025. URL <https://pitchbook.com/profiles/company/229975-48>. Verified: Funding database - \$82.9M total across 7 rounds, Series D \$63.1M January 2022.
- [98] Tracxn. Fourier intelligence - raised \$82.9m funding from 8 investors, 2025. URL https://tracxn.com/d/companies/fourier-intelligence/_psPIjhM8w5QF7nLa7Q93hKsgcmTKNly4pE8iyEui0ss/funding-and-investors. Verified: Investor database - SoftBank Vision Fund (lead), IDG Capital, Hongshan Capital, Aramco Ventures, Shanghai government funds.

- [99] Robotuo. Robotuo – building an open ai robotics community, 2024. URL <https://robotuo.com/>. Verified: URL accessible - Robotuo is a Shenzhen-based platform providing robotics industry news, hardware sourcing services, and open source resources. Visual geographic maps of Chinese humanoid robotics companies attributed to this source.

A Geographic Company Distribution

China has emerged as a major center for humanoid robotics development, with significant company clusters in four major cities: Shenzhen, Shanghai, Beijing, and Hangzhou. This appendix catalogs 36 companies operating in this space, extracted from geographic mapping data showing their locations and representative robot designs.

The geographic distribution reveals strategic clustering around China's major technology hubs:

- **Shenzhen:** 11 companies, leveraging the city's electronics manufacturing ecosystem
- **Shanghai:** 10 companies, benefiting from the region's robotics and automation heritage
- **Beijing:** 10 companies, concentrated in the capital's research and development centers
- **Hangzhou:** 5 companies, emerging as a secondary cluster for robotics innovation

A.1 Data Sources

Data was extracted from visual geographic maps provided by Robotuo.com [99], showing the location and representative robots of major humanoid robotics companies in China. The information includes:

- Company names (both English and Chinese where available)
- Robot visual descriptions from accompanying imagery
- General geographic locations within each city
- Company logos and branding elements

The data was compiled from four separate city maps and organized into tabular format for analysis.

A.2 Shenzhen Companies

Shenzhen hosts 11 major humanoid robotics companies, distributed across districts including Bao'an, Nanshan, Longhua, Longgang, Futian, and Luohu. The city's established electronics manufacturing ecosystem provides strong support for robotics development.

Company Name	Robot Description	Location
ENGINEERIN	Sleek, dark grey/black humanoid with orange accents	Bao'an/Nanshan (NW)
乐聚机器人 / LEJU ROBOT	Large, predominantly black and white humanoid robot	Bao'an (NW/Central)
智平方 / AFROBOTICS	Light grey/white humanoid robot with a slim build	Bao'an/Longhua (N)
DOBOT	Dark grey/black humanoid robot with a complex, industrial look	Longhua/Bantian (NE)

Company Name	Robot Description	Location
UBTECH	White humanoid robot on a wheeled base	Longgang/Pingshan (E/NE)
星尘智能 / Astri-bot	White humanoid robot on a mobile, wheeled platform	Nanshan (SW)
赛博格机器人 / cyborg	White/grey humanoid robot in a dynamic pose	Nanshan/Shekou (SW)
LIMX DYNAMICS	White/grey humanoid robot with a streamlined design	Futian/Shenzhen Bay (Central S)
罗湖区 / DEX-FORCE	Distinctive bright yellow and black humanoid robot	Luohu (E Central)
X-ROBOT	White humanoid robot on a base, in a walking/posing stance	Longgang (E)

Table 3: *Humanoid robotics companies based in Shenzhen.*

A.3 Shanghai Companies

Shanghai represents China’s traditional robotics and automation hub, with 10 companies spread across districts including Jiading, Putuo, Baoshan, Yangpu, Jing’an, Hongkou, Minhang, Xuhui, and Pudong.

Company Name	Robot Description	Location
MATRIX	Plain white, tall humanoid robot	Jiading (NW)
WHALEROBOTS	Dark grey/black humanoid with a rounded head and walking stance	Putuo/Baoshan (NW)
KEPLER ROBOTICS	Yellow and black humanoid robot	Putuo/Jing’an (Central)
卓盛科技 / DroidUp	White humanoid with blue accents, performing a wave gesture	Baoshan/Yangpu (NE)
蚂蚁灵灵科技 / Robbyant	Black humanoid torso on a wide, white mobile base	Jing’an/Hongkou (NE Central)
TS ROBOT	Dark grey/black humanoid robot in a sitting/crouching pose	Minhang (SW)
SAGEBOT	White humanoid torso with multiple arms on a low, wide mobile base	Xuhui/Pudong (Central)

Company Name	Robot Description	Location
FOURIER	White/light grey humanoid robot with a robust build	Pudong (SE Central)
AGIBOT	White and blue/black humanoid robot with a sleek helmet-like head	Pudong (E)
人形机器人 / Humanoid Robot	Silver/white humanoid robot with a classic, industrial look	Pudong/International Airport (SE)

Table 4: *Humanoid robotics companies based in Shanghai.*

A.4 Beijing Companies

As China's capital and primary R&D center, Beijing hosts 10 humanoid robotics companies across districts including Haidian, Changping, Shunyi, Chaoyang, Tongzhou, Xicheng, Dongcheng, Daxing, and Fengtai.

Company Name	Robot Description	Location
NOETIX ROBOTICS	White humanoid robot with a simple, clean design	Haidian/Changping (NW)
BOOSTER ROBOTICS	Dark grey humanoid robot with a rounded head	Changping/Shunyi (N)
星图圆 GALAXEA	Dark grey humanoid on a mobile base with a large, segmented chest	Chaoyang/Capital Airport (NE)
CA\$BOT	White humanoid robot with red accents, performing a gesture	Chaoyang/Tongzhou (E)
源络科技 CORENETIC	Dark grey/black humanoid on a cylindrical mobile base	Tongzhou (E)
星纪动纪 ROBOTERA	Silver/grey humanoid robot with a dynamic, walking pose	Haidian (W)
银河通用机器人 / GALBOT	Dark grey/black humanoid with a distinct rectangular head design	Haidian/Xicheng (Central W)
北京人形机器人创新中心 / HUMANOID	White humanoid with visible joints and a slim build	Xicheng/Dongcheng (Central)

Company Name	Robot Description	Location
易动科技 / PHY-BOT	White and black humanoid with a smiling face and a hand raised	Daxing/Fengtai (S)
灵犀智能 / Deepmind Robotics	Dark grey/black humanoid on a compact mobile base	Daxing (S/SE)

Table 5: *Humanoid robotics companies based in Beijing.*

A.5 Hangzhou Companies

Hangzhou represents an emerging secondary cluster for robotics innovation, with 5 companies identified in the region.

Company Name	Robot Description	Location
蓝 芯 科 技 / LANXIN ROBOTICS	White/grey humanoid robot with blue accents	Western suburbs
智澄AI / Towards AGI	White and grey humanoid robot on a wheeled platform	West of city center
DEEPRobotics	Dark blue/black tall humanoid robot	North/Central
千寻智能 / Spirit AI	Dark grey/black humanoid robot on mobile base	Eastern districts
UNITREE	White and grey humanoid with visible articulation	Eastern districts

Table 6: *Humanoid robotics companies based in Hangzhou.*

B Source Geographic Maps

The following pages contain the original source geographic maps from Robotuo.com showing humanoid robotics company distribution across China’s major technology hubs.

B.1 Shenzhen Humanoid Robotics Ecosystem




Figure 69: Major Humanoid Robotics Companies in Shenzhen - Geographic distribution showing 11 companies across Shenzhen districts including ENGINEERIN, LEJU ROBOT, AFROBOTICS, DOBOT, UBTECH, Astribot, cyborg, LIMX DYNAMICS, DEXFORCE, and X-ROBOT with their representative robot designs and district locations. Source: Robotuo.com

B.2 Hangzhou Humanoid Robotics Ecosystem




Figure 70: Major Humanoid Robotics Companies in Hangzhou - Geographic distribution showing 5 companies including LANXIN ROBOTICS, Towards AGI, DEEPRobotics, Spirit AI, and UNITREE with their representative robot designs and approximate locations within the Hangzhou metropolitan area. Source: Robotuo.com

B.3 Shanghai Humanoid Robotics Ecosystem




Figure 71: Major Humanoid Robotics Companies in Shanghai - Geographic distribution showing 10 companies including MATRIX, WHALEROBOTS, KEPLER ROBOTICS, DroidUp, Robbyant, TS ROBOT, SAGEBOT, FOURIER, AGIBOT, and Humanoid Robot with their representative robot designs across Shanghai districts. Source: Robotuo.com

B.4 Beijing Humanoid Robotics Ecosystem




Figure 72: Major Humanoid Robotics Companies in Beijing - Geographic distribution showing 10 companies including NOETIX ROBOTICS, BOOSTER ROBOTICS, GALAXEA, CASBOT, CORENETIC, ROBOTERA, GALBOT, HUMANOID, PHYBOT, and Deepmind Robotics with their representative robot designs across Beijing districts. Source: Robotuo.com