

http:\\laavor.com

Isaac Laavor Copyright © 2019

Functions			
Name	Description		
LaavorContentNavigator	Is called to set animation		
	receive id of father html item and options see below		
LaavorMoveToPrevious		Return one item	
LaavorMoveToNext		Advance one item	
	Optio	ons	
Name	Туре	Description	
widthContent	рх	Width of box Content	
this coul		hardely of a leased De	
widthExternal	рх	Width of external Box	
height	рх	height of all item	
ileight.	lby.	neight of an item	
imageArrowPrevious	string	source of image	
		Default: "images/previous.png"	
imageArrowNext	string	source of image	
		Default: "images/next.png"	
imageArrowWidth	рх	width of imageArrow	
	PA.	Default:"54px"	
		•	
imageArrowHeight	рх	height of imageArrow	
		Default:"50px"	
1		l =	
elementItemHtml	string	Html Tag of father	
		Default: "Div"	
useExternalBorder	bool	if use border or Not in full box	
ace Ace Haibolaci	5001	Default: true	
useContentBorder	bool	if use border in Content	

borderColorExternal	color HTML	BorderColor of full box
		Default: "DeepSkyBlue"
	·	
borderColorContent	color HTML	BorderColor of content
		Default: "DeepSkyBlue"
	·	
backgroundColorExternal	color HTML	backgroundColor of all box
		Default: "None"
	·	•
backgroundColorContent	color HTML	backgroundColor of Content
		Default: "None"