

 PROJECT LAB SQUIRREL #1

實驗室松鼠第一期

 **NOTES**

<http://goo.gl/kMDtjt>

網站的運作方式

HOW DO WEBSITES WORK?

網域名稱

還是 IP

DOMAIN

—

IP

SERVER

—

BROWSER

伺服器/主機

瀏覽器

192.168.0.0

IP


GOOGLE.COM

DOMAIN


22.9500° N, 120.2000° E

Taiwan, Coordinates







CHROME, FIREFOX, IE
BROWSER



伺服器/主機
SERVER




給我 **HTTP://MUAN.CO/DOGE.HTML**



好，給你

200

OR




沒有這個東西

404

HTTP STATUS CODES


LIVE ON A SERVER



程式碼
CODE




資料庫
DATABASE



前端

FRONT-END




後端

BACK-END



資料庫

DATABASE




前端

FRONT-END

HTML

CSS

JAVASCRIPT



前端

FRONT-END




HTML



CSS

JAVASCRIPT



後端

BACK-END

RUBY

PYTHON

PHP

程式語言 PROGRAMMING LANGUAGES

語法 **SYNTAX**

HYPertext MARKUP LANGUAGE

<TITLE>MY WEBSITE</TITLE>

超文件標示語言

HTML

開口

内容

閉口

<title>My WEBSITE</title>

開口

ATTRIBUTE

VALUE

内容

閉口

<div class="name">muan</div>

^
分隔

連結名稱

<h1>大標</h1>

<h2>副標</h2>

<h3>中標</h3>

<h4>小標</h4>

<u>有底線的字</u>

粗體的字

**
**

CASCADING STYLE SHEETS

TABLE { COLOR: RED }

層疊樣式表

CSS

目標

KEY

VALUE

KEY

VALUE

```
table { color: red; padding: 10px }
```



分隔

HTML

```
<div class="red" id="muan-s-name">
```

MU-AN CHIOU

```
</div>
```

CSS

```
div { color: blue }
```

HEY HUMAN!
THERE MIGHT BE 20 HUMANS.

```
.red { color: red }
```

HEY GIRL!
THERE MIGHT BE 10 GIRLS.

```
#muan-s-name { color: purple }
```

HEY MU-AN!
THERE IS ONLY ONE PERSON
CALLED MU-AN!
SO THIS RULES!


GITHUB PAGES

分享給全！世！界！

GIT

REPOSITORY

程式資料夾



COMMIT

承諾/提交



BRANCH

分支/平行世界



DIFF

差異



PAGES.GITHUB.COM
GITHUB.COM/LAB-SQURRIEL

 PROJECT LAB SQUIRREL #1

下次見 <3