

0.1uF


GND

HOLD


FM25LB

WP

P3




Timing Circuit





M	Coilcube	


REV: 2v0


Date: 11/26/13 2:30 PM | Sheet: 1/2





















8









	Sheet1	
Qty Value 40.1uF 11uF 12.2uF 14.7uF 110uF 147uF 5100uF 25V 1 SCREW-TERMINAL_2_0.100 110uH 34.7k 14.7M 2 NCHAN_MOSFET 1 NCHAN_MOSFET 1 EPIC-CORE_A 1 LTC3588_	Sheet1 Device C-EUC0603 C-EUC0603 CAP_POLEA1MM5 C-EUC0603 C-EUC1206 CAP_POL1206 2917_CAP_POL SCREW-TERMINAL_2_0.100 INDUCTOR1210 R-US_R0603 R-US_R0805 NCHAN_MOSFET NCHAN_MOSFET EPIC-CORE_A LTC3588_	Package C0603 C0603 CPOL_EEA_1MM5 C0603 C1206 EIA3216 2917_CAP_POL CONN_BLOCK_2 1210 R0603 R0805 NCHAN_MOSFET NCHAN_MOSFET EPIC-LCC68 MSOP-10-GNDPAD
1 FM25LB	FM25LB	SOIC_8

	Sheet1	
Parts C1, C2, C3, C4 C5 C6 C7 C8 C9	Description CAPACITOR, European symbol Capacitor Polarized	DIGIKEY 445-1316-1-ND 445-1321-1-ND P14506-ND 445-5178-1-ND 399-8152-1-ND 399-3700-1-ND
C10, C11, C12, C13, C14 J1 L1 R1, R2, R3 R4 T1, T2 T3 U1	2x 0.100 in screw terminal block Inductors RESISTOR, American symbol RESISTOR, American symbol	399-5175-1-ND 277-1273-ND 587-1625-1-ND P4.7KGCT-ND P4.7MACT-ND SI1302DL-T1-GE3CT-ND 568-3244-1-ND
U2 U3	Energy Harvesting Power Supply	LTC3588EMSE-1#PBF-ND 428-3210-ND