





















Qty Value Device

1 FRACTUS-2.4GHZ-FR05-S1-N-0-102 FRACTUS-2.4GHZ-FR05-S1-N-0-102

1 BAL-NRF01D3 BAL-NRF01D3 10.8pF **CAPACITOR** 212pF **CAPACITOR** 2 1nF **CAPACITOR** 12.2nF **CAPACITOR** 147nF **CAPACITOR** 30.1uF **CAPACITOR** 1 1uF **CAPACITOR** 14.7uF **CAPACITOR**

2 BICOLOR-THRUHOLE BICOLOR-THRUHOLE

1 BLUE LED0603

 1 15nH
 INDUCTOR0402

 1 10uH
 INDUCTOR0603

4 MOSFET-NCHANNELXFDN-3 MOSFET-NCHANNELXFDN-3

4 470 RESISTOR
2 1k RESISTOR
1 12k RESISTOR
1 TL3315NF100Q TL3315NF100Q
1 NRF51822QF NRF51822QF
1 ADXL362 ADXL362
1 16MHz TXC-8Y

Package	Parts
FRACTUS-ANTENNA-FR05-S1-N-0-102	
BAL-NRF01D3	B1
0402_CAP	C1
0402_CAP	C2, C3
0402_CAP	C4, C5
0402_CAP	C6
0402_CAP	C7
0402_CAP	C8, C9, C10
0402_CAP	C11
0402_CAP	C12
3AXIS-0.1IN	D1, D2
LED-0603	D3
0402_CAP	L1
0603_CAP	L2
XFDFN-3	Q1, Q2, Q3, Q4
0402_RES	R1, R2, R3, R4
0402 RES	R5, R6
0402 RES	R7
TL3315NF100Q	S1
QFN-48-6MM	U1
TFLGA-16/3.3MMX3.1MM	U2
TXC-8Y	X1

Description

Fractus Compact Reach XtendTM chip antenna is engineered specifically for Bluetooth, 50 ohm nominal input / conjugate match balun to nRF51422-QFAA,

0402 Capacitor

3 axis thru-hold LED

LEDs

Generic NMOS footprint

Resistor

Resistor

Resistor

SWITCH TACTILE SPST-NO 0.05A 15V

Multiprotocol Bluetooth® 4.0 low energy/2.4 GHz RF SoC

IC ACCEL DIG LO PWR 3AX 16LGA

2mmx1.6mm SMD Crystal

DIGIKEY	MOUSER	NEWARK	RICHARDSON_RFPD FR05-S1-N-0102B
497-13637-1-ND 490-6269-1-ND 490-6197-1-ND 490-1303-1-ND 490-5419-1-ND 445-1264-1-ND 445-4952-1-ND 1276-1513-1-ND 445-5947-1-ND	511-BAL-NRF01D3		
587-1521-1-ND 490-4025-1-ND DMN2400UFB4-7DICT-ND RHM470CDCT-ND RHM1.0KCECT-ND RHM12.0KCDCT-ND EG4620CT-ND 1490-1042-1-ND ADXL362BCCZ-RL7CT-ND 887-2003-1-ND	949-NRF51822-QFAC-R7	47W0478	