




Generate explanations for time-series classification by ChatGPT

Xue Zhechang

CHAIR FOR PERVASIVE COMPUTING SYSTEMS, INSTITUTE OF TELEMATICS, DEPARTMENT OF COMPUTER SCIENCE



Outlines




- Motivation
- Reason of using ChatGPT
- A preliminary experiment
- Methodology
- Evaluation

Motivation



- Problem: Current methods to explain time series are **not user-friendly** for **non-researchers**.
- Idea: Use ChatGPT to explain why the feature can contribute to the classification
- Benefit:
 - User-friendly and easy-accessible.
 - Link features to knowledge in other fields.






Reason of using ChatGPT

Related Works



- Forecasting via Prompt
 - Prompt-based method > numerical-based in forecasting time-series data
 - ■Big advantage in zero-shot (RMSE: 70 vs 7)
- Casual inference
 - ■GPT can generate causal graphs in a high accuracy (about 70%)
 - Helpful in combining domain knowlegge to classification.




PROMPTCAST: A NEW PROMPT-BASED LEARNING PARADIGM FOR TIME SERIES FORECASTING, Hao Xue, Flora D. Salim, https://arxiv.org/abs/2210.08964 Can Large Language Models Build Causal Graphs?, Stephanie Long, Tibor Schuster, Alexandre Piché, https://arxiv.org/abs/2303.05279

A preliminary experiment

Daily total female births in California in 1959





Cyclicity relatively strong.

Autocorrelation significantly


- Social contagion
- Medical scheduling
- Reporting and registration processes

Generate explanations for time-series classification by ChatGPT

Methodology

General pipeline





Evaluation



- Research object: Time-series datasets about human activity recognition
 - ■1 basic movement (pick up, shake...) & 2 advanced (basketball, brush teeth...)
 - Intuitively understandable explanation
- ■Target:
 - Stable desired answer
 - ■Better prompt, avoiding incorrect answer or unwished format
 - Prove to be reliable
 - Correct casual inference
 - ■Good consistency
 - Modify original data to strongly affect feature