

Sexual Health Program — Customer Journey (A to Z)

Customer Types

Phase 1 is exclusively for the **Lab Customer (Post-Test)** — the customer who already has existing hormone or testosterone results. The doctor reviews them and prescribes without ordering new lab work. **Phase 2** will bundle a lab test into the package for customers who arrive without results. Pharmacy referral and ads customers are currently served through consultation-only flows — these are **not Phase 1**; they are independent customer types in the current build.

Priority note: Two customer types are equally **PRIMARY** for the sexual health program: (1) the **post-test lab customer** whose results reveal sexual health indicators — the doctor can identify this from any panel (hormones, testosterone, obesity, general checkup) and proactively offer the program; and (2) the **pharmacy referral customer** who visits asking about sexual health medications (sildenafil, tadalafil) — very high-intent. Ads customers require more trust-building and are a growth channel.

Priority	#	Customer Type	Phase	Entry Point	Who Pays (Initial Consult)
Primary	1	Lab Customer (Post-Test)	Phase 1 	Lab org portal — patient brings existing hormone / testosterone results, no new test ordered	Lab subscription bundle
Primary	2	Pharmacy Referral — No Lab Test	Current 	Pharmacy org portal — customer asks about sildenafil / tadalafil (consultation-only)	Pharmacy bundle (standard consultation)
Secondary	3	Pharmacy Referral — With Lab Test	Phase 2 	Pharmacy org portal → doctor orders hormone / testosterone panel within package	Package pricing (Phase 2)
Growth	4	Ads Customer	Current 	TikTok / Instagram / Snap → sexual health page	Self-pay (sexual health subscription)

TYPE 1 PRIMARY (Phase 1): Patient Visits Lab → Gets Post-Test Consultation → Doctor Identifies Sexual Health Indicators → Discreetly Offers Program

Note: The primary flow is **post-test** — the doctor reviews hormone or testosterone panel results and identifies sexual health indicators. The doctor can also identify this from any lab panel (obesity, general checkup) and proactively offer the program discreetly.

⚠ Phase 1: The package does **NOT** include ordering a new lab test. The customer visits the lab independently and arrives with their existing results. Steps 6a/6b/6c below (doctor ordering additional tests from within the app) are a **Phase 2** feature — not yet implemented.

1. يزور العميل المختبر لإجراء تحاليل (هرمونات، تستوستيرون، أو فحص عام)
2. يحصل العميل على استشارة من لابس — سواء قبل ظهور النتائج (pre-test) أو بعدها (post-test) — المختبر يرسلها من بوابة المنشأة
3. يدخل العميل الاستشارة عبر الرابط المرسل على واتساب
4. يراجع الدكتور نتائج التحاليل — إذا كشفت النتائج عن مؤشرات لمشكلة صحة جنسية، يشرح الدكتور البرنامج بسرية تامة ويرسل رابط الاشتراك للعميل داخل المحادثة
5. **(شرطي — عند الحاجة لتحاليل إضافية)** يرسل الدكتور معلومات المريض لمدير المختبر عبر الواتساب مباشرة من تطبيق الدكتور — يُسجل النظام تلقائياً: اسم المختبر، رقم جوال المدير، وقت الإرسال، رقم الاستشارة، واسم الدكتور
6. **(شرطي — تابع)** يستلم مدير المختبر رسالة الواتساب — يجري التحليل — ثم يدخل إلى تبويب “طلبات التحليل” في بوابة لابس، يرفع ملف النتيجة PDF، ويضغط “إرسال الاستشارة للدكتور” — يتلقى الدكتور استشارة post-test جديدة لا تُخصم من باقة المختبر ولا من باقة الصحة الجنسية
7. يدخل العميل إلى صفحة البرنامج، يكمل استبيان سري، ثم إتمام عملية الدفع — **(مشارك)**
8. تصل إلى العميل رسالة تؤكد نجاح الاشتراك، وتتضمن رابطاً للدخول مباشرة إلى استشارة جديدة — **(مشارك)**
9. يدخل العميل إلى الاستشارة الجديدة مباشرة عبر الرابط (ليست الاستشارة الأصلية مع المختبر) — **(مشارك)**
10. **(للدكتور)** يقبل الدكتور الاستشارة ويرى: مصدر العميل، الباقة المفصلة، إجابات الاستبيان السري، ونتائج التحاليل الأصلية — **(مشارك)**
11. يُصدر الدكتور وصفة طبية مخصصة — **(مشارك)**
12. **(للأدمن)** يتحقق الأدمن من إرسال الرابط للعميل، ويختار الصيدلية الشريكة ويرسل الوصفة إليها بشكل سري
13. تصل الوصفة مباشرة لمدير الصيدلية، والتوصيل يتم بشكل سري — **(مشارك)**

#	Participant	Function	Action	Info Seen / Sent / Received
1	Customer	B2B	Visits the lab for blood work (hormones, testosterone, general panel).	—
2	Lab — org portal	B2B	Opens the Labass org portal. Enters the patient's phone number. Selects <i>pre-test</i> or <i>post-test</i> consultation type. Uploads results PDF if post-test. Submits.	• Remaining bundle count decreases by 1
3	System → Customer	Tech	Sends the patient a WhatsApp + SMS with a one-time consultation link.	• Patient receives: link to enter the consultation chat
4	Customer	Tech	Clicks the link and enters the consultation chat.	—
5	Doctor	Medical	Sees the new consultation in their feed and accepts it.	• Patient name, phone, consultation type, results PDF (if post-test) • Source label: “من المختبر — [lab name]” • Whether patient already has an active sexual health subscription
6	Doctor ↔ Customer	Medical	Reviews results privately. Identifies sexual health indicators. Recommends the sexual health program with discretion.	—
6a (🚧 Phase 2 — not in current build)	Doctor → Lab Manager	Medical	If additional tests are needed: Doctor clicks “إرسال للمختبر” in the doctor app. Selects the lab and enters the lab manager's phone. Submits.	• Lab manager receives WhatsApp: patient name, phone, doctor's note • System logs: lab_referral_id, lab_name, lab_manager_phone, sent_at, consultation_id, doctor_name

#	Participant	Function	Action	Info Seen / Sent / Received
6b (🔥 Phase 2 — not in current build)	Lab Manager	B2B	Receives referral. Runs the test. Opens “طلبات التحليل” tab → uploads PDF → clicks “إرسال الاستشارة” للدكتور.	• Post-test consultation created • NOT deducted from any bundle — free post-test consultation
6c (🔥 Phase 2 — not in current build)	Doctor	Medical	Receives the post-test consultation. Reviews the additional lab results.	—
7	Doctor	Medical	Closes the consultation. System sends the patient the sexual health program link.	—
8	System → Customer	Marketing	Automatically sends the patient the program link via WhatsApp after consultation closes.	• بناءً على نتائجك، قد يساعدك “برنامج الصحة الجنسية” + pro-program link (discreet wording)
9	Customer	Sales	Visits the sexual health page. Fills out the confidential intake form. Selects a plan. Pays.	—
10	System	Tech	Payment confirmed. Subscription activated. Creates new consultation and sends entry link.	• Patient receives discreet WhatsApp: “تم الاشتراك — ادخل استشارتك” + link
11	Doctor	Medical	Accepts the sexual health consultation. Reviews source, subscription plan, intake answers, and original lab results. Issues prescription.	—
12	Admin	Ops	Assigns to a partner pharmacy. Sends prescription discreetly.	—
13	Pharmacy	Ops	Dispenses and ships discreetly.	—

TYPE 2 PRIMARY (Current

This flow is **consultation-only**. No lab test is ordered or included. The doctor assesses the patient through a confidential intake form and a discreet verbal consultation — then prescribes based on symptoms and health history only. Lab testing within the pharmacy referral flow is a **Phase 2** feature — see TYPE 3 below.

1. يزور العميل الصيدلية يسأل عن دواء للصحة الجنسية
2. الصيدلية ترسل استشارة صحة جنسية سرية من بوابة المنشأة (لا تُخصم من باقة الصيدلية)
3. يحصل العميل على رابط الاستشارة عبر واتساب
4. يدخل العميل الاستشارة بسرية، ويكمل الاستبيان السري
5. يقوم الدكتور بمراجعة الحالة وإصدار وصفة طبية، ويرسل رابط صفحة البرنامج للعميل — لا يوجد تحليل مخبري في هذه المرحلة
6. يدخل العميل إلى الصفحة، يكمل التسجيل، ثم إتمام الدفع — (مشارك)
7. تصل إلى العميل رسالة تؤكد الاشتراك مع رابط استشارة جديدة — (مشارك)
8. يدخل العميل الاستشارة الجديدة المرتبطة بالباقة — (مشارك)
9. يُصدر الدكتور الوصفة الطبية المخصصة بناءً على الأعراض والاستبيان السري — (مشارك)
10. يرسل الدكتور الوصفة مباشرة لتلك الصيدلية المصدر
11. ترسل الوصفة لمدير الصيدلية — التوصيل يتم بشكل سري — (مشارك)

#	Participant	Function	Action	Info Seen / Sent / Received
1	Customer	B2B	Visits pharmacy asking about sexual health medication.	—
2	Pharmacy — org portal	B2B	Opens Labass portal. Enters patient phone number. Selects sexual health consultation type. Submits.	• NOT deducted from bundle — free referral consultation
3	System → Customer	Tech	Sends discreet WhatsApp + SMS with one-time consultation link.	—
4–9	Doctor ↔ Customer	Medical	Discreet consultation. Intake form review. Prescription issued based on symptoms only — no lab test . Program link sent to customer.	—
10–13	Subscription flow	Sales + Medical	Same as TYPE 1 steps 9–13.	—

TYPE 3 🌸 Phase 2: Pharmacy Refers Patient → Doctor Orders Hormone/Testosterone Panel Within Package → Prescribes Based on Results — Not Yet Built

🚧 **Phase 2 — Not yet implemented.** In this future flow, the doctor will be able to order a hormone or testosterone panel as part of the sexual health subscription. The lab collects the sample discreetly (home collection), runs the panel, and uploads results to Labass. The doctor reviews findings and prescribes with clinical confidence. **No implementation date set.**

What changes in Phase 2	Details
Package price increases to cover lab test	Hormone/testosterone panel cost bundled into subscription pricing
Doctor orders test from within the consultation	Requires “إرسال للمختبر” feature in doctor app — discreet patient communication
Lab uploads results to Labass org portal	Via “طلبات التحليل” tab (built, awaiting backend)
Doctor receives free post-test consultation	Not deducted from any package
Prescription refined based on actual hormone levels	Higher clinical accuracy, especially for testosterone-based treatments

TYPE 4 🟢 (Current ✅): Customer Finds Ad (TikTok/Instagram) → Subscribes Directly → Doctor Prescribes Based on Confidential Intake Form (No Lab Test)

This flow is **consultation-only**. No blood test is ordered or included.

1. يرى العميل إعلاناً (تيك توك / إنستغرام / سناب) ويضغط عليه
2. يصل إلى صفحة الصحة الجنسية ويكمل استبيان سري
3. يُكمل عملية الدفع والاشتراك
4. تصل إلى العميل رسالة تؤكد الاشتراك مع رابط استشارة جديدة — (مشترك)
5. يدخل الاستشارة ويتواصل مع الدكتور — لا يوجد تحليل مخبري في هذه المرحلة — (مشترك)
6. يُصدر الدكتور الوصفة الطبية بناءً على الأعراض والاستبيان — (مشترك)
7. يتحقق الأدمن ويرسل الوصفة للصيدلية الشريكة — التوصيل سري — (مشترك)

GAPS — What Needs to Be Built

#	Gap	Who is blocked	Severity	Notes
1	Source label in doctor app (“من الصيدلية” — [name]) or “من المختبر” — [name])	Doctor, Admin	 High	Affects prescription routing (pharmacy source → send Rx back to that pharmacy)
2	Active subscription check — if patient already sub- scribed, show badge in doctor consultation	Doctor	 Medium	Prevents duplicate subscriptions
3	Automatic program link sent after consultation closes	System → Customer	 High	Core conversion mechanism
4	Discreet consultation type in org portal — pharmacy selects “sexual health”	Pharmacy	 High	Needed for pharmacy referral flow
5	Lab referral feature — doctor sends to lab man- ager, lab uploads, free post-test consultation	Doctor, Lab Manager	 Medium	Backend: <code>POST /lab-referrals</code> , <code>POST /consultations/create- from-referral</code>
6	Discreet packaging and delivery confirmation	Admin, Pharmacy	 Medium	Labass sends prescription noting dis- creet delivery required
7	Admin dashboard: sub- scriber list with source, plan, consultation status, prescription status	Admin	 Medium	Same dashboard as vitamins/obesity — filter by program type

What Currently EXISTS for Sexual Health

Component	Status	Notes
<code>/sexualHealth</code> landing page	✓ BUILT	Full marketing page with packages and pricing
Patient consultation flow (WhatsApp link → chat)	✓ BUILT	General consultation flow — works for sexual health
Org portal — pharmacy consultation send	✓ BUILT	<code>createBundleConsultation</code> with free consultation override
Org portal — lab consultation send (pre/post-test)	✓ BUILT	Same as vitamins/obesity
Source label in doctor app	✗ NOT BUILT	
Automatic program link on consultation close	✗ NOT BUILT	
Lab referral tab in org portal	✗ NOT BUILT (awaiting backend)	
Admin subscriber dashboard	✗ NOT BUILT	