

Obesity Program — Customer Journey (A to Z)

Three Customer Types

Priority note: The post-test lab customer is the PRIMARY and highest-converting customer type, identical to the vitamins program. The lab customer arrives pre-qualified (has done obesity-related blood work, already in a consultation with a doctor), making them the most likely to subscribe. Pharmacy customers already intend to purchase Mounjaro or Ozempic — they simply need the prescription. Ads customers require the most education before converting.

Priority	#	Type	Entry Point	Who Pays for Initial Consultation?
 PRIMARY	1	Post-Test Lab	Lab org portal (post_test consultation — obesity panel)	Lab subscription bundle
 Secondary	2	Pharmacy Referral	Pharmacy org portal — customer asks for Mounjaro / Ozempic	Pharmacy bundle (standard consultation)
 Growth	3	Ads Customer	TikTok / Instagram / Snap → obesity program page	Self-pay (obesity subscription)

TYPE 1: Post-Test Lab Customer PRIMARY

1. يزور العميل المختبر لإجراء تحاليل مرتبطة بالوزن والسمنة (سكر، هرمونات الغدة الدرقية، دهون الدم، HbA1c)
2. يحصل العميل على استشارة من لابس بعد ظهور نتائج التحليل (المختبر يرسلها من بوابة المنشأة)
3. يدخل العميل الاستشارة عبر الرابط المرسل على واتساب
4. يراجع الدكتور نتائج التحاليل مع العميل ويناقش حالته الصحية — يشرح الدكتور برنامج السمنة ويرسل رابط الاشتراك للعميل داخل المحادثة
5. يدخل العميل إلى صفحة البرنامج، يكمل تقييم طبي مفصل، ثم إتمام عملية الدفع — (مشارك)
6. تصل إلى العميل رسالة تؤكد نجاح الاشتراك، وتتضمن رابطًا للدخول مباشرة إلى استشارة السمنة الجديدة — (مشارك)
7. يدخل العميل إلى الاستشارة الجديدة مباشرة عبر الرابط (ليست الاستشارة الأصلية مع المختبر) — (مشارك)
8. (الدكتور) يقبل الدكتور الاستشارة ويرى: مصدر العميل، الباقة المفضلة، إجابات التقييم الطبي، ونتائج التحاليل الأصلية من المختبر — (مشارك)
9. يُصدر الدكتور وصفة طبية بدواء مونجارو أو اوزمبيك مع جرعة البداية الموصى بها وخطة الغذاء والرياضة — (مشارك)
10. (للأدمن) تظهر قائمة بجميع المشتركين مع الباقيات والاستشارات المنفذة، ويظهر مصدر كل عميل (مختبر / صيدلية / إعلان) — (مشارك)
11. يتحقق الأدمن من إرسال الوصفة، ويختار الصيدلية الشريكة ويرسل الوصفة إليها
12. تصل الوصفة مباشرة لمدير الصيدلية — تُصرف الأدوية وتُشحن للعميل — (مشارك)

#	Participant	Function	Action	Info Seen / Sent / Received
1	Customer	B2B	Visits the lab for obesity-related blood tests (fasting glucose, HbA1c, TSH, lipid panel, CBC).	—
2	Lab — org portal	B2B	Opens the Labass org portal. Enters the patient's phone number. Selects post-test consultation type (obesity panel). Uploads the lab results PDF. Submits.	• Remaining bundle count decreases by 1

3	System → Customer	Tech	Sends the patient a WhatsApp + SMS with a one-time consultation link.	• Patient receives: link to enter the consultation chat
4	Customer	Tech	Clicks the link and enters the consultation chat.	—
5	Doctor	Medical	Sees the new consultation in their feed and accepts it.	• Patient name, phone, consultation type (post-test), lab results PDF • Source label: "من المختبر — [lab name]" <i>(to be built)</i> • Whether patient already has an active obesity subscription <i>(to be built)</i>
6	Doctor ↔ Customer	Medical	Reviews the lab results together. Assesses BMI, metabolic markers, and candidacy for GLP-1 therapy. Explains Mounjaro and Ozempic. Sends the obesity program subscription link inside the chat.	—
7	Doctor	Medical	Closes the consultation.	—
8	System → Customer <i>(to be built)</i>	Marketing	The moment the post-test consultation closes, automatically sends the patient the obesity program link via WhatsApp as a fallback (in case the doctor forgot).	• Patient receives: "بناءً على نتائج تحاليلك، قد تكون مؤهلاً + لبرنامج إنقاص الوزن الطبي" + obesity page link • 🚩 Requires Meta WhatsApp template approval
9	Customer	Sales	Visits the obesity program page. Clicks "اشترك الآن". Fills in the medical assessment: name, phone, age, height, weight (BMI auto-calculated), city, health goals, current medications, medical history (diabetes, heart disease, thyroid, pancreatitis history). Selects a plan. Verifies phone via OTP. Pays via card or Apple Pay.	—
10	System <i>(to be built)</i>	Tech	Payment confirmed. Subscription activated. Automatically creates a new obesity consultation and sends the customer a direct entry link. If WhatsApp delivery fails, falls back to SMS.	• Patient receives: WhatsApp/SMS — "تم الاشتراك بنجاح! ادخل استشارتك الآن" + direct consultation link • Success page shows "ادخل استشارتك الآن" button

11	Customer	Tech	Clicks the link and enters the new obesity consultation.	—
12	Doctor	Medical	Accepts the obesity consultation.	• Source — lab name and panel type • Subscription — plan name, activation date • Medical assessment — BMI, current meds, full medical history, health goals • Lab results — original obesity panel PDF from the post-test consultation <i>(to be built)</i> • Contraindication flags — system highlights if patient reported thyroid cancer history, pancreatitis, or is on insulin <i>(to be built)</i>
13	Doctor → Patient	Medical	Reviews all context. Selects Mounjaro or Ozempic based on patient profile. Issues a prescription with starting dose, titration schedule, meal plan, and exercise plan.	• Patient receives: prescription PDF + meal plan via WhatsApp
14	Admin <i>(to be built)</i>	Ops	Opens the obesity subscriber dashboard. Sees all active subscribers with plan, consultation status, and prescription status. Sees each patient's source to determine prescription routing. Selects a Labass partner pharmacy (registered for GLP-1 dispensing) and sends the prescription.	• Subscriber name, plan, source, consultations completed, prescription status •  obesity link sent after lab consultation closed /  not sent • Pharmacy manager receives: prescription PDF + patient details via WhatsApp
15	Pharmacy Manager	Ops	Receives the prescription. Verifies SFDA compliance. Dispenses Mounjaro or Ozempic. Ships with cold chain packaging to the patient.	—
16	System / Doctor <i>(to be built)</i>	Medical	Monthly follow-up consultation created automatically on subscription renewal. Patient notified to book a weight check-in. Doctor reviews weight loss progress, side effects, and adjusts dose if needed.	• Doctor sees: weight at enrollment vs. current, medications dispensed, notes from previous consultations

TYPE 2: Pharmacy Referral Customer

1. يزور العميل الصيدلية ويطلب صرف مونجارو أو اوزمبيك
2. يشرح له الصيدلاني أن هذه الأدوية تستلزم وصفة طبية من طبيب متخصص
3. الصيدلية ترسل استشارة من بوابة المنشأة (تُخصم من باقة الصيدلية)
4. يحصل العميل على رابط الاستشارة عبر واتساب
5. يدخل العميل الاستشارة — يقوم الدكتور بتقييم الحالة ويشرح برنامج السمعة، ثم يرسل رابط الاشتراك للعميل داخل المحادثة
6. يدخل العميل إلى صفحة البرنامج، يكمل التقييم الطبي، ثم إتمام عملية الدفع — (مشارك)
7. تصل إلى العميل رسالة تؤكد نجاح الاشتراك، وتتضمن رابطًا لطلب استشارة سمعة جديدة — (مشارك)
8. يدخل العميل إلى الاستشارة الجديدة — يقوم الدكتور بإصدار وصفة طبية لمونجارو أو اوزمبيك — (مشارك)
9. يرسل الدكتور الوصفة مباشرة لتلك الصيدلية (مصدر الاستشارة) — (مشارك)
10. تصل الوصفة لمدير الصيدلية — يصرف الدواء ويشحنه للعميل — (مشارك)

#	Participant	Function	Action	Info Seen / Sent / Received
1	Customer	B2B	Walks into a pharmacy and asks for Mounjaro or Ozempic by name. Pharmacist explains a medical prescription is required and offers to connect them with a Labass doctor.	—
2	Pharmacy — org portal	B2B	Opens the Labass org portal. Enters the patient's phone number. Selects the appropriate consultation type. Submits.	• Bundle count decreases by 1
3	System → Customer	Tech	Sends the patient a WhatsApp with a consultation link.	• Patient receives: "صيدلية: [اسم الصيدلية] وصلتك باستشارة طبيب متخصص في + "برنامج إنقاص الوزن consultation link"
4	Customer	Tech	Clicks the link and enters the consultation chat.	—
5	Doctor	Medical	Accepts the consultation.	• Source: "— من الصيدلية: [pharmacy name]" (to be built) • No lab results yet (patient may need blood work first) • Not yet subscribed to obesity program (to be built)
6	Doctor ↔ Customer	Medical	Assesses the patient's health status verbally. Discusses Mounjaro vs. Ozempic, program structure, pricing. If the doctor judges that blood tests are needed before prescribing, requests a	—

			lab panel. Sends the obesity program subscription link inside the chat.	
7	Doctor	Medical	Closes the consultation.	—
8	Customer	Sales	Visits the obesity program page. Completes the medical assessment (height, weight, BMI, medical history, current medications). Selects a plan. Verifies phone via OTP. Pays.	—
9	System (to be built)	Tech	Payment confirmed. Subscription activated. System sends the customer a direct consultation link.	• Patient receives: WhatsApp/SMS — "تم الاشتراك بنجاح! ادخل استشارتك الآن" + direct consultation link
10	Customer	Tech	Enters the new obesity consultation linked to their subscription.	—
11	Doctor	Medical	Accepts the obesity consultation.	• Source: "من الصيدلية" — [pharmacy name]" • Subscription plan + active status • Medical assessment (BMI, history, current meds) • Contraindication flags (to be built)
12	Doctor → Patient	Medical	Issues a prescription for Mounjaro or Ozempic with starting dose and titration schedule. Issues meal plan and exercise guidance.	• Patient receives: prescription PDF + meal plan via WhatsApp
13	Doctor → Pharmacy (to be built)	Medical	Since the patient came from this pharmacy and it dispenses GLP-1 drugs, the doctor sends the prescription directly to the source pharmacy. No admin involvement.	• Pharmacy manager receives: prescription PDF via WhatsApp
14	Pharmacy Manager	Ops	Receives the prescription. Dispenses Mounjaro or Ozempic. Ships to the patient.	—

TYPE 3: Ads Customer

1. يرى العميل إعلاناً عن برنامج إنقاص الوزن على تيك توك أو إنستقرام أو سناب شات
2. يدخل العميل مباشرة إلى صفحة برنامج السمنة عبر رابط الإعلان
3. يقرأ عن البرنامج ويكمل التقييم الطبي، ثم إتمام عملية الدفع — (مشارك)
4. تصل إلى العميل رسالة تؤكد نجاح الاشتراك، وتتضمن رابطاً لطلب استشارة جديدة — (مشارك)
5. يطلب العميل استشارة سمنة جديدة مرتبطة بالباقة عبر الرابط المرسل — (مشارك)

6. يدخل العميل إلى الاستشارة — يقوم الدكتور بالتقييم وإصدار الوصفة الطبية — (مشارك)
7. (للأدمن) تظهر قائمة بالعملاء المشتركين مع الباقات والاستشارات، ومصدر كل عميل — (مشارك)
8. يقوم الأدمن باختيار صيدلية شريكة لصرف الأدوية وإرسال الوصفة إليها
9. ترسل الوصفة مباشرة لمدير الصيدلية — تُصرف الأدوية وتُشحن للعميل — (مشارك)

#	Participant	Function	Action	Info Seen / Sent / Received
1	Customer	Marketing	Sees an ad on TikTok, Instagram, or Snap. Clicks and lands on the obesity program page.	—
2	Customer	Sales	Reads about the program — how GLP-1 works, what's included, pricing, FAQ. Clicks "اشترك الآن". Completes the medical assessment: name, phone, age, height, weight, city, health goals, medical history, current medications. Selects a plan. Verifies phone via OTP. Pays via card or Apple Pay.	—
3	System (to be built)	Tech	Payment confirmed. Subscription activated. System sends customer a direct consultation link.	• Patient receives: WhatsApp/SMS — تم " الاشتراك بنجاح! ادخل direct link + "استشارتك الآن" • Success page shows "ادخل استشارتك الآن" button
4	Customer	Tech	Enters the obesity consultation linked to their subscription.	—
5	Doctor	Medical	Accepts the consultation.	• Source: "اشترك مباشر" • Subscription plan + active status • Full medical assessment (BMI, history, current meds, health goals) • Contraindication flags (to be built)
6	Doctor ↔ Customer	Medical	Reviews assessment. If blood tests are needed before prescribing, orders an obesity lab panel (may be included in the program, or the patient visits a partner lab).	—

7	Doctor → Patient	Medical	Issues the GLP-1 prescription (Mounjaro or Ozempic) with dose and titration plan, meal plan, and exercise guidance.	• Patient receives: prescription PDF + meal plan via WhatsApp
8	Admin (to be built)	Ops	Opens the obesity subscriber dashboard. Finds this patient (no linked pharmacy). Selects a Labass partner pharmacy registered for GLP-1 dispensing. Sends the prescription.	• All active subscribers (name, plan, source: lab / pharmacy / direct) • Patients with no assigned pharmacy highlighted for action • Pharmacy manager receives: prescription PDF via WhatsApp
9	Pharmacy Manager	Ops	Receives the prescription. Verifies SFDA compliance. Dispenses Mounjaro or Ozempic. Ships with cold chain packaging.	—

What EXISTS Today

Feature	Status
Lab creates post_test consultation from org portal (bundle-based)	✅ EXISTS
WhatsApp + SMS magic link sent to patient	✅ EXISTS
Patient enters consultation via magic link	✅ EXISTS
Doctor sees new consultation in feed and accepts	✅ EXISTS
Doctor sends obesity program link manually in chat	✅ EXISTS (manual)
Obesity program landing page with symptoms, plans, FAQ, and FDA badge	✅ EXISTS
Subscribe wizard (plan → info → OTP → confirm)	✅ EXISTS
Payment via MyFatoorah (card / Apple Pay)	✅ EXISTS
Subscription activated on payment webhook	✅ EXISTS
Doctor issues prescription (drugs + PDF)	✅ EXISTS
Prescription PDF sent via WhatsApp to patient	✅ EXISTS

What's MISSING

GAP 1 — Obesity Consultation Linked to Subscription (Not Lab Bundle)

Problem: After paying for the obesity subscription, the success page says "سيتواصل معك فريقنا خلال ٢٤ ساعة". There is no consultation link. The patient — who has just committed to a medical treatment program — has

no next step.

What we need:

- 1. When an obesity subscription is activated, a consultation is automatically created and linked to the **obesity subscription**, not the lab's bundle.
- 2. The patient receives a long-lived consultation link valid until the subscription period expires.
- 3. The success page shows a direct "ادخل للاستشارة الآن" button.
- 4. Additional monthly consultations within the subscription are counted against the obesity package.

Backend: On subscription activation: create an obesity consultation, generate a persistent link, send via WhatsApp. Monthly consultations deduct from the obesity subscription.

Frontend: Success page — replace "سيتواصل معك فريقنا خلال ٢٤ ساعة" with a direct consultation link and button.

GAP 2 — Doctor Sees Full Context (Source, Subscription, Assessment, Lab Results, Contraindications)

Problem: When a doctor accepts a consultation, they see only the patient's basic profile. For GLP-1 prescriptions, context is medically critical — a doctor must not prescribe Mounjaro to a patient with a history of medullary thyroid cancer.

What we need: Every obesity-related consultation must show the doctor:

What	Why
Obesity consultation badge	Doctor knows this requires a GLP-1 assessment
Source (lab / pharmacy / direct)	Determines if lab results are already available
Active obesity subscription + plan	Doctor confirms patient is subscribed before prescribing
Medical assessment	BMI, current medications, full medical history, health goals
Lab results PDF (if applicable)	Doctor must review obesity panel before prescribing
⚠️ Contraindication flags	System highlights if patient reported thyroid cancer (personal/family), pancreatitis, or is on insulin — doctor must review these before prescribing GLP-1

Backend: Obesity consultation must carry origin, subscription reference, full assessment data, and a flag system for contraindications.

Frontend (doctor app): Consultation card must display source badge, subscription status, assessment summary, lab PDF link, and a red flag alert for any contraindications.

GAP 3 — Admin Dashboard (Subscriber List, Prescription Status, Compliance)

Problem: There is no admin view for obesity subscribers, their drug prescriptions, or dispensing status.

What we need: Admin must see:

- All patients subscribed to an obesity package, with plan and subscription status.
- Per subscriber: consultations completed, prescription issued (Mounjaro or Ozempic, dose), dispensing status, source (lab / pharmacy / direct).
- Whether the obesity program link was sent after the lab consultation closed (✅/❌ with timestamp).
- Patients with prescriptions not yet routed to a pharmacy — highlighted for action.

Backend: Admin-accessible view of all obesity subscriptions with consultation and prescription history.

Frontend (admin): Table with subscriber, plan, drug, dose, consultation count, pharmacy assignment status, and source.

GAP 4 — Prescription Routing to GLP-1 Pharmacy

Problem: GLP-1 drugs (Mounjaro, Ozempic) require specific pharmacies with cold-chain storage. The prescription cannot go to any pharmacy — it must go to a registered GLP-1 partner.

What we need:

Path A — Patient came from a pharmacy that dispenses GLP-1: Doctor sends the prescription directly to that pharmacy. No admin involvement.

Path B — Patient came from a lab or ads: Admin selects from a list of Labass partner pharmacies registered for GLP-1 dispensing. Admin sees all prescriptions waiting for pharmacy assignment.

Backend: Flag specific pharmacies as "GLP-1 fulfillment partners". Allow admin to assign and send. Allow doctor to send directly to source pharmacy (Path A).

Frontend — Doctor app (Path A): Show "أرسل الوصفة للصيدلية" action when consultation source is a GLP-1 pharmacy.

Frontend — Admin (Path B): Show pending prescriptions with no pharmacy; allow admin to assign a partner and send.

GAP 5 — Medical Assessment Stored and Visible to Doctor

Problem: The subscribe wizard collects height, weight, medical history, current medications, and health goals. This data is stored only in the browser and never reaches the backend or the doctor. For GLP-1 prescriptions, this data is clinically essential.

What we need: The doctor must see the full assessment when accepting the obesity consultation.

Backend: Store full assessment data from the obesity subscribe wizard against the patient's subscription record. Flag contraindications server-side.

Frontend (subscribe): Submit full assessment to the backend at the confirmation step.

Frontend (doctor app): Display all assessment fields in the consultation view, with red flags for contraindications.

GAP 6 — Lab Test Before Prescription (Optional Flow)

Problem: Some ads or pharmacy customers may not have recent blood work. A doctor should not prescribe Mounjaro or Ozempic without knowing the patient's HbA1c, thyroid function, and metabolic markers.

What we need: When a doctor determines that blood tests are required before prescribing, they should be able to:

1. Refer the patient to a Labass partner lab for an obesity panel.
2. The lab uploads results, which auto-attach to the patient's obesity consultation.
3. The doctor is notified and completes the prescription in a follow-up.

Backend: Lab referral flow from within a consultation; auto-attach lab results to the linked subscription's consultation.

Frontend (doctor app): "اطلب تحاليل" action in the consultation view that generates a lab referral.

GAP 7 — Monthly Follow-Up Consultation on Renewal

Problem: When an obesity subscription renews, nothing happens. Ongoing GLP-1 therapy requires monthly medical monitoring — weight progress, side effects (nausea, vomiting, pancreatitis signs), dose titration.

What we need: On each monthly renewal:

1. A new follow-up consultation is automatically created.
2. The patient receives a WhatsApp prompt to enter the follow-up.
3. The doctor sees the weight at enrollment vs. today, drugs dispensed, and notes from previous consultations.

Backend: On renewal event: create a follow-up consultation. Attach historical context (initial weight, drug, dose history) to the consultation.

Frontend (doctor app): Show weight trend and prescription history in follow-up consultations.

GAP 8 — Auto-Send Obesity Link When Lab Consultation Closes

Problem: When a post-test lab consultation closes, the doctor is supposed to have sent the obesity program link. But there is no automated fallback if they forget.

What we need: Every time a post-test obesity consultation closes, the system automatically sends the patient the obesity program link via WhatsApp.

Message example: "بناءً على نتائج تحاليلك، طبيبك يَرْشِّح لك برنامج إنقاص الوزن الطبي من لاباس — مونجارو و اوزمبيك بوصفة" طبيب متخصص"

Backend: When an obesity post-test consultation closes, trigger auto-send of the obesity program link.

⚠ Requires an approved WhatsApp message template with Meta before this can run.

GAP 9 — SFDA / MOH Compliance for GLP-1 Dispensing

Problem: Mounjaro (tirzepatide) and Ozempic (semaglutide) are prescription-only medications in Saudi Arabia. Their dispensing via an e-prescription and delivery model must be explicitly reviewed for compliance.

What we need:

- Legal confirmation that e-prescriptions issued via a telemedicine platform are accepted for GLP-1 dispensing at partner pharmacies.
- Partner pharmacies must hold the required SFDA license and have cold-chain storage.

- The system must store prescription records in a format compliant with SFDA e-prescription standards.
- Confirm whether patient consent for GLP-1 self-injection must be documented digitally.

This is a blocker for all prescription dispensing flows.

Business Deals Required

These agreements must be in place before the technical flow can operate.

#	Deal	Unlocks	Status Needed Before
1	Lab subscription agreements — obesity panel — Labs pay Labass for a consultation bundle specific to post-test obesity consultations (fasting glucose, HbA1c, TSH, lipid panel). Each obesity test result generates a consultation via the bundle.	● Lab customer flow	Sprint 1
2	GLP-1 pharmacy partner agreement — Partner pharmacy must hold an SFDA license for Mounjaro and Ozempic, have cold-chain storage, and agree to same-city delivery. Labass admin sends prescriptions; pharmacy dispenses and ships. Must define: delivery SLA, revenue share or wholesale price, return policy for unused medication. جدار (Jadar) is the candidate first partner.	● All flows (Rx delivery)	Sprint 1
3	Mounjaro / Ozempic supplier agreement — Direct agreement with the authorized distributor of tirzepatide (Eli Lilly / جدار) and semaglutide (Novo Nordisk) in Saudi Arabia. Ensures supply, pricing, and that the partner pharmacy can source the drugs reliably.	● All flows	Sprint 1
4	SFDA compliance review — Legal and regulatory sign-off confirming that telemedicine-issued GLP-1 prescriptions are valid for dispensing by a pharmacy and home delivery under Saudi law.	● All flows — hard blocker	Before any prescription is dispensed
5	Pharmacy referral agreement — Pharmacies agree to use the Labass org portal to send consultations for customers asking for Mounjaro/Ozempic. Must clarify: bundle pricing, pharmacist training, whether the pharmacy also fulfills the prescription.	● Pharmacy flow	Sprint 2
6	WhatsApp Business template approvals — Meta must approve two templates: <code>obesity_marketing_post_test</code> (sent when post-test closes) and <code>obesity_marketing_campaign</code> (bulk campaign to existing users). Approval takes 1–3 business days.	● GAP 8 (template 1)	Sprint 1 (template 1)