

Atlas Industries Portfolio Design

Table of Contents

1. Introduction
 - 1.1. Scope and Assumptions
 2. How To Read This Document
 3. Document Health Snapshot
 4. Terms and Definitions
 5. Architecture Decision Records
 - 5.1. Diagram Color and Shape Legend
 6. Traceability Appendix
 - 6.1. Requirement Details
 - 6.2. Verification Inventory
 7. Gemara GRC Model
 8. System Composition & Hardware
 - 8.1. Subsystems
 - 8.2. Selected Dependency Publications
 - 8.3. Requirement Allocation Matrix
 9. Reference Index
 - 9.1. Authored References
 - 9.2. Catalog References
 - 9.3. Inferred Runtime References
 - 9.4. Inferred Code References
 - 9.5. Verification References
-

1. Introduction

Company-level composition of Aegis Sentinel and Orion Relay.

1.1. Scope and Assumptions

- **Functional Groups** and **Functional Units** are the stable authored design backbone.
- **Runtime elements** and **code elements** are inferred from available IaC, deployment, and source artifacts.
- Inferred coverage is evidence-driven and may be partial when source metadata is missing.
- **Requirements** and reference indexes are provided for traceability, not as primary narrative flow.

2. How To Read This Document

This document is intentionally split into two layers:

1. Concept layer: functional and view-specific architecture narratives for human understanding.
2. Evidence layer: generated requirement traceability and inferred reference indexes.

Read in this order:

- 1. Architecture Intent View: stable authored architecture intent and ownership boundaries.
- 2. Communication / Deployment / Security Views: viewpoint-specific operational behavior.
- 3. Traceability View: requirement mapping, evidence coverage, and confidence.
- 4. Reference Appendix: supporting reference IDs and inferred-source links.

3. Document Health Snapshot

View	Authored Status	Authored Status Explanation	Units in Scope	Direct Evidence Coverage	Gap Count	Heuristic Confidence	Heuristic Basis
------	-----------------	-----------------------------	----------------	--------------------------	-----------	----------------------	-----------------

4. Terms and Definitions

Term	Definition
actor (TERM-ACTOR)	A person or operational role that interacts with functional units.
architecture decision (TERM-DECISION)	Authored architecture decision record with status, context, decision text, and consequences.
AsciiDoc diagram (TERM-ASCIIDOC-DIAGRAM)	Generated diagram block, usually Mermaid, that visualizes architecture relationships in the AsciiDoc publication.
AsciiDoc document (TERM-ASCIIDOC-DOCUMENT)	Human-readable generated architecture publication document assembled from authored model, inferred evidence, diagrams, references, and decisions.
AsciiDoc section (TERM-ASCIIDOC-SECTION)	Structured generated document section or row model used to render authored and inferred architecture content.
atlas industries portfolio (SYS-PORT)	Company portfolio of interoperable Atlas product systems.
attack vector (TERM-ATTACK-VECTOR)	A technical misuse or attack path that targets functional, referenced, or runtime elements.
authored mapping (TERM-AUTHORED-MAPPING)	An explicit relationship declared in architecture inputs between authored or referenced elements.
catalog (TERM-CATALOG)	Controlled vocabulary document used to normalize model, requirement, and generated-document terminology.
catalog entry (TERM-CATALOG-ENTRY)	A stable catalog term with a definition and aliases for linting, linking, and generated references.

Term	Definition
CLI command (TERM-CLI-COMMAND)	Command-line entrypoint that coordinates loading, validation, generation, and file output for an engineering-model workflow.
code element (TERM-CODE-ELEMENT)	An inferred code structure or ownership element discovered from source trees and build metadata.
compliance mapping (TERM-COMPLIANCE-MAPPING)	Authored mapping that links a model control to selected compliance controls, model scope, implementation status, evidence, and responsible roles.
control (TERM-CONTROL)	An authored security, policy, or operational control used to constrain behavior and reduce risk.
control verification (TERM-CONTROL-VERIFICATION)	Authored control verification record with method, status, threat/risk scope, findings, and evidence.
data object (TERM-DATA-OBJECT)	An authored data artifact or contract shape traced across flow, interface, and implementation boundaries.
deployment target (TERM-DEPLOYMENT-TARGET)	An authored deployment destination such as environment, cluster, namespace, or registry scope.
design document (TERM-DESIGN)	Authored design narrative organized by model entities and architecture views.
design view (TERM-DESIGN-VIEW)	View-scoped design narrative attached to an authored functional group or functional unit.
event (TERM-EVENT)	An authored trigger signal that drives transitions, flow progress, or asynchronous outcomes.
evidence (TERM-EVIDENCE)	A file, artifact, or observation used to support control, risk, threat, or verification claims.
flow (TERM-FLOW)	An authored causal interaction sequence from user/system intent to outcome, represented as ordered steps.
flow step (TERM-FLOW-STEP)	A single authored step in a flow that captures action, data in/out, references, and normal/error/async transitions.
functional group (TERM-FUNCTIONAL-GROUP)	A major authored capability area that groups related functional units.
functional unit (TERM-FUNCTIONAL-UNIT)	An authored working unit inside a functional group that owns specific behavior.
generation workflow (TERM-GENERATION-WORKFLOW)	Orchestrated run that combines model loading, validation, projection, rendering, and artifact emission.

Term	Definition
inference hint (TERM-INFERENCE-HINT)	Authored source and ownership configuration used to discover runtime, code, and verification evidence.
inferred mapping (TERM-INFERRED-MAPPING)	A discovered relationship that links inferred runtime/code elements upward to authored design.
interface (TERM-INTERFACE)	An authored interface boundary (for example API, channel, endpoint, or contract) owned by a functional unit.
lint run (TERM-LINT-RUN)	Requirement lint configuration that controls parsing and quality checks for requirement text.
LOBSTER activity trace (TERM-LOBSTER-ACTIVITY-TRACE)	Generated LOBSTER activity JSON that links verification evidence back to formal requirement identifiers.
MCP server (TERM-MCP-SERVER)	Model Context Protocol server that exposes engineering-model operations to AI agents through JSON-RPC tools.
MCP stdio transport (TERM-MCP-STDIO-TRANSPORT)	Content-Length framed standard input/output transport used by the MCP command-line server.
MCP tool (TERM-MCP-TOOL)	Named MCP operation with a constrained input schema and structured response payload.
MCP tool response (TERM-MCP-TOOL-RESPONSE)	Structured MCP tool payload that includes success state, schema version, generated timestamp, and result data or validation error.
model (TERM-MODEL)	The authored architecture model root that composes functional structure, relationships, inference hints, and views.
model bundle (TERM-BUNDLE)	Loaded architecture, catalog, and companion documents resolved as one working model context.
Open OTM document (TERM-OPEN-OTM-DOCUMENT)	Open Threat Model JSON representation generated from the engineering model for interoperable threat-model exchange.
OSCAL assessment results (TERM-OSCAL-ASSESSMENT-RESULTS)	Generated OSCAL assessment results that summarize reviewed controls, verification findings, and modeled risks.
OSCAL POA&M (TERM-OSCAL-POAM)	Generated OSCAL plan of action and milestones that maps modeled POA&M items and related risks into compliance JSON.
OSCAL SSP (TERM-OSCAL-SSP)	Generated OSCAL system security plan that maps authored system metadata, components, controls, allocations, and evidence into SSP JSON.
POA&M item (TERM-POAM-ITEM)	Plan of action and milestones item linked to a modeled risk and supporting artifacts.

Term	Definition
portfolio executive (ACT-PORT-EXECUTIVE)	Owns company product capability outcomes.
portfolio governance (FG-PORT)	Company capability and assurance governance.
portfolio governance service (FU-PORT-GOVERNANCE)	Coordinates product capability and assurance objectives.
portfolio status (DATA-PORT-STATUS)	Consolidated product capability and assurance status.
reference index (TERM-REFERENCE-INDEX)	Generated index of authored, catalog, runtime, code, and verification references with stable anchors and backlinks.
referenced element (TERM-REFERENCED-ELEMENT)	An architecture-relevant external, platform, or third-party dependency represented by role.
repository index (TERM-REPO-INDEX)	Bounded first-party source index used to answer model-aware file, requirement, control, and threat lookup queries.
requirement (TERM-REQUIREMENT)	A structured requirement statement that defines expected system behavior and maps to functional ownership.
risk (TERM-RISK)	Authored risk record with likelihood, impact, response, scope, controls, and evidence.
runtime element (TERM-RUNTIME-ELEMENT)	An inferred runtime realization element discovered from infrastructure and deployment sources.
security context (TERM-SECURITY-CONTEXT)	Security-focused generated context view that groups owned functional units and shows external actors, references, flows, controls, and trust boundaries.
source block (TERM-SOURCE-BLOCK)	Stable source reference block that records file path, optional line span, kind, summary, and linked entity IDs.
state (TERM-STATE)	An authored lifecycle state used to model transition behavior, guards, and event-driven progression.
Structurizr DSL (TERM-STRUCTURIZR-DSL)	Generated Structurizr DSL workspace that projects authored architecture, relationships, dynamic views, and deployment metadata.
threat assumption (TERM-THREAT-ASSUMPTION)	Authored security assumption that records scope, rationale, owner, status, and evidence.
Threat Dragon document (TERM-THREAT-DRAGON-DOCUMENT)	Threat Dragon JSON representation generated from the engineering model for STRIDE threat-model review.
threat mitigation (TERM-THREAT-MITIGATION)	Authored mitigation record that links a threat scenario to a control, effectiveness, verification, and evidence.

Term	Definition
threat model export (TERM-THREAT-MODEL-EXPORT)	Generated security artifact that translates authored architecture, flows, trust boundaries, threats, and mitigations into an external threat-model schema.
threat out-of-scope decision (TERM-THREAT-OUT-OF-SCOPE)	Authored decision that excludes a threat concern from current scope with reason, owner, expiry, and evidence.
threat scenario (TERM-THREAT-SCENARIO)	Authored threat narrative that connects attack vectors, scope, flows, controls, risks, and verification evidence.
trace marker (TERM-TRACE-MARKER)	Source-level marker such as TRLC-LINKS or ENGMODEL-LINKS used to connect declarations to requirements and model entities.
TRLC package (TERM-TRLC-PACKAGE)	Generated TRLC model and requirements package used for formal requirement traceability processing.
trust boundary (TERM-TRUST-BOUNDARY)	An authored trust separation zone that marks policy, identity, or security control boundaries.
upward linking (TERM-UPWARD-LINKING)	Rule where runtime and code elements point to stable functional groups/units; authored architecture does not depend on inferred IDs.
validation (TERM-VALIDATION)	Model quality gate that checks authored documents, references, relationship semantics, and requirement lint results.
validation diagnostic (TERM-VALIDATION-DIAGNOSTIC)	Structured validation finding with code, severity, message, and optional source path.
verification check (TERM-VERIFICATION-CHECK)	An inferred or authored verification artifact that validates requirement behavior with test evidence.
view (TERM-VIEW)	Authored projection configuration that selects roots, entity kinds, mappings, audience, and abstraction.


5. Architecture Decision Records

Architecture decision records are generated separately and linked here as a compact index.

ID	Title	Status	Date
ADR-PORT-001	Compose products through published contracts	accepted	2026-09-19

5.1. Diagram Color and Shape Legend

This legend applies to all Mermaid diagrams in this document.



6. Traceability Appendix


6.1. Requirement Details

6.1.1. REQ-PORT-001

The atlas industries portfolio shall report portfolio status to the portfolio executive .

Requirement-to-Unit-to-Evidence Coverage

What this diagram shows: this requirement-to-unit mapping extended with inferred runtime/code plus verification evidence attached to each requirement and unit.




6.1.2. REQ-PORT-002

The atlas industries portfolio shall provide perimeter awareness using the Aegis Sentinel product capability.

Requirement-to-Unit-to-Evidence Coverage

What this diagram shows: this requirement-to-unit mapping extended with inferred runtime/code plus verification evidence attached to each requirement and unit.




6.1.3. REQ-PORT-003

The atlas industries portfolio shall provide resilient communications using the Orion Relay product capability.

Requirement-to-Unit-to-Evidence Coverage

What this diagram shows: this requirement-to-unit mapping extended with inferred runtime/code plus verification evidence attached to each requirement and unit.



6.2. Verification Inventory

What this section shows: verification checks inferred from test artifacts, linked to test code elements and mapped to verified requirements.

7. Gemara GRC Model

This chapter renders the model as OpenSSF Gemara (<https://gemara.openssf.org>) documents. Each artifact is built with the official `go-gemara` SDK types and validated against the published Gemara CUE schemas. Generate the full YAML set with `enggemara` ; query it via the `gemara.*` MCP tools.

Gemara Layer	Artifact	Entries
L1	Vector Catalog	0
L1	Principle Catalog	5
L1	Guidance Catalog	0
L2	Capability Catalog	2
L2	Control Catalog	0
L2	Threat Catalog	0
L3	Risk Catalog	0
-	Lexicon	5

8. System Composition & Hardware

This chapter shows the system architecture across hardware and software: hardware items and their interfaces, the subsystems this system composes, and the allocation of this system’s requirements onto them. Subsystem references are downward-only and resolved from exact-version manifest dependencies, with optional workspace replacements.

8.1. Subsystems

ID	Name	Reference
SUB-PORT-AEGIS	Aegis Sentinel	aegis::public
SUB-PORT-ORION	Orion Relay	orion::public

8.2. Selected Dependency Publications

Alias	Publication	Module	Version	Source model
aegis	public	models.atlas.example/products/aegis-sentinel@v0	v0.1.0	atlas-aegis-sentinel
orion	public	models.atlas.example/products/orion-relay@v0	v0.1.0	atlas-orion-relay

8.2.1. Published Architecture

Qualified ID	Name	Publication	Source
aegis::ACT-AEG-ENGINEER	Product Security Engineer	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::ACT-AEG-OPERATOR	Security Operator	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::CAP-AEGIS-MISSION	capability	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::DO-AEG-TRACK	Perimeter Track	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::FG-AEG	Sentinel Mission	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::FU-AEG-MISSION	Mission Coordination Software	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::FU-AEG-SENSOR-FUSION	Sensor Fusion Software	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0

Qualified ID	Name	Publication	Source
aegis::HW-AEG-OPTICAL	Stabilized Optical Sensor	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::HW-AEG-RADAR	Compact Surveillance Radar	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::HWIF-AEG-SENSOR-BUS	Sentinel Sensor Ethernet	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::IF-AEG-TRACK	Perimeter Track Interface	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
orion::ACT-ORI-CONTROLLER	Network Controller	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::ACT-ORI-ENGINEER	Relay Security Engineer	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::CAP-ORION-MISSION	capability	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::DO-ORI-MESSAGE	Relay Message	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::FG-ORI	Relay Mission	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::FU-ORI-LINK	Link Scheduler Software	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::FU-ORI-ROUTER	Message Router Software	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::HW-ORI-ANTENNA	Steerable Antenna	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::HW-ORI-RADIO	Adaptive Radio	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::HWIF-ORI-RF-CONTROL	Radio Antenna Control	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::IF-ORI-MESSAGE	Relay Message Interface	public	models.atlas.example/products/orion-relay@v0@v0.1.0

8.2.2. Published Requirements

Qualified ID	Name	Publication	Source
aegis::REQ-AEG-001	The aegis sentinel system shall present each perimeter track to the security operator.	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::REQ-AEG-002	The aegis sentinel system shall execute the sensor fusion software on managed edge compute.	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::REQ-AEG-003	The aegis sentinel system shall retain each perimeter track using managed cloud operations.	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::REQ-AEG-004	The aegis sentinel system shall authenticate product services using shared security services.	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::REQ-AEG-005	The aegis sentinel system shall retain compliance evidence using the company control baseline.	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
orion::REQ-ORI-001	The orion relay system shall deliver each relay message according to network controller priority.	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::REQ-ORI-002	The orion relay system shall execute the link scheduler software on managed edge compute.	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::REQ-ORI-003	The orion relay system shall retain relay configuration using managed cloud operations.	public	models.atlas.example/products/orion-relay@v0@v0.1.0

Qualified ID	Name	Publication	Source
orion::REQ-ORI-004	The orion relay system shall authenticate product services using shared security services.	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::REQ-ORI-005	The orion relay system shall retain compliance evidence using the company control baseline.	public	models.atlas.example/products/orion-relay@v0@v0.1.0

8.2.3. Published Assurance


Qualified ID	Name	Publication	Source
aegis::AV-AEG-SENSOR-SPOOF	Sensor Spoofing	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::CTRL-AEG-TRACK-CONFIDENCE	Track Confidence Gate	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::CV-AEG-TRACK-CONFIDENCE	-	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::MIT-AEG-TRACK-CONFIDENCE	-	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::RISK-AEG-FALSE-TRACK	False perimeter track	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
aegis::TS-AEG-SENSOR-SPOOF	Crafted observations create a false track	public	models.atlas.example/products/aegis-sentinel@v0@v0.1.0
orion::AV-ORI-MESSAGE-FLOOD	Message Flooding	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::CTRL-ORI-ADMISSION	Priority Admission Control	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::CV-ORI-ADMISSION	-	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::POAM-ORI-001	-	public	models.atlas.example/products/orion-relay@v0@v0.1.0
orion::RISK-ORI-LINK-EXHAUSTION	Relay link exhaustion	public	models.atlas.example/products/orion-relay@v0@v0.1.0

8.3. Requirement Allocation Matrix

Requirement	Subsystem	Target	Resolved
REQ-PORT-002	SUB-PORT-AEGIS	aegis::CAP-AEGIS-MISSION	yes
REQ-PORT-003	SUB-PORT-ORION	orion::CAP-ORION-MISSION	yes
REQ-AEG-002	SUB-AEG-EDGE	edge::CAP-EDGE-COMPUTE	yes
REQ-AEG-003	SUB-AEG-CLOUD	cloud::CAP-CLOUD-OPERATIONS	yes
REQ-AEG-004	SUB-AEG-SECURITY	security::CAP-ZERO-TRUST	yes
REQ-AEG-005	SUB-AEG-COMPLIANCE	compliance::CAP-CONTROL-BASELINE	yes
REQ-ORI-002	SUB-ORI-EDGE	edge::CAP-EDGE-COMPUTE	yes
REQ-ORI-003	SUB-ORI-CLOUD	cloud::CAP-CLOUD-OPERATIONS	yes
REQ-ORI-004	SUB-ORI-SECURITY	security::CAP-ZERO-TRUST	yes
REQ-ORI-005	SUB-ORI-COMPLIANCE	compliance::CAP-CONTROL-BASELINE	yes

8.3.1. Requirement Delegation View

Each delegated requirement of this system links downward to the subsystem contract it binds. Requirements not shown here carry no delegation link and are implemented in this system.



All subsystem required interfaces are satisfied and all allocations resolve to published contract identifiers.

9. Reference Index

9.1. Authored References

DO-PORT-STATUS

termRef=DATA-PORT-STATUS; schemaRef=n/a; sensitivity=confidential

Key	Value
Kind	Data Object
Name	Portfolio Status
Mentioned In	REQ-PORT-001

REQ-PORT-001

The atlas industries portfolio shall report portfolio status to the portfolio executive.

Key	Value
Kind	Requirement
Name	REQ-PORT-001
Mentioned In	n/a

REQ-PORT-002

The atlas industries portfolio shall provide perimeter awareness using the Aegis Sentinel product capability.

Key	Value
Kind	Requirement
Name	REQ-PORT-002
Mentioned In	n/a

REQ-PORT-003

The atlas industries portfolio shall provide resilient communications using the Orion Relay product capability.

Key	Value
Kind	Requirement
Name	REQ-PORT-003

Key	Value
Mentioned In	n/a

9.2. Catalog References

ACT-PORT-EXECUTIVE

Owns company product capability outcomes.

Key	Value
Kind	Catalog Actor
Name	portfolio executive
Mentioned In	REQ-PORT-001

DATA-PORT-STATUS

Consolidated product capability and assurance status.

Key	Value
Kind	Catalog Data Term
Name	portfolio status
Mentioned In	n/a

FG-PORT

Company capability and assurance governance.

Key	Value
Kind	Catalog Functional Group
Name	portfolio governance
Mentioned In	n/a

FU-PORT-GOVERNANCE

Coordinates product capability and assurance objectives.

Key	Value
Kind	Catalog Functional Unit
Name	portfolio governance service

Key	Value
Mentioned In	n/a

SYS-PORT

Company portfolio of interoperable Atlas product systems.

Key	Value
Kind	Catalog System
Name	atlas industries portfolio
Mentioned In	REQ-PORT-001 , REQ-PORT-002 , REQ-PORT-003

TERM-ACTOR

A person or operational role that interacts with functional units.

Key	Value
Kind	Engineering Model Term
Name	actor
Mentioned In	n/a

TERM-ASCIIDOC-DIAGRAM

Generated diagram block, usually Mermaid, that visualizes architecture relationships in the AsciiDoc publication.

Key	Value
Kind	Engineering Model Term
Name	AsciiDoc diagram
Mentioned In	n/a

TERM-ASCIIDOC-DOCUMENT

Human-readable generated architecture publication document assembled from authored model, inferred evidence, diagrams, references, and decisions.

Key	Value
Kind	Engineering Model Term
Name	AsciiDoc document

Key	Value
Mentioned In	n/a

TERM-ASCIIDOC-SECTION

Structured generated document section or row model used to render authored and inferred architecture content.

Key	Value
Kind	Engineering Model Term
Name	AsciiDoc section
Mentioned In	n/a

TERM-ATTACK-VECTOR

A technical misuse or attack path that targets functional, referenced, or runtime elements.

Key	Value
Kind	Engineering Model Term
Name	attack vector
Mentioned In	n/a

TERM-AUTHORED-MAPPING

An explicit relationship declared in architecture inputs between authored or referenced elements.

Key	Value
Kind	Engineering Model Term
Name	authored mapping
Mentioned In	n/a

TERM-BUNDLE

Loaded architecture, catalog, and companion documents resolved as one working model context.

Key	Value
Kind	Engineering Model Term
Name	model bundle
Mentioned In	n/a

TERM-CATALOG

Controlled vocabulary document used to normalize model, requirement, and generated-document terminology.

Key	Value
Kind	Engineering Model Term
Name	catalog
Mentioned In	n/a

TERM-CATALOG-ENTRY

A stable catalog term with a definition and aliases for linting, linking, and generated references.

Key	Value
Kind	Engineering Model Term
Name	catalog entry
Mentioned In	n/a

TERM-CLI-COMMAND

Command-line entrypoint that coordinates loading, validation, generation, and file output for an engineering-model workflow.

Key	Value
Kind	Engineering Model Term
Name	CLI command
Mentioned In	n/a

TERM-CODE-ELEMENT

An inferred code structure or ownership element discovered from source trees and build metadata.

Key	Value
Kind	Engineering Model Term
Name	code element
Mentioned In	n/a

TERM-COMPLIANCE-MAPPING

Authored mapping that links a model control to selected compliance controls, model scope, implementation status, evidence, and responsible roles.

Key	Value
Kind	Engineering Model Term
Name	compliance mapping
Mentioned In	n/a

TERM-CONTROL

An authored security, policy, or operational control used to constrain behavior and reduce risk.

Key	Value
Kind	Engineering Model Term
Name	control
Mentioned In	n/a

TERM-CONTROL-VERIFICATION

Authored control verification record with method, status, threat/risk scope, findings, and evidence.

Key	Value
Kind	Engineering Model Term
Name	control verification
Mentioned In	n/a

TERM-DATA-OBJECT

An authored data artifact or contract shape traced across flow, interface, and implementation boundaries.

Key	Value
Kind	Engineering Model Term
Name	data object
Mentioned In	n/a

TERM-DECISION

Authored architecture decision record with status, context, decision text, and consequences.

Key	Value
Kind	Engineering Model Term

Key	Value
Name	architecture decision
Mentioned In	n/a

TERM-DEPLOYMENT-TARGET

An authored deployment destination such as environment, cluster, namespace, or registry scope.

Key	Value
Kind	Engineering Model Term
Name	deployment target
Mentioned In	n/a

TERM-DESIGN

Authored design narrative organized by model entities and architecture views.

Key	Value
Kind	Engineering Model Term
Name	design document
Mentioned In	n/a

TERM-DESIGN-VIEW

View-scoped design narrative attached to an authored functional group or functional unit.

Key	Value
Kind	Engineering Model Term
Name	design view
Mentioned In	n/a

TERM-EVENT

An authored trigger signal that drives transitions, flow progress, or asynchronous outcomes.

Key	Value
Kind	Engineering Model Term
Name	event

Key	Value
Mentioned In	n/a

TERM-EVIDENCE

A file, artifact, or observation used to support control, risk, threat, or verification claims.

Key	Value
Kind	Engineering Model Term
Name	evidence
Mentioned In	n/a

TERM-FLOW

An authored causal interaction sequence from user/system intent to outcome, represented as ordered steps.

Key	Value
Kind	Engineering Model Term
Name	flow
Mentioned In	n/a

TERM-FLOW-STEP

A single authored step in a flow that captures action, data in/out, references, and normal/error/async transitions.

Key	Value
Kind	Engineering Model Term
Name	flow step
Mentioned In	n/a

TERM-FUNCTIONAL-GROUP

A major authored capability area that groups related functional units.

Key	Value
Kind	Engineering Model Term
Name	functional group
Mentioned In	n/a

TERM-FUNCTIONAL-UNIT

An authored working unit inside a functional group that owns specific behavior.

Key	Value
Kind	Engineering Model Term
Name	functional unit
Mentioned In	n/a

TERM-GENERATION-WORKFLOW

Orchestrated run that combines model loading, validation, projection, rendering, and artifact emission.

Key	Value
Kind	Engineering Model Term
Name	generation workflow
Mentioned In	n/a

TERM-INFERENCE-HINT

Authored source and ownership configuration used to discover runtime, code, and verification evidence.

Key	Value
Kind	Engineering Model Term
Name	inference hint
Mentioned In	n/a

TERM-INFERRED-MAPPING

A discovered relationship that links inferred runtime/code elements upward to authored design.

Key	Value
Kind	Engineering Model Term
Name	inferred mapping
Mentioned In	n/a

TERM-INTERFACE

An authored interface boundary (for example API, channel, endpoint, or contract) owned by a functional unit.

Key	Value
Kind	Engineering Model Term
Name	interface
Mentioned In	n/a

TERM-LINT-RUN

Requirement lint configuration that controls parsing and quality checks for requirement text.

Key	Value
Kind	Engineering Model Term
Name	lint run
Mentioned In	n/a

TERM-LOBSTER-ACTIVITY-TRACE

Generated LOBSTER activity JSON that links verification evidence back to formal requirement identifiers.

Key	Value
Kind	Engineering Model Term
Name	LOBSTER activity trace
Mentioned In	n/a

TERM-MCP-SERVER

Model Context Protocol server that exposes engineering-model operations to AI agents through JSON-RPC tools.

Key	Value
Kind	Engineering Model Term
Name	MCP server
Mentioned In	n/a

TERM-MCP-STDIO-TRANSPORT

Content-Length framed standard input/output transport used by the MCP command-line server.

Key	Value
Kind	Engineering Model Term

Key	Value
Name	MCP stdio transport
Mentioned In	n/a

TERM-MCP-TOOL

Named MCP operation with a constrained input schema and structured response payload.

Key	Value
Kind	Engineering Model Term
Name	MCP tool
Mentioned In	n/a

TERM-MCP-TOOL-RESPONSE

Structured MCP tool payload that includes success state, schema version, generated timestamp, and result data or validation error.

Key	Value
Kind	Engineering Model Term
Name	MCP tool response
Mentioned In	n/a

TERM-MODEL

The authored architecture model root that composes functional structure, relationships, inference hints, and views.

Key	Value
Kind	Engineering Model Term
Name	model
Mentioned In	n/a

TERM-OPEN-OTM-DOCUMENT

Open Threat Model JSON representation generated from the engineering model for interoperable threat-model exchange.

Key	Value
Kind	Engineering Model Term

Key	Value
Name	Open OTM document
Mentioned In	n/a

TERM-OSCAL-ASSESSMENT-RESULTS

Generated OSCAL assessment results that summarize reviewed controls, verification findings, and modeled risks.

Key	Value
Kind	Engineering Model Term
Name	OSCAL assessment results
Mentioned In	n/a

TERM-OSCAL-POAM

Generated OSCAL plan of action and milestones that maps modeled POA&M items and related risks into compliance JSON.

Key	Value
Kind	Engineering Model Term
Name	OSCAL POA&M
Mentioned In	n/a

TERM-OSCAL-SSP

Generated OSCAL system security plan that maps authored system metadata, components, controls, allocations, and evidence into SSP JSON.

Key	Value
Kind	Engineering Model Term
Name	OSCAL SSP
Mentioned In	n/a

TERM-POAM-ITEM

Plan of action and milestones item linked to a modeled risk and supporting artifacts.

Key	Value
Kind	Engineering Model Term

Key	Value
Name	POA&M item
Mentioned In	n/a

TERM-REFERENCE-INDEX

Generated index of authored, catalog, runtime, code, and verification references with stable anchors and backlinks.

Key	Value
Kind	Engineering Model Term
Name	reference index
Mentioned In	n/a

TERM-REFERENCED-ELEMENT

An architecture-relevant external, platform, or third-party dependency represented by role.

Key	Value
Kind	Engineering Model Term
Name	referenced element
Mentioned In	n/a

TERM-REPO-INDEX

Bounded first-party source index used to answer model-aware file, requirement, control, and threat lookup queries.

Key	Value
Kind	Engineering Model Term
Name	repository index
Mentioned In	n/a

TERM-REQUIREMENT

A structured requirement statement that defines expected system behavior and maps to functional ownership.

Key	Value
Kind	Engineering Model Term
Name	requirement

Key	Value
Mentioned In	n/a

TERM-RISK

Authored risk record with likelihood, impact, response, scope, controls, and evidence.

Key	Value
Kind	Engineering Model Term
Name	risk
Mentioned In	n/a

TERM-RUNTIME-ELEMENT

An inferred runtime realization element discovered from infrastructure and deployment sources.

Key	Value
Kind	Engineering Model Term
Name	runtime element
Mentioned In	n/a

TERM-SECURITY-CONTEXT

Security-focused generated context view that groups owned functional units and shows external actors, references, flows, controls, and trust boundaries.

Key	Value
Kind	Engineering Model Term
Name	security context
Mentioned In	n/a

TERM-SOURCE-BLOCK

Stable source reference block that records file path, optional line span, kind, summary, and linked entity IDs.

Key	Value
Kind	Engineering Model Term
Name	source block

Key	Value
Mentioned In	n/a

TERM-STATE

An authored lifecycle state used to model transition behavior, guards, and event-driven progression.

Key	Value
Kind	Engineering Model Term
Name	state
Mentioned In	n/a

TERM-STRUCTURIZR-DSL

Generated Structurizr DSL workspace that projects authored architecture, relationships, dynamic views, and deployment metadata.

Key	Value
Kind	Engineering Model Term
Name	Structurizr DSL
Mentioned In	n/a

TERM-THREAT-ASSUMPTION

Authored security assumption that records scope, rationale, owner, status, and evidence.

Key	Value
Kind	Engineering Model Term
Name	threat assumption
Mentioned In	n/a

TERM-THREAT-DRAGON-DOCUMENT

Threat Dragon JSON representation generated from the engineering model for STRIDE threat-model review.

Key	Value
Kind	Engineering Model Term
Name	Threat Dragon document

Key	Value
Mentioned In	n/a

TERM-THREAT-MITIGATION

Authored mitigation record that links a threat scenario to a control, effectiveness, verification, and evidence.

Key	Value
Kind	Engineering Model Term
Name	threat mitigation
Mentioned In	n/a

TERM-THREAT-MODEL-EXPORT

Generated security artifact that translates authored architecture, flows, trust boundaries, threats, and mitigations into an external threat-model schema.

Key	Value
Kind	Engineering Model Term
Name	threat model export
Mentioned In	n/a

TERM-THREAT-OUT-OF-SCOPE

Authored decision that excludes a threat concern from current scope with reason, owner, expiry, and evidence.

Key	Value
Kind	Engineering Model Term
Name	threat out-of-scope decision
Mentioned In	n/a

TERM-THREAT-SCENARIO

Authored threat narrative that connects attack vectors, scope, flows, controls, risks, and verification evidence.

Key	Value
Kind	Engineering Model Term
Name	threat scenario

Key	Value
Mentioned In	n/a

TERM-TRACE-MARKER

Source-level marker such as TRLC-LINKS or ENGMODEL-LINKS used to connect declarations to requirements and model entities.

Key	Value
Kind	Engineering Model Term
Name	trace marker
Mentioned In	n/a

TERM-TRLC-PACKAGE

Generated TRLC model and requirements package used for formal requirement traceability processing.

Key	Value
Kind	Engineering Model Term
Name	TRLC package
Mentioned In	n/a

TERM-TRUST-BOUNDARY

An authored trust separation zone that marks policy, identity, or security control boundaries.

Key	Value
Kind	Engineering Model Term
Name	trust boundary
Mentioned In	n/a

TERM-UPWARD-LINKING

Rule where runtime and code elements point to stable functional groups/units; authored architecture does not depend on inferred IDs.

Key	Value
Kind	Engineering Model Term

Key	Value
Name	upward linking
Mentioned In	n/a

TERM-VALIDATION

Model quality gate that checks authored documents, references, relationship semantics, and requirement lint results.

Key	Value
Kind	Engineering Model Term
Name	validation
Mentioned In	n/a

TERM-VALIDATION-DIAGNOSTIC

Structured validation finding with code, severity, message, and optional source path.

Key	Value
Kind	Engineering Model Term
Name	validation diagnostic
Mentioned In	n/a

TERM-VERIFICATION-CHECK

An inferred or authored verification artifact that validates requirement behavior with test evidence.

Key	Value
Kind	Engineering Model Term
Name	verification check
Mentioned In	n/a

TERM-VIEW

Authored projection configuration that selects roots, entity kinds, mappings, audience, and abstraction.

Key	Value
Kind	Engineering Model Term
Name	view

Key	Value
Mentioned In	n/a

9.3. Inferred Runtime References

9.4. Inferred Code References

9.5. Verification References