Acunetix by Invicti

Comprehensive Report

Acunetix Threat Level 2

One or more medium-severity type vulnerabilities have been discovered by the scanner. You should investigate each of these vulnerabilities to ensure they will not escalate to more severe problems.

Scan Detail

Target	parichoy.ssbmultiservices.com
Scan Type	Full Scan
Start Time	Feb 13, 2024, 3:22:08 PM GMT+8
Scan Duration	9 hours, 26 minutes
Requests	481819
Average Response Time	33ms
Maximum Response Time	29942ms
Application Build	v23.7.230728157

Severity	Vulnerabilities	Instances
High	0	0
Medium	4	4
Low	3	3
Informational	8	9
Total	15	16

Informational



	Instances
Content Security Policy (CSP) not implement…	1
Email addresses	1
Javascript Source map detected	1
Others	6

Low Severity



	Instances
Clickjacking: X-Frame-Options header	1
Cookies without HttpOnly flag set	1
Insecure Inline Frame (iframe)	1

Medium Severity



	Instances
Development configuration files	1
Unencrypted connection	1
User credentials are sent in clear text	1
Others	1

Impacts

SEVERITY	IMPACT	
Medium	1	Development configuration files
Medium	1	Unencrypted connection
Medium	1	User credentials are sent in clear text
Medium	1	Vulnerable JavaScript libraries
Low	1	Clickjacking: X-Frame-Options header
Low	1	Cookies without HttpOnly flag set
Low	1	Insecure Inline Frame (iframe)
Informational	1	Content Security Policy (CSP) not implemented
Informational	1	Email addresses
Informational	1	Javascript Source map detected
Informational	1	No HTTP Redirection
Informational	2	Outdated JavaScript libraries
Informational	1	Permissions-Policy header not implemented
Informational	1	Reverse proxy detected
Informational	1	Subresource Integrity (SRI) not implemented

Development configuration files

One or more configuration files (e.g. Vagrantfile, Gemfile, Rakefile, ...) were found. These files may expose sensitive information that could help a malicious user to prepare more advanced attacks. It's recommended to remove or restrict access to this type of files from production systems.

Impact

These files may disclose sensitive information. This information can be used to launch further attacks.

http://parichoy.ssbmultiservices.com/

Development configuration files:

- http://parichoy.ssbmultiservices.com/public/assets/website/3d-flip-book/**package.json**

```
package.json => Grunt configuration file. Grunt is a JavaScript task runner.
```

Request

```
GET /public/assets/website/3d-flip-book/package.json HTTP/1.1
Cookie: XSRF-
TOKEN=eyJpdiI6IlY3aGFoQ1JRdHdaU0gyTktyU3NjVnc9PSIsInZhbHVlIjoiNEliRGJvM0FoS2ZFbW82Vkd1TkRFaVVvNmxhZG
h6VHVOZWM0VEtPOHM4QnkwTnk1NVI2VTAxVWRnZHZheXFHbjBGYVRiYmIzaDN3UXpJVW4rc3pLOGVIamhRdXNBREdNdzhIVjIrTV
MvaUpLbXV0Vkg5Y0RNeVhxRndkNmJYaCsiLCJtYWMiOiI1YTM4YWJmYWI3Njk0ZmY0MTNjNTdmMzBjZWI5ZDM4ZjE1N2MxNTMyND
E0NWE5YmQ4ZWUxYmVmZmE1ODAzYWU1IiwidGFnIjoiIn0%3D;
laravel_session=eyJpdiI6Inhub1BXR2FUK2xvM2lkQ290bU8rVWc9PSIsInZhbHVlIjoiOTA2OFFzTWMwNitzMG95aTh2Z1JO
NW45MnJVK1BVcE5EbEFBb0JDTlNMTWtLTjQwanlyVTlrby9pRXV0Qk5nVkhmQ01qWnVFWTN2akRzVFBld3lZNHdMMXpnVG04R3B0
Nnd6b2pvNUk3V2t0SzU4TzZkSlJTbzZwYjlsTWkyTEoiLCJtYWMiOiIzZjM2OGRlNWYwYTJiOWU3YzJmMzUzMGZhNTY4ZDEzMThj
OTdjNjRjNjg4YmJhOTU0ZTM0MTZhZThiZGUyNmU5IiwidGFnIjoiIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Remove or restrict access to all configuration files acessible from internet.

Unencrypted connection

This scan target was connected to over an unencrypted connection. A potential attacker can intercept and modify data sent and received from this site.

Impact

Possible information disclosure.

http://parichoy.ssbmultiservices.com/ Verified

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

The site should send and receive data over a secure (HTTPS) connection.

User credentials are sent in clear text

User credentials are transmitted over an unencrypted channel. This information should always be transferred via an encrypted channel (HTTPS) to avoid being intercepted by malicious users.

Impact

A third party may be able to read the user credentials by intercepting an unencrypted HTTP connection.

http://parichoy.ssbmultiservices.com/

Forms with credentials sent in clear text:

- http://parichoy.ssbmultiservices.com/register

```
Form name: <empty>
Form action: http://parichoy.ssbmultiservices.com/register
Form method: POST
Password input: password
```

- http://parichoy.ssbmultiservices.com/login

```
Form name: <empty>
Form action: http://parichoy.ssbmultiservices.com/login
Form method: POST
Password input: password
```

Request

```
GET /register HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Cookie: XSRF-
TOKEN=eyJpdiI6ImhYZVRvSm5kU2FabGVoSnJUdDJFY3c9PSIsInZhbHVlIjoiRkE3Q2JpeU1WQ1I2a09HNWlybEltM1ovUWw2ZW
5hMFJ0aDAyUFBDckdXTGZYczdTTC9ML2wwU24wVFVSZFRveitMWXJUUzdTU0VrL1Z2b3pxOTFYT3N1NjVEdGpleEV6UUpDWDJpT0
dlWjcyWDd4bHcvQ3lreCtWYmFDTzRCZDEiLCJtYWMiOiIzZWM5NjcwYmNmOGQ2OGY5NzAyZmI4YTYyMWI5ODM2YWIzNGZiY2M2ZT
JiNjcwOWNiOTlkNDYzNDI2ZWI0ODQ4IiwidGFnIjoiIn0%3D;
laravel_session=eyJpdiI6IldYTVg0NjRrb1FUQVRqWDNLcHFJdWc9PSIsInZhbHVlIjoibGtGSTNsOFhVWkxKVWZkbkVHWEVP
ZU5lK0RUMlM1L2VNOVlFN3AzNWwrWkc5Mzg2SEFKQ3pleTZGNitSRFc5Z3IrUEZxeTdCd1Q1MnhwNDBHcWREQWVoclpMeFEwSnNl
UUlnaW83Q1IzTHdkREp2cnFseUtnejh4Y2VvN0pZWTIiLCJtYWMiOiJhMjE1NTEwOGZiOTNkYWE3OWQyYTUzYWRmZTVhYTc3ZTI2
NTYzMTE0OThiZTJhMTMyZGE3YjVhY2Y5MjRiNTQ1IiwidGFnIjoiIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Because user credentials are considered sensitive information, should always be transferred to the server over an encrypted connection (HTTPS).

Vulnerable JavaScript libraries

You are using one or more vulnerable JavaScript libraries. One or more vulnerabilities were reported for this version of the library. Consult Attack details and Web References for more information about the affected library and the vulnerabilities that were reported.

Impact

Consult References for more information.

http://parichoy.ssbmultiservices.com/ Confidence: 95%

- **jQuery 3.1.1**
  - URL: http://parichoy.ssbmultiservices.com/
  - Detection method: The library's name and version were determined based on its dynamic behavior.
  - CVE-ID: CVE-2020-11022, CVE-2020-11023, CVE-2019-11358
  - Description: In jQuery versions greater than or equal to 1.2 and before 3.5.0, passing HTML from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0. / In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing option elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0. / jQuery mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.
  - References:
    - https://blog.jquery.com/2020/04/10/jquery-3-5-0-released/
    - https://mksben.l0.cm/2020/05/jquery3.5.0-xss.html
    - https://jquery.com/upgrade-guide/3.5/
    - https://api.jquery.com/jQuery.htmlPrefilter/
    - https://www.cvedetails.com/cve/CVE-2020-11022/
    - https://github.com/advisories/GHSA-gxr4-xjj5-5px2
    - https://www.cvedetails.com/cve/CVE-2020-11023/
    - https://github.com/advisories/GHSA-jpcq-cgw6-v4j6
    - https://github.com/jquery/jquery/pull/4333
    - https://nvd.nist.gov/vuln/detail/CVE-2019-11358
    - https://nvd.nist.gov/vuln/detail/CVE-2019-5428
    - https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Upgrade to the latest version.

Clickjacking: X-Frame-Options header

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server did not return an **X-Frame-Options** header with the value DENY or SAMEORIGIN, which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into untrusted sites.

Impact

The impact depends on the affected web application.

http://parichoy.ssbmultiservices.com/

Paths without secure XFO header:

- http://parichoy.ssbmultiservices.com/upload/about-us-image/
- http://parichoy.ssbmultiservices.com/css/app.css
- http://parichoy.ssbmultiservices.com/js/app.js
- http://parichoy.ssbmultiservices.com/public/x/connect/xd_arbiter
- http://parichoy.ssbmultiservices.com/public/single-post/assets/images
- http://parichoy.ssbmultiservices.com/cgi-sys/
- http://parichoy.ssbmultiservices.com/mailman/
- http://parichoy.ssbmultiservices.com/upload/advertisement/
- http://parichoy.ssbmultiservices.com/upload/homepage-ad/
- http://parichoy.ssbmultiservices.com/mailman/archives/
- http://parichoy.ssbmultiservices.com/upload/post-image/
- http://parichoy.ssbmultiservices.com/single-video/dfldffgfg-6545fc1920e37

- http://parichoy.ssbmultiservices.com/upload/print-version/
- http://parichoy.ssbmultiservices.com/upload/members/
- http://parichoy.ssbmultiservices.com/assets/website/fonts/fontawesome/webfonts/
- http://parichoy.ssbmultiservices.com/upload/print-and-news/
- http://parichoy.ssbmultiservices.com/public/upload/about-us-image/
- http://parichoy.ssbmultiservices.com/upload/
- http://parichoy.ssbmultiservices.com/assets/
- http://parichoy.ssbmultiservices.com/assets/toastr/css/
- http://parichoy.ssbmultiservices.com/public/upload/homepage-ad/

Request

```
GET /upload/about-us-image/ HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Cookie: XSRF-
TOKEN=eyJpdiI6ImhYZVRvSm5kU2FabGVoSnJUdDJFY3c9PSIsInZhbHVlIjoiRkE3Q2JpeU1WQ1I2a09HNWlybEltM1ovUWw2ZW
5hMFJ0aDAyUFBDckdXTGZYczdTTC9ML2wwU24wVFVSZFRveitMWXJUUzdTU0VrL1Z2b3pxOTFYT3N1NjVEdGpleEV6UUpDWDJpT0
dlWjcyWDd4bHcvQ3lreCtWYmFDTzRCZDEiLCJtYWMiOiIzZWM5NjcwYmNmOGQ2OGY5NzAyZmI4YTYyMWI5ODM2YWIzNGZiY2M2ZT
JiNjcwOWNiOTlkNDYzNDI2ZWI0ODQ4IiwidGFnIjoiIn0%3D;
laravel_session=eyJpdiI6IldYTVg0NjRrb1FUQVRqWDNLcHFJdWc9PSIsInZhbHVlIjoibGtGSTNsOFhVWkxKVWZkbkVHWEVP
ZU5lK0RUMlM1L2VNOVlFN3AzNWwrWkc5Mzg2SEFKQ3pleTZGNitSRFc5Z3IrUEZxeTdCd1Q1MnhwNDBHcWREQWVoclpMeFEwSnNl
UUlnaW83Q1IzTHdkREp2cnFseUtnejh4Y2VvN0pZWTIiLCJtYWMiOiJhMjE1NTEwOGZiOTNkYWE3OWQyYTUzYWRmZTVhYTc3ZTI2
NTYzMTE0OThiZTJhMTMyZGE3YjVhY2Y5MjRiNTQ1IiwidGFnIjoiIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Configure your web server to include an X-Frame-Options header and a CSP header with frame-ancestors directive. Consult Web references for more information about the possible values for this header.

References

The X-Frame-Options response header

https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options

Clickjacking
https://en.wikipedia.org/wiki/Clickjacking

OWASP Clickjacking
https://cheatsheetseries.owasp.org/cheatsheets/Clickjacking_Defense_Cheat_Sheet.html

Frame Buster Buster
https://stackoverflow.com/questions/958997/frame-buster-buster-buster-code-needed

Cookies without HttpOnly flag set

One or more cookies don't have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

Impact

Cookies can be accessed by client-side scripts.

http://parichoy.ssbmultiservices.com/ Verified

Cookies without HttpOnly flag set:

- http://parichoy.ssbmultiservices.com/

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6Inc5UTZtQWY2QjlaSGh5UUxmc2pZNnc9PSIsInZhbHVlIjoiZExNTjYvNjhJM1RVemV
XK0REaGpLQnFxM25JazVSVjQrWTcxeGhkdGRQcURKNUxrZU8vZDZKREYxL0NELzVGUS9PNENwZnFRUWlT
WGdHZytrUXA1MVNEczMySDA2OWtTTGhvZVdFYWZIOU5DcGN0c3ZqY3IwZ0Q3YTFnR3hiVXoiLCJtYWMiO
iJiODhjNTRjYjA1ZjQyZjljNDdlYmM3OWZiNzY1N2U2NDYwNGMzYTBjMWU2N2ZiMjQ4ZTc3NmJjY2FmZj
FmZWQ4IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:22:11 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IkpCSExlQUc0ZzdLM2tmOHZ5R2lDcnc9PSIsInZhbHVlIjoia0F6R2JEMGM0T3RSNTd
DN1p6amkxWm1pdmhTeXQ4REVGa3NhZTZwOStMK3pUelFyTWpKNm5sMEVoTGlrWjJISDZreDQ0M1crUXF1
Y29odzlSck1jQU9mOUhhQ0JUeUhNM3BoeER6aElmazJyTnFSdDVqZFg4UktFYUxPZmEwM2ciLCJtYWMiO
iI3MDBjZTM1MGRmOTdmMGMzYzkxMTY4ZDFiMjNiNTI1ZGQ1OTNjYjFhYTMwZjIwNTRiNmI5OTc1ZDQ5Nj
```

```
hiZTZlIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:00 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/category/alocit-sngbad-61fe0d65df421

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6Ild1NlhnV2hmT1dqbTNXM2x2UHdHM3c9PSIsInZhbHVlIjoiVm1QNXZWcmY1OGZxS1d
WUFpjNkV3bmJKRXB2MWV3MEQ4dnRhRTBNVXFRZjc5b2w2ZlFUemVwZVNhZDlhZVJ6Ky9ySzFCeE9wck5X
N05Xd2RwWm05Vk9sbGk1OXJzY0Z4djJ1V3h1WnRCdU5aWUxPUThVMUdZN09VcFd0eklISk0iLCJtYWMiO
iI4NTkxZmRmMmE1MWNiZGE0NGJjZjY3YzFiMGM4OWJmZjUxZjk5MjQzOTkzODBlYjk3YjZiZTlkNDkzNT
liYjA5IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:03 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/archive

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6InlDRmp5dlhsNzk5S0NBbXNLTUcyVnc9PSIsInZhbHVlIjoidlhkU3MrZkNTcWtpcUV
xK1hVMW1CTHRpQXpZRkQrSllKeGlxdTVjbkdadTkwS1BxWHo2a2lXbzNLWXdZTUIvM1FmSWRjV3V1STVS
TDdVVjRzNlNkVHFIMkxYY3picFh2Ui8xRytqMEsvKzVQYkhWcGVRTS9RNTFzTXROKzcreHQiLCJtYWMiO
iJlMTlhMTJlZWEwNjFkOWEyNTlhOTZkODNkYjE0NTcxZWEzODA5Njk0YjllYWU5NjM1ZTU0MDlmMGQ3Zj
JkNWQwIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:22 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/archive

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6InZhdWtxZHVvVTFzbmVocDNqblUxRVE9PSIsInZhbHVlIjoiVFYyK1pYQ0hTREwyNVd
YQmtEak5STy9NUUtQMkgrYXdRSm1XQ00xUlkxeGZIbHJGVEd1UGlhMjBjNEdDenpubjgrQUxkdC8reVdX
WW4zWWJjNTE3TUEyWXhmZE41di9MQW5nWis1T3R5elVEbFR1ZmlzQVNsOFFIME15aXZ6R3UiLCJtYWMiO
iJkNmMyZGE1ZTk5MDQwYmIwODhkM2Y4NTZjZWI2OWYyY2NjMWYxZDFiNjk4MDBmY2Q5ZjZkYzViMzY0Yj
hiOWNhIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:22 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/single-archive-print-version/1

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6ImhYZVRvSm5kU2FabGVoSnJUdDJFY3c9PSIsInZhbHVlIjoiRkE3Q2JpeU1WQ1I2a09
HNWlybEltM1ovUWw2ZW5hMFJ0aDAyUFBDckdXTGZYczdTTC9ML2wwU24wVFVSZFRveitMWXJUUzdTU0Vr
L1Z2b3pxOTFYT3N1NjVEdGpleEV6UUpDWDJpT0dlWjcyWDd4bHcvQ3lreCtWYmFDTzRCZDEiLCJtYWMiO
iIzZWM5NjcwYmNmOGQ2OGY5NzAyZmI4YTYyMWI5ODM2YWIzNGZiY2M2ZTJiNjcwOWNiOTlkNDYzNDI2ZW
```

```
I0ODQ4IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:38 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/register

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IlNUZVluNm5Ub3pxZUkxY1NmbmJWVUE9PSIsInZhbHVlIjoiM0pVNDA2Q0g4QnFiOE9
nY09aNWc4c2hCemkzNnUyY2JJa2QwbWFUY3IvMTI3MWpLVmswTGs5Z1VROHJtQ3N6dDk3ODB3TzlBMm5t
L1g3QjJhOTFwMmRhenJsTmptWE5ReEFhK3VyQy9Jb3NqNHc0VzhnSHJ6dHIxQ0VlakhSMzIiLCJtYWMiO
iI3YjEzMzZkYzFhMGE2YTc4MGY4NTY4MzRmNTljYzNkYzQ3ODlmNGY4OGVhYWFmZmFhZGU5YTFmNWIyYm
I3YjFmIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:42 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/print-media

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IlcvNFE4RWNCampoSkFMY1QxYmt6a3c9PSIsInZhbHVlIjoidElRUEhsd0FQVmJETCt
oYjg3M2ZCcWcyS21sVFNRUTB2L00xSFZkemx1YjBMVDJUU3QzSzBVQXBrNGRtd1lVM0FwdXFGU2ZKbmlG
ZjBiUVMzU1p2UnVJN1BBTHBrS0ZLUVYrWTNqSS80aXU1cFNQT01BbHVWelUxNlB4UGVNeVgiLCJtYWMiO
iJlMTJjNTkwZWNkMWMzODZkYTM3OGZkMDFkNTg3YjIwZTQwNmI4MWU5NWRjZDgyYjFmNTBhYzc3NDVhNT
cwODY2IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:43 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/register

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6ImdSOXFGTE5hS05JSmxDdTZuYTZmK0E9PSIsInZhbHVlIjoiNWZMNFJEbmE5QmsvS1h
5eFE2M0FPRDRaSkZkTDJpeHQvSjZOYUhubHBJdTF2SGRSRkx1REZGWXVsU2xKUXBGM3VnYXZvTzFiejNr
OEh6K2FFakhEMXc2N21hRjh4MDZxUmx6Z01ucDVCZ1pEY3oxdjk3MDUxSGNLRXk4RTdEZDYiLCJtYWMiO
iI2NDI0ZTE1NWU1YjU3NzkxMjVkYTg4MmEyNjllY2ZiOGU1NmFjZTVmYWJiNGZlOWQ2OGJmZWE1MWVhZD
gwZWMwIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:46 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/video

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6InZPamwzeTZ5M0hXT0w5ZDhEQ3lsUXc9PSIsInZhbHVlIjoiaUFwZmtKdkUvNmdwM0c
rc1cweWpnN1VWd0hoODF3aEZ2YTE1cnZCaDhGQ2ZOaGNuc1BPWW9jYi9KN0VjUWc5b0JpYy9mSml0d0Vl
YkxpNjlVV0JkcHhQTytHeWk1TEZjRkU2ZWpGdHY2NkhXVVp4Y1NmZFBCME4xYmZqY2V6SW8iLCJtYWMiO
iI3YTRjOTdmMzUxZWZhOWUzOGNmZmE2NDFkM2ZlODgyYmJlMWI0OWQxN2MxNzJiMjgxN2VlN2VmOGE2Nz
```

```
cwYTQzIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:25:16 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/serarch

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IlRxbTFCMHFDWHJBMnAyN21UazR0K2c9PSIsInZhbHVlIjoielFYYjNld2NWRm00K3I
0UkVxUEtJRGJWQmpxMnJJcDMwaENPWGJraXFTcFlyTm1rd1dQbzcrYjhpeEpiRk13NVJkZjE5djdLNWI4
RkVJc2NMaVVZb3JabjZyT1JpOTV4ckw2T3E1WHlZc2dWQzNwVnNXL044NjNaVTlaeUozY0QiLCJtYWMiO
iIxOGJhYTUyMTJiOWU4OWU3YTZhOWQ5MGIyNTI2OWI1NTE3MWY4NGI1YzdhZjkxNGZiOTNjNmYyYTdlZD
A4ODYyIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:15 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/single-post/anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6ImJLcEZkRFNYcld0b1M3SFJMcit1Nmc9PSIsInZhbHVlIjoiRUlyS3J2Z0ZPdW5HaWd
oOHFjREpFZnRrZWtrL1RWRkpVMzNuOUo3TlhRZGg2TWtYNFFERlpMb25rVmM4MS9md2E5dERWS0w2Nloz
NGNWejBrbUdYbkNza3FGMmNwYitlOE03Umw3Y0gzRTBKQ1lLaHpGUFVvTmdrbUVOT2RsdXciLCJtYWMiO
iI3MGM3Njk1NDViYTFlNzdkZGU4M2YxYTU0OGM1YWM0YjM5MWMxNDI5NDkzZTczMTU0ZTE3YjM1NDE3YT
I0YTM1IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:25:28 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/home

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IlpzS2tiL0I4a2dNei90VFBmczU5Ymc9PSIsInZhbHVlIjoibC92RklGMnFHYktOWEF
CMHZyV3BRT25CbVcyNk0wRlVUYW5YTjVRYld0M0UzR2ZqdWR6T2NDaHhScmt3a0tHZHBINUtELzJ1U3VE
bkpkd2UrMjczNTRkT3FSWlBNbnNGYlRob3ExZWZINlFaakg3eGtMYm1PdmQxT3krTm9NZFMiLCJtYWMiO
iJiZGQ1MzdmMDAxZjkwMzdkMDA0YjUzMGFhOTg1ZTgxODBjMmQxNDM4MjEzZGEyZTg4NjgzNWI5YmE5OW
Q4MzM2IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:46 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/login

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IkFiaGxFaUt1cDhXMkU3Smh4cy9jUkE9PSIsInZhbHVlIjoiM0xzT0dSOTJnVEI0b0d
3QW9jcEV5OW9yVnJxMm1TRDJpNEU0NlU1WDhKejU1MWl2bTFrNjJORGtpTDlxUUhnb2F6aEpoSUpLUmxD
bExtK3gxZnkrbEN0eGpMVm4xMnZORnBYNWN4OXBLT0hoNDBXUVBsNE5MWitna2tZekhkaFEiLCJtYWMiO
```

```
iI4MTg3NjZkMmMzMzM4MTg5Nzc2OGViMTc0Y2ZkMzc3ODdjMDVlZDAxNDIwNmVmYTU4MGM1NTQ2NjAzNj
dhNDBkIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:24:47 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/password/reset

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IkNKcjhWenNteTlzMFJKeVBaVlRRNEE9PSIsInZhbHVlIjoiY0RMTjF4UkJrNUV6cE4
yNmdwNXRtTVhDV25BUklrUzdJQTJmTk5PUXVTNjlqTGNOMWVObHg5ZXFCZit1TnRuVTZ6RVFHK1pNQWdD
Y1VGc0lodm1zcmYzMHp5dVBDa3JDVXp4a0lIN1k0RzRBRGR6aVJ3SmdVS2hKY2ZzSjVDQSsiLCJtYWMiO
iJmYWEyYjFlMzVjYTZlZTc4ZjYwYTk4NGQ2NmExNGNmNDVkNmI3MzhlZmMxOGY0OTkyYzM5MTVlOGJlYT
k3ODRiIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:26:25 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/login

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6Im9McXlaYkt3NjJPY3FDM1RsUk94ZEE9PSIsInZhbHVlIjoiWGNLVXVGOHl5T0Ftb1R
VRmt0MzUwby9OTWhrL0pZdDRFQ214RTJpakJhU0NnTG1QejVzM3Z0TFFaVlh6L3d2K210eW5zT3dWZUZh
bjhCS2tKY3llSFJHNXVEd3l0S1hsaFVHRzc3bmtGR3V6WkpKNGIzb2FhNXpaR1lQWkJaMkoiLCJtYWMiO
iIzMjgwNjdkMGUzYzQzNGRjMzU3YjYzYzlhMmFiMjg1ODA2YzU2MmVlYTRkNjczYmI4Y2JmMzFiM2VlYz
YzZTgxIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:26:17 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/home

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6ImNFampqeStGZnJINzlxQVRKWXI3ZGc9PSIsInZhbHVlIjoiN3NNdnVxazQwQU95YUF
HNFV0RkMwQnQ3c2IxeFk4Zk9Ealdaa3UwMWYwMWdzQ2N2Qi9ZY2Q5OVpZUWZmT0MxOEluQzhHRFJVb1Vp
Zmc1VDFKR0NsZlEwL1pYRWpQb3FNcXdLbmUxbUtmbWNwQVF2K2w0TUtYcXNHazB2Wi9PaUIiLCJtYWMiO
iIxZWY4OTYzMTIzYTRkMzMxZDQwNzYzZjU1ZGY3ZjU2NDAyZGFjOGZiNzI3NWEyNjgyYmE5ZmRjMTFmZT
k5MDM1IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:26:17 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/index.php

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6InRSMWtRbGlOa1NtODM1TVZWZkU2TGc9PSIsInZhbHVlIjoiUjJJWFRUYi8xQnVGUUs
1dkNqQ01pb2VubHp1enZyV0NmVGwrYnp6cmdndEozcXZTL0E5WTAvdlY3MzhmRlZudzRaYVlNT01JaDZq
K1VUcVI0czFnUnB1K2E1bVM0NnlFRjhBSnRtcnNOTGxhdUtheTJveWFBdTRZOUJFT3VEQ3EiLCJtYWMiO
```

```
iJkMTZhM2I0NjZhZTJlOWUzZGMzOWI1ZDA0MDAwYWUzNjA4NzAyZmZmNDlhNjcyZjJmZWNhZTQ3OTY1Nm
RhOTZkIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:26:36 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/comment-store

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IkZ3ODdra2JzZ08yV0RWRXl0T09JeEE9PSIsInZhbHVlIjoiQXFtUUx2S0UvY1V2K0Q
1QkEyYkt1bE1RdVhRNVNTMmx6cUxiNXh6dDd3TlRMb0RBV2R4WUo1YTNKTFY0aVN4SVJycVpIMTN4QkNh
dFpzbnZyYkIraFBPQk45eCtING JoWDEyMjJzUEc2dFlVa2krNFlDbGNxQkU2V1ZxeDJ1TUEiLCJtYWMiO
iJiN2I3OTU2OTE3MmU3Y2UzZTk2YjJlODU1NmY2ZmU1NDM1MmVjYTA2MGIyOWY0OWY5ODg2ZTgyNTI5MD
E2NmY1IiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:25:46 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/password/email

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6ImxVKzErdWYxRTlYMXhjVG14aFFwYXc9PSIsInZhbHVlIjoiaVA2K1cyd25xbzk5eXJ
XNml4TFhocmF6eEFqZjRkTXEzSnJ6M3Q0dTFHN3RucUNxaFVsYXYrdTRFWWl2OUR1aHpucmZtKzBxRDlU
ei9VR1Fndkg0eGQ2b1BJRE9TSDNZWllQRzhoUldvYW4zT2cwZlB4dWtvZEhoSkxZbmxxM1EiLCJtYWMiO
iIwNzg3Y2U0Mzk2N2U0ZTIxODQ1ODlmNmM5NmIzMmQwYmFiMTZiOTViZWVhZDU3OWY3YmQ0NGY3NTc3NG
QzNmUzIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:26:33 GMT; Max-Age=7200;
path=/; samesite=lax
```

- http://parichoy.ssbmultiservices.com/more-video/1

```
Set-Cookie: XSRF-
TOKEN=eyJpdiI6IjNGWXFVNldqWXp1VFNkRy9NZ1hKOUE9PSIsInZhbHVlIjoiTldlRkRWak1hS2lyUTB
mSTYzZzNtaWI0NE5uYjhjWW5IOUhwV1VjaVlCYW95c2U4akVPYWdDdENGOUNNUTZ1NXRzdkNGTFRYRkdx
eG9XNUpQbFpyQUZjUEMwcnVzVko1K0t3dXpUT2RVUndoYTUyeGFLbEh3SVVwbWIrUG13MUEiLCJtYWMiO
iI2MDE5NDM3MThhZmZjOWQ1OTBiMTI1ZGY3NTE1ZTk2NDhjZjBmYTYxMTAyYTFhM2Y0MzJhMzlhOTdjMj
M5ZjRiIiwidGFnIjoiIn0%3D; expires=Tue, 13 Feb 2024 09:29:43 GMT; Max-Age=7200;
path=/; samesite=lax
```

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
```

```
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

If possible, you should set the HttpOnly flag for these cookies.

Insecure Inline Frame (iframe)

The web page was found to be using an Inline Frame ("iframe") to embed a resource, such as a different web page. The Inline Frame is either configured insecurely, or not as securely as expected. This vulnerability alert is based on the origin of the embedded resource and the iframe's sandbox attribute, which can be used to apply security restrictions as well as exceptions to these restrictions.

Impact

When a web page uses an insecurely configured iframe to embed another web page, the latter may manipulate the former, and trick its visitors into performing unwanted actions.

http://parichoy.ssbmultiservices.com/ Verified

An iframe tag references an external resource, and no sandbox attribute is set.

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Review the iframe's purpose and environment, and use the sandbox attribute to secure the iframe while applying sandbox directives to ease security restrictions if necessary.

References

MDN | iframe: The Inline Frame Element

https://developer.mozilla.org/en-US/docs/Web/HTML/Element/iframe
HTML Standard: iframe
https://html.spec.whatwg.org/multipage/iframe-embed-object.html#the-iframe-element

HTML 5.2: 4.7. Embedded content
https://www.w3.org/TR/html52/semantics-embedded-content.html#element-attrdef-iframe-sandbox

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for the all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:
default-src 'self';
script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

Impact

CSP can be used to prevent and/or mitigate attacks that involve content/code injection, such as cross-site scripting/XSS attacks, attacks that require embedding a malicious resource, attacks that involve malicious use of iframes, such as clickjacking attacks, and others.

http://parichoy.ssbmultiservices.com/

Paths without CSP header:

- http://parichoy.ssbmultiservices.com/
- http://parichoy.ssbmultiservices.com/category/alocit-sngbad-61fe0d65df421
- http://parichoy.ssbmultiservices.com/archive

- http://parichoy.ssbmultiservices.com/single-archive-print-version/1
- http://parichoy.ssbmultiservices.com/upload/about-us-image/
- http://parichoy.ssbmultiservices.com/register
- http://parichoy.ssbmultiservices.com/print-media
- http://parichoy.ssbmultiservices.com/css/app.css
- http://parichoy.ssbmultiservices.com/js/app.js
- http://parichoy.ssbmultiservices.com/video
- http://parichoy.ssbmultiservices.com/single-post/anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20
- http://parichoy.ssbmultiservices.com/public/x/connect/xd_arbiter
- http://parichoy.ssbmultiservices.com/public/single-post/assets/images
- http://parichoy.ssbmultiservices.com/login
- http://parichoy.ssbmultiservices.com/password/reset
- http://parichoy.ssbmultiservices.com/index.php
- http://parichoy.ssbmultiservices.com/cgi-sys/
- http://parichoy.ssbmultiservices.com/mailman/
- http://parichoy.ssbmultiservices.com/more-video/1
- http://parichoy.ssbmultiservices.com/single-video/10
- http://parichoy.ssbmultiservices.com/upload/advertisement/

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
```

```
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

It's recommended to implement Content Security Policy (CSP) into your web application. Configuring Content Security Policy involves adding the **Content-Security-Policy** HTTP header to a web page and giving it values to control resources the user agent is allowed to load for that page.

References

Content Security Policy (CSP)
https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP

Implementing Content Security Policy
https://hacks.mozilla.org/2016/02/implementing-content-security-policy/

Email addresses

One or more email addresses have been found on this website. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

Impact

Email addresses posted on Web sites may attract spam.

http://parichoy.ssbmultiservices.com/

Emails found:

- http://parichoy.ssbmultiservices.com/
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/category/alocit-sngbad-61fe0d65df421
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/archive
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-archive-print-version/1
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/print-media
  parichoyny@gmail.com

- http://parichoy.ssbmultiservices.com/video
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/serarch
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-post/anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/index.php
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/more-video/1
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-video/10
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/all-advertisement
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/category/alocit-sngbad-620744b710763
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/more-video/2
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/category/antrjatik-620742fee43b1
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-archive-print-version/2
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-post/bangladeser-chele-meyera-gugl-ozamajne-cakri-krbe-abubkr-hanip-6208b7480505d
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-video/11
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/category/baki-bisw-6201f43ce7574
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/single-video/12
  parichoyny@gmail.com
- http://parichoy.ssbmultiservices.com/public/index.php/category/alocit-sngbad-61fe0d65df421
  parichoyny@gmail.com

Request

```
GET / HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Check references for details on how to solve this problem.

References

Anti-spam techniques
https://en.wikipedia.org/wiki/Anti-spam_techniques

Javascript Source map detected

Client side Javascript source code can be combined, minified or compiled. A source map is a file that maps from the transformed source to the original source. Source map may help an attacker to read and debug Javascript.

Impact

Access to source maps may help an attacker to read and debug Javascript code. It simplifies finding client-side vulnerabilities

http://parichoy.ssbmultiservices.com/ Confidence: 80%

URLs where links to SourceMaps were found:

- sourceMappingURL in JS body - http://parichoy.ssbmultiservices.com/assets/website/3d-flip-book/js/dist/3dflipbook.js

- sourceMappingURL in JS body - http://parichoy.ssbmultiservices.com/public/assets/website/3d-flip-book/js/dist/3dflipbook.js

Request

```
GET /assets/website/3d-flip-book/js/dist/3dflipbook.js HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Cookie: XSRF-
TOKEN=eyJpdiI6Inc5UTZtQWY2QjlaSGh5UUxmc2pZNnc9PSIsInZhbHVlIjoiZExNTjYvNjhJM1RVemVXK0REaGpLQnFxM25Jaz
VSVjQrWTcxeGhkdGRQcURKNUxrZU8vZDZKREYxL0NELzVGUS9PNENwZnFRUWlTWGdHZytrUXA1MVNEczMySDA2OWtTTGhvZVdFYW
ZIOU5DcGN0c3ZqY3IwZ0Q3YTFnR3hiVXoiLCJtYWMiOiJiODhjNTRjYjA1ZjQyZjljNDdlYmM3OWZiNzY1N2U2NDYwNGMzYTBjMW
U2N2ZiMjQ4ZTc3NmJjY2FmZjFmZWQ4IiwidGFnIjoiIn0%3D;
laravel_session=eyJpdiI6ImFYK1d5TjBIS2FXZEtDVDMrcnpSb2c9PSIsInZhbHVlIjoiQkcyRkxLc3IwNk5mblRuUURJNEFM
RDlCbWs1dXQxWmMrT2gzMTIrT2tIekgzYVY3QU9lUkdGdENxVFNoL3pzMWl2dTFDVGRhWHZRYVB3U3lGRnpFT0tQbjhnY1NzaUd0
SEF1K0Q5bmNCTUZva2tJc2hQZFhwZWpQK2NiTHIveTUiLCJtYWMiOiJjNzA2YzE3OTUwMzE0MTlmOTI4OWQ2YzNlZWQ4YTcxMzE1
ZDBhYTQxYmNhOGQzZTZjZDQxNWY5MWEwZDdjNjFjIiwidGFnIjoiIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
```

```
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

According to the best practices, source maps should not be accesible for an attacker. Consult web references for more information

References

Using sourcemaps on production without exposing the source code
https://itnext.io/using-sourcemaps-on-production-without-revealing-the-source-code-%EF%B8%8F-d41e78e20c89

SPA source code recovery by un-Webpacking source maps
https://medium.com/@rarecoil/spa-source-code-recovery-by-un-webpacking-source-maps-ef830fc2351d

No HTTP Redirection

It was detected that your web application uses HTTP protocol, but doesn't automatically redirect users to HTTPS.

Impact

In some circumstances, it could be used for a man-in-the-middle (MitM) attack

http://parichoy.ssbmultiservices.com/

Request

```
GET / HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

It's recommended to implement best practices of HTTP Redirection into your web application. Consult web references for more information

References

HTTP Redirections
https://infosec.mozilla.org/guidelines/web_security#http-redirections

Outdated JavaScript libraries

You are using an outdated version of one or more JavaScript libraries. A more recent version is available. Although your version was not found to be affected by any security vulnerabilities, it is recommended to keep libraries up to date.

Impact

Consult References for more information.

http://parichoy.ssbmultiservices.com/ Confidence: 95%

- **jQuery 3.5.1**
  - URL: https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js
  - Detection method: The library's name and version were determined based on the file's CDN URI.
  - References:
    - https://code.jquery.com/

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

http://parichoy.ssbmultiservices.com/ Confidence: 95%

- **slick 1.5.9**
  - URL: http://parichoy.ssbmultiservices.com/assets/website/slick-slider/slick.min.js
  - Detection method: The library's name and version were determined based on the file's contents.
  - References:
    - https://github.com/kenwheeler/slick/tags

Request

```
GET /assets/website/slick-slider/slick.min.js HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Cookie: XSRF-
TOKEN=eyJpdiI6Ik1jQVpKUWRuVHBZTkhXL1k3RnA0ckE9PSIsInZhbHVlIjoiZ3BMdXUzbVNuL05Xbm1WK0pHdkd5aHJzdTYwdl
lnSlJmU3BXYk44QzhqV0xKRVlDd1Y3cjFuZ0hqaGZaalRkbzRHNFVyV3FTeXhRK2RlbmdXdWt2cmRYRGtPNGJydnNwb1JsZjNZRz
hoUnlaeFdKUWJZMVRxd2xONXFkNUFEOXUiLCJtYWMiOiI4YjRlZjk0Y2FlZTk3OWJjZTRmZDg2MmI4ODE5MWM5YzljZTg4M2E0Yj
I1YzNiMGZjNGVkNmMzYTE3MDE4MzFhIiwidGFnIjoiIn0%3D;
laravel_session=eyJpdiI6ImdOS1ZhSHpwNWpidWhWeDlramRNdFE9PSIsInZhbHVlIjoiTnBwWEV6SFZqMVJHZk9KYWdWSUFU
UktxNjhyS0ZMdmsyVVc3aTVKenBKVTlLZmJQeG5nZVJ3QUR6T2tUd2tBTUNmQnhDL2UvUW11Zkdjdmgza3dpQXNmUmNTUzNRY2dv
dm1wVlJOcDkwK3Q4UXVhMTJTcjNLYmU1Nk9TUnlCNDciLCJtYWMiOiIwZDJjYjQyODA2NmJiYTNjMzc0ZWRlYmViZjJiNzA0OGU2
YjUxYjJhZDlhZDM0MmJmNjI0NWFjNjQ0MGVlZmI1IiwidGFnIjoiIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Upgrade to the latest version.

Permissions-Policy header not implemented

The Permissions-Policy header allows developers to selectively enable and disable use of various browser features and APIs.

Impact

http://parichoy.ssbmultiservices.com/

Locations without Permissions-Policy header:

- http://parichoy.ssbmultiservices.com/
- http://parichoy.ssbmultiservices.com/serarch
- http://parichoy.ssbmultiservices.com/category/alocit-sngbad-61fe0d65df421
- http://parichoy.ssbmultiservices.com/archive
- http://parichoy.ssbmultiservices.com/single-archive-print-version/1
- http://parichoy.ssbmultiservices.com/upload/about-us-image/
- http://parichoy.ssbmultiservices.com/register
- http://parichoy.ssbmultiservices.com/print-media
- http://parichoy.ssbmultiservices.com/css/app.css
- http://parichoy.ssbmultiservices.com/js/app.js
- http://parichoy.ssbmultiservices.com/video
- http://parichoy.ssbmultiservices.com/single-post/anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20
- http://parichoy.ssbmultiservices.com/comment-store
- http://parichoy.ssbmultiservices.com/public/x/connect/xd_arbiter
- http://parichoy.ssbmultiservices.com/public/single-post/assets/images
- http://parichoy.ssbmultiservices.com/login
- http://parichoy.ssbmultiservices.com/password/reset
- http://parichoy.ssbmultiservices.com/password/email
- http://parichoy.ssbmultiservices.com/index.php
- http://parichoy.ssbmultiservices.com/cgi-sys/
- http://parichoy.ssbmultiservices.com/mailman/

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

References

Permissions-Policy / Feature-Policy (MDN)
https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy

Permissions Policy (W3C)
https://www.w3.org/TR/permissions-policy-1/

Reverse proxy detected

This server uses a reverse proxy, a load balancer or a CDN (Content Delivery Network) or it's hosted in a cloud provider. Acunetix detected this by sending various payloads and detecting changes in headers and body.

Impact

No impact is associated with this vulnerability.

http://parichoy.ssbmultiservices.com/

Detected reverse proxy: Apache httpd

Request

```
GET / HTTP/1.1
Max-Forwards: 0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

None

Subresource Integrity (SRI) not implemented

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha256, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

Impact

An attacker that has access or has hacked the hosting CDN can manipulate or replace the files.

http://parichoy.ssbmultiservices.com/

Pages where SRI is not implemented:

- http://parichoy.ssbmultiservices.com/
  Script SRC: **https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js**

- http://parichoy.ssbmultiservices.com/
  Script SRC: **https://srv2.weatherwidget.org/js/?id=ww_3e17b2d4**

- http://parichoy.ssbmultiservices.com/
  Script SRC: **https://connect.facebook.net/en_US/sdk.js#xfbml=1&version=v3.2**

- http://parichoy.ssbmultiservices.com/
  Script SRC: **https://translate.google.com/translate_a/element.js?cb=googleTranslateElementInit**

Request

```
GET / HTTP/1.1
Referer: http://parichoy.ssbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: parichoy.ssbmultiservices.com
Connection: Keep-alive
```

Recommendation

Use the SRI Hash Generator link (from the References section) to generate a <script> element that implements Subresource Integrity (SRI).

For example, you can use the following <script> element to tell a browser that before executing the https://example.com/example-framework.js script, the browser must first compare the script to the expected hash, and verify that there's a match.

```
<script src="https://example.com/example-framework.js"
```

```
integrity="sha384-oqVuAfXRKap7fdgcCY5uykM6+R9GqQ8K/uxy9rx7HNQlGYl1kPzQho1wx4JwY8wC"
crossorigin="anonymous"></script>
```

References

Subresource Integrity
https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity

SRI Hash Generator
https://www.srihash.org/

Coverage

- http://parichoy.ssbmultiservices.com
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
  - assets
    - Inputs
      - GET iv, value, mac, tag
    - toastr
      - Inputs
        - GET iv, value, mac, tag
      - css
        - toastr.min.css
      - js
        - toastr.min.js
    - website
      - Inputs
        - GET iv, value, mac, tag
      - 3d-flip-book
        - css
          - black-book-view.css
          - font-awesome.min.css
        - fonts
          - Inputs
            - GET iv, value, mac, tag
        - images
          - Inputs
            - GET iv, value, mac, tag
        - js

- dist
  - 3dflipbook.js
- libs
  - html2canvas.min.js
  - jquery.min.js
  - pdf.min.js
  - pdf.worker.js
  - three.min.js
- default-book-view.js
- pdf.worker.js
- templates
  - default-book-view.html
    - Inputs
      - GET iv, value, mac, tag
- css
  - custom.css
  - lightbox.min.css
  - style.css
- fonts
  - fontawesome
    - css
      - all.css
    - webfonts
      - Inputs
        - GET iv, value, mac, tag
- grid-gallery
  - GridHorizontal.js
  - imagesloaded.pkgd.min.js
  - jquery.scripttop.min.css
  - lightbox.js
  - lightbox.min.css
- images-icons
  - Inputs

- GET iv, value, mac, tag
- images
  - Inputs
    - GET iv, value, mac, tag
- js
  - lightbox.min.js
  - main.js
  - progressbar.js
  - sticky-sidebar.js
  - sweet-alert.min.js
- marquee
  - jquery.marquee.js
- owl-carousel
  - owl.carousel.min.css
  - owl.carousel.min.js
  - owl.theme.default.min.css
- slick-slider
  - slick.main.css
  - slick.min.js
  - slick.theme.min.css

- category
  - Inputs
    - GET iv, value, mac, tag
  - alocit-sngbad-61fe0d65df421
    - #fragments
      - googtrans(bn)
      - googtrans(en)
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - alocit-sngbad-620744b710763
    - Inputs
      - GET iv, value, mac, tag

GET s

antrjatik-620742fee43b1

Inputs

GET iv, value, mac, tag

GET s

baki-bisw-6201f43ce7574

Inputs

GET iv, value, mac, tag

GET s

baki-bisw-62074329c6c60

Inputs

GET iv, value, mac, tag

GET s

banglades-61fe0d8d4ae86

Inputs

GET iv, value, mac, tag

GET s

banglades-62074287cdf60

Inputs

GET iv, value, mac, tag

GET s

binodn-61fe0d49c76ae

Inputs

GET iv, value, mac, tag

GET s

breking-niuj-6207424b52fc5

Inputs

GET iv, value, mac, tag

GET s

dhrm-620dd22912d66

Inputs

GET iv, value, mac, tag

GET s

- kheladhula-61fe0d529b37d
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- kmiuniti-61fe0d783a063
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- kmiuniti-6207433f5f0e4
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- onzanz-620dd215073e8
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- orthneeti-61fe0d6eaf2e5
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- print-sngskrn-61fe0d2d1987f
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- print-sngskrn-62074299064ea
  - Inputs
    - GET iv, value, mac, tag

- GET s
- przukti-620744a1e8a87
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- rajneeti-6208b56c52af7
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- samprtik-mntbz-6209f2dcec0d4
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- silp-sahitz-6207448e7b24e
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- srwadhik-pthit-6207427011be8
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- srwsesh-khbr-6209f2ca8460b
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- swasthz-620743c2513d2
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- tthz-przukti-61fe0d5d04e8f

- Inputs
  - GET iv, value, mac, tag
  - GET s
- zuktrashtr-6201fb73ea399
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- zuktrashtr-620742d713559
  - Inputs
    - GET iv, value, mac, tag
    - GET s

- cgi-sys
  - Inputs
    - GET iv, value, mac, tag
- css
  - Inputs
    - GET iv, value, mac, tag
  - app.css
- js
  - Inputs
    - GET iv, value, mac, tag
  - app.js
- mailman
  - Inputs
    - GET iv, value, mac, tag
  - archives
    - Inputs
      - GET iv, value, mac, tag
- more-video
  - Inputs
    - GET iv, value, mac, tag
  - 1
    - #fragments

- googtrans(bn)
- googtrans(en)
- Inputs
  - GET iv, value, mac, tag
  - GET s

- 2
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s

- password
  - Inputs
    - GET iv, value, mac, tag
  - email
    - Inputs
      - POST iv, value, mac, tag
      - POST _token, email
      - POST _token, email
      - GET iv, value, mac, tag
  - reset
    - #fragments
      - googtrans(bn)
    - Inputs
      - GET iv, value, mac, tag

- public
  - Inputs
    - GET iv, value, mac, tag
    - GET s
  - assets
    - Inputs
      - GET iv, value, mac, tag

- admin
  - Inputs
    - GET iv, value, mac, tag
- toastr
  - css
    - toastr.min.css
  - js
    - toastr.min.js
- website
  - 3d-flip-book
    - fonts
      - Inputs
        - GET iv, value, mac, tag
    - images
      - Inputs
        - GET iv, value, mac, tag
    - js
      - classes
        - Inputs
          - GET iv, value, mac, tag
      - dist
        - 3dflipbook.js
      - libs
        - html2canvas.min.js
        - jquery.min.js
        - pdf.min.js
        - pdf.worker.js
        - three.min.js
    - templates
      - Inputs
        - GET iv, value, mac, tag
    - package.json
      - Inputs
        - GET iv, value, mac, tag

- css
  - custom.css
  - lightbox.min.css
  - style.css
- fonts
  - fontawesome
    - css
      - all.css
    - webfonts
      - Inputs
        - GET iv, value, mac, tag
- grid-gallery
  - GridHorizontal.js
  - imagesloaded.pkgd.min.js
  - jquery.scripttop.min.css
  - lightbox.js
  - lightbox.min.css
- images-icons
  - Inputs
    - GET iv, value, mac, tag
- images
  - Inputs
    - GET iv, value, mac, tag
- js
  - lightbox.min.js
  - main.js
  - progressbar.js
  - sticky-sidebar.js
  - sweet-alert.min.js
- marquee
  - jquery.marquee.js
- owl-carousel
  - owl.carousel.min.css

- owl.carousel.min.js
- owl.theme.default.min.css
- slick-slider
  - slick.main.css
  - slick.min.js
  - slick.theme.min.css
- category
  - Inputs
    - GET iv, value, mac, tag
  - alocit-sngbad-61fe0d65df421
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - alocit-sngbad-620744b710763
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - antrjatik-620742fee43b1
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - baki-bisw-6201f43ce7574
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - baki-bisw-62074329c6c60
    - Inputs
      - GET iv, value, mac, tag
      - GET s
  - banglades-61fe0d8d4ae86
    - Inputs
      - GET iv, value, mac, tag
      - GET s

- banglades-62074287cdf60
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- binodn-61fe0d49c76ae
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- breking-niuj-6207424b52fc5
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- dhrm-620dd22912d66
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- kheladhula-61fe0d529b37d
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- kmiuniti-61fe0d783a063
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- kmiuniti-6207433f5f0e4
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- onzanz-620dd215073e8
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- orthneeti-61fe0d6eaf2e5

Inputs

GET iv, value, mac, tag

GET s

print-sngskrn-61fe0d2d1987f

Inputs

GET iv, value, mac, tag

GET s

print-sngskrn-62074299064ea

Inputs

GET iv, value, mac, tag

GET s

przukti-620744a1e8a87

Inputs

GET iv, value, mac, tag

GET s

rajneeti-6208b56c52af7

Inputs

GET iv, value, mac, tag

GET s

samprtik-mntbz-6209f2dcec0d4

Inputs

GET iv, value, mac, tag

GET s

silp-sahitz-6207448e7b24e

Inputs

GET iv, value, mac, tag

GET s

srwadhik-pthit-6207427011be8

Inputs

GET iv, value, mac, tag

GET s

srwsesh-khbr-6209f2ca8460b

Inputs

GET iv, value, mac, tag

GET s

swasthz-620743c2513d2

Inputs

GET iv, value, mac, tag

GET s

tthz-przukti-61fe0d5d04e8f

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-6201fb73ea399

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-620742d713559

Inputs

GET iv, value, mac, tag

GET s

index.php

Inputs

GET iv, value, mac, tag

category

alocit-sngbad-61fe0d65df421

#fragments

googtrans(en)

Inputs

GET iv, value, mac, tag

GET s

alocit-sngbad-620744b710763

Inputs

GET iv, value, mac, tag

GET s

antrjatik-620742fee43b1

Inputs

GET iv, value, mac, tag

GET s

baki-bisw-6201f43ce7574

Inputs

GET iv, value, mac, tag

GET s

baki-bisw-62074329c6c60

Inputs

GET iv, value, mac, tag

GET s

banglades-61fe0d8d4ae86

Inputs

GET iv, value, mac, tag

GET s

banglades-62074287cdf60

Inputs

GET iv, value, mac, tag

GET s

binodn-61fe0d49c76ae

Inputs

GET iv, value, mac, tag

GET s

breking-niuj-6207424b52fc5

Inputs

GET iv, value, mac, tag

GET s

dhrm-620dd22912d66

Inputs

GET iv, value, mac, tag

GET s

kheladhula-61fe0d529b37d

Inputs

GET iv, value, mac, tag

GET s

kmiuniti-61fe0d783a063

Inputs

GET iv, value, mac, tag

GET s

kmiuniti-6207433f5f0e4

Inputs

GET iv, value, mac, tag

GET s

onzanz-620dd215073e8

Inputs

GET iv, value, mac, tag

GET s

orthneeti-61fe0d6eaf2e5

Inputs

GET iv, value, mac, tag

GET s

print-sngskrn-61fe0d2d1987f

Inputs

GET iv, value, mac, tag

GET s

print-sngskrn-62074299064ea

Inputs

GET iv, value, mac, tag

GET s

przukti-620744a1e8a87

Inputs

GET iv, value, mac, tag

GET s

rajneeti-6208b56c52af7

Inputs

GET iv, value, mac, tag

GET s

samprtik-mntbz-6209f2dcec0d4

Inputs

GET iv, value, mac, tag

GET s

silp-sahitz-6207448e7b24e

Inputs

GET iv, value, mac, tag

GET s

srwadhik-pthit-6207427011be8

Inputs

GET iv, value, mac, tag

GET s

srwsesh-khbr-6209f2ca8460b

Inputs

GET iv, value, mac, tag

GET s

swasthz-620743c2513d2

Inputs

GET iv, value, mac, tag

GET s

tthz-przukti-61fe0d5d04e8f

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-6201fb73ea399

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-620742d713559

Inputs

GET iv, value, mac, tag

GET s

more-video

1

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

single-archive-print-version

1

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

3

Inputs

GET iv, value, mac, tag

GET s

4

Inputs

GET iv, value, mac, tag

GET s

single-post

ain-srrinkhla-pristhitir-unnyne-jamin-sngskar-niye-gvrnr-heakul-meyr-edams-prspr-bireadhee-obsthane-620886aa92586

Inputs

GET iv, value, mac, tag

GET s

aipitivi-iutiube-sngbad-prcar-kra-zabe-na-tthzmntree-6208b6fe0ecd0

Inputs

GET iv, value, mac, tag

GET s

anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20

#fragments

googtrans(en)

Inputs

GET iv, value, mac, tag

GET s

bangladeser-chele-meyera-gugl-ozamajne-cakri-krbe-abubkr-hanip-6208b7480505d

Inputs

GET iv, value, mac, tag

GET s

czanel-air-nirwahee-pricalk-fridur-reja-sagrke-dekhte-memeariyal-slaen-ketaring-haspatale-grrihayn-mntree-s-m-rejaul-krim-62579e41758f8

Inputs

GET iv, value, mac, tag

GET s

km-betne-clche-na-sngsar-prdhanmntritw-charte-can-bris-jnsn-6208b7719569a

Inputs

GET iv, value, mac, tag

GET s

las-vegase-ebarer-bngo-smmelne-banglades-ozambasedr-hlen-sakib-khan-6208b727800b2

Inputs

GET iv, value, mac, tag

GET s

meyr-edamser-mte-ovizukt-opradheeder-greftarer-prpri-shj-pnthay-jamin-prdaner-karn-6208b6f760427

Inputs

GET iv, value, mac, tag

GET s

misiganbasee-100-kotir-besee-remitzans-prern-kren-prti-mase-dabee-ekti-sthayee-knsuleter-62088762055b6

Inputs

GET iv, value, mac, tag

GET s

niu-yrk-niu-jarsee-oo-kzalifearniyar-varatiyader-baree-varar-jnz-area-shayta-prdaner-siddhant-62579e59309a9

Inputs

GET iv, value, mac, tag

GET s

niuyrk-siti-kaunsil-sahana-hanif-imigresn-bishyk-kmitir-ceyarmzan-62088931231e4

Inputs

GET iv, value, mac, tag

GET s

niuyrke-ma-cheler-jhgra-thamate-giye-pulis-krmkrta-niht-620880b59716c

Inputs

GET iv, value, mac, tag

GET s

sikshk-khun-msjid-bndh-krl-frans-6208b74fbf76d

Inputs

GET iv, value, mac, tag

GET s

soudi-prinser-biruddhe-mamla-krlen-khasogir-bandhbee-6208b762bb719

Inputs

GET iv, value, mac, tag

GET s

thailzande-prbl-bikshover-mukhe-jruri-obstha-jari-6208b76a7d725

Inputs

GET iv, value, mac, tag

GET s

turnament-surur-agei-injurite-saifuddin-623ac7c8402a5

Inputs

GET iv, value, mac, tag

GET s

varatiyake-nirzatner-ovizeage-bareer-malik-bangladesee-dentisht-mahfujul-hasan-greftar-jamine-muktilav-ekadhik-mamla-6257b9809a7e3

Inputs

GET iv, value, mac, tag

GET s

varte-jhrer-gtite-barche-krona-sngkrmn-oo-mrritzur-har-6208b74194e1d

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579e7189e63

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579eb824129

Inputs

GET iv, value, mac, tag

GET s

zuktrashtrer-president-er-1m-bangladesee-laiftaim-ecivment-ozaward-pelen-niuyrk-er-sef-khlilur-rhman-62579ecf6f7d5

Inputs

GET iv, value, mac, tag

GET s

single-video

10

Inputs

GET iv, value, mac, tag

GET s

11

Inputs

GET iv, value, mac, tag

GET s

12

Inputs

GET iv, value, mac, tag

GET s

- 13
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 14
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 15
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 16
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 2
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 3
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 4
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 5
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 6

- Inputs
  - GET iv, value, mac, tag
  - GET s
- 7
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 8
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 9
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- dfldffgfg-6545fc1920e37
  - Inputs
    - GET iv, value, mac, tag
- dsfdsf-6545fbd1c9228
  - Inputs
    - GET iv, value, mac, tag
- fghnjm-6545fddeb849f
  - Inputs
    - GET iv, value, mac, tag

- all-advertisement
  - Inputs
    - GET iv, value, mac, tag
    - GET s

- archive
  - Inputs
    - GET iv, value, mac, tag
    - GET s, month, year

- category

- Inputs
  - GET iv, value, mac, tag
- comment-store
  - Inputs
    - POST iv, value, mac, tag
    - POST _token, comment, email, name, post_id, submit, website
    - POST _token, post_id, comment, name, email, website
    - GET iv, value, mac, tag
- more-video
  - Inputs
    - GET iv, value, mac, tag
- print-media
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- serarch
  - Inputs
    - GET iv, value, mac, tag
    - GET s
    - POST _token, search
    - POST _token, search
    - POST iv, value, mac, tag
- single-archive-print-version
  - Inputs
    - GET iv, value, mac, tag
- single-post
  - Inputs
    - GET iv, value, mac, tag
- single-video
  - Inputs
    - GET iv, value, mac, tag
- video
  - Inputs

GET iv, value, mac, tag

GET s

more-video

Inputs

GET iv, value, mac, tag

1

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

single-archive-print-version

Inputs

GET iv, value, mac, tag

1

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

3

Inputs

GET iv, value, mac, tag

GET s

4

Inputs

GET iv, value, mac, tag

GET s

single-post

Inputs

GET iv, value, mac, tag

assets

images

Inputs

GET iv, value, mac, tag

ain-srrinkhla-pristhitir-unnyne-jamin-sngskar-niye-gvrnr-heakul-meyr-edams-prspr-bireadhee-obsthane-620886aa92586

Inputs

GET iv, value, mac, tag

GET s

aipitivi-iutiube-sngbad-prcar-kra-zabe-na-tthzmntree-6208b6fe0ecd0

Inputs

GET iv, value, mac, tag

GET s

anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20

Inputs

GET iv, value, mac, tag

GET s

assets

Inputs

GET iv, value, mac, tag

bangladeser-chele-meyera-gugl-ozamajne-cakri-krbe-abubkr-hanip-6208b7480505d

Inputs

GET iv, value, mac, tag

GET s

czanel-air-nirwahee-pricalk-fridur-reja-sagrke-dekhte-memeariyal-slaen-ketaring-haspatale-grrihayn-mntree-s-m-rejaul-krim-62579e41758f8

Inputs

GET iv, value, mac, tag

GET s

km-betne-clche-na-sngsar-prdhanmntritw-charte-can-bris-jnsn-6208b7719569a

Inputs

GET iv, value, mac, tag

GET s

las-vegase-ebarer-bngo-smmelne-banglades-ozambasedr-hlen-sakib-khan-6208b727800b2

Inputs

GET iv, value, mac, tag

GET s

meyr-edamser-mte-ovizukt-opradheeder-greftarer-prpri-shj-pnthay-jamin-prdaner-karn-6208b6f760427

Inputs

GET iv, value, mac, tag

GET s

misiganbasee-100-kotir-besee-remitzans-prern-kren-prti-mase-dabee-ekti-sthayee-knsuleter-62088762055b6

Inputs

GET iv, value, mac, tag

GET s

niu-yrk-niu-jarsee-oo-kzalifearniyar-varatiyader-baree-varar-jnz-area-shayta-prdaner-siddhant-62579e59309a9

Inputs

GET iv, value, mac, tag

GET s

niuyrk-siti-kaunsil-sahana-hanif-imigresn-bishyk-kmitir-ceyarmzan-62088931231e4

Inputs

GET iv, value, mac, tag

GET s

niuyrke-ma-cheler-jhgra-thamate-giye-pulis-krmkrta-niht-620880b59716c

Inputs

GET iv, value, mac, tag

GET s

sikshk-khun-msjid-bndh-krl-frans-6208b74fbf76d

Inputs

GET iv, value, mac, tag

GET s

soudi-prinser-biruddhe-mamla-krlen-khasogir-bandhbee-6208b762bb719

Inputs

GET iv, value, mac, tag

GET s

thailzande-prbl-bikshover-mukhe-jruri-obstha-jari-6208b76a7d725

Inputs

GET iv, value, mac, tag

GET s

turnament-surur-agei-injurite-saifuddin-623ac7c8402a5

Inputs

GET iv, value, mac, tag

GET s

varatiyake-nirzatner-ovizeage-bareer-malik-bangladesee-dentisht-mahfujul-hasan-greftar-jamine-muktilav-ekadhik-mamla-6257b9809a7e3

Inputs

GET iv, value, mac, tag

GET s

varte-jhrer-gtite-barche-krona-sngkrmn-oo-mrritzur-har-6208b74194e1d

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579e7189e63

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579eb824129

Inputs

GET iv, value, mac, tag

GET s

zuktrashtrer-president-er-1m-bangladesee-laiftaim-ecivment-ozaward-pelen-niuyrk-er-sef-khlilur-rhman-62579ecf6f7d5

Inputs

GET iv, value, mac, tag

GET s

single-video

Inputs

GET iv, value, mac, tag

10

Inputs

GET iv, value, mac, tag

GET s

11

Inputs

GET iv, value, mac, tag

GET s

12

Inputs

GET iv, value, mac, tag

GET s

13

Inputs

GET iv, value, mac, tag

GET s

14

Inputs

GET iv, value, mac, tag

GET s

15

Inputs

GET iv, value, mac, tag

GET s

16

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

- 3
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 4
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 5
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 6
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 7
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 8
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 9
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- dfldffgfg-6545fc1920e37
  - Inputs
    - GET iv, value, mac, tag
- dsfdsf-6545fbd1c9228
  - Inputs
    - GET iv, value, mac, tag

- fghnjm-6545fddeb849f
  - Inputs
    - GET iv, value, mac, tag

- upload
  - Inputs
    - GET iv, value, mac, tag
  - about-us-image
    - Inputs
      - GET iv, value, mac, tag
  - advertisement
    - Inputs
      - GET iv, value, mac, tag
  - homepage-ad
    - Inputs
      - GET iv, value, mac, tag
  - members
    - Inputs
      - GET iv, value, mac, tag
  - post-image
    - Inputs
      - GET iv, value, mac, tag
  - print-and-news
    - Inputs
      - GET iv, value, mac, tag
  - print-version
    - Inputs
      - GET iv, value, mac, tag

- x
  - Inputs
    - GET iv, value, mac, tag
  - connect
    - xd_arbiter
      - Inputs

- GET iv, value, mac, tag
- GET version

connect
- Inputs
  - GET iv, value, mac, tag

all-advertisement
- Inputs
  - GET iv, value, mac, tag
  - GET s

archive
- Inputs
  - GET iv, value, mac, tag
  - GET s, month, year

category
- Inputs
  - GET iv, value, mac, tag

comment-store
- Inputs
  - GET iv, value, mac, tag
  - POST iv, value, mac, tag
  - POST _token, comment, email, name, post_id, submit, website

css
- Inputs
  - GET iv, value, mac, tag

index.php
- Inputs
  - GET iv, value, mac, tag
  - GET s

js
- Inputs
  - GET iv, value, mac, tag

more-video
- Inputs

GET iv, value, mac, tag

password

Inputs

GET iv, value, mac, tag

print-media

Inputs

GET iv, value, mac, tag

GET s

serarch

Inputs

GET iv, value, mac, tag

POST iv, value, mac, tag

POST _token, search

single-archive-print-version

Inputs

GET iv, value, mac, tag

single-post

Inputs

GET iv, value, mac, tag

single-video

Inputs

GET iv, value, mac, tag

video

Inputs

GET iv, value, mac, tag

GET s

x

Inputs

GET iv, value, mac, tag

single-archive-print-version

Inputs

GET iv, value, mac, tag

1

#fragments

googtrans(bn)

googtrans(en)

Inputs

GET iv, value, mac, tag

GET s

2

Inputs

GET iv, value, mac, tag

GET s

3

Inputs

GET iv, value, mac, tag

GET s

4

Inputs

GET iv, value, mac, tag

GET s

single-post

Inputs

GET iv, value, mac, tag

assets

Inputs

GET iv, value, mac, tag

images

Inputs

GET iv, value, mac, tag

ain-srrinkhla-pristhitir-unnyne-jamin-sngskar-niye-gvrnr-heakul-meyr-edams-prspr-bireadhee-obsthane-620886aa92586

Inputs

GET iv, value, mac, tag

GET s

aipitivi-iutiube-sngbad-prcar-kra-zabe-na-tthzmntree-6208b6fe0ecd0

#fragments

- googtrans(bn)
- googtrans(en)
- Inputs
  - GET iv, value, mac, tag
  - GET s

anjumane-al-islah-niuizrk-stet-kmiti-azojit-pbitr-sbebrater-tattprz-oo-mahe-ramadane-krneez-seershk-seminar-625700f2d2f20

- #fragments
  - googtrans(bn)
  - googtrans(en)
- Inputs
  - GET iv, value, mac, tag
  - GET s

bangladeser-chele-meyera-gugl-ozamajne-cakri-krbe-abubkr-hanip-6208b7480505d

- Inputs
  - GET iv, value, mac, tag
  - GET s

czanel-air-nirwahee-pricalk-fridur-reja-sagrke-dekhte-memeariyal-slaen-ketaring-haspatale-grrihayn-mntree-s-m-rejaul-krim-62579e41758f8

- #fragments
  - googtrans(bn)
  - googtrans(en)
- Inputs
  - GET iv, value, mac, tag
  - GET s

km-betne-clche-na-sngsar-prdhanmntritw-charte-can-bris-jnsn-6208b7719569a

- Inputs
  - GET iv, value, mac, tag
  - GET s

las-vegase-ebarer-bngo-smmelne-banglades-ozambasedr-hlen-sakib-khan-6208b727800b2

- Inputs
  - GET iv, value, mac, tag
  - GET s

meyr-edamser-mte-ovizukt-opradheeder-greftarer-prpri-shj-pnthay-jamin-prdaner-karn-6208b6f760427

Inputs

GET iv, value, mac, tag

GET s

misiganbasee-100-kotir-besee-remitzans-prern-kren-prti-mase-dabee-ekti-sthayee-knsuleter-62088762055b6

Inputs

GET iv, value, mac, tag

GET s

niu-yrk-niu-jarsee-oo-kzalifearniyar-varatiyader-baree-varar-jnz-area-shayta-prdaner-siddhant-62579e59309a9

Inputs

GET iv, value, mac, tag

GET s

niuyrk-siti-kaunsil-sahana-hanif-imigresn-bishyk-kmitir-ceyarmzan-62088931231e4

Inputs

GET iv, value, mac, tag

GET s

niuyrke-ma-cheler-jhgra-thamate-giye-pulis-krmkrta-niht-620880b59716c

Inputs

GET iv, value, mac, tag

GET s

sikshk-khun-msjid-bndh-krl-frans-6208b74fbf76d

Inputs

GET iv, value, mac, tag

GET s

soudi-prinser-biruddhe-mamla-krlen-khasogir-bandhbee-6208b762bb719

Inputs

GET iv, value, mac, tag

GET s

thailzande-prbl-bikshover-mukhe-jruri-obstha-jari-6208b76a7d725

Inputs

GET iv, value, mac, tag

GET s

turnament-surur-agei-injurite-saifuddin-623ac7c8402a5

Inputs

GET iv, value, mac, tag

GET s

varatiyake-nirzatner-ovizeage-bareer-malik-bangladesee-dentisht-mahfujul-hasan-greftar-jamine-muktilav-ekadhik-mamla-6257b9809a7e3

Inputs

GET iv, value, mac, tag

GET s

varte-jhrer-gtite-barche-krona-sngkrmn-oo-mrritzur-har-6208b74194e1d

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579e7189e63

Inputs

GET iv, value, mac, tag

GET s

zuktrashtr-seemante-rajnoitik-asry-prarthnar-abedn-bibecnar-prkriya-druttr-krar-udzeag-62579eb824129

Inputs

GET iv, value, mac, tag

GET s

zuktrashtrer-president-er-1m-bangladesee-laiftaim-ecivment-ozaward-pelen-niuyrk-er-sef-khlilur-rhman-62579ecf6f7d5

Inputs

GET iv, value, mac, tag

GET s

single-video

Inputs

GET iv, value, mac, tag

10

#fragments

googtrans(bn)

googtrans(en)

Inputs

GET iv, value, mac, tag

GET s

- 11
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 12
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 13
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 14
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 15
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 16
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 2
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 3
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- 4

Inputs

GET iv, value, mac, tag

GET s

5

Inputs

GET iv, value, mac, tag

GET s

6

Inputs

GET iv, value, mac, tag

GET s

7

Inputs

GET iv, value, mac, tag

GET s

8

Inputs

GET iv, value, mac, tag

GET s

9

Inputs

GET iv, value, mac, tag

GET s

dfldffgfg-6545fc1920e37

Inputs

GET iv, value, mac, tag

dsfdsf-6545fbd1c9228

Inputs

GET iv, value, mac, tag

fghnjm-6545fddeb849f

Inputs

GET iv, value, mac, tag

upload

Inputs

GET iv, value, mac, tag

about-us-image

Inputs

GET iv, value, mac, tag

advertisement

Inputs

GET iv, value, mac, tag

homepage-ad

Inputs

GET iv, value, mac, tag

members

Inputs

GET iv, value, mac, tag

post-image

Inputs

GET iv, value, mac, tag

print-and-news

Inputs

GET iv, value, mac, tag

print-version

Inputs

GET iv, value, mac, tag

x

Inputs

GET iv, value, mac, tag

connect

Inputs

GET iv, value, mac, tag

xd_arbiter

Inputs

GET iv, value, mac, tag

GET version

- all-advertisement
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- archive
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s, month, year
- comment-store
  - Inputs
    - POST iv, value, mac, tag
    - POST _token, comment, email, name, post_id, submit, website
    - POST _token, post_id, comment, name, email, website
    - GET iv, value, mac, tag
- home
  - Inputs
    - GET iv, value, mac, tag
    - GET id
- index.php
  - #fragments
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- login
  - #fragments
    - googtrans(bn)

- Inputs
  - POST iv, value, mac, tag
  - POST _token, email, password
  - POST _token, email, password, remember
  - GET iv, value, mac, tag
- print-media
  - #fragments
    - googtrans(bn)
    - googtrans(en)
  - Inputs
    - GET iv, value, mac, tag
    - GET s
- public
  - Inputs
    - GET iv, value, mac, tag
- register
  - #fragments
    - googtrans(bn)
  - Inputs
    - POST iv, value, mac, tag
    - POST _token, name, email, password, password_confirmation
    - POST _token, email, name, password, password_confirmation
    - GET iv, value, mac, tag
- robots.txt