

Comprehensive Report




Acunetix Threat Level 2

One or more medium-severity type vulnerabilities have been discovered by the scanner. You should investigate each of these vulnerabilities to ensure they will not escalate to more severe problems.

Scan Detail

Target	https://printing-bijoytech.ssbumultiservices.com/
Scan Type	Full Scan
Start Time	Feb 10, 2024, 11:46:29 PM GMT+8
Scan Duration	6 hours, 12 minutes
Requests	767010
Average Response Time	29ms
Maximum Response Time	24190ms
Application Build	v23.7.230728157



High



Medium



Low




Informational

Severity	Vulnerabilities	Instances
❗ High	0	0
⚠️ Medium	1	1
❗️ Low	5	5
ℹ️ Informational	8	8
Total	14	14


Informational



Low Severity



Medium Severity



Impacts

SEVERITY	IMPACT
! Medium	1 Directory listings
! Low	1 Clickjacking: X-Frame-Options header
! Low	1 Cookies with missing, inconsistent or contradictory properties
! Low	1 Cookies without HttpOnly flag set
! Low	1 Cookies without Secure flag set
! Low	1 HTTP Strict Transport Security (HSTS) not implemented
i Informational	1 Content Security Policy (CSP) not implemented
i Informational	1 Email addresses
i Informational	1 File uploads
i Informational	1 HTTP Strict Transport Security (HSTS) not following best practices
i Informational	1 Outdated JavaScript libraries
i Informational	1 Permissions-Policy header not implemented
i Informational	1 Reverse proxy detected
i Informational	1 Subresource Integrity (SRI) not implemented

Directory listings

Directory listing is a web server function that displays the directory contents when there is no index file in a specific website directory. It is dangerous to leave this function turned on for the web server because it leads to information disclosure.

Impact

A user can view a list of all files from the affected directories possibly exposing sensitive information.

<https://printing-bijoytech.ssbumultiservices.com/>

Verified

Folders with directory listing enabled:

- <https://printing-bijoytech.ssbumultiservices.com/upload/category-image/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/home-slider-image/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/service-image/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/setting/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/template-image/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/our-company-image/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/subcategory-image/>

Request

```
GET /upload/category-image/ HTTP/1.1
Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; XSRF-
TOKEN=eyJpdiI6ImV1dTRIcUxaaaGQweXc4QWMxejJ0dmc9PSIsInZhbHVlIjoiamFQZWxJRlc5M2lyR2hUemExUlJYUXZmNmFibW
10bGduMDZ3bFpwQnE1Smd3azhpL0hkV29ibjk4bE9rRlBUVElVdFhNd2NXSzAzdko0Q1pXSmpLdUtsWml1QXJ4RHpmZzJoeFdnM3
gzSDBjY204c0RQV29Ga3dvWXLGbFFZVkmilCjtYWMi0iIwNGjjZjVlnjjm2E0YWFiNWM50GE1Y2QyNWIwOTYzNWN1YTgyZTA5Mz
U5NTRmNWYyMjczTligrMDYYzE2In0%3D;
s_m_digital_sign_printing_inc_session=eyJpdiI6IkY4dXBkMWUyRkttK1dYQWIzdkwzSwc9PSIsInZhbHVlIjoidHvpWT
FTMFQNLJMc1BJcjJuM3ZEQll0UG1uU1d6cGxaV0xFWGJ0bnLCNlZzZXdDYmc0ZE1YQWVqalNST0RKmlpnTE8vaWRZZnM20UYrVU
90dXhqMVNGckh5Qjh0NGk2SwpxRXZDREYvRTU0NGpIbW40MzNUVktmRVVXU1J2K1ciLCjtYWMi0iIyMzA0ZDQyNGIzNTM2ZWQ00T
K3MDg3ZGZmZjA0Mzg0DA3YTU1MjYxNDE3ZWVhZTdjMTIzM2JlOTYzNGQwMjJmIn0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbumultiservices.com
Connection: Keep-alive
```

Recommendation

You should make sure no sensitive information is disclosed or you may want to restrict directory listings from the web server configuration.

References

CWE-548: Exposure of Information Through Directory Listing

<https://cwe.mitre.org/data/definitions/548.html>

Clickjacking: X-Frame-Options header

Clickjacking (User Interface redress attack, UI redress attack, UI redressing) is a malicious technique of tricking a Web user into clicking on something different from what the user perceives they are clicking on, thus potentially revealing confidential information or taking control of their computer while clicking on seemingly innocuous web pages.

The server did not return an **X-Frame-Options** header with the value DENY or SAMEORIGIN, which means that this website could be at risk of a clickjacking attack. The X-Frame-Options HTTP response header can be used to indicate whether or not a browser should be allowed to render a page inside a frame or iframe. Sites can use this to avoid clickjacking attacks, by ensuring that their content is not embedded into untrusted sites.

Impact

The impact depends on the affected web application.

<https://printing-bijoytech.ssbumultiservices.com/>

Paths without secure XFO header:

- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/all.css>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/blowup-magnic-popup/blowup.js>
- <https://printing-bijoytech.ssbumultiservices.com/upload/category-image/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/owl-carousel/owl.carousel.min.css>
- <https://printing-bijoytech.ssbumultiservices.com/request-quote>
- <https://printing-bijoytech.ssbumultiservices.com/upload/home-slider-image/>
- <https://printing-bijoytech.ssbumultiservices.com/cgi-sys/>

- <https://printing-bijoytech.ssbumultiservices.com/mailman/>
- <https://printing-bijoytech.ssbumultiservices.com/track-order>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/service-image/>
- <https://printing-bijoytech.ssbumultiservices.com/mailman/archives/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/setting/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/logo/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/template-image/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/sweetalert.min.js>
- <https://printing-bijoytech.ssbumultiservices.com/upload/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/slick-slider/slick.main.css>
- <https://printing-bijoytech.ssbumultiservices.com/upload/our-company-image/>
- <https://printing-bijoytech.ssbumultiservices.com/customer>
- <https://printing-bijoytech.ssbumultiservices.com/assets/>

Request

GET /assets/front/fonts/fontawesome/css/all.css HTTP/1.1
 Referer: https://printing-bijoytech.ssbumultiservices.com/
 Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; XSRF-TOKEN=eyJpdiI6ImVoelQ1ULU1VDD0V3BtSHhXQ3VWQLE9PSIsInZhbHVlIjoIZGtKZm1xTzhIQTlFTDdYcHlTS0JNSDg1QzloTzVZdEsrWTBz0TN3aDQzTGdtdkFZZ2UrdUhITklibVdQaG0z0UlzUjJw0E90dnVp0Gx0bGZFwkpXaWdSVHpkUWMrUmtJV2150U1lMEo5YkU4VlI3RnhCQzl0bFdXbG5tQzI0dVuILCJtYWMi0iI1YmExMWFmN2YzNTk1MDljNzA3MTEzGE3NDY1NjI0YzUwMzFkYjFmZTAw0Tc1ZDQzNjE1MDM1Njg5NjZiYmQyIn0%3D;
 s_m_digital_sign_inc_session=eyJpdiI6IlRWdVhsa08wdVN2RG1xZlAwak4zWWc9PSIsInZhbHVlIjoINZINTBzSEU4dnNlU3RVQ212Y0Z0ekJlbGFi0TNJa0xnQzRIUXlUY0EzcVdweThGYmlvd3AwLzdJYkFqRDNmSUTxbGQxU1BoK3VhTwNxaENpTnFjUk93UEM1TEFZSUpSejVnNTg0RjFCWDRtaGM0T0dxZm9YMKJvQnVRZTQv0UsiLCJtYWMi0iJkNDUwMDZkMmY0YjQxNDU1ODMyZTY1MWM1ZjIyNTUw0GZhNzdhNTY1MjQ1YTBlNjRmYjU2ZTzi0GVlnjllNTk1In0%3D
 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
 Accept-Encoding: gzip,deflate,br
 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/114.0.0.0 Safari/537.36
 Host: printing-bijoytech.ssbumultiservices.com

Recommendation

Configure your web server to include an X-Frame-Options header and a CSP header with frame-ancestors directive. Consult Web references for more information about the possible values for this header.

References

[The X-Frame-Options response header](#)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options>

[Clickjacking](#)

<https://en.wikipedia.org/wiki/Clickjacking>

[OWASP Clickjacking](#)

https://cheatsheetseries.owasp.org/cheatsheets/Clickjacking_Defense_Cheat_Sheet.html

[Frame Buster Buster](#)

<https://stackoverflow.com/questions/958997/frame-buster-buster-buster-code-needed>

Cookies with missing, inconsistent or contradictory properties

At least one of the following cookies properties causes the cookie to be invalid or incompatible with either a different property of the same cookie, or with the environment the cookie is being used in. Although this is not a vulnerability in itself, it will likely lead to unexpected behavior by the application, which in turn may cause secondary security issues.

Impact

Cookies will not be stored, or submitted, by web browsers.

[https://printing-bijoytech\(ssbmultiservices.com/](https://printing-bijoytech(ssbmultiservices.com/)

Verified

List of cookies with missing, inconsistent or contradictory properties:

- [https://printing-bijoytech\(ssbmultiservices.com/](https://printing-bijoytech(ssbmultiservices.com/)

Cookie was set with:

Set-Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/about-us>

Cookie was set with:

Set-Cookie: PHPSESSID=521af78e97e26b1fe423d78736cb3421; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/cgi-sys/>

Cookie was set with:

Set-Cookie: PHPSESSID=660a92393b5a568d8543545a67c01b0d; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/checkout>

Cookie was set with:

Set-Cookie: PHPSESSID=9f4822ad2cf118f17a6c955a6dc4509d; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/customer>

Cookie was set with:

```
Set-Cookie: PHPSESSID=cb83cf36b34380d31c07e1980c182ace; path=/
```

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/index.php>

Cookie was set with:

```
Set-Cookie: PHPSESSID=030f49831b6f255df507df0d1a92cf8e; path=/
```

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/contact-us>

Cookie was set with:

```
Set-Cookie: PHPSESSID=40514b5cde918816cf002c4c829a8924; path=/
```

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and

sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/privacy-policy>

Cookie was set with:

Set-Cookie: PHPSESSID=6936d102d527c098a3089204744ba9ec; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/subscribe>

Cookie was set with:

Set-Cookie: PHPSESSID=9596a22801edd9f20097f5a6323dc473; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/product>

Cookie was set with:

Set-Cookie: PHPSESSID=fce72782ee8fca6fd3498ccb307a28eb; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbumultiservices.com/products>

Cookie was set with:

Set-Cookie: PHPSESSID=a0a8f73b4c929927481fb2008ba38dbd; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbumultiservices.com/refund-policy>

Cookie was set with:

Set-Cookie: PHPSESSID=f44ae1839a69566a824b2765821fc4e2; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbumultiservices.com/remove-from-cart>

Cookie was set with:

Set-Cookie: PHPSESSID=4c97c0fe2761f3cc4cb09ee08193f8bc; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbumultiservices.com/resources>

Cookie was set with:

Set-Cookie: PHPSESSID=7530dd3a538a3e637fe0f8b6eb14b9c8; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/terms-of-use>

Cookie was set with:

Set-Cookie: PHPSESSID=6195e290bc7393a103febfd201996b09; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/track-order>

Cookie was set with:

Set-Cookie: PHPSESSID=8324de542452bcbf4f6afc9ee65cdef3; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/mailman/>

Cookie was set with:

Set-Cookie: PHPSESSID=c19662c56776cdcccd67bd347b2ea18e8; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- [https://printing-bijoytech\(ssbmultiservices.com/contact-us](https://printing-bijoytech(ssbmultiservices.com/contact-us)

Cookie was set with:

Set-Cookie: PHPSESSID=4ada2e1e8eaac1b5a56a2edb06989a82; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- [https://printing-bijoytech\(ssbmultiservices.com/subscribe](https://printing-bijoytech(ssbmultiservices.com/subscribe)

Cookie was set with:

Set-Cookie: PHPSESSID=6283046c2d5c77793c81f7a4eedf97d4; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- [https://printing-bijoytech\(ssbmultiservices.com/request-quote](https://printing-bijoytech(ssbmultiservices.com/request-quote)

Cookie was set with:

Set-Cookie: PHPSESSID=3dc9eaf91d87fce00c802738097a7f3; path=/

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and

sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

- <https://printing-bijoytech.ssbbmultiservices.com/upload/>

Cookie was set with:

```
Set-Cookie: PHPSESSID=c9c1143fd544d019fc92b06d2ed30f; path=/
```

This cookie has the following issues:

- Cookie without SameSite attribute.

When cookies lack the SameSite attribute, Web browsers may apply different and sometimes unexpected defaults. It is therefore recommended to add a SameSite attribute with an appropriate value of either "Strict", "Lax", or "None".

Request

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbbmultiservices.com
Connection: Keep-alive
```

Recommendation

Ensure that the cookies configuration complies with the applicable standards.

References

[MDN | Set-Cookie](#)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie>

[Securing cookies with cookie prefixes](#)

<https://www.sjoerdlangkemper.nl/2017/02/09/cookie-prefixes/>

[Cookies: HTTP State Management Mechanism](#)

<https://tools.ietf.org/html/draft-ietf-httpbis-rfc6265bis-05>

[SameSite Updates - The Chromium Projects](#)

<https://www.chromium.org/updates/same-site>

[draft-west-first-party-cookies-07: Same-site Cookies](#)

Cookies without HttpOnly flag set

One or more cookies don't have the HttpOnly flag set. When a cookie is set with the HttpOnly flag, it instructs the browser that the cookie can only be accessed by the server and not by client-side scripts. This is an important security protection for session cookies.

Impact

Cookies can be accessed by client-side scripts.

<https://printing-bijoytech.ssbumultiservices.com/>

Verified

Cookies without HttpOnly flag set:

- <https://printing-bijoytech.ssbumultiservices.com/>

Set-Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; path=/

- <https://printing-bijoytech.ssbumultiservices.com/>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImZX0FdVSVJpZFpVUHJWcG9PTWgvdVE9PSIsInZhbHVlIjoiN0ZsWWRGZ01Qb1hzczR4UU9hT1kxN2xteHJFNz10TlNBb0tiYk9hNWhCdmhIVjVuN1pTd2t4Mlo1Wld3ZFBnbzFsSWR3YTlHL1dxdVhVK3R1d2dTbStMaDdGbzlqaTNwT1hHbWt1YW00VDc5SUxKQmhRN2x1UEtrSHMxbnZuU1AiLCJtYWMi0iI5YjdhMjBkMzMzNmZiYzVhYzAy0DU3YzU0MmY5NjA0N2M4ZDUzNDIxMTVjMzE2Zjc4ZGM2MmZlNzJhNzk4ZDEzIn0%3D; expires=Sat, 10-Feb-2024 17:46:31 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/customer/logout>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImVoelQ1UlU1VDd0V3BtSHhXQ3VWQ1E9PSIsInZhbHVlIjoiZGtKZm1xTzhIQTlFTDdYchLTS0JNSDg1QzloTzVZdEsrwTBz0TN3aDQzTGdtdkFZZ2UrdUhITklibVdQaG0z0UlzUjJw0E90dnVp0Gx0bGZFWkpXaWdSVHpkUwMrUmtJV2150U1lMEo5YkU4VLI3RnhCQzl0bFdXbG5tQzI0dVUiLCJtYWMi0iI1YmExMWFmN2YzNTk1MDljNzA3MTExZGE3NDY1NjI0YzUwMzFkYjFmZTAw0Tc1ZDQzNjE1MDM1Njg5Nj

ZiYmQyIn0%3D; expires=Sat, 10-Feb-2024 17:47:36 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/subscribe>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Ijg4NVdiTGZRbzBED3g2NXZEZ21EYlE9PSIsInZhbHVlIjoiaExISkpCNjlmYXJKZmN
JQVRQUE9KaU9kZXd6eWpIb0ZuMFZTUE11QUliewRBSjlqVEexcXVCaHVkMXBiQ1FkwlI1RW Era0R2VXlH
T3Rlem01KzlaVTlDNHYYMitpK3FzK3U1Y1FjbXpvWFkvTk5DYS9tRTEvTDlx24vdzVYR2YiLCJtYWMi0
iI1YzRlMjdmMGY0NWJjNGQ1MmY20GM2Yzk2NzRiZjFlYzU00WuzMmU0ZDNhZGQyMjEwOTQ4MzI4ZDRmY2
E2YjFkIn0%3D; expires=Sat, 10-Feb-2024 17:47:52 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/track-order/0>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImMrcHo0blFJbGl2bwJhZnZoN2VNFE9PSIsInZhbHVlIjoiQ25pSFhoaEdvakVpTTl
tNuTYzmR0WmUrU3A4b2NHay9HREtuWUNPTTJVYmVNS2lRQ1NDYzd1cWJwSS9GY0VDejB0bnliQXRya1pr
Rjk0ZHArT3pQY1VGL2R2NkZZTHdTSzBnUlhyUVhsN0d2M1VQTkwyV9ETs90ZnhxekFSQ3giLCJtYWMi0
iI2YzQ0N2Fi0GM30ThmMTlkNTc20Tg0NjAwZjUyMzg4ZjUyNmE0MzZkZDlhZDkwZWrmNDQ5ZjBjMGEyYm
IOZjBmIn0%3D; expires=Sat, 10-Feb-2024 17:47:59 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/resources>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IkxXZzBybDA4allmTWFiQ0JWN1c2bXc9PSIsInZhbHVlIjoidm5rN21iaDBLR01XdDA
1TEVWeksvVDJ2VG40VUtNclFjazQvcHVmSFVISmlbTZ0dkg2WEhiT1o3R211Z25ENXB0MEI1MjllU3Bk
MEZwMVBXMTg4RmdxeUxkbXBQdG10Z09kUnBnT1R3dm12SFhYS2pPUCtZcVBkdm40MGZsaTUilCJtYWMi0
iI3YTcy0WU2MGZkYzFiNTFiY2Q3N2FiNWQ5ZDEyYzlhYwQ20DUxNWmxMjhmnWUw0WQ20DJhYmI0ZDVinm
RmNjgzIn0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/about-us>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImV1dTRIcUxaaGQweXc4QWMxejJ0dmc9PSIsInZhbHVlIjoiamFQZWxJRlc5M2lyR2h
UemExUlJYUXZmNmFibW10bGduMDZ3bFpwQnE1Smd3azhpL0hkV29ibjk4bE9rRlBUVElVdFhNd2NXSzAz
dko0Q1pXSmpldUtsWml1QXJ4RHpmZzJoeFdnM3gzSDBjY204c0RQV29Ga3dvWXlgFFZVkmLCJtYWMi0
iIwNGJjZjVlnjJjM2E0YWFiNWm50GE1Y2QyNWIw0TYzNWNLYTgyZTA5MzU5NTRmNWYyMjczZTligrMD

YyYzE2In0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/contact-us>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Im1xdjU4b3krL2pmT3hrTndHUK84ZFE9PSIsInZhbHVlIjoicUxhRTBBNVozQmRiNCT2bnQvbnJRQ2xXMkpsK3RDWEJBUU50ZmUr0UhMXVvTi92d2tmSHRkUjNpK0F3d0V2cUJCQzlkWHJ0b3pwRmFJbXVoLzltZ0k5RWp6UW41eS9zNzI4TFZLTGc5YU83c0xXMUZ3Sm1XcUNGulFVYkIyVS8iLCJtYWMi0iJkMWJkOGY5MWI1NmU0ZDE1MDZlODFlNTYwZjE0NmYzMzk0MDk1MDMyYzU1ZmE3ZDM0YTUwMjBkMjEyZmY5NDIzIn0%3D; expires=Sat, 10-Feb-2024 17:48:39 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/privacy-policy>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IklwZku2MG5Kd2dIVFhiRUdkcw10Y2c9PSIsInZhbHVlIjoicnZ6N09USnhrNmtqWDJVSTlyR2VRM2lvQ0pQMk9TR21GTm1Wb1k2Y01nUVU3eG4wdHZ3YWxUUvdlZDBUMHViREk5cy9EVE1seVZQSmVHODRHWHZnaGdPcnJoTjFt0Fhld1JWSWY5UkJmUWVYyjV0dXR5RHk1aHBWTDJCTEJxYUciLCJtYWMi0iI1MzdjZWEyMDA1MzEz0DVjZTUyN2FhYWUwYWRmNTJlNTcwNmQ4ZDM4MjRjNDgxZGFiM2Qx0DEzYmZlM2FiNTY5In0%3D; expires=Sat, 10-Feb-2024 17:48:40 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/products>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IkZBN0U3cGdaUjYvNCtkdjFRTlc4eEE9PSIsInZhbHVlIjoid3VDd0Nmb3pzSnZz0XRunenA5TYNYMEpWaGdi0G1uM1BDTTd3N01RM01ETkRzVE1JSnBBMDIwd3Q5WTJLTGJM0hBM01Iay9QVHhjTnMydWZ3RTJJRkZmSnEwdTF4S3d1bXFvNWZ2ZkQ4allXeHhPYTdaRmdUUjZJWENvQkhTeHYiLCJtYWMi0iJkM2E2MzBmMTU0MzgzNGRmZTNkYzliMThizGE0NWUxYTQ2NTdiMzI0MWUwM2I3ZTlkMDhmZGVhYzhizDjhNjMzIn0%3D; expires=Sat, 10-Feb-2024 17:48:56 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/contact-us>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Im54dkxiaDNNRFhnbWIzWklQZlp6SkE9PSIsInZhbHVlIjoiT1cwN043dE940DNucTNLZnRPbk9RcFZDN3hRUzk3THh5K2U3c0krYldyRUMxWE9tQzJVS2wwaVBY0XAxem50ckVQYTlJVXVx0GRVZXp1aNtemNVNnY2b1BBR0t5ZG1TWG1qd3hHU1Y40VZEZWl0NVFRYkFPbGxhTitsSGlyS3oiLCJtYWMi0iIyZjc3ZjlkMTJhZTAwZDk2YTE2Mzg4NzNkZGY1YTY0ZWM3N2YxMjC5NGUwZmFkNGI3YjQ1ZDM10TJmNW

M3NzI2In0%3D; expires=Sat, 10-Feb-2024 17:49:02 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/product/13>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IjdFM2xpcys4RHB1NmVQY2pLaHE5ZHc9PSIsInZhbHVlIjoiWmtwaXpzQlE2L2NSTWZXR3N0S2R1Q3B5YFdGQWFBDtCaWp4UkpjaEFyYWJXS1M0ZG4vQmpKazNVY3pyN2U1a2VwbVN3UjlZcmJRdm9sZ2JUYWxxTmQ4UDlSMi9YZHVuYTQvL0FJVlMyVwExMk1IdTRDd2RRZ1JXMGJ3MEljK3MiLCJtYWMi0iIxMTY4Y2E5NjcyMzgxNGE0MzdjMDRlMTk00Tc0MGNkMDFh0DAwNGYzNTFjYzQwOTg4ZjE0MDcxYmE0MjQ5M2ViIn0%3D; expires=Sat, 10-Feb-2024 17:49:02 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/refund-policy>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImlLeXRnMlRtzHBCMLZEWERvbUZuRXc9PSIsInZhbHVlIjoiNFRGYUVZU0xPwk1m0w9BU0JTV3NsGJ4V2FpWmcySGlkSDZXMk42dkkwYlBpZ1NwbVpReUlCQVkyUFdKckppVXZZTi9yN3ZjSjNUdXl2SVdRcWh3bDdtejNyRXduY1dtQmJnMENWdVJaSmpLNW9RMnVwbkNDZTI2S3pod1QyWmcilCJtYWMi0iJiZDM5NTRlMGJiYzMzYTIxMGUzMjhkZjFiMTc2ZGViNTRlMjhkNzJiYTEyYzc1MDExNWJm0TcyYTRlMDllMTg0In0%3D; expires=Sat, 10-Feb-2024 17:49:02 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/request-quote>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IngwUTlxMHpVWmV5bXYzKytyS0NlM3c9PSIsInZhbHVlIjoiRU5HRFhRS2Zhalk4UUlKNGhjdzNncE9UU2U5ejFjSmZFNvkvZjJoc051TyswcE5xM0xORUVacU1XYW5WZmFZK1l0eW1oa09vTzVxKzMzMjA3bwtrVmppYTvxRjVrUVNneVJzV2pTNG9ZTUtQWUZiUDdpdVl0ZTRzTVBMZVBVvlIiLCJtYWMi0iJj0DQ3MTA40Tcy0WMxMzIzMzE4NTViM2VhMGYw0GVhMzkzTBjMzliM2M0Nzk3Yjg5ZjQ1MjZm0DJi0Tg3MDM5In0%3D; expires=Sat, 10-Feb-2024 17:49:03 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/terms-of-use>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImJLU1BwYjViUnJqSElyQlBCb0FOU1E9PSIsInZhbHVlIjoiL2JUa0xFcjRMc3FNWGJtRWQzT01iN3JJNGtJ0TBFN2tqdE5GRnpobEs4ZUJnZGF1ejU4T1h0d0prSm1GQ3UzZGzuZXE5WTVibnRCeDNCSmlGaG5MUGUwUGlPYzduSWVJQ1RJQklkNTlIZTztL2tvSmoxRFY3TGN4WEVGelNvWEMiLCJtYWMi0iI2YWQ5MTA40WMzNDcyMzhh0DNjNTg5NmZhZWI00TRiZTdmMGE4YjJiM2M0MWJi0WI5MWQzZWQxNmY1MW

VhMTlhIn0%3D; expires=Sat, 10-Feb-2024 17:49:03 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/product/pricing>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Im5EZ25FV2tkTnRX0GtmS25lbkNKTVE9PSIsInZhbHVlIjoibnhxdmJBaFdwZjBaVFd0cDdwZmI5cDV0Sm9hdkFWclFtTuluTGgrN3FnZmZPYTBtU01BTkZ2QnJCQ0Q2N1cxMlhjSU1jems3a1B0VHV6VEYz0G1YcTFoMzhiQWxZVTJwSldrYkZCTzNHaDUzc1VEUzZMT0F1YzZFZmJV0UNDK2QiLCJtYWMi0iI4MTUxYzE5NDBkN2IzYjU4MzA0ODM1YzU4MjgwYjhjMDA4MTRl0DFhZmRkZDM2MGI3NTk0Mjk10GQ4YTcwZTI5In0%3D; expires=Sat, 10-Feb-2024 17:49:43 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/product/pricing>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImZES0VQMzNSTTl2MzRIOUJVUK5KS0E9PSIsInZhbHVlIjoiaC9aaTZ4WEJCSWRvNHFJQitQTndUOEFOFVWZVVLa0tTaEIvL2c3eHhhKzdnL0lrNFdGZjQ4bENkdTlSbVQyYTk0cHFBMEg4N1laOHcwWUt5cFlBSngzQUFLc1ZJQ0dHUUYvNlgrc1NnRzZhb0dtZDRmQWNUSVNJSXE2ZGNhRlQiLCJtYWMi0iIxMGUxMTQ5ZDli0WIzZjU3NGI0MDJlNTNjNWI4NTQyOTNhNGQyYTkzMTg5Y2EzN2MxMDk5NTYzZGZjNWEOZTJkIn0%3D; expires=Sat, 10-Feb-2024 17:49:43 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/customer/login>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IkFTWUxTSEJ0QzB0emF4WjM4WTdSd3c9PSIsInZhbHVlIjois1E4VVA0RkdndGloZW41WXlFaFg4Rk9nYjhHbkgxdjFUL1dGZ0hKMXhwZHpDZlF0dWJ5cVBuSnFrNTRvc0hLMHJ1Y3Q4ZDN0bTVwTjR00EZG0FEz0HNuVDdiejg5ZmZC0WFyUHpqNVlvWGI4TnF0WStxSG0vT0FFQkx3ckI3eWUiLCJtYWMi0iI2MDJhNTY0ZDhk0WI0ZGNhYWZkYmFhMDQ5MzUxNTYyYmIwY2Y20Dg2YWViNjMzYmJhZTg2ZTFmZWI2MTAyMDRlIn0%3D; expires=Sat, 10-Feb-2024 17:49:43 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/index.php>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImyK09Dd2lxdtl00TzxelVIZHVRcUE9PSIsInZhbHVlIjoiy0pCWhd2MVBDd1U2a0ljaGwzbngwQXBBeWxCZWNXYTBRTZ0MWx5VjJtb1d3U3QwWURZU1NqY0FMSUVsdTd1REJTdGJrQlNibTNxV2ozb2ZZbHBBNWRZcURkTlVFSVJHULNZdzVkaVpLZG5XeHpGbVhoSDRHdDJPUUDNiS00rd2IiLCJtYWMi0iJkMzVmNzljMjVjZDNkYWQ1ZTBmNDZkMTBmNDRLNzg2M2YzMmRkY2I4NDg1MjZiOTAxMmYxZDYwMDg5Ym

EzYjYzIn0%3D; expires=Sat, 10-Feb-2024 18:00:17 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/index.php/track-order/0>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IlhLNEloZVpKNlI20HoxaUIyaFRhSFE9PSIsInZhbHVlIjoiTEc2SGw3MjE0U1NVNnRkT2tXYlltQUNMa1lxNXVSNlNq0I5T3pFQXNoMDZhSWJhb2VVUjJWUHEzbG1qaSt5TXBPMzlpdlg0eTJ4aW04Rlo3aTNuRlQ1eGZrRFkvWjhRVUI4SnM4aTYva3M5bGZieGFQWis1NTfLM2tmUkxxQUciLCJtYWMi0iJlZDg5Yzg50TRj0GFMTJhNmQxMTE20TU1ZGYzN2E5MTIzNzVmMGQ5ZTIyMjM0ODl10GMwOGMxZTM5YjczNzVkJn0%3D; expires=Sat, 10-Feb-2024 18:00:42 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbbmultiservices.com/index.php/customer/login>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6InJ6U216SxpGTzlRczJjRFJTTUfUGc9PSIsInZhbHVlIjoicGl1ZDVjY252MlowM3hjWDh6bldJREN1Q3ZXMmttVWJJJSnlTWFVFRG9CcHRFam9BV3NzVTJmWldBV3pLZ2Z0K2tqK0E3RW1qK0dEZHPNDV0MXVWQ2NQK1pGTEN5alAxck9Qd0VUQWLXY2RudFZUQVVSZDZlZkpnQzg4d2E5Y2oiLCJtYWMi0iJjMWY3NTAwYTYzY2Y5NWfMj2MDU5NTY20WRhYzI2NzY3NWYwMzd1Zjk3NWNhNjQ4ZTBjMWmzwU2NTg2In0%3D; expires=Sat, 10-Feb-2024 18:01:02 GMT; Max-Age=7200; path=/; samesite=lax

Request

GET / HTTP/1.1
Referer: <https://printing-bijoytech.ssbbmultiservices.com/>
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbbmultiservices.com
Connection: Keep-alive

Recommendation

If possible, you should set the HttpOnly flag for these cookies.

Cookies without Secure flag set

One or more cookies does not have the Secure flag set. When a cookie is set with the Secure flag, it instructs the browser that the cookie can only be accessed over secure SSL/TLS channels. This is an important security protection for session cookies.

Impact

Cookies could be sent over unencrypted channels.

[https://printing-bijoytech\(ssbmultiservices.com/](https://printing-bijoytech(ssbmultiservices.com/)

Verified

Cookies without Secure flag set:

- https://printing-bijoytech(ssbmultiservices.com/

Set-Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; path=/

- https://printing-bijoytech(ssbmultiservices.com/

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImZX0FdvSVJpZFpVUHJWcG9PTWgvdVE9PSIsInZhbHVlIjoiN0ZsWWRGZ01Qb1hzczR4UU9hT1kxN2xteHJFNz10TlNBb0tiYk9hNWhCdmhIVjVuN1pTd2t4Mlo1Wld3ZFBnbzFsSWR3YTlHL1dx dVhVK3R1d2dTbStMaDdGbzlqaTNwT1hHbWt1YW00VDc5SUxKQmhRN2x1UEtrSHMxbnZuU1AiLCJtYWMi0iI5YjdhMjBkMzMzMmZiYzVhYzAyODU3YzU0MmY5NjA0N2M4ZDUzNDIxMTVjMzE2Zjc4ZGM2MmZlNzJhNzk4ZDEzIn0%3D; expires=Sat, 10-Feb-2024 17:46:31 GMT; Max-Age=7200; path=/; samesite=lax

- https://printing-bijoytech(ssbmultiservices.com/

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IjMxaENtblVFNGQ5dE5CVVJ5NlppQ1E9PSIsInZhbHVlIjoiL09aL2I3TE9zcGF4L3Y1aWVuckRNzFRRUxMSUNvMFJDZldYS3l3RkJHR0YwMmZ0Y2M1dkw2dDJKEdiZ3V3azhrZktLVndl0Fh3a0VrZEtuL1M0djdhew5sVWJNaVUzQjV1SXBjL0c4NU5TaEw2d2M3VGc2MTdXNmwxWgt5SUMiLCJtYWMi0iIxZmVj0GI1MTVmYmQ3NTNjMmNiZGI4MTU00DlkNmE10TB10DdhMjljNDllMDU1MTdhZTA40GU5MzlkMDUyYjRiIn0%3D; expires=Sat, 10-Feb-2024 17:46:31 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/customer/logout>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImVoelQ1UlU1VDd0V3BtSHhXQ3VWQ1E9PSIsInZhbHVlIjoizGtKZm1xTzhIQTlFTDdYcHlTS0JNSDg1QzloTzVZdEsrtTBzOTN3aDQzTGdtdkFZZ2UrdUhITklibVdQaG0z0UlzUjJw0E90dnVp0Gx0bGZFwKpXaWdSVHpkUWMrUmtJV2150U1lMEo5Yku4VLI3RnhCQzl0bFdXbG5tQzI0dVUiLCJtYWMi0iI1YmExMWFmN2YzNTk1MDljNzA3MTExZGE3NDY1NjI0YzUwMzFkYjFmZTAw0Tc1ZDQzNjE1MDM1Njg5NjZiYmQyIn0%3D; expires=Sat, 10-Feb-2024 17:47:36 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/customer/logout>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IlRWdVhsa08wdVN2RG1xZlAwak4zWWc9PSIsInZhbHVlIjoINDZINTBzSEU4dnNlU3RVQ212Y0Z0ekJlbGFiQTNJa0xnQzRIUXlUY0EzcVdweThGYmlvd3AwLzdJYkFqRDNmSUtxbGQxU1BoK3VhTWNxENpTnFjUk93UEM1TEFZSUpSejVnNTg0RjFCWDRTaGM0T0dxZm9YMKJvQnVRZTQv0UsiLCJtYWMi0iJkNDUwMDZkMmY0YjQxNDU10DMyzTY1MWM1ZjIyNTUwOGZhNzdhNTY1MjQ1YTBlNjRmYjU2ZTzi0GVlnjllNTk1In0%3D; expires=Sat, 10-Feb-2024 17:47:36 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/subscribe>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Ijg4NVdiTGZRbzBEEd3g2NXZEZ21EY1E9PSIsInZhbHVlIjoiaExISkpCNjlmyXJKZmNjQVRQUE9KaU9kZX6eWpIb0ZuMFZTUE11QULieWRBSjlqVEexcXVCaHVkMXBiQ1FkWlI1RWEra0R2VxlHT3Rlem01KzlaVTlDNHYyMitpK3FzK3U1Y1FjbXpvWFkvTk5DYS9tRTEvTDlx24vdzVYR2YiLCJtYWMi0iI1YzRlMjdmMGY0NWjNGQ1MmY20GM2Yzk2NzRiZjFlYzU00WuzMmU0ZDNhZGQyMjEw0TQ4MzI4ZDRmY2E2YjFkIn0%3D; expires=Sat, 10-Feb-2024 17:47:52 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/subscribe>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6Ik13a01SeVY3Q05HTmIrM1h0YmFlMGc9PSIsInZhbHVlIjoidSsrYmJ4clfX0VRDYitUWjhCbHZxwHE400pXbG1iZTRZW9Ldw0xc0NTMFQ1UkNmelJHRk4wMF0VXBBDNGI1dVJtcUNxNWNENlowY0diREt5a29EY3MvZnh1bm45SUo2VjgvYlRZVEFwbmE10XRidKVNN2Y1RU5ENm94dUd6TkkiLCJtYWMi0iI0YTk3Zjc1YThkZjMy0DgxMmFiZTg3MTM5NzM3MzzjFhNTNhZjExZDFiZThmYzMxNWIwMjQ20GFiMzc4NWEwIn0%3D; expires=Sat, 10-Feb-2024 17:47:52 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/track-order/0>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImMrcHo0blFJbGl2bwJhZnZoN2VNFE9PSIsInZhbHVlIjoiQ25pSFhoaEdvakVpTT1tNuTYzmR0WmUrU3A4b2NHay9HREtuWUNPTTJVYmVNS2lRQ1NDYzd1cWJwSS9GY0VDejB0bnliQXRya1prRjk0ZHArT3pQY1VGL2R2NkZTHdTSzBnUlhyUVhsN0d2M1VQTkwyV9ETs90ZnhxekFSQ3giLCJtYWMi0iI2YzQ0N2Fi0GM30ThmMTlkNTc20Tg0NjAwZjUyMzg4ZjUyNmE0MzZkZDlhZDkwZWRmNDQ5ZjBjMGEyYmIOZjBmIn0%3D; expires=Sat, 10-Feb-2024 17:47:59 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/track-order/0>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6ImRGV0oxNDM1Y1dIdDM3UU5VTYwN1E9PSIsInZhbHVlIjoiT216Ymd4UzhVR0grR0JKU0loK1dCY1JqU3lZSkVFbUtdtUFvanpLUHFldnBLd1R5ekRuZVFK0Dl4c3ZBWlhsWkx0Ujc0d3phVkdqQnpVTHdVV1Z4VitEeGkwZTNNejhIUklaQzAw0EdNZzI3cHFPeWtrVFBJSFhQUnlCSHRyNHEiLCJtYWMi0iI3NTdhZTViZDBmNjVhMmM4MGQ3ZGFhYzU0MzEwNzRjYjM10DdkNTk5MwY0ZTA2YzExNWmzYjFiYzBhYWIyNTkzIn0%3D; expires=Sat, 10-Feb-2024 17:47:59 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/resources>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IkxXZzBybDA4allmTWFiQ0JWN1c2bXc9PSIsInZhbHVlIjoidm5rN21iaDBLR01XdA1TEVWeksvVDJ2VG40VUtNclFjazQvcHVmSFVISmlibTZ0dkg2WEhiT1o3R211Z25ENXB0MEI1MjllU3BkMEZwMVBXMTg4RmdxeUxkbXBQdG10Z09kUnBnT1R3dm12SFhYS2pPUCtZcVBkdm40MGZsaTUilCJtYWMi0iI3YTcy0WU2MGZkYzFiNTFiY2Q3N2F1nWQ5ZDEyYzlhYwQ20DUxNWmxBjhmnWUw0WQ20DJhYmI0ZDViNmRmNjgzIn0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/resources>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6ImM2Smc5dGEyNHFSc0FkZGVyUi84Qmc9PSIsInZhbHVlIjoiS8vdDVovUxNaDd3MGZBdVZydTdIdGI4NGRob0JKYwRaYk5KaEFa0FZFymlWb2dnbk1CRG50enRYY1FGUk5qcGEycVczUGJacFNPV1BuTzNnbGNBwmxJxUUZ4V0ZQZmhGTjBMYwpDdVRIak54UnBHT0ZKRGtRWVpwYzczZmhGQXAiLCJtYWMi0iJk0TdiYWI0Zjk5MGI4MmIxYThizTQ0ZmJmNTk2YmZjN2U00GFk0TMxM2M1ZDU5ZTE1ZWQ3NmUxMzZmZTF1NDkyIn0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/about-us>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6ImV1dTRICUxaaGQweXc4QWMxejJ0dmc9PSIsInZhbHVlIjoiamFQZWxJRlc5M2lyR2hUemExUlJYUXZmNmFibW10bGduMDZ3bFpwQnE1Smd3azhpL0hkV29ibjk4bE9rRlBUVElVdFhNd2NXSzAzdko0Q1pXSmpldUtsWml1QXJ4RHpmZzJoeFdnM3gzSDBjY204c0RQV29Ga3dvWXlGbFFZVkMiLCJtYWMi0iIwNGJjZjVlnjJjM2E0YWFiNWM50GE1Y2QyNWIw0TYzNWNLYTgyZTA5MzU5NTRmNWYyMjczZTl0GRiMDYyYzE2In0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/about-us>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IkY4dXBkMWUyRkttK1dYQWIzdkwzSwc9PSIsInZhbHVlIjoidHVpWTFTMFQNLJMclBJcjJuM3ZEQll0UG1uU1d6cGxaV0xFWGJ0bnlCNlZzZXdDYmc0ZE1YQWVqalNST0RKMLpnTE8vaWRZZnM20UYrVU90dXhqMVNGckh5QjhONGk2SWpXRXZDREYvRTU0NGpIbW40MzNUVktmRVVXU1J2K1ciLCJtYWMi0iIyMzA0ZDQyNGIzNTM2ZWQ00Tk3MDg3ZGzmZjA0Mzg0DA3YTU1MjYxNDE3ZWVhZTdjMTIzM2Jl0TYzNGQwMjJmIn0%3D; expires=Sat, 10-Feb-2024 17:48:22 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/contact-us>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Im1xdju4b3krL2pmT3hrTndHuk84ZFE9PSIsInZhbHVlIjoicUxhRTBBNVozQmRiNct2bnQvbnJRQ2xXMkpsK3RDWEJBUU50ZmUr0UhhMXVvTi92d2tmSHRkUjNpK0F3d0V2cUJCQzlkWHJ0b3pwRmFJbXVoLzltZ0k5RWp6UW41eS9zNzI4TFZLTGc5YU83c0xXMUZ3Sm1XcUNGULFVYkIyVS8iLCJtYWMi0iJkMWJk0GY5MWI1NmU0ZDE1MDzl0DF1NTYwZjE0NmYzMzk0MDk1MDMyYzU1ZmE3ZDM0YTUwMjBkMjEyZmY5NDIzIn0%3D; expires=Sat, 10-Feb-2024 17:48:39 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/contact-us>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IituZlgxM2toSFVFT1kzNTNrVktMz0E9PSIsInZhbHVlIjoittZyN3NmNzRWdzE0a2llVURWYXc4RTFVMHM3bUhESH1jQXV5ZC9ENGNuWm5uTDVr0wlHK0s2YmkYN2xrVWNTMUMyUEw5VWpNZmZHRjNyTHF10ENlN05rVElhdmZvMmZML21pT3VDT2cyR3Z0Y01aejbhT0RNQWc5SUJ3WkVYTisiLCJtYWMi0iI50WY1YmMzZWNjMWYwMTAzYjcxMj1hNjI0ODNiNzUzMjIzZjQ3ZmQ2MGWm2ZlZTIwNmYwMzQ4ZmVjYjY2ZTIyIn0%3D; expires=Sat, 10-Feb-2024 17:48:39 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/privacy-policy>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6Ik1wZkU2MG5Kd2dIVFhiRUdkcw10Y2c9PSIsInZhbHVlIjoicnZ6N09USnhrNmtqWDJVSTlyR2VRM2lvQ0pQMk9TR21GTm1Wb1k2Y01nUVU3eG4wdHZ3YWxUUvdlZDBUMHViREk5cy9EVE1seVZQSmVHODRHWHZnaGdPcnJoTjFtOFhld1JWSWY5UKJmUWVYyjV0dXR5RHk1aHBWTDJCTEJxYUciLCJtYWMi0iI1MzdzWEyMDA1MzEz0DVjZTUyN2FhYWUwYWRmNTJlNTcwNmQ4ZDM4MjRjNDgxZGFiM2Qx0DEzYmZlM2FintY5In0%3D; expires=Sat, 10-Feb-2024 17:48:40 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/privacy-policy>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IlRWZVBDUEZxc2NET2FaLzlnYmxWbFE9PSIsInZhbHVlIjoiVTE1bzNjbEhtZkhJSGIx0F6WGZvUXEwZnJGdzhpcGtib1ExRjlVZWRISmVFSzlGaHF4Umg2cUlhaTFhdWYxRm4rNEZFNk1GUmJ3V1lURUFUK0VCQnMzSWpHL3hRQWhuZyt1RjBubE1NV1ZrRzV0MTRRbUszblNUaFBTWVVSNysiLCJtYWMi0iIwNDVjYTAXYmNkNDNi0Dk4ZjczDgwNjIyNDU1YTJlYmMzTFTk0Dg5NzdKNWVjNjMxZjA5NTNlMGizN2U4YjMzIn0%3D; expires=Sat, 10-Feb-2024 17:48:40 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/products>

Set-Cookie: XSRF-

TOKEN=eyJpdiI6IkZBN0U3cGdaUjYvNCtkdjFRTlc4eEE9PSIsInZhbHVlIjoid3VDd0Nmb3pzSnZz0XRunenA5YTNYMEpWaGdi0G1uM1BDTTd3N01RM01ETkRzVE1JSnBBMDIwd3Q5WTJLTGJM0hBM01Iay9QVHjtTnMydWZ3RTJJRkZmSnEwdTF4S3d1bXFvNWZ2ZkQ4allXeHhPYTdaRmdUUjZJWENvQkhTeHYiLCJtYWMi0iJkM2E2MzM0MTU0MzgzNGRmZTNkYzliMThiZGE0NWUxYTQ2NTdiMzI0MWUwM2I3ZTlkMDhmZGVhYzhiZDJhNjMzIn0%3D; expires=Sat, 10-Feb-2024 17:48:56 GMT; Max-Age=7200; path=/; samesite=lax

- <https://printing-bijoytech.ssbumultiservices.com/products>

Set-Cookie:

s_m_digital_sign_printing_inc_session=eyJpdiI6IitaWDNGT1FoZzdnQjd0czM1elRtTwc9PSIsInZhbHVlIjoidkh1RCtoMkQyVkJvc9hVFZYUXA2ZE4SVZjamR40FBZSwhrYnpoYXVGUTZ2Yno3VnFJQnY2bkw4eDdpdlBtUjExaWIrQWk4aGVMMjB3UGE0ZVB5SUZGVlVuNFNWRGLx0GVJZE1RS0dyNlUrdE5MaSswQm10RjIrYlNZRC93SEYiLCJtYWMi0iJjM2Y2N2E0MjYzzWM4YmRiMTlhM2FlMzJkMWJlMWE2ZGJk0DF1MjhjYjZhZGRlNjY1NzZhZmQzNzMxMDUw0DFjIn0%3D; expires=Sat, 10-Feb-2024 17:48:56 GMT; Max-Age=7200; path=/; httponly; samesite=lax

- [https://printing-bijoytech\(ssbmultiservices\).com/contact-us](https://printing-bijoytech(ssbmultiservices).com/contact-us)

Set-Cookie: XSRF-TOKEN=eyJpdiI6Im54dkxiadNNRFhnbWIzWklQZlp6SkE9PSIsInZhbHVlIjoiT1cwN043dE940DNucTNLZnRPbk9RcFZDN3hRUzk3THh5K2U3c0krYldyRUMxWE9tQzJVS2wwaVBY0XAxem50ckVQYTlJVXVx0GRVZXp1aNtemNVNnY2b1BBR0t5ZGlTWG1qd3hHULY40VZEZWl0NVFRYkFPbGxhTitsSGlyS3oiLCJtYWMi0iIyZjc3ZjlkMTJhZTAwZDk2YTE2Mzg4NzNkZGY1YTY0ZWM3N2YxMjc5NGUwZmFkNGI3YjQ1ZDM10TJmNW M3NzI2In0%3D; expires=Sat, 10-Feb-2024 17:49:02 GMT; Max-Age=7200; path=/; samesite=lax

- [https://printing-bijoytech\(ssbmultiservices\).com/contact-us](https://printing-bijoytech(ssbmultiservices).com/contact-us)

Set-Cookie: s_m_digital_sign_printing_inc_session=eyJpdiI6ImtwSjRYbTdSZk14bUZCSGw4MUE1S1E9PSI sInZhbHVlIjoiNXlMVVY0MjVyQnoxL0lpQ1JWajRacHN30S9lbG1MZmJ6QnlHUFlRSmVyaWNaSURiTUpW RGRtZ0U1SGJvYWFXSUpFamZSRk5FcEJiZU9YRjRMc2R6Rkpma3FTa0JDTXJVTDQwbDZ4V0lRdEhsc25PS y9aSlczWkhyYkNtZXZ0cWsILCJtYWMi0iJmNjMwNjliYWZjNTE5ZWRmNzljMzgzNjA4ZDUxMjU1MzRhZT dlZWQ4YjgyM2UyMTY0ZGNhMDAx0WY2MWQxNTFlIn0%3D; expires=Sat, 10-Feb-2024 17:49:02 GMT; Max-Age=7200; path=/; httponly; samesite=lax

Request

GET / HTTP/1.1
Referer: [https://printing-bijoytech\(ssbmultiservices\).com/](https://printing-bijoytech(ssbmultiservices).com/)
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech(ssbmultiservices).com
Connection: Keep-alive

Recommendation

If possible, you should set the Secure flag for these cookies.

HTTP Strict Transport Security (HSTS) not implemented

HTTP Strict Transport Security (HSTS) tells a browser that a web site is only accessable using HTTPS. It was detected that your web application doesn't implement HTTP Strict Transport Security (HSTS) as the Strict Transport Security header is missing from the response.

Impact

HSTS can be used to prevent and/or mitigate some types of man-in-the-middle (MitM) attacks

<https://printing-bijoytech.ssbumultiservices.com/>

URLs where HSTS is not enabled:

- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/all.css>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/blowup-magnic-popup/blowup.js>
- <https://printing-bijoytech.ssbumultiservices.com/upload/category-image/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/owl-carousel/owl.carousel.min.css>
- <https://printing-bijoytech.ssbumultiservices.com/request-quote>
- <https://printing-bijoytech.ssbumultiservices.com/upload/home-slider-image/>
- <https://printing-bijoytech.ssbumultiservices.com/cgi-sys/>
- <https://printing-bijoytech.ssbumultiservices.com/mailman/>
- <https://printing-bijoytech.ssbumultiservices.com/track-order>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/service-image/>
- <https://printing-bijoytech.ssbumultiservices.com/mailman/archives/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/setting/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/logo/>
- <https://printing-bijoytech.ssbumultiservices.com/upload/template-image/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/sweet-alert.min.js>
- <https://printing-bijoytech.ssbumultiservices.com/upload/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/slick-slider/slick.main.css>
- <https://printing-bijoytech.ssbumultiservices.com/upload/our-company-image/>
- <https://printing-bijoytech.ssbumultiservices.com/customer>
- <https://printing-bijoytech.ssbumultiservices.com/assets/>

Request

```
GET /assets/front/fonts/fontawesome/css/all.css HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/
Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; XSRF-TOKEN=eyJpdiI6ImVoelQ1LU1VDd0V3BtSHhXQ3VWQlE9PSIsInZhbHVlIjoiZGtkZm1xTzhIQTlFTDdYcH1TS0JNSDg1QzloTzVZdEsrWTBz0TN3aDQzTGdtdkFZZ2UrdUhITklibVdQaG0z0UlzUjJw0E90dnVp0Gx0bGZFkWpXaWdSVHpkUwMrUmtJV2150U1lMEo5Yku4VlI3RnhCQz10bFdXbG5tQzI0dVUiLCJtYWMi0iI1YmExMWFmN2YzNTk1MDljNzA3MTEzGE3NDY1NjI0YzUwMzFkYjFmZTAw0Tc1ZDQzNjE1MDM1Njg5NjZiYmQyIn0%3D;
s_m.digital_sign_inc_session=eyJpdiI6IlRWdVhsa08wdVN2RG1xZLAwak4zWWc9PSIsInZhbHVlIjoiNDZINTBzSEU4dnN1U3RVQ212Y0Z0ekJlbGFiQTNJa0xnQzRIUXlUY0EzcVdweThGYmlvd3AwLzdJYkFqRDNmSUtxbGQxU1BoK3VhTwNxaENpTnFjUk93UEM1TEFZSUpSejVnNTg0RjFCWDRTaGM0T0dxZm9YMKJvQnVRZTQv0UsiLCJtYWMi0iJkNDUwMDZkMmY0YjQxNDU1ODMyZTY1MW1ZjIyNTUwOGZhNzdhNTY1MjQ1YTBlNjRmYjU2ZTzi0GVlnjl1NTk1In0%3D
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
```

Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbmultiservices.com
Connection: Keep-alive

Recommendation

It's recommended to implement HTTP Strict Transport Security (HSTS) into your web application. Consult web references for more information

References

hstspreload.org

<https://hstspreload.org/>

[Strict-Transport-Security](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

Content Security Policy (CSP) not implemented

Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks.

Content Security Policy (CSP) can be implemented by adding a **Content-Security-Policy** header. The value of this header is a string containing the policy directives describing your Content Security Policy. To implement CSP, you should define lists of allowed origins for all of the types of resources that your site utilizes. For example, if you have a simple site that needs to load scripts, stylesheets, and images hosted locally, as well as from the jQuery library from their CDN, the CSP header could look like the following:

```
Content-Security-Policy:  
default-src 'self';  
script-src 'self' https://code.jquery.com;
```

It was detected that your web application doesn't implement Content Security Policy (CSP) as the CSP header is missing from the response. It's recommended to implement Content Security Policy (CSP) into your web application.

Impact

CSP can be used to prevent and/or mitigate attacks that involve content/code injection, such as cross-site scripting/XSS attacks, attacks that require embedding a malicious resource, attacks that involve malicious use of iframes, such as clickjacking attacks, and others.

<https://printing-bijoytech.ssbumultiservices.com/>

Paths without CSP header:

- <https://printing-bijoytech.ssbumultiservices.com/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/all.css>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/blowup-magnic-popup/blowup.js>
- <https://printing-bijoytech.ssbumultiservices.com/resources>
- <https://printing-bijoytech.ssbumultiservices.com/upload/category-image/>
- <https://printing-bijoytech.ssbumultiservices.com/about-us>
- <https://printing-bijoytech.ssbumultiservices.com/contact-us>
- <https://printing-bijoytech.ssbumultiservices.com/privacy-policy>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/owl-carousel/owl.carousel.min.css>
- <https://printing-bijoytech.ssbumultiservices.com/products>
- <https://printing-bijoytech.ssbumultiservices.com/product/13>
- <https://printing-bijoytech.ssbumultiservices.com/refund-policy>
- <https://printing-bijoytech.ssbumultiservices.com/request-quote>
- <https://printing-bijoytech.ssbumultiservices.com/terms-of-use>
- <https://printing-bijoytech.ssbumultiservices.com/customer/login>
- <https://printing-bijoytech.ssbumultiservices.com/upload/home-slider-image/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php>
- <https://printing-bijoytech.ssbumultiservices.com/cgi-sys/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/login>

- <https://printing-bijoytech.ssbumultiservices.com/mailman/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/password/forgot>

Request

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbumultiservices.com
Connection: Keep-alive
```

Recommendation

It's recommended to implement Content Security Policy (CSP) into your web application. Configuring Content Security Policy involves adding the **Content-Security-Policy** HTTP header to a web page and giving it values to control resources the user agent is allowed to load for that page.

References

[Content Security Policy \(CSP\)](#)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/CSP>

[Implementing Content Security Policy](#)

<https://hacks.mozilla.org/2016/02/implementing-content-security-policy/>

Email addresses

One or more email addresses have been found on this website. The majority of spam comes from email addresses harvested off the internet. The spam-bots (also known as email harvesters and email extractors) are programs that scour the internet looking for email addresses on any website they come across. Spambot programs look for strings like myname@mydomain.com and then record any addresses found.

Impact

Email addresses posted on Web sites may attract spam.

<https://printing-bijoytech.ssbumultiservices.com/>

Emails found:

- <https://printing-bijoytech.ssbumultiservices.com/>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/resources>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/about-us>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/contact-us>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/privacy-policy>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/products>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/product/13>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/refund-policy>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/request-quote>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/terms-of-use>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/customer/login>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/index.php>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/login>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/password/forgot>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/customer/password/forgot>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/product/templates/13/10>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/index.php/product/13>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/index.php/product/templates/13/10>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/product/templates/13/7>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/customer/registration>
dgdesignnyc@gmail.com
- <https://printing-bijoytech.ssbumultiservices.com/product/pricing/13/7/7>
dgdesignnyc@gmail.com

Request

```
GET / HTTP/1.1
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbbmultiservices.com
Connection: Keep-alive
```

Recommendation

Check references for details on how to solve this problem.

References

[Anti-spam techniques](#)

https://en.wikipedia.org/wiki/Anti-spam_techniques

File uploads

These pages allows visitors to upload files to the server. Various web applications allow users to upload files (such as pictures, images, sounds, ...). Uploaded files may pose a significant risk if not handled correctly. A remote attacker could send a multipart/form-data POST request with a specially-crafted filename or mime type and execute arbitrary code.

Impact

If the uploaded files are not safely checked an attacker may upload malicious files.

<https://printing-bijoytech.ssbbmultiservices.com/>

Pages with file upload forms:

- <https://printing-bijoytech.ssbbmultiservices.com/product/pricing/13/7/7>

Form name: <empty>

Form action: <https://printing-bijoytech.ssbbmultiservices.com/add-cart>

Form method: POST

Form file input: front_file [file]

- <https://printing-bijoytech.ssbbmultiservices.com/product/pricing/13/7/8>

- ```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
- <https://printing-bijoytech.ssbumultiservices.com/index.php/product/pricing/13/7/7>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/index.php/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/13>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/index.php/product/pricing/13/7/8>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/index.php/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/index.php/product/pricing/13/7/9>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/index.php/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/14>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/15>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
  - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/13/7/9>

- ```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
- <https://printing-bijoytech.ssbumultiservices.com/product/pricing/14/11/10>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/index.php/product/pricing/13>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/index.php/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/14/11/11>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/14/11/12>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/14/11/13>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/15/15/14>

```
Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]
```
 - <https://printing-bijoytech.ssbumultiservices.com/product/pricing/15/15/15>

- ```

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]

• https://printing-bijoytech.ssbumultiservices.com/product/pricing/15/15/16

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]

• https://printing-bijoytech.ssbumultiservices.com/product/pricing/15/15/17

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]

• https://printing-bijoytech.ssbumultiservices.com/product/pricing/16/19/18

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]

• https://printing-bijoytech.ssbumultiservices.com/product/pricing/16

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/add-cart
Form method: POST
Form file input: front_file [file]

• https://printing-bijoytech.ssbumultiservices.com/index.php/product/pricing/14

Form name: <empty>
Form action: https://printing-bijoytech.ssbumultiservices.com/index.php/add-cart
Form method: POST
Form file input: front_file [file]

```

## Request

---

```

GET /product/pricing/13/7/7 HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/product/templates/13/7
Cookie: PHPSESSID=6305d23d8a791ce0d71a593205a790b2; XSRF-TOKEN=eyJpdiI6IlptM1FMdjFxTUZCL3lCZ01HbG5YM1E9PSIsInZhHVlIjoib0pUSXZ0UWZCNU1zNGVtTWpRazRQ0GZXVy84MzNzWCt1Y3JBS0l2MUF6U3BHUlFaNU5JRS9VaGc2c3JveElZYkNnWGVzaWhDaEJxUGs20XMxcFpaT1ZFamk5ZlI3VEh4MDU3bjlQTw1GWUdDSytYZ0RnVi9rZTlqR05HMms4Sm8iLCJtYWMi0iI3ZDU3MWVmZTVjMzJlOTRjNTJkODI3NjczZWZjZTEwYzZkMmRiNGE40WMxZWI0YWZkNzg0NjliNjJh0DhmZWZlIn0%3D;

```

s\_m\_digital\_sign\_printing\_inc\_session=eyJpdiI6Imp6TFJ0b1M1eGU5Wi9aRmIxWDNIZ1E9PSIsInZhbHVlIjoiOUJ1Si  
tWdnHbi9ZVHpQT3YyRUdKZ3lRRTJzSU9SdnJv0E16QVRzeW1QbVd6Mmd1dXMx0XNpeFFDdk96WkdE0E93M1ZU0Fho0VpPeERZdj  
VwNUMrOFI5VGVHnZ4MXJnUG9UaWYvTUd0RitENURNMUxRZ2N00Hk3WUtDUkhuckc1LCJtYWMi0iIyYWExMTdmZjY1MGEExNzFhMj  
IyYTFiYzMwNmU0Y2QxY2M00WEwMTVhMjZmZWUzMmMzZDQ1ZThhZDRjZTNhZTFLIn0%3D  
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q=0.8  
Accept-Encoding: gzip,deflate,br  
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)  
Chrome/114.0.0.0 Safari/537.36  
Host: printing-bijoytech.ssbbmultiservices.com  
Connection: Keep-alive

## Recommendation

---

Restrict file types accepted for upload: check the file extension and only allow certain files to be uploaded. Use a whitelist approach instead of a blacklist. Check for double extensions such as .php.png. Check for files without a filename like .htaccess (on ASP.NET, check for configuration files like web.config). Change the permissions on the upload folder so the files within it are not executable. If possible, rename the files that are uploaded.

# HTTP Strict Transport Security (HSTS) not following best practices

---

HTTP Strict Transport Security (HSTS) instructs a web browser to only connect to a web site using HTTPS. It was detected that your web application's HTTP Strict Transport Security (HSTS) implementation is not as strict as is typically advisable.

## Impact

---

HSTS can be used to prevent and/or mitigate some types of man-in-the-middle (MitM) attacks

### <https://printing-bijoytech.ssbbmultiservices.com/>

URLs where HSTS configuration is not according to best practices:

- <https://printing-bijoytech.ssbbmultiservices.com/> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/resources> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/about-us> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/contact-us> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/privacy-policy> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/products> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/product/13> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/refund-policy> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/request-quote> - max-age is less than 1 year (31536000);

- <https://printing-bijoytech.ssbbmultiservices.com/terms-of-use> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/customer/login> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/index.php> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/index.php/customer/login> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/index.php/customer/password/forgot> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/customer/password/forgot> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/product/templates/13/10> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/index.php/product/13> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/index.php/product/templates/13/10> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/product/templates/13/7> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/customer/registration> - max-age is less than 1 year (31536000);
- <https://printing-bijoytech.ssbbmultiservices.com/product/pricing/13/7/7> - max-age is less than 1 year (31536000);

## Request

---

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbbmultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbbmultiservices.com
Connection: Keep-alive
```

## Recommendation

---

It is recommended to implement best practices of HTTP Strict Transport Security (HSTS) in your web application. Consult web references for more information.

## References

---

### [hstspreload.org](https://www.hstspreload.org/)

<https://www.hstspreload.org/>

### [MDN: Strict-Transport-Security](https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Strict-Transport-Security>

# Outdated JavaScript libraries

---

You are using an outdated version of one or more JavaScript libraries. A more recent version is available. Although your version was not found to be affected by any security vulnerabilities, it is recommended to keep libraries up to date.

## Impact

---

Consult References for more information.

<https://printing-bijoytech.ssbumultiservices.com/>

Confidence: 95%

- jQuery 3.5.1
  - URL: <https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js>
  - Detection method: The library's name and version were determined based on the file's CDN URI.
  - References:
    - <https://code.jquery.com/>

## Request

---

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbumultiservices.com
Connection: Keep-alive
```

## Recommendation

---

Upgrade to the latest version.

# Permissions-Policy header not implemented

---

The Permissions-Policy header allows developers to selectively enable and disable use of various browser features and APIs.

## Impact

---

## <https://printing-bijoytech.ssbumultiservices.com/>

Locations without Permissions-Policy header:

- <https://printing-bijoytech.ssbumultiservices.com/>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/fonts/fontawesome/css/all.css>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/blowup-magnic-popup/blowup.js>
- <https://printing-bijoytech.ssbumultiservices.com/resources>
- <https://printing-bijoytech.ssbumultiservices.com/upload/category-image/>
- <https://printing-bijoytech.ssbumultiservices.com/about-us>
- <https://printing-bijoytech.ssbumultiservices.com/contact-us>
- <https://printing-bijoytech.ssbumultiservices.com/privacy-policy>
- <https://printing-bijoytech.ssbumultiservices.com/assets/front/plugins/owl-carousel/owl.carousel.min.css>
- <https://printing-bijoytech.ssbumultiservices.com/products>
- <https://printing-bijoytech.ssbumultiservices.com/product/13>
- <https://printing-bijoytech.ssbumultiservices.com/refund-policy>
- <https://printing-bijoytech.ssbumultiservices.com/request-quote>
- <https://printing-bijoytech.ssbumultiservices.com/terms-of-use>
- <https://printing-bijoytech.ssbumultiservices.com/customer/login>
- <https://printing-bijoytech.ssbumultiservices.com/upload/home-slider-image/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php>
- <https://printing-bijoytech.ssbumultiservices.com/cgi-sys/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/login>
- <https://printing-bijoytech.ssbumultiservices.com/mailman/>
- <https://printing-bijoytech.ssbumultiservices.com/index.php/customer/password/forgot>

## Request

---

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbumultiservices.com
Connection: Keep-alive
```

## References

---

### [Permissions-Policy / Feature-Policy \(MDN\)](#)

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Feature-Policy>

### [Permissions Policy \(W3C\)](#)

<https://www.w3.org/TR/permissions-policy-1/>

# Reverse proxy detected

---

This server uses a reverse proxy, a load balancer or a CDN (Content Delivery Network) or it's hosted in a cloud provider. Acunetix detected this by sending various payloads and detecting changes in headers and body.

## Impact

---

No impact is associated with this vulnerability.

### <https://printing-bijoytech.ssbbmultiservices.com/>

Detected reverse proxy: Apache httpd

## Request

---

```
GET / HTTP/1.1
Max-Forwards: 0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbbmultiservices.com
Connection: Keep-alive
```

## Recommendation

---

None

# Subresource Integrity (SRI) not implemented

---

Subresource Integrity (SRI) is a security feature that enables browsers to verify that third-party resources they fetch (for example, from a CDN) are delivered without unexpected manipulation. It works by allowing developers to provide a cryptographic hash that a fetched file must match.

Third-party resources (such as scripts and stylesheets) can be manipulated. An attacker that has access or has hacked the hosting CDN can manipulate or replace the files. SRI allows developers to specify a base64-encoded cryptographic hash of the resource to be loaded. The integrity attribute containing the hash is then added to the <script> HTML element tag. The integrity string consists of a base64-encoded hash, followed by a prefix that depends on the hash algorithm. This prefix can either be sha256, sha384 or sha512.

The script loaded from the external URL specified in the Details section doesn't implement Subresource Integrity (SRI). It's recommended to implement Subresource Integrity (SRI) for all the scripts loaded from external hosts.

## Impact

---

An attacker that has access or has hacked the hosting CDN can manipulate or replace the files.

### <https://printing-bijoytech.ssbumultiservices.com/>

Pages where SRI is not implemented:

- <https://printing-bijoytech.ssbumultiservices.com/>  
Script SRC: <https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js>
- <https://printing-bijoytech.ssbumultiservices.com/>  
Script SRC: <https://www.bootstraptoggle.com/js/bootstrap-toggle.js>
- <https://printing-bijoytech.ssbumultiservices.com/>  
Script SRC: <https://cdnjs.cloudflare.com/ajax/libs/toastr.js/2.1.4/toastr.min.js>
- <https://printing-bijoytech.ssbumultiservices.com/>  
Script SRC: <https://www.app.uswebtax.com/crm/assets/js/toastr.min.js>

## Request

---

```
GET / HTTP/1.1
Referer: https://printing-bijoytech.ssbumultiservices.com/
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Encoding: gzip,deflate,br
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/114.0.0.0 Safari/537.36
Host: printing-bijoytech.ssbumultiservices.com
Connection: Keep-alive
```

## Recommendation

---

Use the SRI Hash Generator link (from the References section) to generate a <script> element that implements Subresource Integrity (SRI).

For example, you can use the following <script> element to tell a browser that before executing the <https://example.com/example-framework.js> script, the browser must first compare the script to the expected hash, and verify that there's a match.

```
<script src="https://example.com/example-framework.js"
```

```
integrity="sha384-oqVuAfXRKap7fdgcCY5uykM6+R9GqQ8K/uxy9rx7HNQlGYl1kPzQho1wx4JwY8wC"
crossorigin="anonymous">></script>
```

## References

---

### Subresource Integrity

[https://developer.mozilla.org/en-US/docs/Web/Security/Subresource\\_Integrity](https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity)

### SRI Hash Generator

<https://www.srihash.org/>

## Coverage

---

https://printing-bijoytech.ssbsmultiservices.com

assets

Inputs

**GET** iv, value, mac

---

front

Inputs

**GET** iv, value, mac

---

css

style.css

theme.css

---

fonts

fontawesome

css

all.css

---

image

other-service

Inputs

**GET** iv, value, mac

---

js

main.js

---

plugins

blowup-magnic-popup

blowup.js

---

owl-carousel

owl.carousel.min.css

owl.carousel.min.js

---

owl.theme.default.min.css

---

slick-slider

slick.main.css

slick.min.js

slick.theme.min.css

---

|          |                                     |
|----------|-------------------------------------|
|          | card-validate.js                    |
| logo     | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | sweet-alert.min.js                  |
| cgi-sys  | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
| customer | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
| password | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | forgot                              |
|          | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | <b>POST</b> iv, value, mac          |
|          | <b>POST</b> _token, email           |
| login    | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | loginaction                         |
|          | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | <b>POST</b> _token, email, password |
|          | <b>POST</b> iv, value, mac          |
| logout   | Inputs                              |
|          | <b>GET</b> iv, value, mac           |
|          | <b>POST</b> _token                  |
|          | <b>POST</b> iv, value, mac          |
|          | password                            |



GET iv, value, mac



GET iv, value, mac



GET iv, value, mac

POST iv, value, mac


POST \_token, confirm\_password, email, first\_name, last\_name, password, phone



GET iv, value, mac



GET iv, value, mac



GET iv, value, mac

POST iv, value, mac

POST \_token, email



GET iv, value, mac



GET iv, value, mac

POST \_token, email, password

POST iv, value, mac



GET iv, value, mac

POST \_token

**POST** iv, value, mac

password

Inputs

**GET** iv, value, mac

registration

Inputs

**GET** iv, value, mac

registrationaction

Inputs

**GET** iv, value, mac

**POST** iv, value, mac

**POST** \_token, confirm\_password, email, first\_name, last\_name, password, phone

product

Inputs

**GET** iv, value, mac

pricing

13

7

7

Inputs

**GET** iv, value, mac

8

Inputs

**GET** iv, value, mac

9

Inputs

**GET** iv, value, mac

7

Inputs

**GET** iv, value, mac

14

11

10

Inputs

**GET** iv, value, mac

11

#fragments

product-details

product-shipping

product-specification

Inputs

**GET** iv, value, mac

12

Inputs

**GET** iv, value, mac

13

Inputs

**GET** iv, value, mac

11

Inputs

**GET** iv, value, mac

15

15

14

Inputs

**GET** iv, value, mac

15

Inputs

**GET** iv, value, mac

16

Inputs

**GET** iv, value, mac

17

Inputs

**GET** iv, value, mac

15

Inputs

**GET** iv, value, mac

16

19

18

Inputs

**GET** iv, value, mac

19

Inputs

**GET** iv, value, mac

20

Inputs

**GET** iv, value, mac

21

Inputs

**GET** iv, value, mac

19

Inputs

**GET** iv, value, mac

17

23

22

Inputs

**GET** iv, value, mac

23

Inputs

**GET** iv, value, mac

24

Inputs

**GET** iv, value, mac

25

Inputs

**GET** iv, value, mac

23



GET iv, value, mac

18

27

26



GET iv, value, mac

27



GET iv, value, mac

28



GET iv, value, mac

29



GET iv, value, mac

27



GET iv, value, mac

19

31

30



GET iv, value, mac

31



GET iv, value, mac

GET \_token, name12, name14, name2, name8, note, product\_id, quantity, template\_id

32



GET iv, value, mac

33



GET iv, value, mac

 31

 Inputs

 GET iv, value, mac

 20

 35

 34

 Inputs

 GET iv, value, mac

 35

 Inputs

 GET iv, value, mac

 36

 Inputs

 GET iv, value, mac

 37

 Inputs

 GET iv, value, mac

 35

 Inputs

 GET iv, value, mac

 13

 #fragments

 product-details

 product-shipping

 product-specification

 Inputs

 GET iv, value, mac

 14

 Inputs

 GET iv, value, mac

 15

 Inputs

 GET iv, value, mac

 16

 Inputs

 iv, value, mac

---

 17

 Inputs

 iv, value, mac

---

 18

 Inputs

 iv, value, mac

---

 19

 Inputs

 iv, value, mac

---

 20

 Inputs

 iv, value, mac

---

 templates

 13

 10

 Inputs

 iv, value, mac

---

 7

 Inputs

 iv, value, mac

---

 8

 Inputs

 iv, value, mac

---

 9

 Inputs

 iv, value, mac

---

 14

 11

 Inputs

 iv, value, mac

---

 12



GET iv, value, mac



13



GET iv, value, mac



14



GET iv, value, mac



15



15



GET iv, value, mac



16



GET iv, value, mac



17



GET iv, value, mac



18



GET iv, value, mac



16



19



GET iv, value, mac



20



GET iv, value, mac



21



GET iv, value, mac



22



GET iv, value, mac

17

23

Inputs

GET iv, value, mac

24

Inputs

GET iv, value, mac

25

Inputs

GET iv, value, mac

26

Inputs

GET iv, value, mac

18

27

Inputs

GET iv, value, mac

28

Inputs

GET iv, value, mac

29

Inputs

GET iv, value, mac

30

Inputs

GET iv, value, mac

19

31

Inputs

GET iv, value, mac

32

Inputs

GET iv, value, mac

 33

 Inputs

 GET iv, value, mac

---

 34

 Inputs

 GET iv, value, mac

---

 20

 35

 Inputs

 GET iv, value, mac

---

 36

 Inputs

 GET iv, value, mac

---

 37

 Inputs

 GET iv, value, mac

---

 38

 Inputs

 GET iv, value, mac

---

 23

 40

 Inputs

 GET iv, value, mac

---

 24

 41

 Inputs

 GET iv, value, mac

---

 13

 Inputs

 GET iv, value, mac

---

 14

 Inputs

 GET iv, value, mac

---

 15

 Inputs

**GET** iv, value, mac

---

 16

 Inputs

**GET** iv, value, mac

---

 17

 Inputs

**GET** iv, value, mac

---

 18

 Inputs

**GET** iv, value, mac

---

 19

 Inputs

**GET** iv, value, mac

---

 20

 Inputs

**GET** iv, value, mac

---

 23

 Inputs

**GET** iv, value, mac

---

 24

 Inputs

**GET** iv, value, mac

---

 13

 Inputs

**GET** iv, value, mac

---

 14

 Inputs

**GET** iv, value, mac

---

 15

 Inputs

**GET** iv, value, mac

---

 16

 Inputs

**GET** iv, value, mac

 17

 Inputs

**GET** iv, value, mac

 18

 Inputs

**GET** iv, value, mac

 19

 Inputs

**GET** iv, value, mac

 20

 Inputs

**GET** iv, value, mac

 22

 Inputs

**GET** iv, value, mac

 23

 Inputs

**GET** iv, value, mac

 24

 Inputs

**GET** iv, value, mac

 5

 Inputs

**GET** iv, value, mac

 pricing

 Inputs

**GET** iv, value, mac

**POST** \_token, print\_type, product\_id

**POST** iv, value, mac

 templates

 Inputs

**GET** iv, value, mac

remove-from-cart

Inputs

**GET** iv, value, mac

14""()&%%3Czz%3E%3CScRiPt%20%3E5ayQ(9799)%3C

ScRiPt%3E1707587251

Inputs

**GET** iv, value, mac

14""()&%%3Czz%3E%3CScRiPt%20%3E5ZdP(9256)%3C

ScRiPt%3E1707587028

Inputs

**GET** iv, value, mac

14""()&%%3Czz%3E%3CScRiPt%20%3EdUKK(9469)%3C

ScRiPt%3E1707584631

Inputs

**GET** iv, value, mac

14""()&%%3Czz%3E%3CScRiPt%20%3EQAqB(9523)%3C

ScRiPt%3E1707583317

Inputs

**GET** iv, value, mac

14&echo%20bjxxkh\$()

%20auulwm

nz^xyu||a%20

#fragments

#

%27%20&echo%20bjxxkh%24%28%29%5C%20auulwm%5Cnz%5Exyu||a%20#%22%20&echo  
%20bjxxkh%24%28%29%5C%20auulwm%5Cnz%5Exyu||a%20#1707587261

Inputs

**GET** iv, value, mac

%20auulwm

Inputs

**GET** iv, value, mac

14&echo%20faoaoj\$()

%20yxhgii

 nz^xyu||a%20

 #fragments



%27%20&echo%20faoaoj%24%28%29%5C%20yxhgii%5Cnz%5Exyu||a%20#|%22%20&echo%20faoaoj%24%28%29%5C%20yxhgii%5Cnz%5Exyu||a%20#1707584651

 Inputs

 GET iv, value, mac

 %20yxhgii

 Inputs

 GET iv, value, mac

 14&echo%20fyzodq\$()

 %20rsyvsd

 nz^xyu||a%20

 #fragments



%27%20&echo%20fyzodq%24%28%29%5C%20rsyvsd%5Cnz%5Exyu||a%20#|%22%20&echo%20fyzodq%24%28%29%5C%20rsyvsd%5Cnz%5Exyu||a%20#1707587047

 Inputs

 GET iv, value, mac

 %20rsyvsd

 Inputs

 GET iv, value, mac

 14&echo%20kfjrum\$()

 %20mgbzet

 nz^xyu||a%20

 #fragments



%27%20&echo%20kfjrum%24%28%29%5C%20mgbzet%5Cnz%5Exyu||a%20#|%22%20&echo%20kfjrum%24%28%29%5C%20mgbzet%5Cnz%5Exyu||a%20#1707583327

 Inputs

 GET iv, value, mac

 %20mgbzet

 Inputs

 GET iv, value, mac

 14%3Cesi:include%20src="http:

|                                                                                                          |                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
|  bxss.me                  |                                                                                                                                 |
|  rpb.png"               |                                                                                                                                 |
|  %3E1707583321          |                                                                                                                                 |
|  Inputs                 |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                                |
|  %3E1707584639          |                                                                                                                                 |
|  Inputs                 |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                                |
|  %3E1707587039          |                                                                                                                                 |
|  Inputs                 |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                                |
|  %3E1707587255          |                                                                                                                                 |
|  Inputs                 |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                                |
|  14 echo%20bfsxzw\$()   |                                                                                                                                 |
|  %20urkwoy              |                                                                                                                                 |
|  nz^xyu  a%20         |                                                                                                                                 |
|  #fragments           |                                                                                                                                 |
|                                                                                                          |                                              |
|                                                                                                          | %27%20 echo%20bfsxzw%24%28%29%5C%20urkwoy%5Cn%5Exyu  a%20# %22%20 echo%20bfsxzw%24%28%29%5C%20urkwoy%5Cn%5Exyu  a%20#1707583328 |
|  Inputs               |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                              |
|  %20urkwoy            |                                                                                                                                 |
|  Inputs               |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                              |
|  14 echo%20emajtj\$() |                                                                                                                                 |
|  %20zpdies            |                                                                                                                                 |
|  nz^xyu  a%20         |                                                                                                                                 |
|  #fragments           |                                                                                                                                 |
|                                                                                                          |                                              |
|                                                                                                          | %27%20 echo%20emajtj%24%28%29%5C%20zpdies%5Cn%5Exyu  a%20# %22%20 echo%20emajtj%24%28%29%5C%20zpdies%5Cn%5Exyu  a%20#1707587262 |
|  Inputs               |                                                                                                                                 |
|                                                                                                          |  iv, value, mac                              |

 %20zpdies

 Inputs

 GET iv, value, mac

 14|echo%20llwbtn\$()

 Inputs

 nz^xyu||a%20

 #fragments



%27%20|echo%20llwbtn%24%28%29%5C%20nybube%5Cnz%5Exyu||a%20#|%22%20|echo%20llwbtn%24%28%29%5C%20nybube%5Cnz%5Exyu||a%20#1707584652

 Inputs

 GET iv, value, mac

 %20nybube

 Inputs

 GET iv, value, mac

 14|echo%20xdrvpm\$()

 Inputs

 nz^xyu||a%20

 #fragments



%27%20|echo%20xdrvpm%24%28%29%5C%20vygsjp%5Cnz%5Exyu||a%20#|%22%20|echo%20xdrvpm%24%28%29%5C%20vygsjp%5Cnz%5Exyu||a%20#1707587048

 Inputs

 GET iv, value, mac

 %20vygsjp

 Inputs

 GET iv, value, mac

 14'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'1707585133

 Inputs

 GET iv, value, mac

 14\*DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)1707585129

 Inputs

 GET iv, value, mac

 14&echo%20kfjrum\$()



Inputs

**GET** iv, value, mac

---

14|echo%20bfsxzw\$()



Inputs

**GET** iv, value, mac

---

141707583299



Inputs

**GET** iv, value, mac

---

141707583300



Inputs

**GET** iv, value, mac

---

141707583304



Inputs

**GET** iv, value, mac

---

141707583305



Inputs

**GET** iv, value, mac

---

141707583306



Inputs

**GET** iv, value, mac

---

141707583308



Inputs

**GET** iv, value, mac

---

141707583309



Inputs

**GET** iv, value, mac

---

141707583310



Inputs

**GET** iv, value, mac

---

141707583311



Inputs

**GET** iv, value, mac

---

141707583312



Inputs

**GET** iv, value, mac

---

141707583313



Inputs

**GET** iv, value, mac

---

141707583314



Inputs

**GET** iv, value, mac

---

141707583315



Inputs

**GET** iv, value, mac

---

141707583316



Inputs

**GET** iv, value, mac

---

141707583317



Inputs

**GET** iv, value, mac

---

141707583318



Inputs

**GET** iv, value, mac

---

141707583319



Inputs

**GET** iv, value, mac

---

141707583320



Inputs

**GET** iv, value, mac

---

141707583321



Inputs

**GET** iv, value, mac

---

141707583322



Inputs

**GET** iv, value, mac

---

141707583323



Inputs

**GET** iv, value, mac

---



141707583324



**GET** iv, value, mac

---



141707583325



**GET** iv, value, mac

---



141707583326



**GET** iv, value, mac

---



141707583327



**GET** iv, value, mac

---



141707583328



**GET** iv, value, mac

---



141707583329



**GET** iv, value, mac

---



141707583330



**GET** iv, value, mac

---



141707583331



**GET** iv, value, mac

---



141707583332



**GET** iv, value, mac

---



141707583334



Inputs

**GET** iv, value, mac

---

141707583335



Inputs

**GET** iv, value, mac

---

141707583336



Inputs

**GET** iv, value, mac

---

141707583337



Inputs

**GET** iv, value, mac

---

141707583338



Inputs

**GET** iv, value, mac

---

141707583339



Inputs

**GET** iv, value, mac

---

141707583341



Inputs

**GET** iv, value, mac

---

141707583344



Inputs

**GET** iv, value, mac

---

141707583347



Inputs

**GET** iv, value, mac

---

141707583349



Inputs

**GET** iv, value, mac

---

141707583352



Inputs

**GET** iv, value, mac

---

141707583355



Inputs

**GET** iv, value, mac

---



141707583358



**GET** iv, value, mac

---



141707583362



**GET** iv, value, mac

---



141707583366



**GET** iv, value, mac

---



141707583369



**GET** iv, value, mac

---



141707583372



**GET** iv, value, mac

---



141707583376



**GET** iv, value, mac

---



141707583379



**GET** iv, value, mac

---



141707583380



**GET** iv, value, mac

---



141707583381



**GET** iv, value, mac

---



141707583385



**GET** iv, value, mac

---



141707583389



Inputs

**GET** iv, value, mac

---

141707583392



Inputs

**GET** iv, value, mac

---

141707583393



Inputs

**GET** iv, value, mac

---

141707583394



Inputs

**GET** iv, value, mac

---

141707583395



Inputs

**GET** iv, value, mac

---

141707583396



Inputs

**GET** iv, value, mac

---

141707583399



Inputs

**GET** iv, value, mac

---

141707583404



Inputs

**GET** iv, value, mac

---

141707583407



Inputs

**GET** iv, value, mac

---

141707583411



Inputs

**GET** iv, value, mac

---

141707583416



Inputs

**GET** iv, value, mac

---

141707583419



Inputs

**GET** iv, value, mac

---

141707583423



Inputs

**GET** iv, value, mac

---

141707583427



Inputs

**GET** iv, value, mac

---

141707583431



Inputs

**GET** iv, value, mac

---

141707583434



Inputs

**GET** iv, value, mac

---

141707583437



Inputs

**GET** iv, value, mac

---

141707583441



Inputs

**GET** iv, value, mac

---

141707583444



Inputs

**GET** iv, value, mac

---

141707583447



Inputs

**GET** iv, value, mac

---

141707583451



Inputs

**GET** iv, value, mac

---

141707583454



Inputs

**GET** iv, value, mac

---

141707583455



Inputs

**GET** iv, value, mac

---

141707583456



Inputs

**GET** iv, value, mac

---

141707583459



Inputs

**GET** iv, value, mac

---

141707583462



Inputs

**GET** iv, value, mac

---

141707583490



Inputs

**GET** iv, value, mac

---

141707583492



Inputs

**GET** iv, value, mac

---

141707583493



Inputs

**GET** iv, value, mac

---

141707583494



Inputs

**GET** iv, value, mac

---

141707583495



Inputs

**GET** iv, value, mac

---

141707583496



Inputs

**GET** iv, value, mac

---

141707583498



Inputs

**GET** iv, value, mac

---

141707583500



Inputs

**GET** iv, value, mac

---



141707583503



**GET** iv, value, mac

---



141707583504



**GET** iv, value, mac

---



141707583506



**GET** iv, value, mac

---



141707583507



**GET** iv, value, mac

---



141707583509



**GET** iv, value, mac

---



141707583511



**GET** iv, value, mac

---



141707583512



**GET** iv, value, mac

---



141707583513



**GET** iv, value, mac

---



141707583514



**GET** iv, value, mac

---



141707583516



**GET** iv, value, mac

---



141707583518



Inputs

**GET** iv, value, mac

---

141707583519



Inputs

**GET** iv, value, mac

---

141707583521



Inputs

**GET** iv, value, mac

---

141707583522



Inputs

**GET** iv, value, mac

---

141707583524



Inputs

**GET** iv, value, mac

---

141707583526



Inputs

**GET** iv, value, mac

---

141707583566



Inputs

**GET** iv, value, mac

---

141707583567



Inputs

**GET** iv, value, mac

---

141707583584



Inputs

**GET** iv, value, mac

---

141707583601



Inputs

**GET** iv, value, mac

---

141707583603



Inputs

**GET** iv, value, mac

---

141707583604



Inputs

**GET** iv, value, mac

---

141707584494



Inputs

**GET** iv, value, mac

---

141707584583



Inputs

**GET** iv, value, mac

---

141707584584



Inputs

**GET** iv, value, mac

---

141707584585



Inputs

**GET** iv, value, mac

---

141707584586



Inputs

**GET** iv, value, mac

---

141707584587



Inputs

**GET** iv, value, mac

---

141707584588



Inputs

**GET** iv, value, mac

---

141707584589



Inputs

**GET** iv, value, mac

---

141707584591



Inputs

**GET** iv, value, mac

---

141707584592



Inputs

**GET** iv, value, mac

---



141707584593



**GET** iv, value, mac

---



141707584594



**GET** iv, value, mac

---



141707584595



**GET** iv, value, mac

---



141707584597



**GET** iv, value, mac

---



141707584598



**GET** iv, value, mac

---



141707584599



**GET** iv, value, mac

---



141707584600



**GET** iv, value, mac

---



141707584601



**GET** iv, value, mac

---



141707584602



**GET** iv, value, mac

---



141707584603



**GET** iv, value, mac

---



141707584604



Inputs

**GET** iv, value, mac

---



141707584605



**GET** iv, value, mac

---



141707584606



**GET** iv, value, mac

---



141707584607



**GET** iv, value, mac

---



141707584608



**GET** iv, value, mac

---



141707584609



**GET** iv, value, mac

---



141707584610



**GET** iv, value, mac

---



141707584611



**GET** iv, value, mac

---



141707584612



**GET** iv, value, mac

---



141707584613



**GET** iv, value, mac

---



141707584614



**GET** iv, value, mac

---



141707584615



Inputs

**GET** iv, value, mac



141707584617



**GET** iv, value, mac



141707584618



**GET** iv, value, mac



141707584619



**GET** iv, value, mac



141707584620



**GET** iv, value, mac



track-order



**GET** iv, value, mac



0



**GET** iv, value, mac

**GET** order\_id



about-us



**GET** iv, value, mac



add-cart



**POST** \_token, back\_file, front\_file, name14, name2, note, product\_id, quantity, name12, name8, name11, name9, template\_id, name10, name13

**POST** iv, value, mac

**GET** iv, value, mac



checkout



**GET** iv, value, mac

 contact-us

 Inputs

**POST** iv, value, mac

**POST** \_token, email, message, name, phone, submit

**GET** iv, value, mac

---

 customer

 Inputs

**GET** iv, value, mac

---

 privacy-policy

 Inputs

**GET** iv, value, mac

---

 product

 Inputs

**GET** iv, value, mac

---

 products

 Inputs

**GET** iv, value, mac

---

 refund-policy

 Inputs

**GET** iv, value, mac

---

 remove-from-cart

 Inputs

**GET** iv, value, mac

---

 request-quote

 Inputs

**POST** iv, value, mac

**POST** \_token, binding, color, email, finished\_size\_height, finished\_size\_width, first\_name, folded\_size\_height, folded\_size\_width, folding, is\_file\_ready, last\_name, page\_number, phone, quantity, shipping, single\_or\_multiple, stock, turnaround

**GET** iv, value, mac

---

 resources

 Inputs

**GET** iv, value, mac

---

 subscribe

## Inputs

**GET** iv, value, mac

**POST** iv, value, mac

**POST** \_token, subscriber\_email

## terms-of-use

### Inputs

**GET** iv, value, mac

## track-order

### Inputs

**GET** iv, value, mac

## mailman

### Inputs

**GET** iv, value, mac

## archives

### Inputs

**GET** iv, value, mac

## product

### Inputs

**GET** iv, value, mac

## pricing

### Inputs

**GET** iv, value, mac

## 13

### 7

#### 7

##### #fragments

 product-details

 product-shipping

 product-specification

### Inputs

**GET** iv, value, mac

**GET** \_token, name11, name12, name2, note, product\_id, quantity, template\_id

## 8

### Inputs

**GET** iv, value, mac

**GET** \_token, name11, name12, name2, note, product\_id, quantity, template\_id

9

#fragments

product-details

product-shipping

product-specification

Inputs

**GET** iv, value, mac

7

Inputs

**GET** iv, value, mac

14

11

10

Inputs

**GET** iv, value, mac

**GET** \_token, name2, note, product\_id, quantity, template\_id

11

Inputs

**GET** iv, value, mac

12

Inputs

**GET** iv, value, mac

13

Inputs

**GET** iv, value, mac

11

Inputs

**GET** iv, value, mac

15

15

14



GET iv, value, mac

15



GET iv, value, mac

16



GET iv, value, mac

17



GET iv, value, mac

GET \_token, name12, name2, name8, note, product\_id, quantity, template\_id

15



GET iv, value, mac

16

19

18



GET iv, value, mac

GET \_token, name10, name12, name8, name9, note, product\_id, quantity, template\_id

19



# product-details

# product-shipping

# product-specification



GET iv, value, mac

20



GET iv, value, mac

21



**GET** iv, value, mac

19

Inputs

**GET** iv, value, mac

17

23

22

#fragments

product-details

product-shipping

product-specification

Inputs

**GET** iv, value, mac

**GET** \_token, name12, name13, name2, name9, note, product\_id, quantity, template\_id

23

Inputs

**GET** iv, value, mac

24

Inputs

**GET** iv, value, mac

25

Inputs

**GET** iv, value, mac

**GET** \_token, name12, name13, name2, name9, note, product\_id, quantity, template\_id

23

Inputs

**GET** iv, value, mac

18

27

26

Inputs

**GET** iv, value, mac

**GET** \_token, name11, name12, name2, name9, note, product\_id, quantity, template\_id

 27

 Inputs

 iv, value, mac

 \_token, name11, name12, name2, name9, note, product\_id, quantity, template\_id

 28

 Inputs

 iv, value, mac

 29

 Inputs

 iv, value, mac

 27

 Inputs

 iv, value, mac

 19

 31

 30

 Inputs

 iv, value, mac

 \_token, name12, name14, name2, name8, note, product\_id, quantity, template\_id

 31

 Inputs

 iv, value, mac

 32

 Inputs

 iv, value, mac

 33

 Inputs

 iv, value, mac

 31

 Inputs

 iv, value, mac

 20

 35

 34

 Inputs

**GET** iv, value, mac

**GET** \_token, name14, name2, note, product\_id, quantity, template\_id

 35

 Inputs

**GET** iv, value, mac

 36

 Inputs

**GET** iv, value, mac

 37

 Inputs

**GET** iv, value, mac

 35

 Inputs

**GET** iv, value, mac

 13

 #fragments

 product-details

 product-shipping

 product-specification

 Inputs

**GET** iv, value, mac

 14

 #fragments

 product-details

 product-shipping

 product-specification

 Inputs

**GET** iv, value, mac

**GET** \_token, name2, note, product\_id, quantity

 15

 #fragments

 product-details

 product-shipping

 product-specification

 Inputs

 iv, value, mac

 \_token, name12, name2, name8, note, product\_id, quantity

 16

 Inputs

 iv, value, mac

 \_token, name10, name12, name8, name9, note, product\_id, quantity

 17

 Inputs

 iv, value, mac

 18

 Inputs

 iv, value, mac

 19

 Inputs

 iv, value, mac

 20

 Inputs

 iv, value, mac

 \_token, name14, name2, note, product\_id, quantity

 templates

 Inputs

 iv, value, mac

 13

 10

 Inputs

 iv, value, mac

 7

 Inputs

 iv, value, mac

8

Inputs

**GET** iv, value, mac

---

9

Inputs

**GET** iv, value, mac

---

14

11

Inputs

**GET** iv, value, mac

---

12

Inputs

**GET** iv, value, mac

---

13

Inputs

**GET** iv, value, mac

---

14

Inputs

**GET** iv, value, mac

---

15

15

Inputs

**GET** iv, value, mac

---

16

Inputs

**GET** iv, value, mac

---

17

Inputs

**GET** iv, value, mac

---

18

Inputs

**GET** iv, value, mac

---

16

 19

 Inputs

**GET** iv, value, mac

---

 20

 Inputs

**GET** iv, value, mac

---

 21

 Inputs

**GET** iv, value, mac

---

 22

 Inputs

**GET** iv, value, mac

---

 17

 23

 Inputs

**GET** iv, value, mac

---

 24

 Inputs

**GET** iv, value, mac

---

 25

 Inputs

**GET** iv, value, mac

---

 26

 Inputs

**GET** iv, value, mac

---

 18

 27

 Inputs

**GET** iv, value, mac

---

 28

 Inputs

**GET** iv, value, mac

---

 29

 Inputs

**GET** iv,value,mac



30



Inputs

**GET** iv,value,mac



19



31



Inputs

**GET** iv,value,mac



32



Inputs

**GET** iv,value,mac



33



Inputs

**GET** iv,value,mac



34



Inputs

**GET** iv,value,mac



20



35



Inputs

**GET** iv,value,mac



36



Inputs

**GET** iv,value,mac



37



Inputs

**GET** iv,value,mac



38



Inputs

**GET** iv,value,mac



23



40



Inputs

**GET** iv,value,mac

24

41

Inputs

**GET** iv,value,mac

13

Inputs

**GET** iv,value,mac

14

Inputs

**GET** iv,value,mac

15

Inputs

**GET** iv,value,mac

16

Inputs

**GET** iv,value,mac

17

Inputs

**GET** iv,value,mac

18

Inputs

**GET** iv,value,mac

19

Inputs

**GET** iv,value,mac

20

Inputs

**GET** iv,value,mac

23

Inputs

**GET** iv,value,mac

24



Inputs

**GET** iv, value, mac

---



13



Inputs

**GET** iv, value, mac

---



14



Inputs

**GET** iv, value, mac

---



15



Inputs

**GET** iv, value, mac

---



16



Inputs

**GET** iv, value, mac

---



17



Inputs

**GET** iv, value, mac

---



18



Inputs

**GET** iv, value, mac

---



19



Inputs

**GET** iv, value, mac

---



20



Inputs

**GET** iv, value, mac

---



22



Inputs

**GET** iv, value, mac

---



23



Inputs

**GET** iv, value, mac

---



24



**GET** iv, value, mac



5



**GET** iv, value, mac



pricing



**GET** iv, value, mac

**POST** \_token, print\_type, product\_id

**POST** iv, value, mac



templates



**GET** iv, value, mac



remove-from-cart



Inputs

**GET** iv, value, mac



14""()&%%3Czzz%3E%3CScRiPt%20%3E5ayQ(9799)%3C



**GET** iv, value, mac



ScRiPt%3E1707587251



**GET** iv, value, mac



14""()&%%3Czzz%3E%3CScRiPt%20%3E5ZdP(9256)%3C



**GET** iv, value, mac



ScRiPt%3E1707587028



**GET** iv, value, mac



14""()&%%3Czzz%3E%3CScRiPt%20%3EdUKK(9469)%3C



**GET** iv, value, mac



ScRiPt%3E1707584631



**GET** iv, value, mac

14""()&%3Czz%3E%3CScRiPt%20%3EQaqB(9523)%3C

Inputs

GET iv, value, mac

ScRiPt%3E1707583317

Inputs

GET iv, value, mac

14&echo%20bjxxkh\$()

Inputs

GET iv, value, mac

%20auulwm

nz^xyu||a%20

#fragments

#

%27%20&echo%20bjxxkh%24%28%29%5C%20auulwm%5Cnz%5Exyu||a%20#|%22%20&echo%20bjxxkh%24%28%29%5C%20auulwm%5Cnz%5Exyu||a%20#1707587261

Inputs

GET iv, value, mac

%20auulwm

Inputs

GET iv, value, mac

14&echo%20faoaoj\$()

Inputs

GET iv, value, mac

%20yxhgii

nz^xyu||a%20

#fragments

#

%27%20&echo%20faoaoj%24%28%29%5C%20yxhgii%5Cnz%5Exyu||a%20#|%22%20&echo%20faoaoj%24%28%29%5C%20yxhgii%5Cnz%5Exyu||a%20#1707584651

Inputs

GET iv, value, mac

%20yxhgii

Inputs

GET iv, value, mac

14&echo%20fyzodq\$()

Inputs

GET iv, value, mac

%20rsyvsd

nz^xyu||a%20

#fragments

#

%27%20&echo%20fyzodq%24%28%29%5C%20rsyvsd%5Cnz%5Exyu||a%20#|%22%20&echo%20fyzodq%24%28%29%5C%20rsyvsd%5Cnz%5Exyu||a%20#1707587047

Inputs

GET iv, value, mac

%20rsyvsd

Inputs

GET iv, value, mac

14&echo%20kfjrum\$()

Inputs

GET iv, value, mac

%20mgbzet

nz^xyu||a%20

#fragments

#

%27%20&echo%20kfjrum%24%28%29%5C%20mgbzet%5Cnz%5Exyu||a%20#|%22%20&echo%20kfjrum%24%28%29%5C%20mgbzet%5Cnz%5Exyu||a%20#1707583327

Inputs

GET iv, value, mac

%20mgbzet

Inputs

GET iv, value, mac

14%3Cesi:include%20src="http:

Inputs

GET iv, value, mac

b XSS.me

rpb.png"

%3E1707583321

Inputs

GET iv, value, mac

Inputs %3E1707584639

Inputs

GET iv, value, mac

Inputs %3E1707587039

Inputs

GET iv, value, mac

Inputs %3E1707587255

Inputs

GET iv, value, mac

14|echo%20bfsxzw\$()

Inputs

GET iv, value, mac

%20urkwoy

nz^xyu||a%20

#fragments

#

%27%20|echo%20bfsxzw%24%28%29%5C%20urkwoy%5Cnz%5Exyu||a%20#|%22%20|echo%20bf  
sxzw%24%28%29%5C%20urkwoy%5Cnz%5Exyu||a%20#1707583328

Inputs

GET iv, value, mac

%20urkwoy

Inputs

GET iv, value, mac

14|echo%20emajtj\$()

Inputs

GET iv, value, mac

%20zpdies

nz^xyu||a%20

#fragments

#

%27%20|echo%20emajtj%24%28%29%5C%20zpdies%5Cnz%5Exyu||a%20#|%22%20|echo%20em  
ajtj%24%28%29%5C%20zpdies%5Cnz%5Exyu||a%20#1707587262

Inputs

**GET** iv, value, mac

%20zpdies

Inputs

**GET** iv, value, mac

14|echo%20llwbtn\$()

Inputs

**GET** iv, value, mac

%20nybube

nz^xyu||a%20

#fragments

%27%20|echo%20llwbtn%24%28%29%5C%20nybube%5Cnz%5Exyu||a%20#|%22%20|echo%20llwbtn%24%28%29%5C%20nybube%5Cnz%5Exyu||a%20#1707584652

Inputs

**GET** iv, value, mac

%20nybube

Inputs

**GET** iv, value, mac

14|echo%20drvpm\$()

Inputs

**GET** iv, value, mac

%20vygsjp

nz^xyu||a%20

#fragments

%27%20|echo%20drvpm%24%28%29%5C%20vygsjp%5Cnz%5Exyu||a%20#|%22%20|echo%20xdrvpm%24%28%29%5C%20vygsjp%5Cnz%5Exyu||a%20#1707587048

Inputs

**GET** iv, value, mac

%20vygsjp

Inputs

**GET** iv, value, mac

14'&&sleep(27\*1000)\*cvxoch&&'1707584628

Inputs

**GET** iv, value, mac

14'&&sleep(27\*1000)\*rcejfi&&'1707583316

Inputs

**GET** iv, value, mac

14'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'1707583563

Inputs

**GET** iv, value, mac

14'||sleep(27\*1000)\*emucvr||'1707584629

Inputs

**GET** iv, value, mac

14'||sleep(27\*1000)\*meysgx||'1707583317

Inputs

**GET** iv, value, mac

14"&&sleep(27\*1000)\*rcxhho&&"1707583317

Inputs

**GET** iv, value, mac

14"&&sleep(27\*1000)\*zixceq&&"1707584628

Inputs

**GET** iv, value, mac

14'||sleep(27\*1000)\*flqbpu||"1707583317

Inputs

**GET** iv, value, mac

14'||sleep(27\*1000)\*xfnkwe||"1707584629

Inputs

**GET** iv, value, mac

14\*DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)1707583561

Inputs

**GET** iv, value, mac

14&echo%20kfjrum\$()

Inputs

**GET** iv, value, mac

14&n902845=v9517451707583306

Inputs

**GET** iv, value, mac

14&n923586=v9177791707584603

Inputs

**GET** iv, value, mac

14%0Abcc:074625.84-12470.84.2afb0.19763.2@bxss.me1707583321

Inputs

**GET** iv, value, mac

14%0Abcc:074625.84-21521.84.1a640.19763.2@bxss.me1707584639

Inputs

**GET** iv, value, mac

14|echo%20bfsxzw\$()

Inputs

**GET** iv, value, mac

141707583297

Inputs

**GET** iv, value, mac

141707583299

Inputs

**GET** iv, value, mac

141707583300

Inputs

**GET** iv, value, mac

141707583301

Inputs

**GET** iv, value, mac

141707583302

Inputs

**GET** iv, value, mac

141707583303

Inputs

**GET** iv, value, mac

141707583304

Inputs

**GET** iv, value, mac

141707583305

Inputs

**GET** iv, value, mac

141707583306

Inputs

**GET** iv, value, mac

141707583307

Inputs

**GET** iv, value, mac

141707583308

Inputs

**GET** iv, value, mac

141707583309

Inputs

**GET** iv, value, mac

141707583310

Inputs

**GET** iv, value, mac

141707583311

Inputs

**GET** iv, value, mac

141707583312

Inputs

**GET** iv, value, mac

141707583313

Inputs

**GET** iv, value, mac

141707583314

Inputs

**GET** iv, value, mac

141707583315

Inputs

**GET** iv, value, mac

141707583316

Inputs

**GET** iv, value, mac

141707583317

Inputs

**GET** iv, value, mac

141707583318

Inputs

**GET** iv, value, mac

141707583319

Inputs

**GET** iv, value, mac

141707583320

Inputs

**GET** iv, value, mac

141707583321

Inputs

**GET** iv, value, mac

141707583322

Inputs

**GET** iv, value, mac

141707583323

Inputs

**GET** iv, value, mac

141707583324

Inputs

**GET** iv, value, mac

141707583325

Inputs

**GET** iv, value, mac

141707583326

Inputs

**GET** iv, value, mac

141707583327

Inputs

**GET** iv, value, mac

141707583328

Inputs

**GET** iv, value, mac

141707583329

Inputs

**GET** iv, value, mac

141707583330

Inputs

**GET** iv, value, mac

141707583331

Inputs

**GET** iv, value, mac

141707583332

Inputs

**GET** iv, value, mac

141707583333

Inputs

**GET** iv, value, mac

141707583334

Inputs

**GET** iv, value, mac

141707583335

Inputs

**GET** iv, value, mac

141707583336

Inputs

**GET** iv, value, mac

141707583337

Inputs

**GET** iv, value, mac

141707583338

Inputs

**GET** iv, value, mac

141707583339

Inputs

**GET** iv, value, mac

141707583341

Inputs

**GET** iv, value, mac

141707583344

Inputs

**GET** iv, value, mac

141707583347

Inputs

**GET** iv, value, mac

141707583349

Inputs

**GET** iv, value, mac

141707583352

Inputs

**GET** iv, value, mac

141707583355

Inputs

**GET** iv, value, mac

141707583358

Inputs

**GET** iv, value, mac

141707583362

Inputs

**GET** iv, value, mac

141707583366

Inputs

**GET** iv, value, mac

141707583369

Inputs

**GET** iv, value, mac

141707583372

Inputs

**GET** iv, value, mac

141707583376

Inputs

**GET** iv, value, mac

141707583379

Inputs

**GET** iv, value, mac

141707583380

Inputs

**GET** iv, value, mac

141707583381

Inputs

**GET** iv, value, mac

141707583385

Inputs

**GET** iv, value, mac

141707583389

Inputs

**GET** iv, value, mac

141707583392

Inputs

**GET** iv, value, mac

141707583393

Inputs

**GET** iv, value, mac

141707583394

Inputs

**GET** iv, value, mac

141707583395

Inputs

**GET** iv, value, mac

141707583396

Inputs

**GET** iv, value, mac

141707583399

Inputs

**GET** iv, value, mac

141707583404

Inputs

**GET** iv, value, mac

141707583407

Inputs

**GET** iv, value, mac

141707583411

Inputs

**GET** iv, value, mac

141707583416

Inputs

**GET** iv, value, mac

141707583419

Inputs

**GET** iv, value, mac

141707583423

Inputs

**GET** iv, value, mac

141707583427

Inputs

**GET** iv, value, mac

141707583431

Inputs

**GET** iv, value, mac

141707583434

Inputs

**GET** iv, value, mac

141707583437

Inputs

**GET** iv, value, mac

141707583441

Inputs

**GET** iv, value, mac

141707583444

Inputs

**GET** iv, value, mac

141707583447

Inputs

**GET** iv, value, mac

141707583451

Inputs

**GET** iv, value, mac

141707583454

Inputs

**GET** iv, value, mac

141707583455

Inputs

**GET** iv, value, mac

141707583456

Inputs

**GET** iv, value, mac

141707583459

Inputs

**GET** iv, value, mac

141707583462

Inputs

**GET** iv, value, mac

141707583490

Inputs

**GET** iv, value, mac

141707583492

Inputs

**GET** iv, value, mac

141707583493

Inputs

**GET** iv, value, mac

141707583494

Inputs

**GET** iv, value, mac

141707583495

Inputs

**GET** iv, value, mac

141707583496

Inputs

**GET** iv, value, mac

141707583498

Inputs

**GET** iv, value, mac

141707583500

Inputs

**GET** iv, value, mac

141707583503

Inputs

**GET** iv, value, mac

141707583504

Inputs

**GET** iv, value, mac

141707583506

Inputs

**GET** iv, value, mac

141707583507

Inputs

**GET** iv, value, mac

141707583509

Inputs

**GET** iv, value, mac

141707583511

Inputs

**GET** iv, value, mac

141707583512

Inputs

**GET** iv, value, mac

141707583513

Inputs

**GET** iv, value, mac

141707583514

Inputs

**GET** iv, value, mac

141707583516

Inputs

**GET** iv, value, mac

141707583518

Inputs

**GET** iv, value, mac

141707583519

Inputs

**GET** iv, value, mac

141707583521

Inputs

**GET** iv, value, mac

141707583522

Inputs

**GET** iv, value, mac

141707583524

Inputs

**GET** iv, value, mac

141707583526

Inputs

**GET** iv, value, mac

141707583566

Inputs

**GET** iv, value, mac

141707583567

Inputs

**GET** iv, value, mac

141707583584

Inputs

**GET** iv, value, mac

141707583601

Inputs

**GET** iv, value, mac

141707583603

Inputs

**GET** iv, value, mac

141707583604

Inputs

**GET** iv, value, mac

141707584494

Inputs

**GET** iv, value, mac

141707584583

Inputs

**GET** iv, value, mac

141707584584

Inputs

**GET** iv, value, mac

141707584585

Inputs

**GET** iv, value, mac

141707584586

Inputs

**GET** iv, value, mac

141707584587

Inputs

**GET** iv, value, mac

141707584588

Inputs

**GET** iv, value, mac

141707584589

Inputs

**GET** iv, value, mac

141707584590

Inputs

**GET** iv, value, mac

141707584591

Inputs

**GET** iv, value, mac

141707584592

Inputs

**GET** iv, value, mac

141707584593

Inputs

**GET** iv, value, mac

141707584594

Inputs

**GET** iv, value, mac

141707584595

Inputs

**GET** iv, value, mac

141707584597

Inputs

**GET** iv, value, mac

141707584598

Inputs

**GET** iv, value, mac

141707584599

Inputs

**GET** iv, value, mac

141707584600

Inputs

**GET** iv, value, mac

141707584601

Inputs

**GET** iv, value, mac

141707584602

Inputs

**GET** iv, value, mac

track-order

Inputs

**GET** iv, value, mac

0

Inputs

**GET** iv, value, mac

**GET** order\_id

upload

Inputs

**GET** iv, value, mac

category-image

Inputs

**GET** iv, value, mac

home-slider-image

|                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------|
|  Inputs                                                          |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  our-company-image                                             |
|  Inputs                                                        |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  service-image                                                 |
|  Inputs                                                        |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  setting                                                       |
|  Inputs                                                        |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  subcategory-image                                             |
|  Inputs                                                        |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  template-image                                                |
|  Inputs                                                        |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  about-us                                                    |
|  Inputs                                                      |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  add-cart                                                    |
|  Inputs                                                      |
| <b>POST</b> _token, back_file, front_file, name14, name2, note, product_id, quantity, name12, name8, name11, name9, template_id, name10, name13 |
| <b>POST</b> iv, value, mac                                                                                                                      |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  checkout                                                    |
|  Inputs                                                      |
| <b>GET</b> iv, value, mac                                                                                                                       |
| <br>                                                                                                                                            |
|  contact-us                                                  |
|  Inputs                                                      |
| <b>POST</b> iv, value, mac                                                                                                                      |
| <b>POST</b> _token, email, message, name, phone, submit                                                                                         |
| <b>GET</b> iv, value, mac                                                                                                                       |

|                   |                                                                                                                                                                                                                                                           |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| customer          |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| index.php         |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| privacy-policy    |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| product           |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| products          |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| refund-policy     |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| remove-from-cart  |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| request-quote     |                                                                                                                                                                                                                                                           |
| Inputs            |                                                                                                                                                                                                                                                           |
|                   | <b>POST</b> iv, value, mac                                                                                                                                                                                                                                |
|                   | <b>POST</b> _token, binding, color, email, finished_size_height, finished_size_width, first_name, folded_size_height, folded_size_width, folding, is_file_ready, last_name, page_number, phone, quantity, shipping, single_or_multiple, stock, turnaround |
|                   | <b>GET</b> iv, value, mac                                                                                                                                                                                                                                 |
| resources         |                                                                                                                                                                                                                                                           |
| #fragments        |                                                                                                                                                                                                                                                           |
| # collapseOne_doc |                                                                                                                                                                                                                                                           |