

Fast, Reliable Releases

- Release time reduced by 70%
- Deployment costs reduced by 50%
- Releases every 3 weeks (down from every 2-3 months)
- Deployed to 16 servers in less than 10 minutes

Let us show you how...

Go™, Agile Release Management, provides Continuous Delivery capabilities that enable your teams to release high-quality working software that delivers value faster. Owners, Developers, Testers and IT Operations can now plan and collaborate on the software release right from the word “go”, not at the end of a development phase. So, management can focus on satisfying customers through early and continuous delivery of valuable software.

Learn more about Go’s one-click deployments to testing and production environments in a fully automated, planned and predictable manner—eliminate the risk of panic-and-rollback.



go™

Agile Release Management

Download now >>

<http://www.thoughtworks-studios.com/go-agile-release-management>

CONTENTS INCLUDE:

- The Deployment Pipeline
- Benefits
- Configuration Management
- Continuous Integration
- Testing
- Hot Tips and more...

Continuous Delivery

Patterns and Antipatterns in the Software Lifecycle


By Paul M. Duvall

ABOUT CONTINUOUS DELIVERY

With Continuous Delivery (CD), teams continuously deliver new versions of software to production by decreasing the cycle time between an idea and usable software through the automation of the entire delivery system: build, deployment, test, and release. CD is enabled through the Deployment Pipeline, which encompasses a collection of patterns described in this Refcard.

CD is concerned with "...how all the moving parts fit together: configuration management, automated testing, continuous integration and deployment, data management, environment management, and release management." (1)

THE DEPLOYMENT PIPELINE



The purpose of the deployment pipeline is threefold:

- **Visibility:** All aspects of the delivery system - building, deploying, testing, and releasing - are visible to all team members promoting collaboration.

- **Feedback:** Team members learn of problems as soon as they occur so that issues are fixed as soon as possible.
- **Continually Deploy:** Through a fully automated process, you can deploy and release any version of the software to any environment. (1)

In the Deployment Pipeline diagram above, all of the patterns are shown in context. There are some patterns that span multiple stages of the pipeline, so I chose the stage where it's most predominately used.

BENEFITS

- **Empowering Teams:** Because the deployment pipeline is a pull system, testers, developers, operations, and others can self service the application version into an environment of their choice.
- **Reducing Errors:** Ensuring the correct version, configuration, database schema, etc. are applied the same way every time through automation.
- **Lowering Stress:** Through push-button releases to production and *Rehearsing Deployments*, a release becomes commonplace without the typical stress.
- **Deployment Flexibility:** Instantiate a new environment or configuration by making a few changes to the automated delivery system.
- **Practice makes Perfect:** Through the deployment pipeline, the final deployment into production is being rehearsed every single time the software is deployed to any target environments. (1)



Software releases lead to panic?

Reduce the risk of rollback

Download now >>

 **go**
Agile Release Management

CONFIGURATION MANAGEMENT

Configuration Management is “the process by which all artifacts relevant to your project, and the relationships between them, are stored, retrieved, uniquely identified, and modified”. (1)

Note: Each pattern is cited with a number in parentheses that corresponds to the source in the References section.

Configurable Third-Party Software (1)

Pattern	Evaluate and use third-party software that can be easily configured, deployed, and automated.
Anti-patterns	Procuring software that cannot be externally configured. Software without an API or command-line interface that forces teams to use the GUI only.

Configuration Catalog (1)

Pattern	Maintain a catalog of all options for each application, how to change these options and storage locations for each application. Automatically create this catalog as part of the build process.
Anti-patterns	Configuration options are not documented. The catalog of applications and other assets is “tribal knowledge”.

Mainline (3)

Pattern	Minimize merging and keep the number of active code lines manageable by developing on a mainline.
Anti-patterns	Multiple branches per project.

Merge Daily (1)

Pattern	Changes committed to the mainline are applied to each branch on at least a daily basis.
Anti-patterns	Merging every iteration once a week or less often than once a day.

Protected Configuration (5),(1)

Pattern	Store configuration information in secure remotely accessible locations such as a database, directory, or registry.
Anti-patterns	Open text passwords and/or single machine or share.

Repository (3),(1)

Pattern	All source files - executable code, configuration, host environment, and data - are committed to a version-control repository.
Anti-patterns	Some files are checked in, others, such as environment configuration or data changes, are not. Binaries – that can be recreated through the build and deployment process – are checked in.

Short-Lived Branches (1)

Pattern	Branches must be short lived – ideally less than a few days and never more than an iteration.
Anti-patterns	Branches that last more than an iteration. Branches by product feature that live past a release.

Single Command Environment (1)

Pattern	Check out the project’s version-control repository and run a single command to build and deploy the application to any accessible environment, including the local development.
Anti-patterns	Forcing the developer to define and configure environment variables. Making the developer install numerous tools in order for the build/deployment to work.

Single Path to Production (1)

Pattern	Configuration management of the entire system - source, configuration, environment and data. Any change can be tied back to a single revision in the version-control system.
Anti-patterns	Parts of system are not versioned. Inability to get back to a previously configured software system.

CONTINUOUS INTEGRATION (CI)**Build Threshold (5)**

Pattern	Fail a build when a project rule is violated – such as architectural breaches, slow tests, and coding standard violations.
Anti-patterns	Manual code reviews. Learning of code quality issues later in the development cycle.

Commit Often (6)

Pattern	Each team member checks in regularly to trunk - at least once a day but preferably after each task to trigger the CI system.
Anti-patterns	Source files are committed less frequently than daily due to the number of changes from the developer.

Continuous Feedback (6)

Pattern	Send automated feedback from CI system to all <i>Cross-Functional Team</i> members.
Anti-patterns	Notifications are not sent; notifications are ignored; CI system spams everyone with information they cannot use.

Continuous Integration (6)

Pattern	Building and testing software with every change committed to a project’s version control repository.
Anti-patterns	Scheduled builds, nightly builds, building periodically, building exclusively on developer’s machines, not building at all.

Stop the Line (5), (1), (4), (12)

Pattern	Fix software delivery errors as soon as they occur; stop the line. No one checks in on a broken build as the fix becomes the highest priority.
Anti-patterns	Builds stay broken for long periods of time, thus preventing developers from checking out functioning code.

Independent Build (6)

Pattern	Write build scripts that are decoupled from IDEs. These build scripts are executed by a CI system so that software is built at every change.
Anti-patterns	Automated build relies on IDE settings. Builds are unable to be run from the command line.

Visible Dashboards

Pattern	Provide large visible displays that aggregate information from your delivery system to provide high-quality feedback to the <i>Cross-Functional Team</i> in real time.
Anti-patterns	Email-only alerts or not publicizing the feedback to the entire team.

TESTING

Automate Tests

Pattern	Automate the verification and validation of software to include unit, component, capacity, functional, and deployment tests
Anti-patterns	Email-only alerts or not publicizing the feedback to the entire team.

Unit- Automating tests without any dependencies.

Component- Automating tests with dependencies to other components and heavyweight dependencies such as the database or file system.

Deployment- Automating tests to verify the deployment and configuration were successful. Sometimes referred to as a “smoke tests”.

Functional- Automating tests to verify the behavior of the software from a user’s perspective.

Capacity- Automating load and performance testing in near-production conditions.

Isolate Test Data (1)

Pattern	Use transactions for database-dependent tests (e.g., component tests) and roll back the transaction when done. Use a small subset of data to effectively test behavior.
Anti-patterns	Using a copy of production data for Commit Stage tests. Running tests against a shared database.

Parallel Tests (1)

Pattern	Run multiple tests in parallel across hardware instances to decrease the time in running tests.
Anti-patterns	Running tests on one machine or instance. Running dependent tests that cannot be run in parallel.

Stub Systems (1)

Pattern	Use stubs to simulate external systems to reduce deployment complexity.
Anti-patterns	Manually installing and configuring interdependent systems for Commit Stage build and deployment.

DEPLOYMENT PIPELINE

Deployment Pipeline (1)

Pattern	A deployment pipeline is an automated implementation of your application’s build, deploy, test, and release process.
Anti-patterns	Deployments require human intervention (other than approval or clicking a button). Deployments are not production ready.

Value-Stream Map (4)

Pattern	Create a map illustrating the process from check in to the version-control system to the software release to identify process bottlenecks.
Anti-patterns	Separately defined processes and views of the checkin to release process.

BUILD AND DEPLOYMENT SCRIPTING

Dependency Management (5)

Pattern	Centralize all dependent libraries to reduce bloat, classpath problems, and repetition of the same dependent libraries and transitive dependencies from project to project.
Anti-patterns	Multiple copies of the same binary dependencies in each and every project. Redefining the same information for each project. Classpath hell!

Common Language (1)

Pattern	As a team, agree upon a common scripting language - such as Perl, Ruby, or Python - so that any team member can apply changes to the Single Delivery System.
Anti-patterns	Each team uses a different language making it difficult for anyone to modify the delivery system reducing <i>cross-functional team</i> effectiveness.

Externalize Configuration (5)

Pattern	Changes between environments are captured as configuration information. All variable values are externalized from the application configuration into build/deployment-time properties.
Anti-patterns	Hardcoding values inside the source code or per target environment.

Fail Fast (6)

Pattern	Fail the build as soon as possible. Design scripts so that processes that commonly fail run first. These processes should be run as part of the Commit Stage.
Anti-patterns	Common build mistakes are not uncovered until late in the deployment process.

Fast Builds (6)

Pattern	The Commit Build provides feedback on common build problems as quickly as possible - usually in under 10 minutes.
Anti-patterns	Throwing everything into the commit stage process, such as running every type of automated static analysis tool or running load tests such that feedback is delayed.

Scripted Deployment (5)

Pattern	All deployment processes are written in a script, checked in to the version-control system, and run as part of the Single Delivery System.
Anti-patterns	Deployment documentation is used instead of automation. Manual deployments or partially manual deployments. Using GUI to perform a deployment.

Unified Deployment (5)

Pattern	The same deployment script is used for each deployment. The Protected Configuration - per environment - is variable but managed.
Anti-patterns	Different deployment script for each target environment or even for a specific machine. Manual configuration after deployment for each target environment.

DEPLOYING AND RELEASING APPLICATIONS**Binary Integrity** (5)


Pattern	Build your binaries once, while deploying the binaries to multiple target environments, as necessary.
Anti-patterns	Software is built in every stage of the deployment pipeline.

Canary Release

Pattern	Release software to production for a small subset of users (e.g., 10%) to get feedback prior to a complete rollout.
Anti-patterns	Software is released to all users at once.

Blue-Green Deployments (1)

Pattern	Deploy software to a non-production environment (call it blue) while production continues to run. Once it's deployed and "warmed up", switch production (green) to non-production and blue to green simultaneously.
Anti-patterns	Production is taken down while the new release is applied to production instance(s).

**Dark Launching** (11)

Pattern	Launch a new application or features when it affects the least amount of users.
Anti-patterns	Software is deployed regardless of number of active users.

Rollback Release (5)

Pattern	Provide an automated single command rollback of changes after an unsuccessful deployment.
Anti-patterns	Manually undoing changes applied in a recent deployment. Shutting down production instances while changes are undone.

Self-Service Deployment (1)

Pattern	Any Cross-Functional Team member selects the version and environment to deploy the latest working software.
Anti-patterns	Deployments released to team are at specified intervals by the "Build Team". Testing can only be performed in a shared state without isolation from others.

INFRASTRUCTURE AND ENVIRONMENTS**Automate Provisioning** (1)

Pattern	Automate the process of configuring your environment to include networks, external services, and infrastructure.
Anti-patterns	Configured instances are "works of art" requiring team members to perform partially or fully manual steps to provision them.

Behavior-Driven Monitoring (1)

Pattern	Automate tests to verify the behavior of the infrastructure. Continually run these tests to provide near real-time alerting.
Anti-patterns	No real-time alerting or monitoring. System configuration is written without tests.

Immune System (9)

Pattern	Deploy software one instance at a time while conducting Behavior-Driven Monitoring. If an error is detected during the incremental deployment, a Rollback Release is initiated to revert changes.
Anti-patterns	Non-incremental deployments without monitoring.

Lockdown Environments (1)

Pattern	Lock down shared environments from unauthorized external and internal usage, including operations staff. All changes are versioned and applied through automation.
Anti-patterns	The "Wild West": any authorized user can access shared environments and apply manual configuration changes, putting the environment in an unknown state leading to deployment errors.

Production-Like Environments (1)

Pattern	Target environments are as similar to production as possible.
Anti-patterns	Environments are "production like" only weeks or days before a release. Environments are manually configured and controlled.

Transient Environments

Pattern	Utilizing the <i>Automate Provisioning</i> , <i>Scripted Deployment</i> and <i>Scripted Database</i> patterns, any environment should be capable of terminating and launching at will.
Anti-patterns	Environments are fixed to "DEV, QA" or other pre-determined environments.

DATA**Database Sandbox (7)**

Pattern	Create a lightweight version of your database – using the <i>Isolate Test Data</i> pattern. Each developer uses this lightweight DML to populate his local database sandboxes to expedite test execution.
Anti-patterns	Shared database. Developers and testers are unable to make data changes without it potentially adversely affecting other team members immediately.

Decouple Database (1)

Pattern	Ensure your application is backward and forward compatible with your database so you can deploy each independently
Anti-patterns	Application code and database changes are deployed at the same time

Database Upgrade (7)

Pattern	Use scripts to apply incremental changes in each target environment to a database schema and data.
Anti-patterns	Manually applying database and data changes in each target environment.

Scripted Database (7)

Pattern	Script all database actions as part of the build process.
Anti-patterns	Using data export/import to apply data changes. Manually applying schema and data changes to the database.

INCREMENTAL DEVELOPMENT**Branch by Abstraction (2)**

Pattern	Instead of using version-control branches, create an abstraction layer that handles both an old and new implementation. Remove the old implementation.
Anti-patterns	Branching using the version-control system leading to branch proliferation and difficult merging. Feature branching.

Toggle Features (10)

Pattern	Deploy new features or services to production but limit access dynamically for testing purposes.
Anti-patterns	Waiting until a feature is fully complete before committing the source code.

COLLABORATION**Delivery Retrospective (1)**

Pattern	For each iteration, hold a retrospective meeting where everybody on the <i>Cross-Functional Team</i> discusses how to improve the delivery process for the next iteration.
Anti-patterns	Waiting until an error occurs during a deployment for Dev and Ops to collaborate. Having Dev and Ops work separately.

Cross-Functional Teams (1)

Pattern	Everybody is responsible for the delivery process. Any person on the <i>Cross-Functional Team</i> can modify any part of the delivery system.
Anti-patterns	Siloed teams: Development, Testing, and Operations have their own scripts and processes and are not part of the same team.

Amazon.com has an interesting take on this approach. They call it "You build it, you run it". Developers take the software they've written all the way to production.

Root-Cause Analysis (1)

Pattern	Learn the root cause of a delivery problem by asking "why" of each answer and symptom until discovering the root cause.
Anti-patterns	Accepting the symptom as the root cause of the problem.

TOOLS

This is meant to be an illustrative list, not an exhaustive list, to give you an idea of the types of tools and some of the vendors that help to enable effective Continuous Delivery. The Java, .NET and Ruby platforms are represented. The tools that span categories have been

assigned to the most appropriate category or duplicated when necessary.

Category	Example Software Tools
Configuration Management	Subversion (SVN), git, Perforce, PassPack, PasswordSafe, ESCAPE, ConfigGen
Continuous Integration	Bamboo, Jenkins, AntHill Pro, Go, TeamCity, TFS 2010, Electric Commander. Supporting tools: , Doxygen, Grand, GraphViz, JavaDoc, NDoc, SchemaSpy, UmlGraph, CheckStyle, Clover, Cobertura, FindBugs, FxCop, JavaNCSS, JDepend, PMD, Sonar, Simian
Testing	Twist , AntUnit, Cucumber, DbUnit, webrat, easyb, Fitnesse, JMeter, JUnit, NBehave, SoapUI, Selenium, RSpec, SauceLabs
Deployment Pipeline	Go, AntHill Pro
Build and Deployment Scripting	Ant, AntContrib, NAnt, MSBuild, Buildr, Gant, Gradle, make, Maven, Rake, Java Secure Channel, ControlTier, Altiris, Capistrano, Fabric, Func
Infrastructure and Environments	AWS EC2, AWS S3, Windows Azure, Google App Engine, AWS Elastic Beanstalk, Heroku, Capistrano, Cobbler, BMC Bladelogic, CFEngine, IBM Tivoli Provisioning Manager, Puppet, Chef, Bcfg2, AWS Cloud Formation, Windows Azure AppFabric, rPath, JEOS, BoxGrinder, CLIP, Eucalyptus, AppLogic, CloudKick, CloudWatch, Nagios, Zabbix, Zenoss
Data	Hibernate, MySQL, Liquibase, Oracle, PostgreSQL, SQL Server, SimpleDB, SQL Azure, Ant, MongoDB, dbdeploy

Components and Dependencies	Ivy, Archiva, Nexus, Artifactory, Bundler
Collaboration	Mingle, Greenhopper, JIRA

REFERENCES


1. Jez Humble and David Farley, "Continuous Delivery: Reliable Software Releases through Build, Test, and Deployment Automation", Addison Wesley Professional, 2010
2. Paul Hammant and www.continuousdelivery.com
3. Stephen P. Berczuk and Brad Appleton, "Software Configuration Management Patterns.", Addison Wesley Professional, 2003
4. Mary and Tom Poppendieck, "Leading Lean Software Development", Addison Wesley, 2009
5. Paul M. Duvall, "Continuous integration. Patterns and Antipatterns", DZone refcard #84, 2010 <http://bit.ly/18rIVS>
6. Paul M. Duvall, "Continuous integration. Improving Software Quality and Reducing Risk", Addison Wesley, 2007
7. Scott W. Ambler and Pramodkumar J. Saladage, "Refactoring Databases. Evolutionary Database Design", Addison Wesley, 2006.
8. Paul M. Duvall, IBM developerWorks series "Automation for the people" <http://ibm.co/ww/PX>
9. IMVU: <http://bit.ly/jhQp5f>
10. Martin Fowler and Facebook: <http://on.fb.me/miBrOM>
11. Facebook Engineering: <http://on.fb.me/miBrOM>
12. Paul Julius, Enterprise Continuous Integration Maturity Model, <http://bit.ly/m7h5vC>

ABOUT THE AUTHOR



Paul M. Duvall is the CTO of Stelligent, (<http://stelligent.com/>) a company that helps organizations with Continuous Integration and Delivery, Cloud Migrations and Elastic Operations. Paul is the author of many books including the Jolt-award winning book *Continuous Integration: Improving Software Quality and Reducing Risk* (<http://amzn.to/cibook>) and the recently published *Startup@Cloud: 33 tips for running your company using cloud-based software* (<http://amzn.to/startupatcloud>). He is passionate about the cloud and automation and blogs at <http://devopscloud.com/>.

RECOMMENDED BOOK




Continuous Delivery: Reliable Software Releases through Build, Test, and Deployment Automation

The book has two themes: automation and collaboration. Delivering software of any complexity involves people with a bunch of skills: testers, developers, and sysadmin / operations personnel.

The last group of people often gets left out of the process of delivering software until the end, and even testers are often not as heavily involved in the development process as they should be.

Browse our collection of over 100 Free Cheat Sheets



Free PDF

Upcoming Refcardz
Flex Mobile Development
Spring Roo: Beyond the Basics
MySQL 5.5
HTML 5 Canvas



DZone communities deliver over 6 million pages each month to more than 3.3 million software developers, architects and decision makers. DZone offers something for everyone, including news, tutorials, cheat sheets, blogs, feature articles, source code and more. "DZone is a developer's dream," says PC Magazine.

Copyright © 2011 DZone, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by means electronic, mechanical, photocopying, or otherwise, without prior written permission of the publisher.

DZone, Inc.
140 Preston Executive Dr.
Suite 100
Cary, NC 27513
888.678.0399
919.678.0300

Refcardz Feedback Welcome
refcardz@dzone.com

Sponsorship Opportunities
sales@dzone.com



\$7.95

Version 1.0