

What you need to build is the fee calculator and tests for it.

Wolt Coding Assignment - Delivery Fee Calculator

The goal of the assignment is to showcase your coding skills and the ability to develop features. We **DON'T** expect you to build production quality code. This is a highly important part of the hiring process so it's crucial to put effort into this without making it too bloated. Reviewers will put weight on three main aspects: code quality, maintainability, and testing. Based on the results of the assignment review, we will make the decision on proceeding to the technical interview.

Your task is to write a delivery fee calculator. This code is needed when a customer is ready with their shopping cart and we'd like to show them how much the delivery will cost. The delivery price depends on the cart value, the amount of the items in the cart, the time of the order, and the delivery distance.

Specification

Rules for calculating a delivery fee

 If the cart value is less than 10€, a small order surcharge is added to the delivery price. The surcharge is the difference between the cart value and 10€. For example if the cart value is 8.90€, the surcharge will be 1.10€.

- A delivery fee for the first 1000 meters (=1km) is 2€. If the delivery distance is longer than that, 1€ is added for every additional 500 meters that the courier needs to travel before reaching the destination. Even if the distance would be shorter than 500 meters, the minimum fee is always 1€.
 - Example 1: If the delivery distance is 1499 meters, the delivery fee is: 2€ base fee + 1€ for the additional 500 m => 3€
 - Example 2: If the delivery distance is 1500 meters, the delivery fee is: 2€ base fee + 1€ for the additional 500 m => 3€
 - Example 3: If the delivery distance is 1501 meters, the delivery fee is: 2€ base fee + 1€ for the first 500 m + 1€ for the second 500 m => 4€
- If the amount of items is five or more, an additional 50 cent surcharge is added for each items above five
 - Example 1: If the amount of items is 4, no extra surcharge
 - Example 2: If the amount of items is 5, 50 cents surcharge is added
 - o Example 3: If the amount of items is 10, 3€ surcharge (6 x 50 cents) is added
- The delivery fee can **never** be more than 15€, including possible surcharges.
- The delivery is free (0€) when the cart value is equal or more than 100€.
- During the Friday rush (3 7 PM UTC), the delivery fee will be multiplied by 1.1x.
 However the fee still cannot be more than the max (15€).

Expectations

When reviewing your code, we will focus on the part that fulfills the requirements explained above. We would love to see a well-tested and readable solution. Anything on top of the fee calculator code is completely optional, although you might get some extra points from it. \bigcirc

Pro tip: When you think you are ready with the assignment, take at least a few hours break, and then go through the code one more time before returning it.

Submitting the assignment

Bundle everything into a Zip archive and download it to Google Drive, Dropbox or similar and <u>share the link with us.</u> Remember that it is easier for us to review your task if we can test & run it. The deadline for the submission is Sunday 24th.

A good check before sending your task is to unzip the Zip archive into a new folder and check that building and running the project works, using the steps you define in readme.md. Forgotten dependencies and instructions can sometimes happen even to the best of us.

Frontend/mobile specifics

Your task

Build a delivery fee calculator app.

Specification

Build a delivery fee calculator app which calculates a delivery fee based on user input and shows the calculated delivery fee to the user.

Input fields


The delivery fee calculator has four input fields: *cart value, delivery distance, amount of items and time*.

Input field	Туре	Description	Example value
Cart value	Integer	Value of the shopping cart.	20€
Delivery distance	Integer	The distance between the store and customer's location in meters.	2235. 2235 meters = 2.235 km
Amount of items	Integer	The amount of items in the customer's shopping cart.	The customer has 4 items in the cart.
Time	Time	The date/time when the order is being made (see rules-section how rush hours affect the delivery price)	You can choose the most suitable format.

Output example

Feel free to design and implement the user interface how you want. Below is an example of what it could look like.

When reviewing the assignment we are focusing on the code quality and structure of your app. However, good UX & design will definitely give you bonus points.



Expectations

Technology

Implement either a web **OR** a mobile app (**not both!**). Implement the delivery fee calculation logic **inside** the app, i.e. there's no need for a separate backend.

If you implement a web app, please use **TypeScript & React**. If you implement a mobile app, please use **Flutter**, **Kotlin**, **or React Native**.

Note that your technology choice here defines the scope of the possible technical interview and your focus area if starting to work at Wolt \odot

