

B. Tech. Final Year Project Report Writing Guidelines

The B. Tech. Final year (Mech. and Auto. Engg.) students are required to prepare a **Project report as per the given format**. The project report is to be thoroughly checked by the respective supervisors before printing and binding in hard format. A department copy of the same must be submitted to the external examiner on the day of presentation.

Times New Roman style is to be chosen for the entire report.

The chronology of different headings of the project should be as follows:

- **Cover page** containing the title of the project, students name with faculty number and the name of supervisor (**Bold, Centered, Font 18**).
- **Acknowledgement, if any**
- **Abstract** of maximum 300 words.
- **Contents** of the project with page references.
- **Notations/Symbols/Abbreviations** description.
- **List of tables and Figures**
- **Introduction and literature review**
- **Problem formulation/statement**
- **Modeling/Solution methodology/Experimental procedure**
- **Results and discussions with conclusions**
- **References**
- **Appendices, if any**

Dr. Mohammad Faizan

B.Tech. Project Coordinator

Dept. of Mech. Engg.

Cover Page: Title of the Project (Bold, Centered, Font 18)

PROJECT REPORT

**SUBMITTED IN PARTIAL FULFILLMENT OF THE REQUIREMENTS FOR THE AWARD
OF THE DEGREE OF**

Bachelor of Technology

in

Mechanical/Automobile Engineering

Submitted By

Students Name, Faculty Number

Students Name, Faculty Number

Students Name, Faculty Number

Under the supervision of

Name of the supervisor

**Department of Mechanical Engineering
Zakir Husain College of Engineering Technology
Aligarh Muslim University, Aligarh
20xx-xx**

Text should be full **justified** with **Margins of 1 inch** on all sides in A4 size paper.

The **main heading** should be left aligned in bold faced **14pt**. There should be a 12 pt. space before and 12 pt. space after the main headings.

The **sub-heading** should be left aligned in bold faced **12pt**.

The **normal text** within paragraph must be written **1.5 line spaced** justified in one column. The spacing between paragraphs is 12pt. **References** should be cited in the text as John et al [1].

The **equations** can be made using the equation editor. The **equations** should be numbered in the sequence as they appear in the text. The equation should be 12pt font left aligned with 12pt spacing above and below the equation to separate it from the surrounding text.

All **figures** should be numbered consecutively and captioned. The **figure caption title** should be written centered in bold faced 12 pt below the figure. A 12 pt space should separate the figure from the caption. The figures must be referenced in the text as **Fig. 1, 2**.

All **tables** should be numbered consecutively and captioned. The **table caption title** should be written centered in bold faced 12 pt above the table. A 12 pt space should separate the table from the caption, and a 12 pt space should separate the upper part of the table and the bottom of the caption from the surrounding text. The tables must be cited in the text as **Table 1, 2 or 3**.

The **references** should follow the following style:

- [1] Wang, LW and Khan, D P, 1987, Axisymmetric vibration of bimodulus thick circular and annular plates, *Computers and Structures*, vol. 25, pp. 759-764.
- [2] Dyke SJ, Spencer BF Jr., Sain MK, 1996, Seismic response reduction using magneto-rheological dampers, *Proceedings of IFAC World Congress*, San Francisco, New York, April 30 – May 3.
- [3] Lewis FL, Syrmos VL, 2001, *Control*, John Wiley & Sons, Inc., New York, 259-276.