| BODY—PAINT—APPROVED PAINT MATERIALS FOR WARRANTY REPAIRS | Article No. 02-16-7 |
|---|---|

**FORD:** 2003 CROWN VICTORIA, FOCUS, MUSTANG, TAURUS, E SERIES, ESCAPE, EXCURSION, EXPEDITION, EXPLORER SPORT TRAC, EXPLORER SPORT, EXPLORER, F-150, RANGER, SUPER DUTY F SERIES, WINDSTAR, F-650, F-750

**LINCOLN:** 2003 CONTINENTAL, LS, TOWN CAR, AVIATOR, NAVIGATOR

**MERCURY:** 2003 COUGAR, GRAND MARQUIS, SABLE, MOUNTAINEER

## ISSUE

Ford Motor Company's goal is to eliminate paint related repeat repairs and increase customer satisfaction. To meet this goal, Ford has tested ten major refinish paint suppliers materials for warranty repairs. Tests were conducted to paint material specification WSS-M2P100-D for refinish paint materials.

## ACTION

The materials listed in the following Figures 1-13, are approved paint systems for refinishing service parts as well as repair of steel and plastic OEM paint systems.

**OTHER APPLICABLE ARTICLES:** 98-18-2
**WARRANTY STATUS:** INFORMATION ONLY
**OASIS CODES:** 106000

Copyright © 2002 Ford Motor Company

Figure 1 - Article 02-16-7

**SIKKENS - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Hardener | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Wash Primer CR | Wash Hardener | | Colorbuild Primer Surfacer | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase Plus | | Autobase Plus Medium Reducer | 10% Sandard Hardener | Autoclear III + 10% Elast-O-Actif | Standard Activator | | Standard Hardener |
| Wash Primer CR | Wash Hardener | | Colorbuild + 33% Elast-O-Actif | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear II + 33% Elast-O-Actif | | Autocryl Reducer Slow | Autocryl Hardener MS30 |
| **Europe/Other** | | | | | | | | | | | | | | |
| Wash Primer CR | Wash Hardener | | Autocryl Filler Off White + 50% Elast-O-Actif | 123 Hardener | | 123 Reducer Slow | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear MS 3000 | | 123 Reducer Slow | Autocryl Hardener |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Hardener | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Primer PO | | | Colorbuild Primer Surfacer + 33% Elast-O-Actif | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase Plus | | Autobase Plus Medium Reducer | 10% Sandard Hardener | Autoclear III + 10% Elast-O-Actif | Standard Activator | | Standard Hardener |
| Primer PO | | | Colorbuild + 33% Elast-O-Actif | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear II + 33% Elast-O-Actif | | Autocryl Reducer Slow | Autocryl Hardener |
| **Europe/Other** | | | | | | | | | | | | | | |
| Primer PO | | | Autocryl Filler Off White + 50% Elast-O-Actif | 123 Hardener | | 123 Reducer Slow | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear MS 3000 | | 123 Reducer Slow | Autocryl Hardener MS30 |

**SIKKENS - Rule 3.5/4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Hardener | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Wash Primer EMCF | Wash Hardener EMCF | | Colorbuild 2.1 - 2.8 + 50% ACLV Flex | Colorbuild Primer Surfacer Hardener 2.1 - 2.8 | Colorbuild Primer Surfacer Activator 2.1 - 2.8 | | Autobase Plus | | Autobase Plus Medium Reducer | 10% ACII LV Hardener | Autoclear II LV + 10% ACLV Flex | | Autoclear II LV Reducer | Autoclear II LV Hardener |
| Wash Primer EMCF | Wash Hardener EMCF | | Colorbuild 2.1 - 2.8 + 50% ACLV Flex | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear II LV + 10% ACLV Flex | | Autoclear II LV Reducer | Autoclear II LV Hardener |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Hardener | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Primer PO | | | Colorbuild 2.1 - 2.8 + 50% ACLV | Colorbuild Primer Surfacer Hardener 2.1 - 2.8 | Colorbuild Primer Surfacer Activator 2.1 - 2.8 | | Autobase Plus | | Autobase Plus Medium Reducer | 10% ACII LV Hardener | Autoclear II LV + 10% ACLV Flex | | Autoclear II LV Reducer | Autoclear II LV Hardener |
| Primer PO | | | Colorbuild 2.1 - 2.8 + 50% ACLV | Colorbuild Primer Surfacer Hardener | Colorbuild Primer Surfacer Activator | | Autobase + 10% Elast-O-Actif | Autocryl Hardener Autobase Atomizing Agent | Autobase Reducer Slow | | Autoclear II LV + 10% ACLV Flex | | Autoclear II LV Reducer | Autoclear II LV Hardener |

Figure 2 - Article 02-16-7

**R-M - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DE49 | PA-16 | UR-50 | DP20 | PH-12 | | UR-40<br>UR-50<br>UR-60 | Diamont | BCH2 | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DC-92 | | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DH-42<br>DH-46 |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 865 | | | DP21/Diamont -<br>Color DF25 | PH-61 | | UR-40<br>UR-50 | Diamont | BCH2 | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DC-92/DF25 | | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DH-42<br>DH-46 |

**R-M - RULE 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DE49 | PA-16 | UR-40<br>UR-50<br>UR-60 | DP200 | PH-10<br>PH-20 | | VR29<br>VR0 | Diamont | BCH2 | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DC-95 | | N/A | DH-49<br>DH-495<br>Jet95 |

**R-M - RULE 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DE17 | DA18 | UR-40<br>UR-50<br>UR-60 | DP200 | PH-10<br>PH-20 | | VR29<br>VR0 | Diamont | BCH2 | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DC-98 | | UR-30<br>UR-40<br>UR-50<br>UR-60<br>UR-70 | DH-100<br>DH-105 |

Figure 3 - Article 02-16-7

**STANDOX - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Standox Etching Adhesion Primer | Standox Etching Adhesion Activator | | Standox 2.1 Filler | | Standox 2.1 Hardeners or Sealer-Filler Hardeners | Standox 2K Thinnners | Standox MSB Basecoat | Standox 2K MS Hardener or 2.1 Hardeners | Standox MSB Thinners | Standox 2K MS Clear | Standox 2.1 Hardeners | Standox 2K Thinners and/or 2.1 Thinners | |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Standoflex 1K Plastic Primer | | | Standoflex 1K Plastic Filler | | | Standoxflex Thinner 11100 | Standox MSB Basecoat | Standox 2K MS Hardener or 2.1 Hardeners | Standox MSB Thinners | Standox 2K MS Clear | Standox 2.1 Hardeners | Standox 2K Thinners and/or 2.1 Thinners | Standox 2K Plasticiser |

**STANDOX - Rule 3.5/4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Etching Adhesion Primer | Etching Adhesion Activator | N/A | 2.1 Filler | 2K Plasticiser | 2.1 Hardeners | 2.1 Thinners | MSB Basecoat | Standox 2.1 Hardeners | Standox MSB Thinners | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |
| Etching Adhesion Primer | Etching Adhesion Activator | N/A | 2.1 Filler | 2K Plasticiser | 2.1 Hardeners | 2.1 Thinners | MSB Basecoat | Standox 2.1 Hardeners | Standox MSB Thinners | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |
| Etching Adhesion Primer | Etching Adhesion Activator | N/A | 2.1 Filler | 2K Plasticiser | 2.1 Hardeners | 2.1 Thinners | Standohyd Basecoat | N/A | Standohyd VE Water | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |
| Etching Adhesion Primer | Etching Adhesion Activator | N/A | 2.1 Filler | 2K Plasticiser | 2.1 Hardeners | 2.1 Thinners | Standohyd Basecoat | N/A | Standohyd VE Water | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Standoflex 1K Plastic Primer | N/A | N/A | Standoflex 1K Plastic Filler | N/A | N/A | Standoflex Thinner 11100 | MSB Basecoat | Standox 2K MS Hardeners or 2.1 Hardeners | Standox MSB Thinners | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |
| Standoflex 1K Plastic Primer | N/A | N/A | Standoflex 1K Plastic Filler | N/A | N/A | Standoflex Thinner 11100 | Standohyd Basecoat | N/A | Standohyd VE Water | 2.1 Clear | 2.1 Hardeners | 2.1 Thinners | 2K Plasticiser |

Figure 4 - Article 02-16-7

**PPG - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DX1791 | DX1792 | | NCP270 | | NCX275 | | DBC | 5% DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898<br>DT8110 | DCU2002 | DCX8 | DT860<br>DT870<br>DT885<br>DT895<br>DT898<br>DT8110 | |
| *Europe/Others* | | | | | | | | | | | | | |
| D831 | D832 | | D822 | | D823 | D807<br>D808<br>D812<br>D869<br>D870<br>D871<br>D872<br>D873 | Global BC<br>Deltron BC | 5% D888 | D807<br>D808<br>D812<br>D869<br>D870<br>D871<br>D872<br>D873 | D894 | D884 | D807<br>D808<br>D812<br>D869<br>D870<br>D871<br>D872<br>D873 | |

**Plastics**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DPX801 | | | | | | | DBC | 5% DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898<br>DT8110 | DCU2002 | DCX8 | DT860<br>DT870<br>DT885<br>DT895<br>DT898<br>DT8110 | DX814 |
| *Europe/Others* | | | | | | | | | | | | | |
| D820 | | | | | | | Global BC<br>Deltron BC | 5% D888 | D807<br>D808<br>D812<br>D869<br>D870<br>D871<br>D872<br>D873 | D894 | D884 | D807<br>D808<br>D812<br>D869<br>D870<br>D871<br>D872<br>D873 | D814 |

**PPG - Rule 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DX579/DX520 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2090 | DCX2091<br>DCX2092 | | |
| D831 | D832 | | D8040<br>D8041<br>D8042<br>D8043<br>D8044<br>D8045 | | D8240 | | Global BC | D888 | D870<br>D871<br>D872 | D890 | D884<br>D887 | D870<br>D871<br>D872 | |

**Plastics**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DPX801 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2002 | DCX2091<br>DCX2092 | | |
| D820 | | | D8002 | | D8205 | | Global BC | D888 | D870<br>D871<br>D872 | D890 | D884<br>D887 | D870<br>D871<br>D872 | D887 |

TB-6703-A

**PPG - Rule 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DX579/DX520 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2030 | DCX2031 | | |
| DX579/DX520 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2010 | DCX2012<br>DCX2011 | | |
| D831 | D832 | | D8002 | | D8205 | | Global BC | D888 | D870<br>D871<br>D872 | D8107 | D8207 | D8767 | |
| | | | D8002 | | D8205 | | Global BC | D888 | D870<br>D871<br>D872 | D8106 | D8206 | D8767 | |

**Plastics**

| Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America* | | | | | | | | | | | | | |
| DPX801 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2010 | DCX2012<br>DCX2011 | | DX814 |
| DPX801 | | | NCP280 | | NCX285 | | Deltron DBC | DX57 | DT860<br>DT870<br>DT885<br>DT895<br>DT898 | DCU2030 | DCX2031 | | |
| D820 | | | D8002 | | D8205 | | Global BC | D888 | D870<br>D871<br>D872 | D8106 | D8206 | D8767 | D814 |
| D820 | | | D8002 | | D8205 | | Global BC | D888 | D870<br>D871<br>D872 | D8107 | D8207 | D8767 | |

**TB-6704-A**

Figure 5 - Article 02-16-7

Figure 6 - Article 02-16-7

**MARTIN-SENOUR - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America/South America/Europe* | | | | | | | | | | | | | |
| TE500 | TER510 | | 5103 | 3084 | 5150 | TS1<br>TS2<br>TS3<br>TS4 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8889<br>8639 | 8660<br>8670<br>8876 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |
| 8847 | 8848<br>8849 | | Martin Senour Complete | N/A | TH527 | 5112<br>TS1<br>TS2<br>TS3<br>TS4 | | | | TC741 | TH121<br>TH122<br>TH123<br>TH124 | | |
| 8827 | 8837 | | | | | | | | | TC730 | TH704 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |

**Plastics**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America/South America/Europe* | | | | | | | | | | | | | |
| 6246<br>6247 | | | 5103 | 3084 | 5150 | TS1<br>TS2<br>TS3<br>TS4 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8889<br>8639 | 8660<br>8670<br>8876 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |
| | | | Martin Senour Complete | N/A | TH527 | 5112<br>TS1<br>TS2<br>TS3<br>TS4 | | | | TC741 | TH121<br>TH122<br>TH123<br>TH124 | | |
| | | | | | | | | | | TC730 | TH704 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |

TB-6705-A

Figure 7 - Article 02-16-7

**MARTIN-SENOUR - Rule 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8847 | 8848<br>8849 | | 5104 | | 5124 | CS30<br>CS40 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8903V | 5198 | 8942V<br>8943V<br>8944V | |
| TE500 | TER510 | | 5161 | | 5165 | | | | | 8955 | 8874 | 8957<br>8959<br>8961<br>8963 | |
| 8844 | 8848 | CS30<br>CS40 | TP570 | | TH572<br>TH574 | | | | | TC730 | TH704 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |
| 8827 | 8837 | | TP530 | | TH532 | | | | | TC721 | TH725 | 8942V<br>8943V<br>8944V | |

**Plastics**

| Plastic Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6246<br>6247 | | | 5104 | | 5124 | CS30<br>CS40 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8903V | 5198 | 8942V<br>8943V<br>8944V | |
| | | | TP530 | | TH532 | | | | | 8955 | 8874 | 8957<br>8959<br>8961<br>8963 | |
| | | | | | | | | | | TC730 | TH704 | TS1<br>TS2<br>TS3<br>TS4<br>TS5<br>TS6 | |
| | | | | | | | | | | TC721 | TH725 | 8942V<br>8943V<br>8944V | |

**MARTIN-SENOUR - Rule 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8844 | 8848 | CS30<br>CS40 | 5104 | | 5124 | CS30<br>CS40 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8903V | 5198 | 8942V<br>8943V<br>8944V | |
| | | | 5161 | | 5165 | | | | | TC721 | TH725 | 8942V<br>8943V<br>8944V | |
| | | | TP570 | | TH572<br>TH574 | | | | | | | | |
| | | | TP530 | | TH532 | | | | | | | | |

**Plastics**

| Plastic Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6246<br>6247 | | | 5104 | | 5124 | CS30<br>CS40 | Tec/Base | Tec<br>System<br>Hardener | 8880<br>8881<br>8882<br>BCS6 | 8903V | 5198 | 8942V<br>8943V<br>8944V | |
| | | | 5161 | | 5165 | | | | | TC721 | TH725 | 8942V<br>8943V<br>8944V | |

Figure 8 - Article 02-16-7

**SHERWIN WILLIAMS - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America/South America/Europe* | | | | | | | | | | | | | |
| PE990 | ER992 | | P6A47 | V2V299 | V6V79 | US1<br>US2<br>US3<br>US4 | Ultra 7000 BC | Ultra System Hardener | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC637<br>CC639 | UH60<br>UH70<br>UH80 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |
| E2G980 | R7K981<br>R7K982 | | SpectraPrime P30 System | NA | H38 | AS8<br>US1<br>US2<br>US3<br>US4 | | | | CC940 | UH22<br>UH33<br>UH44<br>UH55 | | |
| E2G973 | R7K242 | | | | | | | | | CC930 | UH904 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |

**Plastics**

| Plastic Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *North America/South America/Europe* | | | | | | | | | | | | | |
| UPO7226<br>UPO7227 | | | P6A47 | V2V299 | V6V79 | US1<br>US2<br>US3<br>US4 | Ultra 7000 BC | Ultra System Hardener | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC637<br>CC639 | UH60<br>UH70<br>UH80 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |
| | | | SpectraPrime P30 System | NA | H38 | AS8<br>US1<br>US2<br>US3<br>US4 | | | | CC940 | UH22<br>UH33<br>UH44<br>UH55 | | |
| | | | | | | | | | | CC930 | UH904 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |

TB-6720-A

Figure 9 - Article 02-16-7

**SHERWIN WILLIAMS-Rule 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| E2G980 | R7K981<br>R7K982 | | P22 | | UH400 | ES15<br>ES20 | Ultra 7000 BC | Ultra System Hardeners | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC21 | UH900 | R24<br>R26<br>R28 | |
| PE990 | ER992 | | NP2100 | | NH2200 | | | | | | | | |
| PE984 | R7K981 | ES15<br>ES20 | NP75 | | NH77<br>NH78 | | | | | CC350 | UH100 | CCR352<br>CCR354<br>CCR356<br>CCR358 | |
| E2G973 | R7K242 | | P23 | | H24 | | | | | CC930 | UH904 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |
| | | | | | | | | | | CC920 | UH924 | R24<br>R26<br>R28 | |

**Plastics**

| Plastic Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| UPO7226<br>UPO7227 | | | P22 | | UH400 | ES15<br>ES20 | Ultra 7000 BC | Ultra System Hardeners | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC21 | UH900 | R24<br>R26<br>R28 | |
| | | | P23 | | H24 | | | | | CC350 | UH100 | CCR352<br>CCR354<br>CCR356<br>CCR358 | |
| | | | | | | | | | | CC930 | UH904 | US1<br>US2<br>US3<br>US4<br>US5<br>US6 | |
| | | | | | | | | | | CC920 | UH924 | R24<br>R26<br>R28 | |

**SHERWIN WILLIAMS-Rule 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| PE984 | R7K981 | ES15<br>ES20 | P22 | | UH400 | ES15<br>ES20 | Ultra 7000 BC | UH900 | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC21 | UH900 | R24<br>R26<br>R28 | |
| | | | NP2100 | | NH2200 | | | | | | | | |
| | | | NP75 | | NH77<br>NH78 | | | | | CC920 | UH924 | R24<br>R26<br>R28 | |
| | | | P23 | | H24 | | | | | | | | |

**Plastics**

| Plastic Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| UPO7226<br>UPO7227 | | | P22 | | UH400 | ES15<br>ES20 | Ultra 7000 BC | Ultra System Hardeners | BCS600<br>BCS605<br>BCS608<br>BCS610 | CC21 | UH900 | R24<br>R26<br>R28 | |
| | | | P23 | | H24 | | | | | CC920 | UH924 | R24<br>R26<br>R28 | |

Figure 10 - Article 02-16-7

**SPIES HECKER - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3668 | 3689 | | 8590 | | Permacron and Permasolid Hardeners | Permacron Reducers | 293/295 | Permacron and Permasolid Hardeners | Permacron Reducers | MS 8010 | Permacon and Permasolid Hardeners | Permacon Reducers | |
| **Primer** | | | | | | | | | | | | | |
| 4090 | 3110 | | | | | Permacron Reducers | 293/295 | Permacron and Permasolid Hardeners | Permacron Reducers | MS 8010 | Permacon and Permasolid Hardeners | Permacon Reducers | 8573 |

**Plastics**

| Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3304 | | | 3305 | | | 8580/8581 | 293/295 | Permacron and Permasolid Hardeners | Permacron Reducers | MS 8010 | Permacon and Permasolid Hardeners | Permacon Reducers | 9050 |

**SPIES HECKER - National Rule 3.5/4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Priomat 1:1 Primer 3688 Transparent | Priomat Activator 3689 | N/A | Permacron 2.1 Surfacer | Permasolid Elastic Additive 9050 | Permacron® Permasolid® Hardeners | Permacron® Reducer 3395 | Permacron® Basecoat Series 293/295 | Permacron® Permasolid® Hardeners | Permacron® Reducers | Permacron® 2.1 Clear | Permacon® Permasolid® Hardeners | Permacon® Reducers | Permasolid Elastic Additive 9050 |
| Priomat 1:1 Primer 3688 Transparent | Priomat Activator 3689 | N/A | Permacron 2.1 Surfacer | | Permacron® Permasolid® Hardeners | Permacron® Reducer 3395 | Permahyd Basecoat Series 293/295 | N/A | Permahyd VE Water 6000 | Permacron® 2.1 Clear | Permacon® Permasolid® Hardeners | Permacon® Reducers | Permasolid Elastic Additive 9050 |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Priomat Elastic Primer 3304 Transparent | N/A | N/A | Priomat Elastic Surfacer | N/A | N/A | Priomat Plastic Reducer | Permacron® Basecoat Series 293/295 | Permacron® Permasolid® Hardeners | Permacron® Reducers | Permacron® 2.1 Clear | Permacron® Permasolid® Hardeners | Permacron® Reducers | Permasolid Elastic Additive 9050 |
| Priomat Elastic Primer 3304 Transparent | N/A | N/A | Priomat Elastic Surfacer | N/A | N/A | Priomat Plastic Reducer | Permahyd Basecoat Series 280/285 | N/A | Permahyd VE Water 6000 | Permacron® 2.1 Clear | Permacron® Permasolid® Hardeners | Permacron® Reducers | Permasolid Elastic Additive 9050 |

TB-6725-A

**GLASURIT National Ritle 50**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 801-1871 | 965-32/2 | 352-50 | 285-50 | 929-28/2 | | 352-50 | Line 55 | 355-55 | 352-50 | 923-94 | | 352-50 | 929-81 |
| | | 352-91 | | | | 352-91 | | | 352-91 | | | 352-91 | 929-83 |
| | | 352-216 | | | | 352-216 | | | 352-216 | | | 352-216 | 929-84 |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 934-0 | n/a | n/a | 285-50+ | 929-81 | | 352-50 | Line 55 | 355-55 | 352-50 | 923-94/ | | 352-50 | 929-81 |
| | | | 522-111 | 929-83 | | 352-91 | | | 352-91 | 522-111 | | 352-91 | 929-83 |
| | | | | | | 352-216 | | | 352-216 | | | 352-216 | 929-84 |

**GLASURIT Ritle 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 801-1871 | 965-32/2 | 352-50 | 285-21 | 929-21 | | 352-25 | Line 55 | 355-55 | 352-50 | 923-355 | | None | 929-81 |
| | | 352-91 | | 929-23 | | 352-45 | | | 352-91 | | | | 929-83 |
| | | 352-216 | | | | | | | 352-216 | | | | 929-84 |

**GLASURIT Ritle 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Hardener | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Hardener |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 283-155 | 352-228 | 352-50 | 285-21 | 929-21 | | 352-25 | Line 55 | 355-55 | 352-50 | 923-200 | | n/a | 929-21 |
| | | 352-91 | | 929-23 | | 352-45 | | | 352-91 | | | | 929-23 |
| | | | | | | | | | 352-216 | | | | 929-24 |

TB-6722-A

Figure 11 - Article 02-16-7

Figure 12 - Article 02-16-7

**DUPONT - National Rule 5.0**

| Etch Primer | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *United States* | | | | | | | | | | | | | |
| 615S | 614S<br>616S | | 1120S<br>1140S | | 1125S | 1130S<br>1135S | ChromaBase | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 7800S | | 7875S<br>7895S<br>7899S | |
| 615S | 614S<br>616S | | 1120S<br>1140S | | 1125S | 1130S<br>1135S | Chroma Premier | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 72200S | 12305S | 12365S<br>12375S<br>12385S | |
| *Canada* | | | | | | | | | | | | | |
| 810R | 815R | | 1120S<br>1140S | | 125S | 1025R<br>1055R | ChromaBase | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 8500S | 8525S | 8570S<br>8580S | |
| 810R | 815R | | 1120S<br>1140S | | 125S | 1025R<br>1055R | Chroma Premier | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 72200S | 12305S | 12365S<br>12375S<br>12385S | |

**Plastics**

| Adhesion Promoter | Activator | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| *United States* | | | | | | | | | | | | | |
| 2322s | | | 2340S | | 12305S | 1075S<br>12365S | ChromaBase | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 7800S | | 7875S<br>7895S<br>7899S | 2350S |
| *Canada* | | | | | | | | | | | | | |
| 800R | | | 2340S | | 12305S | 12365S | ChromaBase | 12305S | 7155S<br>7165S<br>7175S<br>7185S<br>7195S | 8500S | 8525S | 8570S<br>8580S | 805R |

**DUPONT - National Rule 3.5/4.5**

| Etch Primer | Activator | | Primer Surfacer | | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2540S Epoxy DTM Primer | 2505S DTM Activator | **Thinner** N/A | 3240S 2K High Build Primer | **Flex Agent** | 3205S | N/A | ChromaBase | 12305S | 7175S<br>7160S<br>7185S<br>7195S | 2100S | 2105S | 2185S ChromaClear 2.1 Reducer<br>2185S | |
| | | | | | 2K High Build Primer Activator | | | ChromaPremier Activator | Chroma System BaseMaker | ChromaClear Multi-Use | 2.1 Low Emission Activator | | |
| 1305S Vinyl Wash Primer | 1306S Vinyl Wash Activator | N/A | 3240S 2K High Build Primer | | 2K High Build Primer Activator | N/A | ChromaBase | 12305S ChromaPremier Activator | 7175S Chroma System BaseMaker | 2100S ChromaClear Multi-Use | 2105S 2.1 Low Emission Activator | ChromaClear 2.1 Reducer | |

**Plastics**

| Plastic Wash | Adhesion Promoter | Thinner | Primer Surfacer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2319S Plastic Prep. | 2322S Plas-Stick Adhesion Promoter | N/A | 2340S Plas-Stick Flex. Adhesive Sealer | N/A | 12305S ChromaPremier Activator | 12365S ChromaPremier Reducer | ChromaBase | 12305S ChromaPremier Activator | 7175S<br>7160S<br>7185S<br>7195S<br>Chroma System BaseMaker | 2100S ChromaClear Multi-Use ChromaClear | 2107S 2.1 Low Emission Activator | 2185S ChromaClear 2.1 Reducer | 2350 Plas-Stick Flex-additive |

TB-6723-A

Figure 13 - Article 02-16-7

**AUTOCOLOR - National Rule**

| Etch Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North America | | | | | | | | | | | | | | |
| P565-713 | P275-210 | | P565-693 | P565-357/358 | P100-2020 | P210-796<br>P210-798 | P850-1691<br>P850-1692 | P422-xxx | P210-796 | P850-1691<br>P850-1692 | P190-643 | P210-854<br>P210-856 | P850-1691<br>P850-1692 | |
| | | | Or P565-510/511 | Or P565-3011/ 3015 | | P210-796<br>P210-798 | P850-1693<br>P850-1694 | | | P850-1693<br>P850-1694 | | P210-857 | P850-1693<br>P850-1694 | |
| | | | Or P110-5000 | | | | P850-1695 | | | P850-1695 | | | P850-1695 | |
| Europe/Other | | | | | | | | | | | | | | |
| P565-713 | P275-210 | | P565-693 | P565-357/358 | P100-2020 | P210-796<br>P210-798 | P850-1692<br>P850-1693 | P422-xxx | P210-796 | P850-1692<br>P850-1693 | P190-620 | P210-796<br>P210-798 | P850-1691<br>P850-1692 | |
| | | | Or P565-510/511 | Or P565-3011/ 3015 | | P210-796<br>P210-798 | P850-1694<br>P850-1695 | Or P965-xxx | Or P935-2018 | P850-1694<br>P850-1695 | | | P850-1693<br>P850-1694 | |
| | | | Or P110-5000 | | | | | | | | | | | |

**Plastics**

| Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North America | | | | | | | | | | | | | | |
| P572-2001 | | | P565-693 | P565-357/358 | P100-2020 | P210-796<br>P210-798 | P850-1691<br>P850-1692 | P422-xxx | P210-796 | P850-1691<br>P850-1692 | P190-643 | P210-854<br>P210-856 | P850-1691<br>P850-1692 | |
| | | | Or P565-510/511 | Or P565-3011/ 3015 | | P210-796<br>P210-798 | P850-1693<br>P850-1694 | | | P850-1693<br>P850-1694 | | P210-857 | P850-1693<br>P850-1694 | |
| | | | Or P110-5000 | | | | P850-1695 | | | P850-1695 | | | P850-1695 | |
| Europe/Other | | | | | | | | | | | | | | |
| P572-2001 | | | P565-693 | P565-357/358 | P100-2020 | P210-796<br>P210-798 | P850-1692<br>P850-1693 | P422-xxx | P210-796 | P850-1692<br>P850-1693 | P190-620 | P210-796<br>P210-798 | P850-1691<br>P850-1692 | |
| | | | Or P565-510/511 | Or P565-3011/ 3015 | | P210-796<br>P210-798 | P850-1694<br>P850-1695 | Or P965-xxx | Or P935-2018 | P850-1694<br>P850-1695 | | | P850-1693<br>P850-1694 | |
| | | | Or P110-5000 | | | | | | | | | | P850-1695 | |

**AUTOCOLOR - Rule 4.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinnner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P565-713 | P275-210 | P850-1775 | P565-5201/5205 | P565-3111/3115 | | P210-5375 | P850-1775 | P422-xxx | P210-6575 | P850-1691<br>P850-1692 | P190-6530 | P210-6565<br>P210-6575 | P850-1691<br>P850-1692 | |
| | | | Or P110-5000 | | | | | | | P850-1693<br>P850-1694 | | P210-6585<br>P210-6595 | P850-1693<br>P850-1694 | |
| | | | | | | | | | | P850-1695 | | | P850-1695 | |

**Plastics**

| Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinnner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P572-2001 | | | P565-5201/5205 | P565-3111/3115 | | P210-5375 | P850-1775 | P422-xxx | P210-6575 | P850-1691<br>P850-1692 | P190-6530 | P210-6565<br>P210-6575 | P850-1691<br>P850-1692 | P100-2020 |
| | | | Or P110-5000 | | | | | | | P850-1693<br>P850-1694 | | P210-6585<br>P210-6595 | P850-1693<br>P850-1694 | |
| | | | | | | | | | | P850-1695 | | | P850-1695 | |

**AUTOCOLOR - Rule 3.5**

| Etch Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinnner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P565-713 | P275-210 | P850-1775 | P565-5201/5205 | P565-3111/3115 | | P210-5375 | P850-1775 | P422-xxx | P210-6575 | P850-1691<br>P850-1692 | P190-6730 | P210-6565<br>P210-6575 | P850-1775 | |
| | | | Or P110-5000 | | | | | | | P850-1693<br>P850-1694 | | P210-6585<br>P210-6595 | | |
| | | | | | | | | | | P850-1695 | | | | |

**Plastics**

| Primer | Activator | Thinner | Primer Surfacer | Sealer | Flex Agent | Activator | Thinner | Basecoat | Activator | Thinnner | Clearcoat | Activator | Thinner | Flex Agent |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| P572-2001 | | | P565-5201/5205 | P565-3111/3115 | | P210-5375 | P850-1775 | P422-xxx | P210-6575 | P850-1691<br>P850-1692 | P190-6730 | P210-6565<br>P210-6575 | P850-1775 | P100-2020 |
| | | | Or P110-5000 | | | | | | | P850-1693<br>P850-1694 | | P210-6585<br>P210-6595 | | |
| | | | | | | | | | | P850-1695 | | | | |

TB-6724-A