• **DRIVEABILITY—SPARK KNOCK ON LIGHT ACCELERATION—VEHICLES EQUIPPED WITH 2.0L ZETEC ENGINE—BUILT 12/3/1998 THROUGH 3/18/2001** • **NOISE—SPARK KNOCK ON LIGHT ACCELERATION—VEHICLES EQUIPPED WITH 2.0L ZETEC ENGINE—BUILT 12/3/1998 THROUGH 3/18/2001**	**Article No. 01-6-3**

FORD: 1999-2001 ESCORT ZX2

ISSUE

Some 1999 - 2001 Escort ZX2 Coupe vehicles equipped with a 2.0L Zetec 4V engine may exhibit spark knock during acceleration. This may be caused by the Powertrain Control Module (PCM) calibration.

ACTION

If spark knock condition is verified and normal diagnostics cannot pinpoint condition, reprogram the PCM to the latest level calibration. Refer to the following PCM Calibration Information Chart.

Copyright © 2001 Ford Motor Company

PCM CALIBRATION INFORMATION						
Application	Old Part Number (-12A650-)	Tear Tag	New Part Number (-12A650-)	Old Calibration	New Calibration	NGS/WDS Qualifier
Automatic Transaxle	XS4F-CC	BAX2	YU7Z-CZA	9EQA-BBC	0AJ1AZ0B12	WDS B11.15 or B12.3 Release
Automatic Transaxle	XS4F-BC	AYB2	YU7Z-CXA	9EQA-ABC	0AJ1AZ0A12	WDS B11.15 or B12.3 Release
Automatic Transaxle	XS4F-CD	BAX3	YU7Z-CZA	9EQA-BBD	0AJ1AZ0B12	WDS B11.15 or B12.3 Release
Manual Transaxle	XS4F-EC	DXB2	YU7Z-DAA	9EQM-BBC	0AJ2AZ0B12	WDS B11.15 or B12.3 Release
Automatic Transaxle	XS4F-BD	AYB3	YU7Z-CXA	9EQA-ABD	0AJ1AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	XS4F-DC	CIL2	YU7Z-CYA	9EQM-ABC	0AJ2AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	XS4F-AEA	NGP0	YU7Z-DCA	9EQM-BMA	0AJ2RZ0B13	WDS B11.15 or B12.3 Release
Manual Transaxle	XS4F-ADA	JHK0	YU7Z-DBA	9EQM-AMA	0AJ2RZ0A13	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-VA	MGS0	YU7Z-CZA	0AJ1AZ0B10	0AJ1AZ0B12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-XA	NLX0	YU7Z-DAA	0AJ2AZ0B10	0AJ2AZ0B12	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-YA	EMA0	YU7Z-CXA	0AJ1AZ0A10	0AJ1AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ZA	VWK0	YU7Z-CYA	0AJ2AZ0A10	0AJ2AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-AAA	XHG0	YU7Z-DCA	0AJ2RZ0B10	0AJ2RZ0B13	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ABA	CWQ0	YU7Z-DBA	0AJ2RZ0A10	0AJ2RZ0A13	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-AAB	XHG1	YU7Z-DCA	0AJ2RZ0B11	0AJ2RZ0B13	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ABB	CWQ1	YU7Z-DBA	0AJ2RZ0A11	0AJ2RZ0A13	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-VB	MGS1	YU7Z-CZA	0AJ1AZ0B11	0AJ1AZ0B12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-XB	NLX1	YU7Z-DAA	0AJ2AZ0B11	0AJ2AZ0B12	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-YB	EMA1	YU7Z-CXA	0AJ1AZ0A11	0AJ1AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ZB	VWK1	YU7Z-CYA	0AJ2AZ0A11	0AJ2AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-AAC	XHG2	YU7Z-DCA	0AJ2RZ0B12	0AJ2RZ0B13	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ABC	CWQ2	YU7Z-DBA	0AJ2RZ0A12	0AJ2RZ0A13	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-VC	MGS2	YU7Z-CZA	0AJ1AZ0B12	0AJ1AZ0B12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-XC	NLX2	YU7Z-DAA	0AJ2AZ0B12	0AJ2AZ0B12	WDS B11.15 or B12.3 Release
Automatic Transaxle	YS4F-YC	EMA2	YU7Z-CXA	0AJ1AZ0A12	0AJ1AZ0A12	WDS B11.15 or B12.3 Release

Application	Old Part Number (-12A650-)	Tear Tag	New Part Number (-12A650-)	Old Calibration	New Calibration	NGS/WDS Qualifier
Manual Transaxle	YS4F-ZC	VWK2	YU7Z-CYA	0AJ2AZ0A12	0AJ2AZ0A12	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-AAD	XHG3	YU7Z-DCA	0AJ2RZ0B13	0AJ2RZ0B13	WDS B11.15 or B12.3 Release
Manual Transaxle	YS4F-ABD	CWQ3	YU7Z-DBA	0AJ2RZ0A13	0AJ2RZ0A13	WDS B11.15 or B12.3 Release
Manual Transaxle	1S4F-AVA	LXQ0	1S4Z-AVC	1AJ2AZO500	1AJ2AZ0506	WDS B11.15 or B12.3 Release
Automatic Transaxle	1S4F-AUA	JZB0	1S4Z-AUC	1AJ1AZO500	1AJ1AZ0506	WDS B11.15 or B12.3 Release
Manual Transaxle	1S4F-AVB	LXQ1	1S4Z-AVC	1AJ2AZO505	1AJ2AZ0506	WDS B11.15 or B12.3 Release
Automatic Transaxle	1S4F-AUB	JZB1	1S4Z-AUC	1AJ1AZO505	1AJ1AZ0506	WDS B11.15 or B12.3 Release

Obtain an Authorized Modifications Decal (FPS 8262 - obtainable through DOES II, 25/pkg) and list the date, dealer number, and summary of modifications performed. Select a prominent place adjacent to the Vehicle Emission Control Information Decal suitable for installing the Authorized Modifications Decal. Clean the area, install the decal, and cover it with a clear plastic decal shield.



OTHER APPLICABLE ARTICLES: NONE
WARRANTY STATUS: INFORMATION ONLY
OASIS CODES: 497000, 615000, 615500, 615600, 702000, 702100