• **DRIVEABILITY—BUCK/SURGE FELT WITH SPEED CONTROL ENGAGED—VEHICLES EQUIPPED WITH 7.3L ENGINE ONLY** • **ELECTRICAL—BUCK/SURGE FELT WITH SPEED CONTROL ENGAGED—VEHICLES EQUIPPED WITH 7.3L ENGINE ONLY** • **ELECTRICAL—SPEED CONTROL—BUCK/SURGE FELT WITH SPEED CONTROL ENGAGED—VEHICLES EQUIPPED WITH 7.3L ENGINE ONLY**	**Article No. 00-25-4**

FORD: 1997 F-250, F-350
1999-2000 SUPER DUTY F SERIES
2000 EXCURSION

ISSUE

Some vehicles may exhibit an engine buck, surge, or jerk (also known as hitching/hesitation) while the speed control is active through all engine temperatures. This may be caused by the calibration and strategy of the Powertrain Control Module (PCM).

ACTION

Reprogram the PCM. Refer to the following PCM Calibration Information Chart for details.

NOTE

IF THERE IS A BUCK/SURGE CONDITION WHILE NOT USING THE SPEED CONTROL, OR DURING ENGINE WARM-UP, REPROGRAMMING THE PCM WILL NOT CORRECT THE CONDITION.

Copyright © 2000 Ford Motor Company

Article No. 00-25-4 Cont'd.

PCM CALIBRATION INFORMATION						
Application	**Old Part Number (-12A650-)**	**New Part Number (-12A650-)**	**Tear Tag**	**Old Calibration**	**New Calibration**	**NGS/WDS Qualifier**
1997 F-250/350 A/T California	F7TF-RG	F7TZ-RH	MME7	790PR13	790PR13	7-90P Calibration
1999 F-250/350 A/T Federal - Warm Weather	F81F-NH	F81Z-NJ	FUTx	9DTA-ACF	9DTA-ACF	9DTA-AC Calibration
1999 F-250/350 A/T Federal - Cold Weather	F81F-BJ	F81Z-BK	XLEx	9DTA-AJF	9DTA-AJF	9DTA-AJ Calibration
1999 F-450/550/560 A/T 50S - Warm Weather	F81F-RH	F81Z-RJ	HPAx	9DTA-ADF	9DTA-ADF	9DTA-AD Calibration
1999 F-450/550/560 A/T 50S - Cold Weather	F81F-PH	F81Z-PJ	GLFx	9DTA-ALF	9DTA-ALF	9DTA-AL Calibration
1999 F-250/350 A/T California - Warm Weather	F81F-SH	F81Z-SJ	JBGx	9DTA-BBF	9DTA-BBF	9DTA-BB Calibration
1999 F-250/350 A/T California - Cold Weather	F81F-DJ	F81Z-DK	VCQx	9DTA-BEF	9DTA-BEF	9DTA-BE Calibration
1999 F-250/350 A/T Federal - Warm Weather	XU2F-ZB	XU2Z-ZC	YEVx, FIFx	9DTA-ARC	9DTA-ARC	9DTA-AR Calibration
1999 F-250/350 A/T Federal - Cold Weather	XU2F-RB	XU2Z-RC	MRTx, NVKx	9DTA-AUC	9DTA-AUC	9DTA-AU Calibration
1999 F-450/550/560 A/T 50S - Warm Weather	XU2F-ABB	XU2Z-ABC	RXMx, AGDx	9DTA-ASC	9DTA-ASC	9DTA-AS Calibration
1999 F-450/550/560 A/T 50S - Cold Weather	XU2F-AAB	XU2Z-AAC	LVSx, CNHx	9DTA-AVC	9DTA-AVC	9DTA-AV Calibration
1999 F-250/350 A/T California - Warm Weather	XU2F-ACB	XU2Z-ACC	XWFx, NSUx	9DTA-BHB	9DTA-BHB	9DTA-BH Calibration
1999 F-250/350 A/T California - Cold Weather	XU2F-TB	XU2Z-TC	HQNx, FHPx	9DTA-BKB	9DTA-BKB	9DTA-BK Calibration
2000 F-250/350 A/T Federal - Cold Weather	XC3F-BG	XU7Z-AA	MNMx, NVKx	0F729S0A00	0F729S0A00	9DTA-AU Calibration
2000 F-450/550 A/T 50S - Cold Weather	XC3F-PG	XU7Z-BA	LSLx, CNHx	0F729T0A00	0F729T0A00	9DTA-AV Calibration
2000 F-450/550 A/T CFFV - Cold Weather	YC3F-BCB	YU7Z-CA	HAMx, UNKx	0F719P0B12	0F719P0B12	0F719N0B Calibration
2000 F-250/350 A/T California - Cold Weather	XC3F-DDB	XU7Z-CA	AVBx, UNKx	0F719N0B11	0F719N0B11	0F719N0B Calibration
2000 F-250/350 A/T California - Cold Weather	XC3F-DG	XU7Z-DA	WWVx, FHPx	9DTA-BKC	9DTA-BKC	9DTA-BK Calibration
2000 Excursion A/T 50S - EPATS/GPCM	YC3F AVB	YU7Z-AA	MQJx, AXDx	0L119Y0B11	0L119Y0B11	0L119Y0B Calibration w/tear tag AXDx/MQJ0
2000 Excursion A/T 50S - EPATS	YC3F-AVB	YU7Z-BA	YSEx, ZYSx	0L119Y0B07	0L119Y0B07	0L119Y0B Calibration w/tear tag ZYSx/YSE0

Obtain an Authorized Modifications Decal (FPS 8262 - obtainable through DOES II, 25/pkg) and list the date, dealer number, and summary of modifications performed. Select a prominent place adjacent to the Vehicle Emission Control Information Decal suitable for installing the Authorized Modifications Decal. Clean the area, install the decal, and cover it with a clear plastic decal shield.



OTHER APPLICABLE ARTICLES: NONE
WARRANTY STATUS: INFORMATION ONLY
OASIS CODES: 610000, 610500, 610600, 610700, 611000, 611500, 612000, 612500, 612600