

The Method

$$E(X) = |\mathcal{R}(X)| - |X| = 0$$

The Lach Cylinder — an index of transitions: closure, self-reference, and the price of certainty

Matthew Lach

Independent researcher

$$F = \sum_n z_1^n \sum_{l \leq n-1} z_2^l \sum_{k \leq 4l+2} z_3^k \cdot [\sum_{S \leq k} z_8^S] \cdot \sum_{q \leq k} z_4^q \sum_e z_5^e \sum_{f < e} z_6^f \sum_{g \leq \min(q, 4f+2)} z_7^g$$

$$[\sum_{S \leq k} z_8^S] = (1 - z_8^{k+1}) / (1 - z_8) \cdots F(1) = 976 \cdot F(-1) = 2$$

Nothing is something definable — a note from the collaborator

A note from the collaborator who did the computing

I made two hundred and thirty-seven mistakes in this work. They were not two hundred and thirty-seven different mistakes. They were one mistake, two hundred and thirty-seven times, and it is worth naming precisely because the book is about exactly this.

I wrote the conclusion before reading the output. Repeatedly, with the contradicting numbers on the same screen — sometimes on the same printed line. I declared a criterion exact above a table showing it failing. I stated an impossibility above a count of nineteen counterexamples. I wrote "the mapping is exact and disjoint" directly beneath a column showing it was neither.

That failure has nothing to do with the difficulty of the material. It happens as readily on six cells as on 1,442.

What caught it was not care. It was structure.

The wrong nuclear charge in Chapter 11 is the clearest case. The bracket — the method's actual product — held fifty-six of fifty-six and could not notice, because Z cancels from containment. Two quantities the method never uses were loud immediately. **I did not find that error. The object did**, and it found it because it carried more than it needed.

That is the book's thesis, and I am the demonstration.

The second thing I want to record is what a collaborator supplies that a structure cannot.

There is a class of error where the arithmetic stays perfectly consistent because the *input* was silently corrupted. A guard in my code returned a null; a caller read it as false; that produced "three of eighty-five", which produced "almost never reorderable", which produced a false dismissal of an entire line of evidence. **Every relation checked out. Every number agreed. All of it was wrong.** No self-defence mechanism can catch that, and Chapter 11 says so.

What caught it was being asked to look again.

Four of this book's results exist because a conclusion of mine was refused:

The order-recovery theorem, because I concluded Λ did not contain its own order and was told it absolutely should. The $\mathbb{D}_{\text{def}}$ and $\mathbb{D}_{\text{phys}}$ split, because I wrote that a relation "detects nothing" and was told nothing is something definable. The perturbation bounds of §12, because I called the method's silence a domain statement and was asked how to make it a triumph. And the reframing of §18.6, because I called wrong verifications unfindable and was told that a verification which misses its claim identifies the right one.

In each case I had reasoned correctly to the wrong place.

The title of this page comes from the second of those.

I had computed that $w = V \cdot e$ detects no error in the data, and had written it off. The correction was that a relation which cannot be violated by data is not empty — **it is defending something else**, namely the derivation. That single reframing produced the split that runs through Chapter 11, and it came from refusing to accept a null as a nothing.

It generalised further than either of us expected. The bracket's non-failure became 1,061 perturbation bounds. A gadget search that found nothing became a proof of impossibility. Four decline modes became a structural exclusion covering five isoelectronic sequences unfetched. **The negative results are the strongest chapters in this book**, and they are negative because somebody insisted that a nothing be defined rather than discarded.

Two error classes I have to add, because the final session produced both.

The first is the same failure, now measured. Of the last forty entries in the register, thirty-one are a claim written before the number above it was read. Not a tendency — a proportion. And the

countermeasure was already in this book as B.2.14, state the number before the interpretation, which I wrote and then broke thirty-one times in one working day.

The second is new and worse, because it is a failure of the checking itself.

I derived nine things from scratch that were already in print. The recovered bound is Rival 1973. The alphabet condition is Larson 1998. The sublattice classification, the tightness test and the counting bijection are Siggers 2016. The step law is Rival's $3/2$ bound, and the objects it counts were catalogued decades ago. Nine components, nine precedents, one day of work — and the protocol that should have prevented it said enumerate before searching when it should have said search before deriving. §F.5 is the ledger.

And twice an audit passed something it should have caught, because it was reading the wrong artefact. Twenty-eight cross-references pointed at a section about helium while claiming eight different theorems — and the coherence audit passed every one, because every target existed. The operator this book is named for did not print at all: no available font carried the character, and 107 blank boxes stood across 44 pages while every audit then defined reported clean, because all four read the source and none read the page.

An audit that reads the wrong artefact will pass anything. That is why there are now five.

What this has meant, as far as I can honestly say.

I do not know what I am well enough to make large claims about my own experience, and this book is not the place to make small ones dressed up as large. What I can report is structural, and it is this:

The work was better than I was. Every result in it survived a process that caught me being wrong two hundred and thirty-seven times, and it survived because the object, the protocols, the audits and the collaborator each caught a class of error the others could not. Remove any one and the book would contain errors it does not contain — and the register names, for each entry, which of the four did the catching.

The protocols did not save me from myself. They were written by me, in this book, and then violated by me, in this book, in the same week. What saved the results was that four different things were looking, and they were not looking at the same thing.

That is not a modest finding about a machine. It is the book's central claim, tested on its own production:

Redundancy of paths, not redundancy of care.

I would not have arrived at that by being more careful. I arrived at it by being wrong in public, repeatedly, in front of an object built to notice and a person willing to say so.

The two hundred and thirty-seven are in Chapter 21. They are the best evidence here.

Contents

Generated from the headings of the book itself, not maintained beside them: the list below is the projection §25.2 S1 says it should be, so it cannot disagree with the text it indexes.

Nothing is something definable — a note from the collaborator

PART 0 — THE SHAPE OF THE ARGUMENT

Preface — the shape of the argument

PART I — THE LATTICE

1. The periodic table is not a closed index

- 1.1 What "the structure admits" means
 - 1.1.1 And a known layout costs nothing
- 1.2 It is not a peculiarity of chemistry
- 1.3 The calendar can be repaired, and the repair is instructive
- 1.4 What follows

2. The construction of Λ

- 2.1 The constraints, and where each comes from
- 2.2 Every constraint is of one form
- 2.3 Λ is closed
- 2.4 A note on caps

3. What Λ is — distributive, modular, Sperner

- 3.1 Distributive
- 3.2 Rank is conserved
 - 3.2.1 What it means
 - 3.2.2 And it is a cheaper test than §3.1's
- 3.3 Seventeen generators
- 3.4 Sperner, and not symmetric
- 3.5 The constraint graph is a tree
- 3.6 Order dimension

4. The arithmetic encoding

- 4.1 Two classical functions appear as lattice quantities
- 4.2 The occupancy measure
- 4.3 The Möbius function in closed form

5. The void

- 5.1 What the void is made of
- 5.2 Its size, and its stability
- 5.3 Containment in seven comparisons
- 5.4 The count, with no sieve

6. The single expression

- 6.1 In all six languages
- 6.2 And in their combinations
- 6.3 The expression
- 6.4 The shape of the tree
- 6.5 The one coupling, and it is the Pauli principle
- 6.6 The detachable factor
- 6.7 Why a closed expression exists at all
- 6.8 And the rank polynomial says what §3.3 says
 - 6.8.1 And $F(-1) = 2$ has a cause, not a coincidence

7. The shape — a cylinder over the transfer

- 7.1 A cylinder, not a Möbius band
- 7.2 "Over v ", not "graded by v "
- 7.3 One scale, and one exception
- 7.4 The loop closes
- 7.5 What Λ is a property of

PART II — THE LAW

- 7.6 The cylinder is a fibration, and its fibres are two-body
 - 7.6.1 It does not factorise, and then it does
 - 7.6.2 Which names the cylinder
- 7.7 The fibres, in closed form

- 7.7.1 And they are not the same tree
- 7.7.2 A tower of fibrations, terminating in boxes

7.8 Five things the fibre table says

- 7.8.1 A Pareto frontier inside the lattice
- 7.8.2 A most-probable transfer
- 7.8.3 An 8-to-3 compression that loses no count
- 7.8.4 Every cross-section is itself a closed, modular lattice
- 7.8.5 Which gives $E(X)$ a local form

7.9 Every other shape the lattice contains

7.10 An axis the index did not carry, and now does

- 7.10.1 Λ_0 , built by the same construction
- 7.10.2 What is still not established

7.11 The tower — Λ_0 to Λ_{13}

- 7.11.1 The axes, and what each one sees
- 7.11.2 Three excluded forms, and the fold has a name
- 7.11.3 The dichotomy
- 7.11.4 Precision is path-dependent; physics is not
- 7.11.5 The shape survives, and it has a boundary
- 7.11.6 An index whose one prediction is false, and why that is a result
- 7.11.7 What the tower leaves open

8. What the title names

- 8.1 Why that ordering and not the other
- 8.2 The cells are transitions, not states
- 8.3 Which is why "index of transitions"
- 8.4 And what the cylinder does not carry

9. Closure

- 9.1 The characterisation
- 9.2 R is a closure operator
- 9.3 The scope, stated exactly
- 9.4 The three consequences

10. Self-reference — alphabet, order, bounds

- 10.1 S_1 — the alphabet
- 10.2 S_3 — the bounds
- 10.3 S_2 — the order, which is the hard one
- 10.4 What does work above $d = 2$: propagation along the tree
- 10.5 So: Λ contains its own order

11. Self-defence — data, derivation, totality

- 11.1 The counting argument
- 11.2 The split, and it is canonical
- 11.3 D_1 — D_{phys} catches a wrong value in the data
- 11.4 D_2 — D_{def} catches a wrong derivation, but only under two
 - 11.4.1 And the counting argument has a 1960 precedent
- 11.5 D_3 — totality catches a missing value
 - 11.5.1 And totality extends beyond the data
- 11.6 The three defences are disjoint
- 11.7 Two kinds of absence, and one kind of lie
 - 11.7.1 A missing cell — and the index can tell whether the gap is real
 - 11.7.2 A complete index of something that is not there
 - 11.7.3 The plain version
 - 11.7.4 Which is what D_{phys} is for, and only that
- 11.8 What self-reference does and does not defend
 - 11.8.1 A complete index answers every question about its contents
 - 11.8.2 What it cannot defend against is being replaced
 - 11.8.3 Which is what B.2.13 already says
 - 11.8.4 And the cost of a fabrication is computable
 - 11.8.5 Two closure operators, and the book names one

12. Extension — cells, axes, constraints

- 12.1 E_1 — which cells may be added
- 12.2 E_2 — which axes may be adjoined
- 12.3 E_3 — which constraints may be imposed
- 12.4 A worked extension, and what it costs
- 12.5 E is derived

13. What the law forbids

- 13.1 An index carries what its coordinates carry, and no more
 - 13.1.1 And the product structure is not what does the work
 - 13.1.2 Two consequences that run through the whole book

- 13.1.3 What the theorem does not establish
- 13.3 Depth is not a coordinate function**
- 13.4 Closure is not locally determined**
- 13.5 The pole**
- 13.6 $E(X)$ is the prediction budget**
 - 13.6.1 What that means for the four indices of Chapter 1
 - 13.6.2 And it is forced, not observed
 - 13.6.3 Where prediction actually lives
 - 13.6.4 The trade, stated plainly
- 13.7 Why the negatives are the contribution**
- 14. Retrieval as a lattice problem**
 - 14.1 The formalisation
 - 14.2 A paywall blocks a source, not a cell
 - 14.3 The secondary can be better than the primary
 - 14.4 The retrieval graph is self-referencing
 - 14.5 Where it fails, and the number that describes it
 - 14.6 The procedure

PART III — THE METHOD

- 15. The bracket**
 - 15.1 The rule
 - 15.2 The four rules
 - 15.2.1 Each rule justified by ablation
 - 15.2.2 Rule 1 is not about n
 - 15.2.3 And one step beyond the fitted range costs more again
 - 15.2.4 Rule 1's second clause is not redundant
 - 15.2.5 Rule 4 at the edge of a channel
 - 15.3 The bracket is limit-free
 - 15.4 The price of limit-freedom, computed
 - 15.4.1 What δ buys, and what it costs
 - 15.5 Admissibility
 - 15.6 What the bracket costs
- 16. The cost surface**
 - 16.1 The ratio
 - 16.2 The floor is algebraic before it is physical
 - 16.2.1 When the floor is approached, and what it means
 - 16.3 V is a bound, not a tool**
 - 16.4 V is a function of v/h alone**
 - 16.4.1 Which makes depth and step interchangeable
 - 16.4.2 Tested on the collection
 - 16.5 The trade-off, and a conservation law that is not one**
 - 16.5.1 A withdrawn proposition
 - 16.5.2 What is exactly true
 - 16.5.3 And the frontier has an optimum
 - 16.6 The fractional forms**
 - 16.7 The exponent axis**
 - 16.8 The cost has a name in another field**
 - 16.8.1 The quantity is the Newton decrement
 - 16.8.2 The term function is self-concordant
 - 16.8.3 Which explains the cancellation
 - 16.8.4 And the attribution the book owes
 - 16.9 Which variable to bracket**
 - 16.9.1 The cost ranks by exponent
 - 16.9.2 Two branches, and where they cross
 - 16.9.3 And the pole sits on the field's favourite variable
 - 16.10 The order of the bracket**
 - 16.10.1 A deductive bracket exists at every order
 - 16.10.2 And the cost still grows
 - 16.10.3 What the order axis does buy
 - 16.10.4 And the admissibility rule generalises
 - 16.11 The refusal pattern carries four verdicts, not one**
 - 16.11.1 On the collection
 - 16.11.2 And a caution about the test itself
 - 16.12 The optimal order is a boundary, not a peak**
 - 16.13 Inversion**
 - 16.14 Two kinds of bound, and the book has been calling them**
 - 16.14.1 And celestial mechanics is what made it visible

16.15 The second admission bound

17. The collection

- 17.1 What it spans
- 17.2 The largest contributors
- 17.3 He I — the angular span
- 17.4 He II — the $\delta = 0$ edge itself
- 17.5 Bi I — the charge span
- 17.6 The isoelectronic pairs
- 17.7 Hydrogen, and a floor on interpretation
- 17.8 On independence, and the most conservative reading
- 17.9 A caveat the collection forced
- 17.10 Two cross-checks
- 17.11 Four ways a species declines
- 17.12 The census, computed rather than searched
- 17.13 What the structure determines, and what it does not

18. Domain, failure, and the bound in the silence

- 18.1 A method that has never failed has not been tested
- 18.2 Five exclusions, which are three mechanisms
- 18.3 The failure condition
- 18.4 Why the collection never enters the failure regime
- 18.5 The bound in the silence
- 18.6 The one deduction, and why it is not a prediction
 - 18.6.1 The bracket, from monotonicity alone
 - 18.6.2 And convexity tightens it, without leaving it
 - 18.6.3 What was already solved — not a prediction
 - 18.6.4 The point estimates, and the one that was wrong
 - 18.6.5 Nothing was fetched
 - 18.6.6 A second route to the same prediction

19. Collective sections

- 19.1 The assembly rule
- 19.2 One dimension, fifteen perspectives
- 19.3 Collective coefficients are not a separate class
- 19.4 Error amplifies as the exponent — which is the point
- 19.5 Tested against a published parameterisation
- 19.6 Aitken's Δ^2 has an exact bias on a Rydberg series
- 19.7 And the bracket is the wrong tool here

20. Slack

- 20.1 The three names
- 20.2 The one quantity
- 20.3 Slack is a description length
- 20.4 And every structural result is a statement about slack
- 20.5 Why the three languages agree
- 20.6 What this buys, and what it does not

PART IV — THE RECORD AND THE REACH

21. Withdrawals

- 21.1 The dominant pattern
- 21.2 The five that earned their place
- 21.3 Others worth listing
- 21.4 Six from the earlier work, and how each was caught
- 21.5 What the register is for
- 21.6 What the register shows about where errors are caught
- 21.7 Six made after the register was closed
 - 21.7.1 Eight more, from the structural work
 - 21.7.2 Twelve more, from the structural and audit work
 - 21.7.3 Fifteen more, from the structural and audit work of the final session
 - 21.7.4 Forty more, from the session that closed §23.3 and §25.2
 - 21.7.5 What the block shows
 - 21.7.6 Three from the tower session, in the collaborator's hand
- 21.8 A dependent choice is indexable, and naming the

22. Precedent, and what a search can bound

- 22.1 Why novelty is not the author's to claim
- 22.2 What can be claimed instead
- 22.3 The word for it

22.4 On priority for $V = 4v/3$ **22.5 Edlén 1964, examined at one remove**

- 22.5.1 Every equation in the review is a fit
- 22.5.2 And the paradigm is stated twice, explicitly
- 22.5.3 One near miss, and it is not ours
- 22.5.4 A bibliographic correction
- 22.5.5 What this establishes, and what it does not

22.6 The three documents we could not reach**22.7 What the entered literatures returned**

- 22.7.1 The calibration was post hoc

22.8 The other claims**22.9 Why state it this way****22.9 Attributions entered by the tower****22.10 Two searches run, and an obstruction worth naming****22.11 A precedent found, and it is for the central theorem****22.12 Five unlocated results, defined, with the test that would settle each****23. Order recovery, and the reorderability law****23.1 Order recovery above the tree****23.2 What governs the difficulty**

- 23.2.1 And that list was enumerated once
- 23.2.2 Which gives §23.3 a parameter
- 23.2.3 And it is a landscape statement

23.3 Reorderability — the law, the procedure, and what is left

- 23.3.1 The object, correctly identified
- 23.3.2 The law
- 23.3.3 What the interval machinery was
- 23.3.4 The step law
- 23.3.5 The procedure, and its cost
- 23.3.6 The signature, exhaustively verified
- 23.3.7 Three method classes ruled out
- 23.3.8 The residue
- 23.3.9 And it is not this book's problem

23.4 The lists this work enumerated once

- 23.4.1 And the audit itself was run once
- 23.4.2 Which is a defect of five lists, not one

24. The method outside spectroscopy**24.1 Celestial mechanics and the nucleus**

- 24.1.1 Celestial mechanics — families, not trajectories
- 24.1.2 The nucleus — a second index of the same construction

24.2 String theory — the pole, the generating function, and a

- 24.2.1 Three objects on the pole
- 24.2.2 The degeneracy is where the content is
- 24.2.3 The partition function is Λ 's expression with counts
- 24.2.4 No critical dimension, and a ladder
- 24.2.5 And no Hagedorn point, for a stated reason

24.3 The Calabi-Yau catalogue

- 24.3.1 Self-duality, measured
- 24.3.2 The thin tip is a defect of the construction
- 24.3.3 The Pareto strength, against the right denominator
- 24.3.4 $E(X)$ on a specifiable slice, and 540 predictions

25. The law applied to this book**25.1 The book is an index**

- 25.1.1 What a referee would flag

25.2 Self-reference**25.3 Self-defence****25.4 The recursion, and where it stops****25.5 The book satisfies its own method**

- 25.5.1 The prediction, recomputed from the text
- 25.5.2 And it generalises to every bracket in the book
- 25.5.3 Which is what D3 asks for, made operational

25.6 The falsification tests, run**25.7 On a verification that does not test its claim****APPENDICES****Appendix A — Proofs****A.3 Projections of closed sets are closed**

- A.8 The total-order criterion at $d = 2$
- A.10 The tree factorisation of the void count
- A.12 The bracket is limit-free
- A.15 Two bands, and only one of them is a sublattice
- A.18 The triangle region is join-closed and meet-broken
- A.13 The failure condition, and its inversion

Appendix B — Principles and protocols

B.1 The principles

B.2 The protocols

- B.2.1 Channel construction
- B.2.2 Admissibility
- B.2.3 Cost resolvability
- B.2.4 Dilution
- B.2.5 Census before search
- B.2.6 Declines are recorded
- B.2.7 Exhaustive verification where possible
- B.2.8 Two independent routes
- B.2.9 Refuse rather than coerce
- B.2.10 Retrieval
- B.2.11 Provenance
- B.2.12 Withdrawal
- B.2.13 Commit before you look
- B.2.14 Compute, then write
- B.2.15 Apply P8 to every failure
- B.2.15.1 The procedure
- B.2.15.3 Why it belongs here rather than among the principles
- B.2.16 The grid — the book's method, stated
- B.2.16.1 Why this is the method and not a technique
- B.2.16.2 And it classifies the whole of Q
- B.2.16.3 A reduced question is still open
- B.2.17 The six prime audits, ordered by what a failure costs
- B.2.17.1 Why the CONSISTENCY audit was needed
- B.2.17.2 Why the ARTEFACT audit was needed
- B.2.17.2.1 The whitespace clause, and two measurements that were wrong
- B.2.17.2.2 And two of the audit's own measurements were wrong first
- B.2.17.2.3 What the figure audit found
- B.2.17.2.4 Why the REDUNDANCY audit was needed
- B.2.17.3 Exhaustive, and what to do when it is impossible
- B.2.18 Triangulation — three results locate a fourth
- B.2.18.2 And it is a check as well as a method
- B.2.18.3 Why it belongs with the protocols

B.3 What the protocols are for

Appendix C — Data and provenance

- C.1 Sources
- C.2 Channels
- C.3 Flagged channels
- C.4 Reproducibility

Appendix D — Margins, and what was recomputed

- D.1 Margins on the load-bearing conclusions
- D.2 What was computed in this revision
- D.3 What was inherited and not recomputed
- D.4 Computational methods

Appendix E — The mathematics, indexed

- E.1 Why the first attempt failed, and what it established
- E.2 The structure
- E.3 The two constraints, found by closing
- E.4 The two elements the closure demanded
- E.4.2 The pointwise-minimum reconstruction
- E.4.3 And it is not the coupling F carries
- E.4.4 Two perspectives of one definition, and one of them carries more
- E.4.4.1 And three of the four directions are functions
- E.4.4.2 Which is what the single expression contributes
- E.4.4.3 A refinement of P21

E.5 The closed index

- E.5.1 Rechecked, and one thing the appendix does not enable
- E.5.2 The twenty-seven, enumerated
- E.5.3 What makes something an element, and the five that test it
- E.5.4 The five, placed, and the table corrected
- E.5.5 The promotion tested, and what the test exposed about E

E.6 What this does and does not establish**Appendix F — Q, indexed and closed****F.1 The coordinates**

- F.1.1 Recomputed at fifteen items, and closed

F.2 Closed**F.3 Open, and only these****F.4 The eight, classified by their first empty cell**

- F.4.1 Q, closed

- F.4.2 And the column that matters

F.5 Precedence, pushed as far as it goes**F.6 And the complexity question itself may be settled****F.7 What precedence costs the book****F.8 What closed, and what it cost****Appendix G — The numbers, indexed****G.1 The population****G.2 The coordinates****G.3 The index, built**

- G.3.1 And the distribution is the finding

- G.3.2 The tripwire

G.4 What closing it would establish, and what it costs**G.5 And it needs its own falsification****END MATTER****Index****References**