

Data 3 and 4 TOF

pmalinow

October 2023




Figure 1: Leading vs sub-leading mass distribution




Figure 2: p_T^{miss} GeV and $N_{cluster}$, CUTS: narrow mass window, $DCA < 1.5$ cm, $d_{K^0 K^0} < 1.5$ cm




Figure 3: Leading vs sub-leading mass distribution, CUTS: $p_T^{\text{miss}} < 0.15$ GeV and $N_{\text{cluster}} \leq 9$, $DCA < 1.5$ cm, $d_{K^0K^0} < 1.5$ cm




Figure 4: Conditional mass distributions, CUTS: $p_T^{miss} < 0.15$ GeV and $N_{cluster} \leq 9$, $DCA < 1.5$ cm, $d_{K^0K^0} < 1.5$ cm




Figure 5: $K^0\bar{K}^0$ mass, CUTS: $p_T^{miss} < 0.15$ GeV and $N_{cluster} \leq 9$, $DCA < 1.5$ cm, $d_{K^0\bar{K}^0} < 1.5$ cm, narrow mass window






Figure 6: $K^0\bar{K}^0$ p_T , CUTS: $p_T^{miss} < 0.15$ GeV and $N_{cluster} \leq 9$, $DCA < 1.5$ cm, $d_{K^0\bar{K}^0} < 1.5$ cm, narrow mass window




Figure 7: K^0K^0 η , CUTS: $p_T^{miss} < 0.15$ GeV and $N_{cluster} \leq 9$, $DCA < 1.5$ cm, $d_{K^0K^0} < 1.5$ cm, narrow mass window






Figure 8: DCA, CUTS: narrow mass window






Figure 9: R, CUTS: narrow mass window, $DCA < 1.5$ cm, $d_{K^0 K^0} < 1.5$ cm