OpenStack

Open Source Day - Grace Hopper 2016 https://github.com/spotzz/GHC-OpenStack2016

- Outline for the session
 - Introductions
 - Setting Up for the Day
 - OpenStack Community
 - Women of OpenStack
 - Overview of OpenStack
 - How does OpenStack Work
 - What is Heat
 - Using the OpenStack CLI
 - Heat Templates
 - Using the OpenStack CLI for Heat
 - Customize your WordPress Stack

Openstack® CLOUD SOFTWARE

Amy Marrich Adrian Otto

Openstack Introductions Tware

- Log into the jump server with the IP, user and password provided.
- Download and install pip sudo apt-get install python-pip
- Install the OpenStack Client sudo pip install python-openstackclient
- Install the Heat Client.

 sudo pip install python-heatclient

Openstack Setting Up (Exercise 1)

 Create credentials file cat >> ~/openrc <<EOF export OS AUTH URL=https:// identity.api.rackspacecloud.com/v2.0/ export OS USERNAME=ghchacker\$MY NODE ID export OS TENANT NAME=1017872 export OS PASSWORD= export OS REGION NAME=DFW **EOF**

Opensta(Kasting Up (Exercise 1)

- Edit the openre and add the password nano openre
- Source the credentials file source openrc

Openstack Setting Up (Exercise 1)

Open Source **Open Development** Open Design Open Community OpenStack Community

- Global Reach
 - We have <u>users</u> and <u>contributors</u> who are headquartered worldwide and deployments all over the world. There is also an ongoing <u>translation</u> effort that has content in more than a dozen languages.
- Who Supports It?
 - Over 150 companies have agreed to support the mission of OpenStack by providing architectural input, contributing code, and / or integrating it into their business offering.
- How can I join?
 - Start coding, writing or translating it is an open source project! Many companies are also hiring developers to work on the OpenStack project.


OpenStack Community

- Community Stats (Women)
 - 9% Community Members
 - 11% (24% ATCs) Tokyo Summit Attendees

OpenStack Women In OpenStack

Which of the following best describes your role in the OpenStack community? Select all that apply

(83 responses)




OpenStack Women In OpenStack

- Non-profits and universities and how they're using OpenStack
 - Kilowatts for Humanity: http://superuser.openstack.org/articles/kilowatts-for-humanity-harnesses-the-wind-and-sun-to-electrify-rural-communities/
 - Cambridge University & Monash University:
 http://superuser.openstack.org/articles/how-cambridge-university-and-monash-university-leverage-openstack-for-high-performance-computing/
 - Harvard University:
 http://www.slideshare.net/barton808/harvard-university-cloud-presentation-an-openstack-case-studies

OpenStack Helping Others Others OFTWARE

- Open Source cloud software for cloud operators and cloud users for both public and private clouds.
- Allows your organization to create your own IaaS.
- An extensive open development community for continued evolution of the software, with no single corporate sponsor.
- The OpenStack Foundation, to ensure the future of OpenStack Cloud Software.

OpenStack? What is OpenStack?



- Layer 4: Consumption Services
 - Heat (Orchestration), Magnum (Containers), Marconi (Queues), Murano (Catalog), Trove (DBaaS), Sahara (BigData), Solum (SDLC Lifecycle)
- Layer 3: Optional Enhancements
 - Ceilometer (Telemetry), Barbican (Encryption), Horizon (Dashboard)
- Layer 2: Extended Infrastructure
 - Cinder (Block Storage), Swift(Object Storage), Neutron (Networking), Designate (DNS), Ironic (Bare Metal)
- Layer 1: Base Compute Infrastructure
 - Nova (Compute), Glance (Image Storage), Keystone (Identity)


OpenStack Overview F

- OpenStack API Services have REST APIs
 - Each service has its own asynchronous API
- Services are modeled based on an SOA architecture
- Service components communicate over AMQP
- Designed to scale out horizontally
- Common Interfaces
 - Horizon Dashboard
 - OpenStack Client (python-openstackclient)

How Does OpenStack Work?

Heat is the main project in the OpenStack Orchestration program. Heat implements an orchestration engine to launch multiple composite cloud applications based on templates in the form of text files that can be treated like code.

What Is Heat State & Contraction Provided to the stration Provided to the strategy of th



• Templates describe the infrastructure for the cloud application.

- Templates describe the infrastructure for the cloud application.
- Templates can define relationships between resources

- Templates describe the infrastructure for the cloud application.
- Templates can define relationships between resources
- Heat can manage the lifecycle of the application by updating the template and then the stack.

- Templates describe the infrastructure for the cloud application.
- Templates can define relationships between resources.
- Heat can manage the lifecycle of the application by updating the template and then the stack.
- Heat templates can be tied into existing software management systems such as chef or puppet.

- OpenStack CLI provides an unified CLI for many of the OpenStack projects.
- We will be using the CLI to find the Image(OS) and Flavor(Size) to create our stack. In addition, it can be used to administer most of an OpenStack cluster.
 - Additional things we can use if for are creating and mounting volumes, creating networks, etc.

O Den Stack CLI A R E

- View all available actions with the OpenStack Client openstack —help
- View all images available in your Rackspace Public Cloud Account openstack image list
- View all flavors openstack flavor list
- View all servers openstack server list

Using The OpenStack CLI (Exercise 2)

- heat_template_version
 - Formatting and supported features can vary based upon the version.

heat template version: 2015-10-15

- description
 - The description provides the purpose of the template.

```
description: | #### Grace Hopper Demonstration
```

This template is meant as an example on how to use Heat

- parameter_groups
 - The parameter_groups section specifies how the input parameters are grouped. Note a parameter can only be part of one group.
 - parameter groups are only to inform user interfaces and other tooling and have not direct impact on the actual orchestration

parameter groups:

- parameters
 - The parameters section is where you customize the deployment.
 - Sections we will be customizing through parameters are images, flavor, url, title, dns_zone and email

flavor:

type: string

default: 'Invalid Flavor'

label: Server flavor

description:

Name or ID of the flavor to use. Flavor must support PVHVM images.

constraints:

- custom constraint: nova.flavor

url:

type: string

default: www.example.com

title:

type: string

default: Example WordPress Site

dns_zone:

type: string

default: example.com

email:

type: string

default: admin@example.com

Resources

- The resources are declarations of the single resources of the template.
- We will be calling a child template which will be creating our actual WordPress site utilizing the information in this template.

```
resources:
 wordpress stack:
  type: 'https://raw.githubusercontent.com/rackspace-
orchestration-templates/wordpress-dev/master/wordpress-
dev.yaml'
  properties:
   wordpress url: { get param: url }
   wordpress sitename: { get param: title }
   wordpress email: { get param: email }
   flavor: { get param: flavor }
   server image: { get param: image }
```

```
dns record:
  type: Rackspace::Cloud::DNS
  properties:
   emailAddress: { get param: email }
   name: { get param: dns zone }
   records:
    - name: { get param: url }
      data: { get attr: [ wordpress stack,
wordpress public ip ] }
     type: "A"
```

- outputs
 - The outputs are how you receive information about the stack from your Heat Orchestration Template

```
outputs:
 wordpress_login_user:
  description: WordPress Admin User
  value: { get_attr: [ wordpress_stack, wordpress_login_user ] }
 wordpress_login_password:
  description: WordPress Admin Password
  value: { get attr: [ wordpress stack, wordpress login password ] }
 wordpress public ip:
  description: WordPress IP
  value: { get attr: [ wordpress stack, wordpress public ip ] }
 ssh private key:
  description: SSH Private Key
  value: { get attr: [ wordpress stack, ssh private key ] }
```

• Except for the heat_template_version it is important to note that the other sections of a template can be optional depending on what you need for your stack.

Openstack What is Optional WARE

• Use the following command on the command-line to create your stack utilizing the flavor and image names you retrieved earlier with the OpenStack CLI

openstack stack create -t ghwp.yaml --parameter image="Ubuntu 14.04 LTS (Trusty Tahr) (PVHVM) (Orchestration)" --parameter flavor="4 GB General Purpose v1" MyStack\$MY_NODE_ID

Creating the Stack (Exercise 4)

- View the status of the stacks openstack stack list
- View the openstack client Heat options openstack stack --help

Monitoring Progress (Exercise 4) SOFTWARE

- You can get your Wordpress Password and other information directly from the stack using the Heat CLI
 - See what outputs are available
 openstack stack output-list <stackname>
 - Get your username and then password openstack stack output show MyStack\$MY NODE ID --all

Getting your Password (Exercise 4)

 Once you have your admin password from the control panel you're ready to login into your site

demo3.ghc-openstack.org

• The Login link is on the bottom right of the page under Meta

META

- Log in
- Entries RSS
- Comments RSS
- WordPress.org

Logging In To WordPress

- If you're unfamiliar with WordPress, here are a few tutorials:
 - https://learn.wordpress.com/
 - https://codex.wordpress.org/WordPress_Lessons
 - https://wordpress.com/start/delta-site/survey

Openstack WordPress Resources