/ 02

PDF GUIDE · NUTRITION

THE COMPLETE NUTRITION GUIDE.

How to eat so your training works, your recovery keeps up and you hit race day with a full tank. No extremes, no banned foods, just numbers you can actually use in the kitchen.

CONTENTS

01	Food is part of training.
02	Protein. Every meal.
03	Carbs are fuel. Not the enemy.
04	Before, during, after. Drink with a plan.
05	Supplements. Only what works.
06	Full tank. No experiments.
07	Fat loss, sample days and meal prep.

01 · PRINCIPLES AND THE PLATE

FOOD IS PART OF TRAINING.

Twelve weeks of prep only works if your body gets enough fuel. Principles first, then a simple plate you can build without a scale.

BEFORE YOU START

This is general guidance for healthy adult athletes. It's not medical treatment or a personalised meal plan. If you have a medical condition (diabetes, kidney, heart or thyroid issues, gut problems), are pregnant or breastfeeding, take medication, or have a current or past eating disorder, work on your nutrition with a doctor or registered dietitian. The numbers here are guideline ranges commonly used in sports nutrition (ISSN and ACSM consensus), not prescriptions.

WHY FOOD MATTERS MORE IN HYROX

8 km of running and 8 stations, back to back. Most age-groupers are out there for 60 to 120 minutes, running mostly on carbs. During prep you're training 4× a week plus classes at Form Factory, on top of work, family and sleep.

The most common thing I see with clients isn't bad food. It's not enough food. Coffee for breakfast, salad for lunch, starving by evening and then overeating. Sessions get done on an empty tank, paces drift out of zone, and three weeks in comes the fatigue people put down to being "mentally weak". Usually it's a weak breakfast.

60–120	4×	80/20
MINUTES ON COURSE	SESSIONS PER WEEK	THE FOOD RULE

FIVE PRINCIPLES

01 **Energy first.** Before you argue rice versus sweet potato, make sure you're eating enough, full stop. Chronically under-fuelling a big training load hurts recovery, raises the risk of illness and injury and can disrupt the menstrual cycle. Sports medicine calls it low energy availability (RED-S).

02 **Consistency beats perfection.** Six solid days a week beat three perfect days followed by a weekend free-for-all.

03 **80/20.** Roughly 80% whole, basic foods. 20% is room for life: birthday cake, a beer with friends. Nothing is banned, because banning foods leads to bingeing.

04 **Fuel and recovery.** Carbs power intensity, protein repairs muscle, fats keep hormones running. Training breaks you down, food and sleep build you back stronger.

05 **Train your gut.** Pre-race breakfast, gels and caffeine get tested in training, never on race day.

TOPIC	GENERAL FITNESS	HYROX PREP
Main goal	Physique, fat loss	Performance and recovery, physique is a by-product
Carbs	Often cut	Main fuel, amount matched to the training day
Timing	Barely matters	What you eat around sessions decides their quality
Deficit	All year round	Small, only in part of the block, never in race weeks

THE HAND METHOD

Nobody weighs every meal for long. I use this Precision Nutrition method with clients because it works better than counting calories. Your hand is always with you, and its size roughly scales with your body.

HAND	MEASURES	EXAMPLES	ROUGHLY
Palm	Protein	Meat, fish, tofu, eggs, cottage cheese, skyr	≈ 20–30 g protein
Fist	Veg	Broccoli, peppers, carrots, salad	≈ 1 cup
Cupped hand	Carbs	Rice, potatoes, pasta, oats, fruit	≈ 20–30 g carbs
Thumb	Fats	Oil, butter, nuts, avocado, cheese	≈ 7–12 g fat

Starting point per main meal (3–4× a day): men 2 palms, 2 fists, 2 cupped hands, 2 thumbs. Women 1 of each. That's a floor, not a ceiling. With this training load you'll almost certainly need more, mostly carbs. Hungry, sluggish, not recovering? Add. Steadily gaining fat? Drop one cupped hand or thumb from one meal.

BUILD THE PLATE AROUND THE DAY

Protein and veg stay steady. Carbs are what move. More and harder training means more carbs on the plate.

DAY	EXAMPLE	CARBS ON THE PLATE	G/KG/DAY
Light	Rest, mobility, easy jog	Men 1 hand, women ½–1	3–5 g/kg
Moderate	Easy run, strength, HYROX class	Men 2 hands, women 1	5–7 g/kg

DAY	EXAMPLE	CARBS ON THE PLATE	G/KG/DAY
Hard	Intervals, simulation, double days	Men 3 hands, women 2 + an extra snack	6–8 g/kg

Protein 1.6–2.2 g/kg every day (ISSN). Fat usually 20–35% of energy, not below 20% long term. Carb ranges from the ACSM / Academy of Nutrition and Dietetics / Dietitians of Canada joint position. If you carry a lot of extra weight, calculate from your goal weight.

THE RULE

Eat enough, eat regularly, eat real food. If you don't know where to start: add protein to every main meal and carbs before training. That fixes more than you'd think.

Example: Petr, 80 kg, was eating about 200 g of carbs a day and couldn't work out why his pace fell apart by the third 1 km interval. His moderate-day target came out at ≈ 400 g. Two weeks of a proper breakfast and a carb side at lunch and dinner, and he was sitting in his zones without a fight.

02 · PROTEIN

PROTEIN. EVERY MEAL.

Protein repairs muscle, supports your immune system and keeps you full. Athletes need more than the general population, spread across the whole day.

HOW MUCH, AND HOW TO SPREAD IT

The general population guideline is around 0.8 g/kg. For athletes doing regular endurance and strength work, the commonly cited range is **1.6–2.2 g/kg a day**. In a calorie deficit, sit at the top end to protect muscle. Spread it over **3–5 meals of ≈ 0.3–0.4 g/kg**. Twenty grams at breakfast and 120 at dinner is the worse option.

BODY WEIGHT	1.6 G/KG	2.0 G/KG	2.2 G/KG	PER MEAL (4×)
55 kg	88 g	110 g	121 g	≈ 20–30 g
65 kg	104 g	130 g	143 g	≈ 25–35 g
75 kg	120 g	150 g	165 g	≈ 30–40 g
85 kg	136 g	170 g	187 g	≈ 35–45 g
95 kg	152 g	190 g	209 g	≈ 40–50 g

- **Breakfast** is the biggest gap. A white roll with jam has about 5 g of protein. Add eggs, skyr, cottage cheese or protein powder in your oats.
- **After training**, have a meal with protein and carbs within 1–2 hours. You don't need a shaker in the changing room, just don't wait until dinner.
- **Before bed**, quark, cottage cheese or Greek yoghurt work well, especially after a hard day.

PROTEIN SOURCES

Approximate values per 100 g. They vary by brand and cooking method, so check the label for exact numbers.

FOOD	PROTEIN / 100 G	NOTE
ANIMAL		
Chicken / turkey breast (raw)	≈ 22–24 g	Lean, versatile

FOOD	PROTEIN / 100 G	NOTE
Lean beef (raw)	≈ 20–22 g	Plus iron and B12
Salmon	≈ 20 g	Omega-3s
Tuna in spring water	≈ 24–26 g	Easy on the go
Eggs	≈ 12–13 g (1 egg ≈ 6–7 g)	Cheap and fast
Quark (low/medium fat)	≈ 11–13 g	Great in the evening
Skyr	≈ 10–12 g	Almost no fat
Cottage cheese	≈ 11–12 g	On toast, in salads
Whey protein	≈ 70–80 g (30 g ≈ 22–25 g)	A supplement, not a meal
PLANT		
Firm tofu	≈ 12–16 g	Marinate and pan-fry
Tempeh	≈ 18–20 g	Fermented, more flavour
Lentils, chickpeas, beans (cooked)	≈ 7–9 g	Plus carbs and fibre
Edamame	≈ 11 g	Snack or bowl topper
Plant protein (pea, rice, soy)	≈ 70–80 g	Ideally a blend

VEGETARIANS AND VEGANS

You can absolutely prep for HYROX on a plant-based diet. It just takes more planning. **Mix your sources** (legumes, grains, soy) and **watch the volume**: getting 30 g of protein from lentils takes about 350 g cooked, which is why tofu, tempeh and plant protein earn their place. Plant protein is used a little less efficiently, so aim for the upper half of the range. Keep an eye on B12 (non-negotiable for vegans), iron, iodine and omega-3s, and get bloods checked.

THE RULE

Build every main meal around the protein first. Then add carbs and veg.

FROM THE FLOOR

Jana, 60 kg, was eating about 60 g of protein a day. Her legs were sore for two days after every strength session and she was raiding the biscuit tin every afternoon. We added skyr at breakfast, eggs at lunch and quark in the evening. A month later she was at 110 g, recovering faster, and the afternoon sugar cravings were gone. We changed nothing else.

03 · CARBS AND FATS

CARBS ARE FUEL. NOT THE ENEMY.

HYROX runs mainly on glycogen, the carbs stored in your muscles and liver. When it runs low, pace drops, technique falls apart and your head stops cooperating.

PERIODISE YOUR CARBS

Every day doesn't have to look the same. Carbs follow training: more on days that demand it, less on rest days. Fuel for the work required.

LOAD	G/KG/DAY	70 KG EXAMPLE	IN THE PROGRAMME
Light – skills, rest, low intensity	3–5 g/kg	210–350 g	Rest, mobility, easy jog
Moderate – about 1 h a day	5–7 g/kg	350–490 g	Most training days
High – 1–3 h moderate to high intensity	6–10 g/kg	420–700 g	Simulations, double days

Ranges from the ACSM / Academy of Nutrition and Dietetics / Dietitians of Canada joint position. Treat them as guardrails, not a target to the gram.

For most people on this programme, **4–6 g/kg** is realistic on normal days, moving to the top of the range on interval, simulation or double days. In week 6 (deload) and week 10 (taper) volume drops, so feel free to cut 1–2 cupped hands of carbs a day. Race week is the opposite, see chapter 6.

EVERYDAY BASE

- Oats, rye and wholegrain bread
- Potatoes, sweet potatoes
- Rice, quinoa, buckwheat, bulgur
- Pasta, legumes
- Fruit

AROUND TRAINING

- Bananas, dates, raisins
- White bread, rice cakes
- Honey, jam
- Fruit pouches
- Sports drink, gels

Through the day, go for wholegrain, high-fibre options that keep you full and your gut happy. Right before and during training you want something that digests fast. A banana, not a bean salad.

FIBRE

The usual guideline is around **25–35 g a day** from veg, fruit, legumes, whole grains and nuts. Build it up gradually and drink more water with it. **Exception:** cut back on fibre 3–4 hours before a hard session and the day before the race. Nobody wants a full gut on burpee broad jumps.

FATS

You need fat for hormones and to absorb vitamins A, D, E and K. It usually makes up **20–35% of energy**. Build on olive and rapeseed oil, nuts, seeds and avocado. Oily fish 1–2× a week for omega-3s. Butter, fatty meat and cheese in moderation, fried fast food as little as possible. Fat digests slowly, which is great for staying full on a normal day but not ideal 1–2 hours before training, so keep that meal lower in fat.

THE RULE

Put carbs where the training is. Keep protein steady every day. Put fats mainly in meals away from training.

CHANGING-ROOM MYTHS

- **"Carbs at night make you fat."** Total intake over the day and week matters, not the clock. After an evening session, carbs at dinner are exactly what you need.
- **"Fruit has too much sugar."** For athletes, fruit is a great source of carbs, fibre and vitamins.
- **"Low carb will help me burn fat."** Maybe at low intensity. At HYROX pace you need glycogen.
- **"Gluten is bad."** Without coeliac disease or a diagnosed sensitivity, there's no reason to cut it.

04 · TRAINING FUEL AND HYDRATION

BEFORE, DURING, AFTER. DRINK WITH A PLAN.

What you eat and drink in the hours around training shows up straight away: in your intervals, in your third set of wall balls and in how you feel the next day.

BEFORE TRAINING

WHEN	WHAT	EXAMPLES
2–3 h before	Full meal: carbs + protein, lower fat and fibre	Rice and chicken; pasta with tomato sauce and tuna; oats with protein and banana
1–2 h before	Smaller meal, mostly carbs	White bread with ham and honey; yoghurt with oats
30–60 min before	Small snack, fast carbs (≈ 20–40 g)	Banana; 2–3 dates; rice cakes with honey; fruit pouch
Fasted, early morning	Easy run up to 45–60 min is fine, intervals aren't	Before a hard morning session, at least a banana

Tomáš trained at 6:30 pm with his last meal at noon. We added a banana and a roll with honey at 5:30. His intervals got 5–8 seconds per km faster at the same heart rate. His fitness was fine. His fuel was missing.

DURING AND AFTER

For sessions under an hour, water is enough, with electrolytes if you sweat a lot. Carbs during training only make sense for sessions over **roughly 75–90 minutes** (simulations, long runs): aim for 30–60 g per hour from gels, sports drink or a banana. The week 8 simulation is a dress rehearsal for fuelling too, so use the same breakfast, timing and gel you plan for race day.

After training, eat within 1–2 hours: **protein ≈ 0.3–0.4 g/kg** (usually 20–40 g), carbs matched to how hard the session was, and fluids. If another hard session is coming within 8–12 hours, take post-session carbs seriously, around 1 g/kg over the first few hours. Real food works just as well as a shake: rice and chicken, pasta with mince, skyr with granola, protein with a banana and a roll, or half a litre of chocolate milk.

SESSION	BEFORE	AFTER
6–7 am	Banana or pouch, coffee. A proper dinner the night before.	Big breakfast: oats with protein, eggs, fruit

SESSION	BEFORE	AFTER
Lunchtime	Breakfast 3 h before, snack 1 h before	Lunch with carbs and protein
6–8 pm	Snack 1–2 h before, the one most people skip	Normal dinner, carbs at night are fine

ARE YOU HYDRATED?

- [ ] Pale yellow urine. Dark means too little, completely clear all day means more than you need. B vitamins turn it bright yellow, so the test doesn't work after a multivitamin.
- [ ] No thirst, dry mouth or headache.
- [ ] Morning body weight changes by no more than ≈ 1% day to day.

Drink steadily through the day. For most people 2–3 litres of fluid including food is about right, more on training days and in the heat. 2–4 hours before a hard session or race, drink ≈ 5–7 ml/kg (70 kg ≈ 350–500 ml). During exercise, try not to lose more than ≈ 2% of body weight. Afterwards, replace ≈ 1.25–1.5 l for every kg lost, spread out and with salt in your food. Coffee at 2–4 cups a day counts towards fluids. Alcohol hurts sleep and recovery, so skip it in the last week before the race.

THE SWEAT TEST

01 Pee, then weigh yourself in your underwear before training.

02 Do a typical hard 60-minute session and note how much you drink.

03 Towel off and weigh again. Sweat loss per hour = (weight before – after) + fluid drunk. 1 kg ≈ 1 litre.

04 Repeat in a warm gym and outside in winter, the numbers will differ.

Example: 78.0 → 77.2 kg, 0.5 l drunk, so 1.3 l lost per hour. That's ≈ 1% of body weight, all good. White salt marks on your shirt mean you're a "salty sweater" and need more sodium.

SODIUM, ELECTROLYTES AND HEAT

Sweat is mostly water and sodium, and people vary a lot. For sessions under an hour, normally salted food is enough. Electrolytes make sense for sessions over 60–90 minutes, in the heat, for salty sweaters, on double days, the day before the race and on race day. For longer efforts, a common guideline is **300–600 mg sodium per hour**, more for salty sweaters. Check the sodium on the label, not the marketing. Race venues tend to be warm, so do a few sessions in the heat. Your body adapts in roughly 1–2 weeks.

DON'T OVERDRINK

Drinking litres of plain water "just in case" can cause a dangerous drop in blood sodium (hyponatraemia). Symptoms are nausea, headache, swollen fingers and confusion. Don't drink more than you lose, and don't drink beyond thirst during the race. If you get these symptoms, see a medic.

THE RULE

Never start a hard session more than 4–5 hours after your last meal. Eat within two hours after. And show up to the start line hydrated, not waterlogged.

05 · SUPPLEMENTS

SUPPLEMENTS. ONLY WHAT WORKS.

Supplements are the cherry on top. If the cake is missing (enough food, sleep, consistent training), no cherry will save you. Here's the short list with decent research behind it.

SAFETY AND ANTI-DOPING

Talk to your doctor before taking any supplement, especially if you take medication, have a medical condition, or are pregnant or breastfeeding. HYROX has its own Anti-Doping Code aligned with WADA rules, and testing can happen at events. Supplements can be contaminated with banned substances, and you're the one responsible. Choose independently certified products (e.g. Informed Sport). Nothing "fat-burning" or "testosterone-boosting" from dodgy online shops.

WHAT'S WORTH TAKING

CREATINE MONOHYDRATE

3-5 G DAILY

The most researched supplement there is. Helps repeated short, intense efforts (sled push, sled pull, wall balls), strength and recovery. Take it every day, timing doesn't matter. No loading phase needed, full effect in 3–4 weeks. **Watch out:** it can add 1–2 kg of water to your muscles. That's normal. Buy plain monohydrate.

CAFFEINE

≈ 3 MG/KG, 45-60 MIN BEFORE

Lowers perceived effort and improves performance. For 70 kg that's ≈ 200 mg, about 2 espressos or one 200 mg tablet. More isn't better, it just raises the odds of jitters, a racing heart and gut trouble. An espresso has ≈ 60–100 mg depending on the coffee, tablets and gels are dosed precisely. **Watch out:** never try caffeine for the first time on race day. Test it on a hard session and in the simulation. Cut it in the afternoon, it wrecks sleep.

PROTEIN POWDER

20-40 G AS NEEDED

Not magic, just food in powder form. Useful when you can't hit your protein from meals: after training, travelling, in your oats. **Watch out:** fine as a snack, not as a replacement for main meals. Choose certified, with a short ingredient list.

VITAMIN D

BASED ON BLOOD TEST / SEASON

In Central Europe, plenty of people run low from autumn to spring. Ideally get your 25(OH)D measured and dose based on the result. Without a test, low maintenance doses are commonly used in winter. **Watch out:** no megadoses without monitoring, vitamin D builds up in the body.

ELECTROLYTES AND CARBS

FOR EFFORTS OVER 60–90 MIN

Electrolytes for the heat and long sessions. Gels and sports drinks (30–60 g carbs per hour) for efforts over 75–90 minutes. **Watch out:** your gut is trainable, so practise in training. Check the sodium on electrolyte products.

SECOND TIER AND THE WASTE OF MONEY

SUPPLEMENT	VERDICT
Omega-3	Worth it if you don't eat fish. Oily fish 1–2× a week is better.
Beta-alanine	For advanced athletes, intense 1–4 min efforts. Works over weeks, can cause harmless tingling.
Beetroot juice (nitrates)	May help endurance. Check how your gut handles it.
Iron	Only with a confirmed deficiency (ferritin), never blind.
B12	A must for vegans.
BCAAs	Pointless if you eat enough protein.
Fat burners	Expensive caffeine with a contamination risk.
Testosterone boosters	Don't work and are among the riskiest for doping.
Detoxes, collagen instead of protein, 20-ingredient blends	Your liver and kidneys detox for free. Collagen is a poor protein source for building muscle. Blends dose everything too low to work.

THE RULE

Priorities: enough food → protein → carbs around training → sleep → hydration. Only then creatine, caffeine and co. Starting with supplements is building the house from the roof down.

06 · RACE WEEK AND RACE DAY

FULL TANK. NO EXPERIMENTS.

You won't build fitness in race week. But you can gain a lot, or ruin a lot, with food. Rule number one: nothing new.

WHY NOT A FULL CARB-LOAD

Classic carb-loading (10–12 g/kg for 36–48 hours) is for continuous endurance events over 90 minutes, like a marathon. Most people finish HYROX in 60–120 minutes, and well-topped-up glycogen stores are generally enough for that. Each gram of glycogen also holds about 3 g of water, so an aggressive load can add 1–2 kg you then have to carry through burpee broad jumps and lunges. And huge plates of pasta the night before often mean feeling bloated. **What works:** raise carbs to ≈ **6–8 g/kg** for 1–2 days before the race (towards the top end if you expect 100+ minutes) and cut back on fibre and fat.

DAY BY DAY

DAY	FOOD	FLUIDS AND MORE
D–6–3	Normal eating, protein steady. Volume is dropping, so no more carbs than usual.	Nothing new, no new supplements. No alcohol.
D–2	Start adding carbs: bigger sides, an extra snack. Fewer legumes, raw veg and wholegrains.	Drink steadily, add electrolytes if it's hot.
D–1	≈ 6–8 g/kg carbs over 5–6 smaller meals. Low fibre and fat, nothing spicy. Familiar dinner, 12–14 h before the start.	Pale urine, electrolytes. Don't overdo it.
D am	Breakfast 2–4 h before the start: 1–3 g/kg carbs, some protein, low fat and fibre.	≈ 5–7 ml/kg 2–4 h before, coffee as usual.
–60′	Optional snack, 20–30 g carbs (banana, gel, pouch). Caffeine ≈ 3 mg/kg 45–60 min before, if tested.	A few sips.
Race	Under ≈ 75–90 min, usually nothing. Expecting over 90 min? Consider a tested gel around halfway.	To thirst.
After	Carbs and protein within 1–2 h. In the evening, eat what you love.	Replace fluids and salt.

DINNER AND BREAKFAST

THE NIGHT BEFORE

- White rice, chicken or fish, cooked carrots
- Pasta with tomato sauce and chicken
- Gnocchi or potatoes with lean meat
- **Skip:** spicy, fried, big salads, legumes, new restaurants

BREAKFAST (70 KG EXAMPLE)

- 2–3 slices of toast with honey or jam, yoghurt, banana, coffee
- Or rice or oat porridge with banana and honey
- ≈ 100–150 g carbs
- Late start: normal breakfast, light meal 3 h before, snack 1 h before

Racing in another city? Bring the basics or find a shop near the hotel in advance. Microwave rice, bread, bananas and yoghurt are available everywhere. Nerves before the start can kill your appetite. If so, drink your carbs: juice, sports drink, a pouch. Just don't start on empty.

DURING AND AFTER THE RACE

- Under ≈ 75–90 minutes you don't need food on course. Breakfast and glycogen have you covered.
- Expecting over 90 minutes? Consider a gel around station 4–5. It has to be tested.
- Check what's available on course and what you're allowed to carry in the current rulebook (hyrox.com/rulebook) and your event's athlete info.
- After the race, eat, replace fluids and salt, then celebrate. The post-race pizza is part of the process. Recovery from HYROX takes a few days, so keep eating well and sleeping.

THE RULE

Race breakfast, pre-start snack, caffeine and gel all need to be tested at least twice in prep. Ideally in the week 8 simulation and one hard session in week 9.

07 · FAT LOSS AND REAL LIFE

FAT LOSS, SAMPLE DAYS AND MEAL PREP.

Finally, how to turn all this into a normal week. Including the question we get most: can I lose weight during prep?

FAT LOSS VS. PERFORMANCE

You can, just not at any cost and not at any time. A deficit means less fuel and slower recovery, so here's a sensible middle ground:

- **Small deficit**, about 300–500 kcal a day. Aim for around 0.5% of body weight per week, max ≈ 1%. For 80 kg that's 0.4–0.8 kg a week.
- **When:** weeks 1–8. From week 9 (peak week) to race day, eat at maintenance. Never a deficit in race week.
- **Protein at the top end** (≈ 2.0–2.2 g/kg) to protect muscle.
- **Keep carbs around training.** Cut on rest days and at meals away from training.
- **Sleep 7–9 hours.** Poor sleep means more hunger and worse recovery.
- **Track the trend.** Weigh in 3–4× a week in the morning, look at the weekly average and your waist measurement.

AVOID AGGRESSIVE DIETS

Big deficits, cutting whole food groups, "detoxes" and fasting during hard training lead to fatigue, muscle loss, injury and illness. Warning signs: missed periods, constant fatigue, getting sick often, low mood, obsessing over food or the scale, binge eating. If this sounds like you, tell us, and see a doctor or registered dietitian. Your health matters more than any finish time.

SAMPLE DAY – MORNING SESSION

Example for 75 kg, harder day with morning intervals. Grams are approximate, the point is the structure.

TIME	MEAL	PROT.	CARBS
06:00	Banana + rice cake with honey, coffee	≈ 1 g	≈ 35 g
08:00	Oats: 80 g oats, 250 ml milk, 150 g skyr, fruit, honey	≈ 35 g	≈ 90 g

TIME	MEAL	PROT.	CARBS
12:00	100 g rice (dry), 150 g chicken, veg, 1 tbsp oil	≈ 40 g	≈ 90 g
15:30	200 g skyr, 40 g muesli, apple	≈ 25 g	≈ 55 g
19:00	150 g salmon, 400 g potatoes, salad with oil	≈ 38 g	≈ 70 g
21:30	125 g quark	≈ 15 g	≈ 5 g
Total	≈ 2.1 g/kg protein, ≈ 4.5 g/kg carbs	≈ 155 g	≈ 345 g

EVENING SESSION

- **7:30** 3 eggs, rye bread, veg, fruit
- **12:30** pasta with beef mince and tomato, salad
- **16:30** bread with ham and honey, or a banana
- **18:00** training
- **20:00** rice, chicken or tofu, veg, a big portion of rice

REST DAY

- **8:00** 3-egg veggie omelette, slice of bread
- **12:30** lentil salad with feta and olive oil
- **16:00** cottage cheese with veg, handful of nuts
- **19:00** steak or tempeh, smaller potato portion, lots of veg
- Same protein, carbs ≈ 3–4 g/kg

SHOPPING LIST

GROUP	KEEP AT HOME
Protein	Chicken / turkey breast, lean beef mince, salmon (frozen is fine), tinned tuna, eggs, quark, skyr, cottage cheese, tofu, tempeh, certified protein powder
Carbs	Oats, rice, pasta, couscous, potatoes, sweet potatoes, rye and white bread, rice cakes, bananas, apples, frozen berries, dates, honey, fruit pouches
Veg	Frozen veg mix, broccoli, peppers, carrots, courgettes, salad, tomatoes, onions, garlic
Fats and extras	Olive and rapeseed oil, nuts, peanut butter, avocado, cheese, passata, soy sauce, spices, electrolytes, creatine

MEAL PREP: TWO HOURS ON SUNDAY

01 **Bake protein for 3 days**: a tray of chicken breasts or tofu, 30 minutes in the oven.

02 **Cook a carb base**: a big pot of rice or a tray of potatoes, keeps 3–4 days in the fridge.

03 **Prep veg**: chop into boxes or roast a tray.

04 **Boil 10 eggs** and make overnight oats for 2–3 mornings.

05 **Your plan lands on Monday**, for the whole week. Map your meals to your sessions and cook a second batch on Wednesday.

ON THE ROAD AND AT WORK

- **Desk drawer:** rice cakes, nuts, tuna, protein, dates, pouches. **Work fridge:** skyr, quark, eggs, fruit.
- **Petrol station:** wrap or sandwich with meat, skyr or protein yoghurt, banana, milk.
- **Restaurant:** a dish with clear protein and a carb side, go easy on sauces. Lunch specials are fine.
- **Hotel:** the breakfast buffet is your friend. Grab a banana and a roll for later.

THE RULE

Good nutrition doesn't happen when you're hungry. It happens on Sunday, when you shop and cook. If there's food ready in the fridge, you eat well. If not, you eat whatever's around.

WEEKLY CHECK

- [ ] Protein at every main meal
- [ ] Fuelled before every hard session and ate within 2 h after
- [ ] Pale urine, no headaches
- [ ] Averaging 7+ hours of sleep
- [ ] Roughly 80/20

PROTEIN / DAY

SWEAT LOSS / H

RACE BREAKFAST

STR2G HYROX

PLAN. TRAIN. PERFORM.

Got a question? Drop it in the WhatsApp group. We, your coaches, answer.

STRONGER TOGETHER.