Relational Databases with MySQL Week 9 Coding Assignment Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: Using a text editor of your choice, write the queries that accomplishes the objectives listed below. Take screenshots of the queries and results and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document to the repository. Additionally, push an .sql file with all your queries and your ERD to the same repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

You have been asked to create a database for a new social media application that your company is developing.

The database must store user data such as username, email, password, etc...

Users are able to post and comment. So, your database must also store post and comment data.

We need to know which user made which posts.

We also need to know which user made which comments, and which post a comment is on.

Posts and comments should both include the time they were created, and what the content of the post or comment is.

Create an Entity Relationship Diagram (ERD) using draw.io to model the database you will create. Insert a screenshot of the ERD in the screenshots section below.

Write a SQL script to create the database. Insert a screenshot of the SQL in your script.

Hints:

You will only need three tables.

Two tables will have foreign key references.


One table will have two foreign key references.

URL to GitHub Repository:

https://github.com/ladymanj/Week9CodingAssignment.git

Screenshots:

ERD – draw.io:



<u>SQL script – Notepad:</u>

```
CREATE DATABASE IF NOT EXISTS users;
USE users;
DROP TABLE IF EXISTS comments;
DROP TABLE IF EXISTS posts;
DROP TABLE IF EXISTS users;
CREATE TABLE users (
        user_id int(11) NOT NULL AUTO_INCREMENT,
        username varchar(25) NOT NULL,
        email varchar(50) NOT NULL,
        password varchar(20) NOT NULL,
        first name varchar(20) NOT NULL,
        last name varchar(20) NOT NULL,
        PRIMARY KEY (user_id)
);
CREATE TABLE posts (
        post_id int(11) NOT NULL AUTO_INCREMENT,
        user_id int(11) NOT NULL,
        time posted datetime DEFAULT CURRENT TIMESTAMP,
        body varchar(255) NOT NULL,
        PRIMARY KEY (post id),
        FOREIGN KEY (user_id) REFERENCES users(user_id)
);
CREATE TABLE comments (
        comment_id int(11) NOT NULL AUTO_INCREMENT,
        user_id int(11) NOT NULL,
        post id int(11) NOT NULL,
        time_posted datetime DEFAULT CURRENT_TIMESTAMP,
        body varchar(255) NOT NULL,
        PRIMARY KEY (comment_id),
        FOREIGN KEY (user_id) REFERENCES users(user_id),
        FOREIGN KEY (post_id) REFERENCES posts(post_id)
);
```

Testing in CMD:

C:\Users\Jordan\Documents\Promineo Bootcamp\Coding Assignments\Week 9 Coding Assignment>mysql -u root -p < usersDB.sql Enter password: *********

C:\Users\Jordan\Documents\Promineo Bootcamp\Coding Assignments\Week 9 Coding Assignment>

```
mysql> use users;
Database changed
mysql> show tables;
  Tables_in_users |
comments
 posts
 users
3 rows in set (0.00 sec)
mysql> desc comments;
 Field | Type | Null | Key | Default
 auto_increment
                                               | CURRENT_TIMESTAMP | DEFAULT GENERATED
5 rows in set (0.01 sec)
mysql> desc posts;
 Field | Type | Null | Key | Default | Extra

        post_id
        | int
        | NO
        | PRI | NULL

        user_id
        | int
        | NO
        | MUL | NULL

        time_posted
        | datetime
        | YES | | CURRENT

                                                                      auto_increment
 body | varchar(255) | NO | NULL | DEFAULT_GENERATED
4 rows in set (0.00 sec)
mysql> desc users;
  Field | Type | Null | Key | Default | Extra
 user_id | int | NO | PRI | NULL
                                                        | auto_increment
 username | varchar(25) | NO
email | varchar(50) | NO
password | varchar(20) | NO
first_name | varchar(20) | NO
                                             NULL
                                             NULL
                                             NULL
NULL
  last_name | varchar(20) | NO
                                             NULL
6 rows in set (0.00 sec)
```