

A Multidimensional Analysis of Music Videos

Maria Claudia Nunes Delfino ¹

¹Pontifical Catholic University of Sao Paulo
Sao Paulo, SP, Brazil

6 October 2026

1 Boxplots Dimensions

2 Mosaics

3 ANOVA

Boxplots Dimension 1

Boxplots Dimension 1

by decade




Figure: Mean Dim. 1 Scores by Decade ($R^2 = 4.81\%$)

Boxplots Dimension 2

Boxplots Dimension 2

by decade




Figure: Mean Dim. 2 Scores by Decade ($R^2 = 0.83\%$)

Boxplots Dimension 3

Boxplots Dimension 3

by decade




Figure: Mean Dim. 3 Scores by Decade ($R^2 = 3.32\%$)

Boxplots Dimension 4

Boxplots Dimension 4

by decade




Figure: Mean Dim. 4 Scores by Decade ($R^2 = 0.11\%$)

Boxplots Dimension 5

Boxplots Dimension 5

by decade




Figure: Mean Dim. 5 Scores by Decade ($R^2 = 0.40\%$)

Mosaics

Mosaic

by decade




Figure: Mean Dim. Scores by Decade

ANOVA

ANOVA

for decade

Table: ANOVA Results by Decade

Dim.	F	p	R ²	%
1	24.89	< .0001	.04815	4.81
2	4.14	0.016	.00834	0.83
3	16.91	< .0001	.03323	3.32
4	0.54	0.581	.00111	0.11
5	1.96	0.142	.00396	0.40

References I