

Social Identities in Conversation: An Analysis of Human and AI-Generated Dialog

Leticia Gregorio ¹

¹Pontifical Catholic University of Sao Paulo
Sao Paulo, SP, Brazil

7 August 2026

1 Boxplots Dimensions

2 Mosaics

3 ANOVA

Boxplots Dimension 1

Boxplots Dimension 1

by prompt




Figure: Mean Dim. 1 Scores by Prompt ($R^2 = 15.85\%$)

Boxplots Dimension 1

by model




Figure: Mean Dim. 1 Scores by Model ($R^2 = 15.84\%$)

Boxplots Dimension 1

by source




Figure: Mean Dim. 1 Scores by Source ($R^2 = 15.84\%$)

Boxplots Dimension 2

Boxplots Dimension 2

by prompt




Figure: Mean Dim. 2 Scores by Prompt ($R^2 = 1.36\%$)

Boxplots Dimension 2

by model




Figure: Mean Dim. 2 Scores by Model ($R^2 = 1.35\%$)

Boxplots Dimension 2

by source




Figure: Mean Dim. 2 Scores by Source ($R^2 = 1.35\%$)

Boxplots Dimension 3

Boxplots Dimension 3

by prompt




Figure: Mean Dim. 3 Scores by Prompt ($R^2 = 32.58\%$)

Boxplots Dimension 3

by model




Figure: Mean Dim. 3 Scores by Model ($R^2 = 32.57\%$)

Boxplots Dimension 3

by source




Figure: Mean Dim. 3 Scores by Source ($R^2 = 32.57\%$)

Boxplots Dimension 4

Boxplots Dimension 4

by prompt




Figure: Mean Dim. 4 Scores by Prompt ($R^2 = 12.78\%$)

Boxplots Dimension 4

by model




Figure: Mean Dim. 4 Scores by Model ($R^2 = 12.66\%$)

Boxplots Dimension 4

by source




Figure: Mean Dim. 4 Scores by Source ($R^2 = 12.66\%$)

Boxplots Dimension 5

Boxplots Dimension 5

by prompt




Figure: Mean Dim. 5 Scores by Prompt ($R^2 = 1.36\%$)

Boxplots Dimension 5

by model




Figure: Mean Dim. 5 Scores by Model ($R^2 = 1.35\%$)

Boxplots Dimension 5

by source




Figure: Mean Dim. 5 Scores by Source ($R^2 = 1.35\%$)

Boxplots Dimension 6

Boxplots Dimension 6

by prompt




Figure: Mean Dim. 6 Scores by Prompt ($R^2 = 6.85\%$)

Boxplots Dimension 6

by model




Figure: Mean Dim. 6 Scores by Model ($R^2 = 6.84\%$)

Boxplots Dimension 6

by source




Figure: Mean Dim. 6 Scores by Source ($R^2 = 6.84\%$)

Mosaics

Mosaic

by prompt




Figure: Mean Dim. Scores by Prompt

Mosaic

by model




Figure: Mean Dim. Scores by Model

Mosaic

by source




Figure: Mean Dim. Scores by Source

ANOVA

ANOVA

for prompt

Table: ANOVA Results for Prompt

Dim.	F	p	R ²	%
1	481.59	<.0001	.15854	15.85
2	35.14	<.0001	.01356	1.36
3	1234.97	<.0001	.32577	32.58
4	374.50	<.0001	.12779	12.78
5	35.27	<.0001	.01361	1.36
6	187.97	<.0001	.06850	6.85

ANOVA

for model

Table: ANOVA Results for Model

Dim.	F	p	R ²	%
1	962.30	<.0001	.15840	15.84
2	69.89	<.0001	.01349	1.35
3	2470.10	<.0001	.32574	32.57
4	741.13	<.0001	.12660	12.66
5	69.96	<.0001	.01350	1.35
6	375.64	<.0001	.06844	6.84

ANOVA

for source

Table: ANOVA Results for Source

Dim.	F	p	R ²	%
1	962.30	<.0001	.15840	15.84
2	69.89	<.0001	.01349	1.35
3	2470.10	<.0001	.32574	32.57
4	741.13	<.0001	.12660	12.66
5	69.96	<.0001	.01350	1.35
6	375.64	<.0001	.06844	6.84

References I