
6/5/2025

Lab 4

Managing User Accounts



Mohammed, Laetitia, 0931512 NETWORK INSTALLATION AND ADMINISTRATION II


Contents

Task 1: Install a Windows File Server 2025	1
Task 2: Create Organizational Units (OUs) and Users	4
Powershell	7
Task 3: Delete Users	g
Task 4: Move Users Between Organizational Units (OUs)	11
Task 5: Modify Users in IT OU	14
Task 6: Enable and Disable User Accounts	15
Task 7: Lock and Unlock Users	16
Task 8: Configure Roaming Profiles on SRVX	17
Task 9: Create a Template User for HR	22
Task 10: Verify New Users from DC2XX (RODC Core Server)	23


Task 1: Install a Windows File Server 2025

After installation, join the domain vlabs12.com






The IP settings have to be configured with an IP on the same network as vlabs12



Confirm SRV12 is part of Computers on DC112 AD



Task 2: Create Organizational Units (OUs) and Users

Create the following OUs using the Active Directory Administrative Center **HR OU** and **IT OU**

Create the following users in the **HR OU** using the Active Directory Administrative Center

Sophie Lambert (s.lambert)

Liam Dupont (l.dupont)

Emma Morel (e.morel)


Create the following users in the ${\bf IT}$ ${\bf OU}$ using PowerShell:


Lucas Bernard (l.bernard)


Thomas Aviles (t.aviles)

Chloe Girard (c.girard) (This user should be disabled during creation).

Create the user Sophie Lambert according to the requirements. The password option should be "User must change password at next logon" in a normal work setting due to privacy. It would ensure that the administrator doesn't have a user's password, but in our case I'm going to put all the user's passwords as "never expires". Repeat for all other users, ensuring that their UPN is their first name initial, followed by their family name @vlabs12.com







Powershell

In PowerShell, create the remaining users using this command (changing the name and the OU per user)

New-ADUser -Name "Lucas Bernard" -Path "OU=IT,DC=vlabs12,DC=com" -GivenName
"Lucas" -Surname "Bernard" -UserPrincipalName "l.bernard@vlabs12.com"

SamAccountName "l.bernard" -AccountPassword (ConvertTo-SecureString "Passw0rd\$" AsPlainText -Force) -Enabled \$true

```
PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "l.bernard@vlabs12.com"}

DistinguishedName : CN=Lucas Bernard,OU=IT,DC=vlabs12,DC=com
Enabled : True
GivenName : Lucas
Name : Lucas Bernard
ObjectClass : user
ObjectGUID : ee95857e-4238-445e-b05e-a6187b340eb0
SamAccountName : l.bernard
SID : S-1-5-21-1463046243-3978224867-743297864-1113
Surname : Bernard
UserPrincipalName : l.bernard@vlabs12.com

PS C:\Users\Administrator.DC112>
```

```
PS C:\Users\Administrator.DC112> New-ADUser -Name "Thomas Aviles" -Path "OU=IT, DC=Vlabs12, DC=com" -GivenName "Thomas" -Surname "Aviles" -UserPrincipalName "t.aviles@vlabs12.com" -SamAccountName "t.aviles" -AccountPassword (ConvertTo-SecureString "Passw@rds" -AsplainText -Force) -Enabled $true
PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "t.aviles@vlabs12.com"}


DistinguishedName : CN=Thomas Aviles,OU=IT,DC=vlabs12,DC=com
Enabled : True
GivenName : Thomas
Name : Thomas Aviles
ObjectClass : user
ObjectClass : user
ObjectClos : user
ObjectClos : user
SID : S-1-5-21-1463046243-3978224867-743297864-1114
Surname : Aviles
UserPrincipalName : t.aviles@vlabs12.com
```

Since Chloe Girard is to be disabled during creation, we just need to change the very end "-Enabled \$false"

This translates to "disabled"

```
PS C:\Users\Administrator.DC112> New-ADUser -Name "Chloe Girard" -Path "OU=IT, DC=Vlabs12, DC=com" -GivenName "Chloe" -Surname "Girard" -UserPrincipalName "c.girard@vlabs12.com" -AscountName "c.girard@vlabs12 -AscountName" c.girard@vlabs12 -Force) -Enabled $false
PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "c.girard@vlabs12.com"}


DistinguishedName : CN=Chloe Girard,OU=IT,DC=vlabs12,DC=com
Enabled : False
GivenName : Chloe Girard
GivenName : Chloe Girard
ObjectClass : user
ObjectClass : user
ObjectGIID : 6565678e-60b9-4eec-a008-1c6bbb71e686
SamAccountName : c.girard
SID : S-1-5-21-1463046243-3978224867-743297864-1115
Surname : Girard
UserPrincipalName : c.girard@vlabs12.com
```




Task 3: Delete Users


- 1. Delete the user account Liam Dupont using Active Directory Administrative Center
- 2. Delete the user account Thomas Aviles using PowerShell.

First you need to make sure "Protect from accidental deletion" is not ticked.






Right click on Liam Dupont and select "Delete"



Verify he's deleted.




Remove Thomas Aviles using Powershell and the following command:

Remove-ADUser -Identity "CN=Thomas Aviles,OU=IT,DC=vlabs12,DC=com" - Confirm:\$false

```
PS C:\Users\Administrator.DC112> Remove-ADUser -Identity "CN=Thomas Aviles,OU=IT,DC=vlabs12,DC=com" -Confirm:$false
PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "t.aviles@vlabs12.com"}
PS C:\Users\Administrator.DC112>
PS C:\Users\Administrator.DC112>
PS C:\Users\Administrator.DC112>
```

Confirm he's deleted. I confirmed with both Powershell and graphically.




Task 4: Move Users Between Organizational Units (OUs)


- 1. Move the user account Sophie Lambert to the IT OU using Active Directory Administrative Center
- 2. Move the user account Lucas Bernard to the HR OU using PowerShell.

First, ensure that the box "Protect from accidental deletion" is unticked, due to the fact it can cause permission issues while moving a user. Right click on the user and select "Move"






Select the OU you want to move that user to and then OK



Confirm the user has successfully been moved.




In PowerShell, use the command:

Move-ADObject -Identity "CN=Lucas Bernard,OU=IT,DC=vlabs12,DC=com" - TargetPath "OU=HR,DC=vlabs12,DC=com"

TargetPath is the destination OU. So we moved Lucas Bernard from IT to HR

```
PS C:\Users\Administrator.DC112> Move-ADObject -Identity "CN=Lucas Bernard,0U=IT,DC=vlabs12,DC=com" PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "l.bernard@vlabs12.com"}
DistinguishedName : CN=Lucas Bernard,OU=HR,DC=vlabs12,DC=com
Enabled
                      : True
GivenName
                      : Lucas
                      : Lucas Bernard
: user
Name
ObjectClass
                      : ee95857e-4238-445e-b05e-a6187b340eb0
ObjectGUID
                      : 1.bernard
SamAccountName
                      : S-1-5-21-1463046243-3978224867-743297864-1113
SID
UserPrincipalName : 1.bernard@vlabs12.com
```



Task 5: Modify Users in IT OU

Assign the user account Sophie Lambert as Manager for all users in the IT OU using PowerShell

Start by selecting the department where Sophie is located and set her as Manager.

```
PS C:\Users\Administrator.DC112> $OUPath = "OU=IT,DC=vlabs12,DC=com"
PS C:\Users\Administrator.DC112> $Manager = "s.lambert"
```

Assign Sophie as Manager to all the users in the IT department

```
PS C:\Users\Administrator.DC112> foreach ($User in $Users) {
>> Set-ADUser -Identity $User -Manager $Manager
>>> }
```

Confirm she's the manager of the users in IT. As you can see, the only other user at the moment in IT is Chloe Girard, and Sophie Lambert is listed as her Manager.

```
PS C:\Users\Administrator.DC112> Get-ADUser -Filter * -SearchBase $OUPath -Properties Manager | Select-Object Name, @{Name="Manager";Expression={(Get-ADUser $_.Manager).Name}}

Name Manager

Sophie Lambert Sophie Lambert


Chloe Girard Sophie Lambert

PS C:\Users\Administrator.DC112>
```


Task 6: Enable and Disable User Accounts

- 1. Disable the user account Emma Morel using the Active Directory Administrative Center.
- 2. Enable the user account Chloe Girard using PowerShell.

Right-click on the user Emma Morel and click on "Disable"



Confirm her account is disabled.



Enable Chloe Girard in PowerShell using the following:

Set-ADUser -Identity "Chloe Girard, OU=IT, DC=vlabs12, DC=com" -Enabled \$true

```
PS C:\Users\Administrator.DC112> Set-ADUser -Identity "CN=Chloe Girard, OU=IT, DC=vlabs12, DC=com" -Enabled $true PS C:\Users\Administrator.DC112> Get-ADUser -Filter {UserPrincipalName -eq "c.girard@vlabs12.com"}
DistinguishedName <u>: CN=Ch</u>loe Girard,OU=IT,DC=vlabs12,DC=com
                     : True
: Chloe
Enabled
GivenName
                      : Chloe Girard
Name
ObjectClass
                     : user
ObjectGUID
                     : 6565678e-60b9-4eec-a008-1c6bbb71e686
                   : c.girard
SamAccountName
SID
                    : S-1-5-21-1463046243-3978224867-743297864-1115
                      : Girard
UserPrincipalName : c.girard@vlabs12.com
PS C:\Users\Administrator.DC112>
```

Task 7: Lock and Unlock Users

- 1. Find all locked-out users using PowerShell.
- 2. Try to unlock the user account Lucas Bernard using PowerShell (not actually locked, just for simulation)

This is the command to find any locked-out accounts. There are none in our case.

```
PS C:\Users\Administrator.DC112> Search-ADAccount -LockedOut -UsersOnly | Format-Table Name,LockedOut -AutoSize
PS C:\Users\Administrator.DC112>
PS C:\Users\Administrator.DC112>
```

This is how you would unlock a locked account:


```
PS C:\Users\Administrator.DC112> Unlock-ADAccount -Identity "CN=Lucas Bernard,OU=HR,DC=vlabs12,DC=com"
PS C:\Users\Administrator.DC112>
PS C:\Users\Administrator.DC112>
PS C:\Users\Administrator.DC112>
```

I used "Lucas Bernard" because I had already done this task before you asked us to use Chloe!


Task 8: Configure Roaming Profiles on SRVX

- 1. Create a shared folder C:\Profiles on SRVXX.
- 2. Configure NTFS and share permissions for roaming profiles.
- 3. Assign a roaming profile path for Emma Morel using the Active Directory Administrative Center.
- 4. Assign a roaming profile path for the user account Lucas Bernard using PowerShell.
- 5. Log in from ClientXX and verify the profile is stored in \\SRVXX\Profiles\\%username\%.


Start by creating the folder in C: drive \rightarrow Profiles



Right-click on the folder Profiles and go to Properties → Sharing → Advanced sharing. Make sure the box "Share this folder" is ticked. Set the share name to Profiles\$. Click on permissions and ensure that all groups have sufficient permissions. Authenticated Users have "Full", Domain Users have "Change" and Administrators have "Full"





Next go to the Security tab and click on Advanced Security. Set all permissions and make sure inheritance is enabled on SYSTEM and administrator



Set the path for Emma Morel as \\SRV12\Profiles\\%username\%

Also, Emma Morel was disabled during a previous task. I've enabled her account for the purpose of this task.





Set the path for Lucas Bernard


\$samAccountName = (Get-ADUser -Filter {Name -eq "Lucas Bernard"}).SamAccountName

Set-ADUser -Identity \$samAccountName -ProfilePath "\\SRV12\Profiles\$\\$samAccountName"


```
PS C:\Users\Administrator.DC112> $samAccountName = (Get-ADUser -Filter {\mathbb{R}ame -eq "Lucas Bernard"}).SamAccountName
PS C:\Users\Administrator.DC112> Set-ADUser -Identity $samAccountName -ProfilePath "\\SRV12\Profiles$\\$samAccountName"
PS C:\Users\Administrator.DC112>
```


Sign in as both Emma Morel and Lucas Bernard on Client12 and open the shared folder. This will create both user's individual user profiles in the Profiles shared folder. On SRV12, open the folder and you'll see both profiles created. Try to access them. You won't have access even as an administrator.

From the File Server:



No access as administrator.





Task 9: Create a Template User for HR

Create a template user for the HR OU with the following properties:

Full Name: HR Template

sAMAccountName: hr.template

Job Title: HR Assistant


Department: HR

Email: hr.template@vlabs.com

Account Status: Disabled

Description: Template user for HR new hires.

Profile: \\SRVX\Profiles\$\%username%



Task 10: Verify New Users from DC2XX (RODC Core Server)

Use PowerShell on DC2XX to verify the newly created users exist and are replicated correctly in the RODC.

Ensure the users from HR and IT OUs are visible.

Confirm that disabled or deleted users are reflected on DC2XX.

Verify the newly created users:

```
PS C:\Users\Administrator.VLABS12.000> Get-ADUser -Filter {Name -eq "Emma Morel"} | Select-Object Name, SamAccountName, DistinguishedName

SamAccountName DistinguishedName

CN=Emma Morel e.morel CN=Emma Morel,OU=HR,DC=vlabs12,DC=com

PS C:\Users\Administrator.VLABS12.000> Get-ADUser -Filter {Name -eq "Chloe Girard"} | Select-Object Name, SamAccountName, DistinguishedName

Name SamAccountName DistinguishedName

CN=Chloe Girard,OU=IT,DC=vlabs12,DC=com

PS C:\Users\Administrator.VLABS12.000> Get-ADUser -Filter {Name -eq "Lucas Bernard"} | Select-Object Name, SamAccountName, DistinguishedName

Name SamAccountName DistinguishedName

CN=Chloe DistinguishedName
```

Ensure the users from HR and IT OUs are visible.

HR:

IT:

Disabled Users: (I disabled Chloe Girard again)

Deleted Users:

Since I didn't have recycle bin enabled, the users were permanently deleted and don't show.

```
PS C:\Users\Administrator.VLABS12.000> Get-ADObject -Filter {isDeleted -eq $true -and ObjectClass -eq "user"} -SearchBase "OU=IT,DC=vlabs12,DC=com" -IncludeDeletedObjects Select-Object Name, DistinguishedName, whenChanged
PS C:\Users\Administrator.VLABS12.000> Get-ADObject -Filter {isDeleted -eq $true -and ObjectClass -eq "user"} -SearchBase "OU=HR,DC=vlabs12,DC=com" -IncludeDeletedObjects Select-Object Name, DistinguishedName, whenChanged
PS C:\Users\Administrator.VLABS12.000>
PS C:\Users\Administrator.VLABS12.000>
PS C:\Users\Administrator.VLABS12.000>
```