

# Improve SAGE by Enhancing its Conformity to Expectation

*Thomas Risse*

Institute of Informatics & Automation, IIA  
Faculty EEE & CS, Hochschule Bremen  
risse@hs-bremen.de

Source Talk Tage, 28.-29.8.2012, Uni Göttingen

# Agenda

- 1 Introduction
- 2 How to Test Conformity to Expectation?
- 3 Prototypic Examples

web interface

methods not implemented

iterable vs non-iterable

coefficient vs coefficients

formatting of text in graphics

array vs matrix

test desolver solution

Bessel functions

simplify

help system, debugging information, security

- 4 Conclusion

# Introduction

## Introduction

### no method

## Examples

web interface  
methods not implemented  
iterable vs non-iterable  
coefficient vs coefficients  
formatting of text in graphics  
array vs matrix  
test desolver solution  
Bessel functions  
simplify  
help, debug, etc

## Conclusion

We all are convinced of SAGE [5] and its benefits [1], [3], [2] but *'better is the enemy of good'*!

- My concern here are phenomena in SAGE which can be seen as 'SAGE does not conform to expectation'.
- Any phenomenon of 'not conforming to expectation' decreases productivity drastically!
- Experience teaches that debugging is easier than improving conformity to expectation!

Conformity to expectation vitally contributes to usability. [4]  
Object oriented development should increase conformity to expectation.

Assumably, no specific software development process can guarantee conformity to expectation of the end product.

# How to Test Conformity to Expectation?

## Introduction

## no method

## Examples

web interface  
methods not implemented  
iterable vs non-iterable  
coefficient vs coefficients  
formatting of text in graphics  
array vs matrix  
test desolver solution  
Bessel functions  
simplify  
help, debug, etc

## Conclusion

There is no method to test SAGEs conformity to expectation!

- It is (for me) not possible to run through all 7870 pages of the SAGE reference manual 5.2 in order to find out what does and what does not conform to *my* expectation.
- Hence, test on conformity to expectation is based on more or less random personal experiences.
- One had to formalize expectation . . .  
But, whether some feature conforms to expectation or not, in a strict sense, is not operationalizable and therefore not measurable.

The following examples are collected at random, s.a.

[www.weblearn.hs-bremen.de/risse/papers/SourceTalkTage2012](http://www.weblearn.hs-bremen.de/risse/papers/SourceTalkTage2012)

And, all browser inconsistencies are excluded!

# (Areas of) Prototypic Examples

## Introduction

## no method

## Examples

web interface

methods not implemented

iterable vs non-iterable

coefficient vs coefficients

formatting of text in graphics

array vs matrix

test desolver solution

Bessel functions

simplify

help, debug, etc

## Conclusion

### web interface

- line breaks before comments make a difference
- new worksheet shows sometimes old worksheets

### methods not implemented

- iterable vs not iterable
- `object.<TAB>` not implemented

**polynomials** cp problem coefficient vs coefficients

**sprintf** cp problem format as in `springs1D`

**import e.g. numpy, scipy** array vs matrix

**desolve** solve an ode and verify the solution

**other** cp problem Bessel, cp problem simplify

**help system** `?`, `??`, `search_doc`

**debugging, security** readability, access to worksheets of others by PYTHON functions `import os`

# Conclusion

First, distinguish bugs, e.g. Bessel, or insufficient performance of e.g. simplify roots of cubic equation [6], from nonconformity to expectation.

## Nonconformity to expectation

- lies in the eye of the beholder!
- reduces productivity when using SAGE!
- reduces acceptance of SAGE!
- is rather difficult to get rid of!
  - low priority compared to that of bugs
  - add new features or improve conformity to expectation?
  - intricate process of mediation between users and developers

After all, there only can be appeals, cp SAGE Support Group  
[groups.google.com/forum/?fromgroups#!forum/sage-support](https://groups.google.com/forum/?fromgroups#!forum/sage-support)

## References

- [1] Thomas Risse: SAGE – the Computer Algebra System to End up all Computer Algebra Systems? 15<sup>th</sup> SEFI MWG Seminar, Wismar, June 20<sup>th</sup> - 23<sup>rd</sup>, 2010  
[www.weblearn.hs-bremen.de/risse/papers/SEFI10MWG](http://www.weblearn.hs-bremen.de/risse/papers/SEFI10MWG)
- [2] Thomas Risse: How SAGE helps to implement Goppa Codes and the McEliece Public Key Crypto System; Ubiquitous Computing and Communication Journal, UbiCC, ISSN 1992-8424, Special Issue on 5th International Conference on Information Technology, ICIT'11  
[www.weblearn.hs-bremen.de/risse/papers/UbiCC2011](http://www.weblearn.hs-bremen.de/risse/papers/UbiCC2011)
- [3] Thomas Risse: promote SAGE für Forschung und Lehre; Source Talk Tage 2011, Uni Göttingen 30.8.-1.9.2011 [www.weblearn.hs-bremen.de/risse/papers/SourceTalkTage2011](http://www.weblearn.hs-bremen.de/risse/papers/SourceTalkTage2011)
- [4] Joel Spolsky: Figuring Out What They Expected;  
[www.joelonsoftware.com/uibook/chapters/fog0000000058.html](http://www.joelonsoftware.com/uibook/chapters/fog0000000058.html)
- [5] William A. Stein et al.: Sage Mathematics Software (Version 4.7.1); The Sage Development Team, 2011, [www.sagemath.org](http://www.sagemath.org)
- [6] Michael Wester: A Critique of the Mathematical Abilities of CA Systems; [http://math.unm.edu/~wester/cas\\_review.html](http://math.unm.edu/~wester/cas_review.html)  
[www.sagemath.org/doc/reference/sage/calculus/wester.html](http://www.sagemath.org/doc/reference/sage/calculus/wester.html)