Online Beauty Parlour Appointment Booking System

AIM

To design and develop an Online Beauty Parlour Appointment Booking System using HTML, CSS, and JavaScript that allows customers to browse beauty services, select stylists, book appointments, manage reservations, make demo payments, cancel or reschedule appointments, and submit feedback. The system also provides an admin panel to manage services, staff schedules, reservations, and customer details.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Beauty Parlour Appointment Booking</title>

<style>
* {
  box-sizing: border-box;
}

body {
  margin: 0;
  font-family: Arial, sans-serif;
  background: #fff4f8;
  color: #333;
}

header {
  background: #9c2865;
  color: white;
  text-align: center;
  padding: 22px;
}

nav {
  background: #651744;
```

```
    display: flex;
    flex-wrap: wrap;
    justify-content: center;
}

nav button {
    color: white;
    background: none;
    border: none;
    padding: 13px;
    cursor: pointer;
}

nav button:hover {
    background: #bd4c88;
}

.container {
    max-width: 1000px;
    margin: 25px auto;
    padding: 15px;
}

.page {
    display: none;
    background: white;
    padding: 24px;
    border-radius: 10px;
    box-shadow: 0 3px 10px #e4c8d6;
}

.page.active {
    display: block;
}
```

```
h2 {
  color: #9c2865;
}

input, select, textarea {
  width: 100%;
  padding: 11px;
  margin: 7px 0 15px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

.action {
  background: #9c2865;
  color: white;
  border: none;
  padding: 11px 16px;
  border-radius: 5px;
  cursor: pointer;
  margin: 4px;
}

.action:hover {
  background: #651744;
}

.services {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(210px, 1fr));
  gap: 16px;
  margin-top: 20px;
}
```

```
.card {
  border: 1px solid #ead0dd;
  padding: 16px;
  border-radius: 8px;
  background: #fffafd;
}

.card h3 {
  color: #9c2865;
}

.message {
  color: #16834a;
  font-weight: bold;
}

footer {
  background: #651744;
  color: white;
  text-align: center;
  padding: 15px;
  margin-top: 30px;
}

@media (max-width: 600px) {
  .container {
    margin: 10px;
    padding: 8px;
  }

  nav button {
    padding: 10px;
  }
}
```

```
</style>
</head>

<body>

<header>
  <h1>Glow Beauty Parlour</h1>
  <p>Book Your Beauty Appointment Online</p>
</header>

<nav>
  <button onclick="showPage('home')">Home</button>
  <button onclick="showPage('services')">Services</button>
  <button onclick="showPage('register')">Register</button>
  <button onclick="showPage('login')">Login</button>
  <button onclick="showPage('booking')">Book Appointment</button>
  <button onclick="showPage('calendar')">Reservation Calendar</button>
  <button onclick="showPage('account')">My Account</button>
  <button onclick="showPage('payment')">Payment</button>
  <button onclick="showPage('feedback')">Feedback</button>
  <button onclick="showPage('admin')">Admin Panel</button>
</nav>

<div class="container">

<!-- Home Page -->
<section id="home" class="page active">
  <h2>Welcome to Glow Beauty Parlour</h2>
  <p>Discover professional beauty services and book appointments at a time that suits you.</p>
  <p>Our services include haircuts, facials, bridal makeup, hair spa, and manicure.</p>
  <button class="action" onclick="showPage('services')">Explore Services</button>
  <button class="action" onclick="showPage('booking')">Book Now</button>
</section>
```

```
<!-- Services Page -->
<section id="services" class="page">
  <h2>Our Beauty Services</h2>
  <div id="serviceList" class="services"></div>
</section>

<!-- Registration Page -->
<section id="register" class="page">
  <h2>Customer Registration</h2>

  <label>Full Name</label>
  <input id="regName" type="text" placeholder="Enter your name">

  <label>Email</label>
  <input id="regEmail" type="email" placeholder="Enter your email">

  <label>Phone Number</label>
  <input id="regPhone" type="tel" placeholder="Enter phone number">

  <label>Password</label>
  <input id="regPassword" type="password" placeholder="Create a password">

  <button class="action" onclick="registerUser()">Register</button>
  <p id="registerMessage" class="message"></p>
</section>

<!-- Login Page -->
<section id="login" class="page">
  <h2>Customer Login</h2>

  <label>Email</label>
  <input id="loginEmail" type="email" placeholder="Enter email">

  <label>Password</label>
```

```
    <input id="loginPassword" type="password" placeholder="Enter password">

    <button class="action" onclick="loginUser()">Login</button>
    <p id="loginMessage" class="message"></p>
</section>

<!-- Booking Page -->
<section id="booking" class="page">
    <h2>Book an Appointment</h2>

    <label>Select Beauty Service</label>
    <select id="serviceChoice" onchange="updatePrice()"></select>

    <label>Select Stylist</label>
    <select id="stylist">
        <option>Any Available Stylist</option>
        <option>Ananya - Hair Stylist</option>
        <option>Priya - Makeup Artist</option>
        <option>Meera - Skin Specialist</option>
    </select>

    <label>Appointment Date</label>
    <input type="date" id="appointmentDate">

    <label>Appointment Time</label>
    <select id="appointmentTime">
        <option value="09:00">09:00 AM</option>
        <option value="10:00">10:00 AM</option>
        <option value="11:00">11:00 AM</option>
        <option value="12:00">12:00 PM</option>
        <option value="14:00">02:00 PM</option>
        <option value="15:00">03:00 PM</option>
        <option value="16:00">04:00 PM</option>
        <option value="17:00">05:00 PM</option>
```

```
    </select>

    <label>Payment Requirement</label>
    <select id="paymentRequirement">
      <option value="full">Full Payment</option>
      <option value="deposit">50% Deposit</option>
    </select>

    <p>Service Price: ₹<strong id="servicePrice">500</strong></p>

    <button class="action" onclick="bookAppointment()">Confirm Appointment</button>
    <p id="bookingMessage" class="message"></p>
  </section>

  <!-- Reservation Calendar -->
  <section id="calendar" class="page">
    <h2>Reservation Calendar</h2>

    <label>Select Date</label>
    <input type="date" id="calendarDate" onchange="showCalendar()">

    <button class="action" onclick="showCalendar()">View Reservations</button>
    <div id="calendarResults"></div>
  </section>

  <!-- Customer Account -->
  <section id="account" class="page">
    <h2>My Account</h2>
    <div id="personalDetails"></div>

    <h3>Upcoming Reservations and History</h3>
    <button class="action" onclick="showAccount()">Refresh Account</button>
    <div id="myAppointments"></div>
  </section>
```

```
<!-- Payment Page -->
<section id="payment" class="page">
  <h2>Appointment Payment</h2>

  <label>Appointment ID</label>
  <input id="paymentId" type="text" placeholder="Enter appointment ID">

  <label>Payment Method</label>
  <select id="paymentMethod">
    <option>UPI</option>
    <option>Credit Card</option>
    <option>Debit Card</option>
    <option>PayPal (Demo)</option>
    <option>Cash at Parlour</option>
  </select>

  <button class="action" onclick="makePayment()">Pay Now</button>
  <p id="paymentMessage" class="message"></p>
</section>

<!-- Feedback Page -->
<section id="feedback" class="page">
  <h2>Customer Feedback</h2>

  <label>Your Name</label>
  <input id="feedbackName" type="text" placeholder="Enter your name">

  <label>Rating</label>
  <select id="rating">
    <option>Excellent</option>
    <option>Good</option>
    <option>Average</option>
    <option>Poor</option>
```

```
    </select>

    <label>Comments or Suggestions</label>
    <textarea id="comments" rows="4" placeholder="Share your experience"></textarea>

    <button class="action" onclick="submitFeedback()">Submit Feedback</button>
    <p id="feedbackMessage" class="message"></p>
    <div id="feedbackList"></div>
</section>

<!-- Admin Panel -->
<section id="admin" class="page">
    <h2>Salon Manager / Admin Login</h2>

    <label>Username</label>
    <input id="adminUser" type="text" placeholder="Enter username">

    <label>Password</label>
    <input id="adminPassword" type="password" placeholder="Enter password">

    <button class="action" onclick="adminLogin()">Login</button>
    <p id="adminMessage" class="message"></p>

    <div id="adminPanel" style="display:none;">
        <h3>Add New Service</h3>

        <label>Service Name</label>
        <input id="newServiceName" type="text" placeholder="Enter service name">

        <label>Price</label>
        <input id="newServicePrice" type="number" min="1" placeholder="Enter price">

        <button class="action" onclick="addService()">Add Service</button>
```

```
      <h3>Manage Reservations</h3>
      <div id="adminAppointments"></div>
    </div>
  </section>

  </div>

  <footer>
    <p>Glow Beauty Parlour | Internet Programming Lab Experiment</p>
  </footer>

  <script>
  let users = [];
  let currentUser = null;
  let isAdmin = false;
  let appointments = [];
  let feedbacks = [];
  let nextId = 1001;

  let services = [
    { id: 1, name: "Haircut and Styling", price: 500 },
    { id: 2, name: "Facial Treatment", price: 800 },
    { id: 3, name: "Bridal Makeup", price: 5000 },
    { id: 4, name: "Hair Spa", price: 1000 },
    { id: 5, name: "Manicure and Pedicure", price: 700 },
    { id: 6, name: "Threading", price: 150 }
  ];

  function showPage(id) {
    document.querySelectorAll(".page").forEach(page => {
      page.classList.remove("active");
    });

    document.getElementById(id).classList.add("active");
```

```
  if (id === "services") displayServices();
  if (id === "booking") updateServiceOptions();
  if (id === "calendar") showCalendar();
  if (id === "account") showAccount();
  if (id === "admin" && isAdmin) renderAdminAppointments();
}

function displayServices() {
  const list = document.getElementById("serviceList");

  list.innerHTML = services.map(service => `
    <div class="card">
      <h3>${service.name}</h3>
      <p>Professional beauty service</p>
      <p>Price: ₹${service.price}</p>
      <button class="action" onclick="selectService(${service.id})">
        Book Service
      </button>
    </div>
  `).join("");
}

function updateServiceOptions() {
  const select = document.getElementById("serviceChoice");

  select.innerHTML = services.map(service =>
    `<option value="${service.id}">${service.name} - ₹${service.price}</option>`
  ).join("");

  updatePrice();
}

function selectService(id) {
```

```
  showPage("booking");
  document.getElementById("serviceChoice").value = String(id);
  updatePrice();
}

function updatePrice() {
  const id = Number(document.getElementById("serviceChoice").value);
  const service = services.find(item => item.id === id);

  if (service) {
    document.getElementById("servicePrice").textContent = service.price;
  }
}

function registerUser() {
  const name = document.getElementById("regName").value.trim();
  const email = document.getElementById("regEmail").value.trim();
  const phone = document.getElementById("regPhone").value.trim();
  const password = document.getElementById("regPassword").value;

  if (!name || !email || !phone || !password) {
    alert("Please fill in all registration fields.");
    return;
  }

  if (users.some(user => user.email === email)) {
    alert("This email is already registered.");
    return;
  }

  users.push({ name, email, phone, password });

  document.getElementById("registerMessage").textContent =
    "Registration successful. Please log in.";
```

```
  document.getElementById("regName").value = "";
  document.getElementById("regEmail").value = "";
  document.getElementById("regPhone").value = "";
  document.getElementById("regPassword").value = "";
}

function loginUser() {
  const email = document.getElementById("loginEmail").value.trim();
  const password = document.getElementById("loginPassword").value;

  const user = users.find(item =>
    item.email === email && item.password === password
  );

  if (!user) {
    document.getElementById("loginMessage").textContent =
      "Invalid login. Please register first or check your details.";
    return;
  }

  currentUser = user;

  document.getElementById("loginMessage").textContent =
    "Welcome, " + user.name + "! Login successful.";

  showPage("account");
}

function bookAppointment() {
  if (!currentUser) {
    alert("Please register and log in before booking.");
    showPage("register");
    return;
```

```
}

const serviceId = Number(document.getElementById("serviceChoice").value);
const service = services.find(item => item.id === serviceId);
const stylist = document.getElementById("stylist").value;
const date = document.getElementById("appointmentDate").value;
const time = document.getElementById("appointmentTime").value;
const requirement = document.getElementById("paymentRequirement").value;

if (!service || !date || !time) {
  alert("Please select a service, date, and time.");
  return;
}

const today = new Date();
today.setHours(0, 0, 0, 0);

if (new Date(date + "T00:00:00") < today) {
  alert("Please select today or a future date.");
  return;
}

const slotTaken = appointments.some(item =>
  item.date === date &&
  item.time === time &&
  item.stylist === stylist &&
  item.status !== "Cancelled"
);

if (slotTaken) {
  alert("This stylist's selected time is already reserved. Please choose another slot.");
  return;
}
```

```
  const amountDue = requirement === "deposit"
    ? service.price * 0.5
    : service.price;

  const appointment = {
    id: "SALON" + nextId++,
    customer: currentUser.name,
    email: currentUser.email,
    phone: currentUser.phone,
    service: service.name,
    serviceId: service.id,
    stylist,
    date,
    time,
    price: service.price,
    requirement,
    amountDue,
    paid: false,
    status: "Booked"
  };

  appointments.push(appointment);

  document.getElementById("paymentId").value = appointment.id;

  document.getElementById("bookingMessage").textContent =
    "Appointment booked! ID: " + appointment.id +
    ". Amount due now: ₹" + amountDue +
    ". Complete the demo payment to confirm payment.";

  showAccount();
}

function makePayment() {
```

```
  const id = document.getElementById("paymentId").value.trim();
  const appointment = appointments.find(item => item.id === id);

  if (!appointment || appointment.status === "Cancelled") {
    document.getElementById("paymentMessage").textContent =
      "Valid active appointment not found.";
    return;
  }

  if (appointment.paid) {
    document.getElementById("paymentMessage").textContent =
      "Demo payment has already been recorded.";
    return;
  }

  appointment.paid = true;
  appointment.status = "Confirmed";

  document.getElementById("paymentMessage").textContent =
    "Demo payment of ₹" + appointment.amountDue +
    " recorded. No real payment has been processed.";

  showAccount();
  renderAdminAppointments();
}

function showCalendar() {
  const date = document.getElementById("calendarDate").value;
  const result = document.getElementById("calendarResults");

  if (!date) {
    result.innerHTML = "<p>Select a date to view reservations.</p>";
    return;
  }
```

```
  const daily = appointments.filter(item =>
    item.date === date && item.status !== "Cancelled"
  );

  if (daily.length === 0) {
    result.innerHTML = "<p>No reservations for this date.</p>";
    return;
  }

  result.innerHTML = daily.map(item => `
    <div class="card">
      <h3>${item.time}</h3>
      <p>Service: ${item.service}</p>
      <p>Stylist: ${item.stylist}</p>
      <p>Customer: ${item.customer}</p>
      <p>Status: ${item.status}</p>
    </div>
  `).join("");
}

function showAccount() {
  const personal = document.getElementById("personalDetails");
  const list = document.getElementById("myAppointments");

  if (!currentUser) {
    personal.innerHTML = "<p>Please log in to view your account.</p>";
    list.innerHTML = "";
    return;
  }

  personal.innerHTML = `
    <div class="card">
      <h3>Personal Details</h3>
```

```
      <p>Name: ${currentUser.name}</p>
      <p>Email: ${currentUser.email}</p>
      <p>Phone: ${currentUser.phone}</p>
    </div>
  `;

  const mine = appointments.filter(item =>
    item.email === currentUser.email
  );

  if (mine.length === 0) {
    list.innerHTML = "<p>You have no appointments yet.</p>";
    return;
  }

  list.innerHTML = mine.map(item => `
    <div class="card">
      <h3>${item.service}</h3>
      <p>Appointment ID: ${item.id}</p>
      <p>Date: ${item.date}</p>
      <p>Time: ${item.time}</p>
      <p>Stylist: ${item.stylist}</p>
      <p>Amount due: ₹${item.amountDue}</p>
      <p>Payment: ${item.paid ? "Demo payment completed" : "Pending"}</p>
      <p>Status: ${item.status}</p>
      ${item.status !== "Cancelled" ? `
        <button class="action" onclick="reschedule('${item.id}')">
          Reschedule
        </button>
        <button class="action" onclick="cancelAppointment('${item.id}')">
          Cancel
        </button>
      ` : ""}
    </div>
```

```
    `).join("");
}

function reschedule(id) {
    const appointment = appointments.find(item => item.id === id);

    if (!appointment) return;


    const newDate = prompt("Enter new date (YYYY-MM-DD):", appointment.date);
    if (!newDate) return;

    const newTime = prompt("Enter new time (e.g. 14:00):", appointment.time);
    if (!newTime) return;

    if (!/^\d{4}-\d{2}-\d{2}$/.test(newDate) ||
        !/^\d{2}:\d{2}$/.test(newTime)) {
        alert("Please enter the date as YYYY-MM-DD and time as HH:MM.");
        return;
    }

    const today = new Date();
    today.setHours(0, 0, 0, 0);

    if (new Date(newDate + "T00:00:00") < today) {
        alert("Please select today or a future date.");
        return;
```


Home Finder Case Study
Buy a Cake
GlowBook | Beauty Parlour Boo
Ask Gemini
File
D:/internet%20programming/parlour%20booking/parlour.html
Verify it's you
GlowBook
Services
Stylists
Reviews
Book
My bookings
Sign in
Salon admin
YOUR TIME. YOUR STYLE.
Beauty begins with a little me time.
Discover trusted beauty services, meet talented stylists, and book your next salon visit in just a few clicks.
Book an appointment ↗
5+
Beauty services
Expert
Stylists
Easy
Online booking
Feel beautiful.
YOUR GLOW, YOUR WAY
A LITTLE LUXURY
Our services