

## WEEK1-Studentinfo:

```
Last login: Fri Oct 2 09:08:06 on console
(eval):8: command not found: >
vishalkarnati@VISHALS-MacBook-Air ~ % ps aux | grep mysql
mysql      532    0.1  0.1 435902016  8432  ??  Ss   9:08AM   0:22.49 /usr/local/mysql/bin/mysqld --user=mysql --basedir=/usr/local/mysql --datadir=/usr/local/mysql/data --plugin-dir=/usr/local
/mysql/lib/plugin --log-error=/usr/local/mysql/data/mysqld.local.err --pid-file=/usr/local/mysql/data/mysqld.local.pid
vishalkarnati 2124   0.0  0.0 435300304  1136 s000  R+   4:36PM   0:00.00 grep mysql
vishalkarnati@VISHALS-MacBook-Air ~ % /usr/local/mysql/bin/mysqld -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 9.7.1 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

(mysql> show databases;
+-----+
| Database |
+-----+
| bankdetails |
| bookflow_db |
| coursesinfo |
| hostel_management |
| information_schema |
| mysql |
| performance_schema |
| Studentinfo |
| Studentsrecords |
| sweety |
| sys |
+-----+
11 rows in set (0.034 sec)

(mysql> use Studentinfo
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
(mysql> describe tables;
ERROR 1146 (42S02): Table 'studentinfo.tables' doesn't exist
mysql> describe Studentinfo;
ERROR 1146 (42S02): Table 'studentinfo.studentinfo' doesn't exist
mysql> show tables;
+-----+
| Tables_in_studentinfo |
+-----+
| student |
+-----+
1 row in set (0.047 sec)

(mysql> describe student;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| id | bigint | YES | | NULL | |
| name | varchar(50) | YES | | NULL | |
| branch | varchar(50) | YES | | NULL | |
| year | int | YES | | NULL | |
| CGPA | float | YES | | NULL | |
+-----+
```

```

mysql> use Studentinfo
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> describe tables;
ERROR 1146 (42S02): Table 'studentinfo.tables' doesn't exist
mysql> describe Studentinfo;
ERROR 1146 (42S02): Table 'studentinfo.studentinfo' doesn't exist
mysql> show tables;
+-----+
| Tables_in_studentinfo |
+-----+
| student                |
+-----+
1 row in set (0.047 sec)

mysql> describe student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id     | bigint | YES | | NULL | |
| name   | varchar(50) | YES | | NULL | |
| branch | varchar(50) | YES | | NULL | |
| year   | int | YES | | NULL | |
| CGPA   | float | YES | | NULL | |
| backlogs | int | YES | | NULL | |
| mobilenum | bigint | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.014 sec)

mysql> select * from id;
ERROR 1146 (42S02): Table 'studentinfo.id' doesn't exist
mysql> select * from student;
+-----+-----+-----+-----+-----+-----+-----+
| id | name | branch | year | CGPA | backlogs | mobilenum |
+-----+-----+-----+-----+-----+-----+-----+
| 206 | divy | fg | 2 | 56 | 7 | 2345678 |
| 566 | divy | fg | 2 | 56 | 7 | 2345678 |
| 66 | abc | hg | 6 | 88 | 99 | 679897 |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 |
+-----+-----+-----+-----+-----+-----+-----+
4 rows in set (0.005 sec)

mysql> insert into student(id,name,branch,year,CGPA,backlogs,mobilenum)VALUES
-> (207,'nia','it',3,5.3,9,45678);
ERROR 1054 (42S22): Unknown column 'backlogs' in 'field list'
mysql> insert into student(id,name,branch,year,CGPA,backlogs,mobilenum)VALUES
-> (207,'nia','it',3,5.3,9,45678);
Query OK, 1 row affected (0.011 sec)

mysql> select * from student;
+-----+-----+-----+-----+-----+-----+-----+
| id | name | branch | year | CGPA | backlogs | mobilenum |
+-----+-----+-----+-----+-----+-----+-----+
| 206 | divy | fg | 2 | 56 | 7 | 2345678 |
| 566 | divy | fg | 2 | 56 | 7 | 2345678 |
| 66 | abc | hg | 6 | 88 | 99 | 679897 |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 |
| 207 | nia | it | 3 | 5.3 | 9 | 45678 |
+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.001 sec)

mysql>

```

```

+-----+-----+-----+-----+-----+-----+-----+
| 566 | divy | fg | 2 | 56 | 7 | 2345678 |
| 66 | abc | hg | 6 | 88 | 99 | 679897 |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 |
| 207 | nia | it | 3 | 5.3 | 9 | 45678 |
+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.001 sec)

(mysql> use Studentsrecords;
Database changed
mysql> show tables;
Empty set (0.003 sec)

mysql> alter table student
-> ;
ERROR 1146 (42S02): Table 'studentsrecords.student' doesn't exist
mysql> use Studentinfo;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> show tables;
+-----+
| Tables_in_studentinfo |
+-----+
| student                |
+-----+
1 row in set (0.003 sec)

mysql> alter table student
-> add colum dob DATE;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'dob DATE' at line 2
mysql> ALTER TABLE student
-> ADD COLUMN dob DATE;
Query OK, 0 rows affected (0.025 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> describe student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id     | bigint | YES | | NULL | |
| name   | varchar(50) | YES | | NULL | |
| branch | varchar(50) | YES | | NULL | |
| year   | int | YES | | NULL | |
| CGPA   | float | YES | | NULL | |
| backlogs | int | YES | | NULL | |
| mobilenum | bigint | YES | | NULL | |
| dob     | date | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
8 rows in set (0.003 sec)

mysql> select * from student;
+-----+-----+-----+-----+-----+-----+-----+
| id | name | branch | year | CGPA | backlogs | mobilenum | dob |
+-----+-----+-----+-----+-----+-----+-----+
| 206 | divy | fg | 2 | 56 | 7 | 2345678 | NULL |
| 566 | divy | fg | 2 | 56 | 7 | 2345678 | NULL |
| 66 | abc | hg | 6 | 88 | 99 | 679897 | NULL |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 | NULL |
| 207 | nia | it | 3 | 5.3 | 9 | 45678 | NULL |
+-----+-----+-----+-----+-----+-----+-----+
5 rows in set (0.001 sec)

mysql> UPDATE student

```

```

+-----+
| student |
+-----+
1 row in set (0.003 sec)

mysql> alter table student
-> add colum dob DATE;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'dob DATE' at line 2
mysql> ALTER TABLE student
-> ADD COLUMN dob DATE;
Query OK, 0 rows affected (0.025 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> describe student;
+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+
| id | bigint | YES | | NULL | |
| name | varchar(50) | YES | | NULL | |
| branch | varchar(50) | YES | | NULL | |
| year | int | YES | | NULL | |
| CGPA | float | YES | | NULL | |
| backlog | int | YES | | NULL | |
| mobilenumber | bigint | YES | | NULL | |
| dob | date | YES | | NULL | |
+-----+
0 rows in set (0.003 sec)

mysql> select * from student;
+-----+
| id | name | branch | year | CGPA | backlog | mobilenumber | dob |
+-----+
| 206 | divy | fg | 2 | 56 | 7 | 2345678 | NULL |
| 566 | divy | fg | 2 | 56 | 7 | 2345678 | NULL |
| 66 | abc | hg | 6 | 88 | 99 | 679897 | NULL |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 | NULL |
| 207 | nia | it | 3 | 5.3 | 9 | 45678 | NULL |
+-----+
0 rows in set (0.001 sec)

mysql> UPDATE student
-> SET dob = '2007-05-15'
-> WHERE id = 1;
Query OK, 0 rows affected (0.002 sec)
Rows matched: 0 Changed: 0 Warnings: 0

mysql> UPDATE student
-> SET dob = '2007-05-15';
Query OK, 5 rows affected (0.003 sec)
Rows matched: 5 Changed: 5 Warnings: 0

mysql> select * from student;
+-----+
| id | name | branch | year | CGPA | backlog | mobilenumber | dob |
+-----+
| 206 | divy | fg | 2 | 56 | 7 | 2345678 | 2007-05-15 |
| 566 | divy | fg | 2 | 56 | 7 | 2345678 | 2007-05-15 |
| 66 | abc | hg | 6 | 88 | 99 | 679897 | 2007-05-15 |
| 786 | kjkc | 99g | 6 | 88 | 99 | 679897 | 2007-05-15 |
| 207 | nia | it | 3 | 5.3 | 9 | 45678 | 2007-05-15 |
+-----+
0 rows in set (0.001 sec)

mysql>

```