

Basic Life Support



Primary Survey

Checking of Vital Signs (ABC) of an Unconscious Casualty

Basic Life Support

**Cardio
Pulmonary
Resuscitation
(CPR)**

**Recovery
Position**

Transport for Medical Help



Approach safely

Danger

Check response

Response

Shout for help

Open airway

Airway

Check breathing

Breathing

Check Circulation

Circulation

Decide First Aid

CPR

Recovery Position

Secondary Survey

APPROACH SAFELY!

	Approach safely
Scene	Check response
	Shout for help
Rescuer	Open airway
Victim	Check breathing
	Call ambulance
Bystanders	30 chest compressions
	2 rescue breaths

CHECK RESPONSE



Approach safely

Check response

Shout for help

Open airway

Check breathing

Call ambulance

30 chest compressions

2 rescue breaths

CHECK RESPONSE



Shake shoulders gently

Ask “Are you all right?”

If he responds

- Leave as you find him.
- Find out what is wrong.
- Reassess regularly.

SHOUT FOR HELP



©ERC

Approach safely

Check response

Shout for help

Open airway

Check breathing

Call ambulance

30 chest compressions

2 rescue breaths

IF NO RESPONSE, HE IS UNCONSCIOUS



Unconsciousness may
lead to death due to ...?

Unconscious casualty



When someone's unconscious, the **tongue** goes floppy and can fall to the back of the throat. This may prevent air getting through.

OPEN AIRWAY



©ERC

Approach safely

Check response

Shout for help

Open airway

Check breathing

Call ambulance

30 chest compressions


2 rescue breaths

How to Open Air Way



‘Head Tilt – Chin Lift’ Method

Opened Airway



CHECK BREATHING



©ERC

Approach safely

Check response

Shout for help

Open airway

Check breathing

Call ambulance

30 chest compressions

2 rescue breaths

How to check if someone's **breathing**.

What three senses could you use?.

1

2



3

Check for **ten** seconds



Approach safely

Check response

Shout for help

Open airway

Check breathing

Check for Severe Bleeding

Recovery Position

Secondary Survey

Transport to Hospital

**If
Breathing**