



WHATSAPP

MANAGEMENT SYSTEM

SUBMITTED BY



LAIBA AMJAD

ROLL NO: FA24B1-SE-021



MALEEHA NADEEM

ROLL NO: FA24B1-SE-013

SUBMITTED TO



DR. SIDRA EJAZ



WhatsApp Management System

```

#include <iostream>
#include <string>
#include <stdlib.h>
#include <limits>
#include <vector>

using namespace std;

// --- MEDIA CLASS ---
class Media {
public:
    string mediaID = "M101";
    string fileType;
    float fileSize;
    string filePath;

    void uploadMedia() { cout << "Media Uploaded!\n"; }
    void downloadMedia() { cout << "Media Downloaded!\n"; }
};

// --- MESSAGE CLASS ---
class Message {
public:
    string messageID;
    string content;
    string timestamp = "2026-04-15 21:44";
    string status = "Sent";
};
```

```

// --- CONTACT CLASS ---
class Contact {
public:
    string name;
    string phone;
    bool isActive;
    bool isChatLocked;

    Contact() {
        isActive = false;
        isChatLocked =
false;
    };

// --- GROUP STRUCT ---
struct Group {
    string name;
    vector<Contact> members;
};

```

```

// --- STATUS CLASS ---
class Status {
private:
    string statuses[2];
    int count = 0;

public:
    void uploadStatus() {
        if (count >= 2) {
            cout << "Only 2 statuses allowed!\n";
            return;
        }
        cin.ignore(numeric_limits<streamsize>::max(),
'\n'); cout << "Enter Status: ";
        getline(cin, statuses[count]);
        count++;
        cout << "Status uploaded!\n";
    }

    void viewStatus() {
        if (count == 0) {
            cout << "No status available.\n";
            return;
        }
        cout << "\n--- Status List ---\n";
        for (int i = 0; i < count; i++) {
            cout << i + 1 << ". " << statuses[i] << endl;
        }
    }
}

```

```

void deleteStatus() {
    if (count == 0) {
        cout << "No status to delete.\n";
        return;
    }
    viewStatus();
    int c;
    cout << "Enter number to delete: ";
    cin >> c;
    if (c < 1 || c > count) {
        cout << "Invalid choice! thankyou\n";
        return;
    }
    for (int i = c - 1; i < count - 1; i++)
    {
        statuses[i] = statuses[i + 1];
    }
    count--;
    cout << "Deleted!\n";
};

```



```

// --- ADMIN CLASS ---
class Admin {
private:
    string adminName = "";
    string password = "";
    string employeeID = "ADM-007";
    string role = "System Admin";
    bool isRegistered = false;

public:
    void registerAdmin() {
        if (isRegistered) {
            cout << "Admin already registered!\n";
            return;
        }
        cout << "\n--- Admin Setup (Set your credentials) ---\n";
        cout << "Set Admin Name: ";
        cin >> adminName;
        cout << "Set Admin Password: ";
        cin >> password;
        isRegistered = true;
        cout << "Admin Registered Successfully! (Role: " << role << ")\n";
    }

    bool login() {
        if (!isRegistered) {
            cout << "No admin found! Please register first.\n";
            return false;
        }
        string nameInput, passInput;
        cout << "\n--- Admin Login ---\n";
        cout << "Enter Name: ";
        cin >> nameInput;
        cout << "Enter Password: ";
        cin >> passInput;
        if (nameInput == adminName && passInput == password) {
            cout << "Login successful! ID: " << employeeID << "\n";
            return true;
        }
        cout << "!! You are not allowed to use the admin panel !!\n";
        return false;
    }

    void monitorActivity() { cout << "Monitoring activity...\n"; }
    void reportUser() { cout << "User reported with Evidence ID: R-99!\n"; }
    void manageDatabase() { cout << "Database Managed & Synced!\n"; }
};

```

```

// --- USER CLASS ---
class User {
public:
    string userID = "U-123";
    string bio = "Available";
    string profilePic = "img.png";
    Contact myContacts[10];
    string globalPin = "1234";

    vector<Group> groups;
    vector<Contact> archivedChats;

    bool isValidPhone(string p) {
        if (p.length() != 11 || p[0] != '0' || p[1] != '3') {
            cout << "!! Error: 11 digits starting with 03 !!\n";
            return false;
        }
        return true;
    }

    bool hasContacts() {
        for (int i = 0; i < 10; i++) {
            if (myContacts[i].isActive) return true;
        }
        return false;
    }

    int findContactIndex(string search) {
        for (int i = 0; i < 10; i++) {
            if (myContacts[i].isActive && (myContacts[i].name == search || myContacts[i].phone ==
search)) {
                return i;
            }
        }
        return -1;
    }
}

```

```

void addContactManual(string preFilledPhone = "") {
    string n, p;
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    cout << "\nEnter Name: ";
    getline(cin, n);
    if (preFilledPhone == "") {
        while (true) {
            cout << "Enter Phone (03xxxxxxxx): "; cin >> p;
            if (isValidPhone(p)) break;
        }
    } else {
        p = preFilledPhone;
        cout << "Using Phone: " << p << endl;
    }
    for (int i = 0; i < 10; i++) {
        if (!myContacts[i].isActive) {
            myContacts[i].name = n;
            myContacts[i].phone = p;
            myContacts[i].isActive = true;
            cout << "Contact Saved Successfully!\n";
            return;
        }
    }
    cout << "Memory Full!\n";
}

```

```

void manageGroups() {
    int choice;
    cout << "\n--- Group Management ---\n1. Create Group\n2. View Groups\n3. Add Members\n4. Remove
Members\n5. Rename Group\n6. Delete Group\n7. Back\nChoice: ";
    cin >> choice;

    if (choice == 1) {
        if (!hasContacts()) {
            cout << "No contact to add in group. Contact list is empty.\n";
            return;
        }
        showAll();
        Group g;
        cout << "Enter Group Name: ";
        cin.ignore();
        getline(cin, g.name);
        while (true) {
            string name;
            cout << "Enter member name to add (0 to stop): ";
            getline(cin, name);
            if (name == "0") break;
            int idx = findContactIndex(name);
            if (idx != -1) {
                bool alreadyExists = false;
                for(int j=0; j < (int)g.members.size(); j++){
                    if(g.members[j].name == myContacts[idx].name){
                        alreadyExists = true;
                        break;
                    }
                }
                if(alreadyExists){
                    cout << "Already entered in the group!\n";
                } else {
                    g.members.push_back(myContacts[idx]);
                    cout << "Member Added Successfully!\n";
                }
            }
            else cout << "Contact not found!\n";
        }
        groups.push_back(g);
        cout << "Group Created!\n";
    }
    else if (choice == 2) {
        if (groups.empty()) { cout << "No groups found.\n"; return; }
        for (int i = 0; i < (int)groups.size(); i++) {
            cout << i + 1 << ". " << groups[i].name << " (" << groups[i].members.size() << "
members)\n";
        }
    }
    else if (choice == 3 || choice == 4 || choice == 5) {
        if (groups.empty()) { cout << "No groups to modify.\n"; return; }
        int gIdx;
        cout << "Select Group Number: "; cin >> gIdx;
        if (gIdx < 1 || gIdx > (int)groups.size()) return;
        gIdx--;

        if (choice == 3) {
            showAll();
            cin.ignore();
            string name; cout << "Member to add: "; getline(cin, name);
            int idx = findContactIndex(name);
            if (idx != -1) {
                bool alreadyExists = false;
                for(int j=0; j < (int)groups[gIdx].members.size(); j++){
                    if(groups[gIdx].members[j].name == myContacts[idx].name){
                        alreadyExists = true;
                        break;
                    }
                }
                if(alreadyExists){
                    cout << "Already entered in the group!\n";
                } else {
                    groups[gIdx].members.push_back(myContacts[idx]);
                    cout << "Member Added Successfully!\n";
                }
            }
        }
    }
}

```

```

}

} else if (choice == 4) {
    cin.ignore();
    string name; cout << "Member to remove: "; getline(cin, name);
    for (auto it = groups[gIdx].members.begin(); it != groups[gIdx].members.end(); ++it) {
        if (*it == name) {
            groups[gIdx].members.erase(it);
            cout << "Member Removed!\n";
            break;
        }
    }
} else {
    cout << "New Group Name: "; cin.ignore(); getline(cin, groups[gIdx].name);
}
}
else if (choice == 6) {
    if (groups.empty()) { cout << "No groups to delete.\n"; return; }
    for (int i = 0; i < (int)groups.size(); i++) cout << i + 1 << ". " << groups[i].name << endl;
    int gIdx;
    cout << "Select Group Number to Delete: "; cin >> gIdx;
    if (gIdx >= 1 && gIdx <= (int)groups.size()) {
        groups.erase(groups.begin() + (gIdx - 1));
        cout << "Group Deleted Successfully!\n";
    } else cout << "Invalid Selection!\n";
}
}
}

```

```

void archiveChat() {
    if (!hasContacts()) {
        cout << "No contact to archive. Contact list is empty.\n";
        return;
    }
    showAll();
    string name;
    cout << "Enter Name/Phone to Archive: ";
    cin.ignore();
    getline(cin, name);

    int idx = findContactIndex(name);
    if (idx != -1) {
        archivedChats.push_back(myContacts[idx]);
        myContacts[idx].isActive = false;
        cout << "Chat Archived Successfully!\n";
    } else {
        cout << "Contact not found!\n";
    }
}
}

```



```

void sendMessageLogic() {
    if (!hasContacts()) { cout << "No contacts available!\n"; return; }
    string search;
    cout << "\nEnter Name or Phone: ";
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    getline(cin, search);

    int idx = findContactIndex(search);
    if (idx == -1) {
        char choice; cout << "Not saved! Add contact? (y/n): "; cin >> choice;
        if (choice == 'y' || choice == 'Y') {
            string pIn = (search.length() == 11) ? search : "";
            addContactManual(pIn);
            idx = findContactIndex(search);
            if (idx == -1) return;
        } else return;
    }
    if (myContacts[idx].isChatLocked) {
        string p; cout << "LOCKED. Enter PIN: "; cin >> p;
        if (p != globalPin) {
            cout << "!!! Wrong PIN !!!\n";
            return;
        }
    }

    cout << "\n1. Text\n2. Media/File\n3. Location\nChoice: ";
    int t; cin >> t;
    if (t == 1) {
        cin.ignore(numeric_limits<streamsize>::max(), '\n');
        string msgContent; cout << "Type message: "; getline(cin, msgContent);
        Message m; m.content = msgContent;
        cout << "Message Sent at " << m.timestamp << " (Status: " << m.status << ")\n";
    } else if (t == 2) {
        Media med; med.uploadMedia();
    } else {
        cout << "Current Location Shared!\n";
    }
}

```

```

void makeCall() {
    if (!hasContacts()) { cout << "No contacts!\n"; return; }
    string search; cout << "\nEnter Name or Phone: ";
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    getline(cin, search);

    int idx = findContactIndex(search);
    if (idx == -1) { cout << "Not found!\n"; return; }
    if (myContacts[idx].isChatLocked) {
        string p; cout << "LOCKED. Enter PIN: "; cin >> p;
        if (p != globalPin) {
            cout << "!!! Wrong PIN !!!\n";
            return;
        }
    }

    cout << "Calling " << myContacts[idx].name << "... \n1. Audio\n2. Video\nChoice: ";
    int c; cin >> c;
    cout << (c == 1 ? "Audio" : "Video") << " call started.\n";
}

```



```

void manageChatLock() {
    if (!hasContacts()) {
        cout << "No contact available for chat lock!\n";
        return;
    }
    showAll();
    string search; cout << "\nEnter Name/Phone: ";
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    getline(cin, search);

    int idx = findContactIndex(search);
    if (idx == -1) { cout << "Contact not found!\n"; return; }
    string pin; cout << "Enter PIN: "; cin >> pin;
    if (pin != globalPin) {
        cout << "!! Wrong PIN !!\n";
        return;
    }

    myContacts[idx].isChatLocked = !myContacts[idx].isChatLocked;
    if (myContacts[idx].isChatLocked)
        cout << "Chat lock enabled for " << myContacts[idx].name << endl;
    else
        cout << "Chat lock disabled for " << myContacts[idx].name << endl;
}

```

```

void updateContact() {
    if (!hasContacts()) { // FIX: Empty list check
        cout << "List is empty!\n";
        return;
    }
    string p, newName;
    cout << "Enter Phone or Name to update: ";
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    getline(cin, p);
    int idx = findContactIndex(p);
    if (idx != -1) {
        cout << "New Name: ";
        getline(cin, newName);
        myContacts[idx].name = newName;
        cout << "Updated!\n";
    }
    else cout << "Not found!\n";
}

void deleteContact() {
    if (!hasContacts()) { // FIX: Empty list check
        cout << "List is empty!\n";
        return;
    }
    string p; cout << "Enter Phone or Name to delete: ";
    cin.ignore(numeric_limits<streamsize>::max(), '\n');
    getline(cin, p);
    int idx = findContactIndex(p);
    if (idx != -1) { myContacts[idx].isActive = false; cout << "Deleted!\n";
    else cout << "Not found!\n";
}
}

```

```

void showAll() {
    cout << "\n--- Contacts List (Bio: " << bio << ") ---\n";
    bool empty = true;
    for (int i = 0; i < 10; i++) {
        if (myContacts[i].isActive) {
            empty = false;
            cout << "Name: " << myContacts[i].name << " | Phone: " << myContacts[i].phone;
            if (myContacts[i].isChatLocked) cout << " [LOCKED]";
            cout << endl;
        }
    }
    if (empty) cout << "List is empty.\n";
}
};

```

```

int main() {
    User u; Status s; Admin a;
    int mainChoice = 0;

    while (mainChoice != 5) {
        cout << "\n==== WHATSAPP MANAGEMENT SYSTEM ==== \n";
        cout << "1. Contacts Module\n2. WhatsApp Modules\n3. Status Module\n4. Admin Panel\n5. Exit\nChoice: ";

        if (!(cin >> mainChoice)) {
            cin.clear();
            cin.ignore(numeric_limits<streamsize>::max(), '\n');
            continue;
        }

        if (mainChoice == 1) {
            int cChoice = 0;
            while (cChoice != 5) {
                cout << "\n-- Contacts --\n1.Add\n2.Update\n3.Delete\n4.View\n5.Back\nChoice: ";
                if (!(cin >> cChoice)) { cin.clear(); cin.ignore(numeric_limits<streamsize>::max(), '\n'); continue; }
                if (cChoice == 1) u.addContactManual();
                else if (cChoice == 2) u.updateContact();
                else if (cChoice == 3) u.deleteContact();
                else if (cChoice == 4) u.showAll();
                else if (cChoice != 5) cout << "Invalid choice! thankyou\n";
            }
        }
    }
}

```

```

else if (mainChoice == 2) {
    int ch = 0;
    while (ch != 6) {
        cout << "\n1.Send Message\n2.Make Call\n3.Chat Lock\n4.Group Management\n5.Archive
Chat\n6.Back\nChoice: ";
        if (!(cin >> ch)) { cin.clear(); cin.ignore(numeric_limits<streamsize>::max(), '\n');
continue; }
        if (ch == 1) u.sendMessageLogic();
        else if (ch == 2) u.makeCall();
        else if (ch == 3) u.manageChatLock();
        else if (ch == 4) u.manageGroups();
        else if (ch == 5) u.archiveChat();
        else if (ch != 6) cout << "Invalid choice! thankyou\n";
    }
}
else if (mainChoice == 3) {
    int st = 0;
    while (st != 4) {
        cout << "\n1.Upload\n2.View\n3.Delete\n4.Back\nChoice: ";
        if (!(cin >> st)) { cin.clear(); cin.ignore(numeric_limits<streamsize>::max(), '\n');
continue; }
        if (st == 1) s.uploadStatus();
        else if (st == 2) s.viewStatus();
        else if (st == 3) s.deleteStatus();
        else if (st != 4) cout << "Invalid choice! thankyou\n";
    }
}
}
}

```

```

else if (mainChoice == 4) {
    int adEntry = 0;
    while (adEntry != 3) {
        cout << "\n-- Admin Access --\n1. Set Credentials\n2. Login\n3. Back\nChoice: ";
        if (!(cin >> adEntry)) { cin.clear(); cin.ignore(numeric_limits<streamsize>::max(),
'\n'); continue; }
        if (adEntry == 1) a.registerAdmin();
        else if (adEntry == 2) {
            if (a.login()) {
                int ad = 0;
                while (ad != 4) {
                    cout << "\n1.Monitor\n2.Report\n3.Manage DB\n4.Logout\nChoice: ";
                    if (!(cin >> ad)) { cin.clear();
cin.ignore(numeric_limits<streamsize>::max(), '\n'); continue; }
                    if (ad == 1) a.monitorActivity();
                    else if (ad == 2) a.reportUser();
                    else if (ad == 3) a.manageDatabase();
                    else if (ad != 4) cout << "Invalid choice! thankyou\n";
                }
            }
        }
        else if (adEntry != 3) cout << "Invalid choice! thankyou\n";
    }
}
}
return 0;
}

```

Output:

MENU SELECTION

```
==== WHATSAPP MANAGEMENT SYSTEM ====
1. Contacts Module
2. WhatsApp Modules
3. Status Module
4. Admin Panel
5. Exit
Choice: 1
```

Adding contact

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

==== WHATSAPP MANAGEMENT SYSTEM ====
1. Contacts Module
2. WhatsApp Modules
3. Status Module
4. Admin Panel
5. Exit
Choice: 1

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 1

Enter Name: laiba
Enter Phone (03xxxxxxxx): 03318227506
Contact Saved Successfully!

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 1

Enter Name: maleeha
Enter Phone (03xxxxxxxx): 03315092839
Contact Saved Successfully!
```

Contact Module

Delete/ update when List is Empty!

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

==== WHATSAPP MANAGEMENT SYSTEM ====
1. Contacts Module
2. WhatsApp Modules
3. Status Module
4. Admin Panel
5. Exit
Choice: 1

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 3
List is empty!

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 2
List is empty!
```

Update name and adding wrong input

```
-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 2
Enter Phone or Name to update: laiba
New Name: laiba amjad
Updated!

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 2
Enter Phone or Name to update: maeehadddd
Not found!
```


View/ Delete the contact

```
-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 4

--- Contacts List (Bio: Available) ---
Name: laiba amjad | Phone: 03318227506
Name: maleeha | Phone: 03315092839

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 3
Enter Phone or Name to delete: 03318227506
Deleted!

-- Contacts --
1.Add
2.Update
3.Delete
4.View
5.Back
Choice: 4

--- Contacts List (Bio: Available) ---
Name: maleeha | Phone: 03315092839
```

WhatsApp Module Test and sent

```
==== WHATSAPP MANAGEMENT SYSTEM ====
1. Contacts Module
2. WhatsApp Modules
3. Status Module
4. Admin Panel
5. Exit
Choice: 2

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 1

Enter Name or Phone: maleeha nadeem
Not saved! Add contact? (y/n): y

Enter Name: maleeha nadeem
Enter Phone (03xxxxxxxx): 03318227506
Contact Saved Successfully!

1. Text
2. Media/File
3. Location
Choice: 1
Type message: helllllllllloooo!
Message Sent at 2026-04-15 21:44 (Status: Sent)
```

Send Media Files and Location

```
1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 1

Enter Name or Phone: maleeha nadeem

1. Text
2. Media/File
3. Location
Choice: 2
Media Uploaded!

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 1

Enter Name or Phone: maleeha nadeem

1. Text
2. Media/File
3. Location
Choice: 3
Current Location Shared!
```

Make Calls

```
1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 2


Enter Name or Phone: laiba amjad
Not found!

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 2


Enter Name or Phone: maleeha nadeem
Calling maleeha nadeem...
1. Audio
2. Video
Choice: 1
Audio call started.
```

UI Screens Design

Sending Media File and Text



Chats List



Group Management

Create Group

```
1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 4

--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 1

--- Contacts List (Bio: Available) ---
Name: maleeha nadeem | Phone: 03318227506
Name: maleeha | Phone: 03315092839
Enter Group Name: BSE-IV-SDA
Enter member name to add (0 to stop): maleeha nadeem
Member Added Successfully!
Enter member name to add (0 to stop): maleeha
Member Added Successfully!
Enter member name to add (0 to stop): 0
Group Created!
```

View Groups

```
--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 2
1. BSE-IV-SDA (2 members)

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 4
```


Adding Members in Groups

```
--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 3
Select Group Number: 1


--- Contacts List (Bio: Available) ---
Name: maleeha nadeem | Phone: 03318227506
Name: maleeha | Phone: 03315092839
Member to add: maleeha nadeem
Already entered in the group!
```

UI Screens Design

Create and Rename Group



Group List



Remove Members

```
--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 4
Select Group Number: 1
Member to remove: maleeha
Member Removed!
```

Rename Group

```
--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 5
Select Group Number: 1
New Group Name: BSE-IV-SEMESTER
```

Delete Group

```
--- Group Management ---
1. Create Group
2. View Groups
3. Add Members
4. Remove Members
5. Rename Group
6. Delete Group
7. Back
Choice: 6
1. BSE-IV-SEMESTER
Select Group Number to Delete: 1
Group Deleted Successfully!
```

Achieve Chat

```
1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 5

--- Contacts List (Bio: Available) ---
Name: maleeha nadeem | Phone: 03318227506
Name: maleeha | Phone: 03315092839
Enter Name/Phone to Archive: maleeha
Chat Archived Successfully!
```

Status Module

```
3. Status Module
4. Admin Panel
5. Exit
Choice: 3

1.Upload
2.View
3.Delete
4.Back
Choice: 1
Enter Status: hellllllllllllllooooooooooooooooooooo
Status uploaded!

1.Upload
2.View
3.Delete
4.Back
Choice: 2

--- Status List ---
1. hellllllllllllllooooooooooooooooooooo

1.Upload
2.View
3.Delete
4.Back
Choice: 3

--- Status List ---
1. hellllllllllllllooooooooooooooooooooo
```

Chat Module

Enable and Disable Chat Lock

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 3



--- Contacts List (Bio: Available) ---
Name: maleeha nadeem | Phone: 03318227506
Name: maleeha | Phone: 03315092839

Enter Name/Phone: maleeha nadeem
Enter PIN: 1234
Chat lock enabled for maleeha nadeem

1.Send Message
2.Make Call
3.Chat Lock
4.Group Management
5.Archive Chat
6.Back
Choice: 3

--- Contacts List (Bio: Available) ---
Name: maleeha nadeem | Phone: 03318227506 [LOCKED]
Name: maleeha | Phone: 03315092839

Enter Name/Phone: maleeha nadeem
Enter PIN: 1234
Chat lock disabled for maleeha nadeem



Admin Module

Verify Credentials and Set Password

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

4. Admin Panel
5. Exit
Choice: 4

-- Admin Access --
1. Set Credentials
2. Login
3. Back
Choice: 1

--- Admin Setup (Set your credentials) ---
Set Admin Name: laiba
Set Admin Password: 1234
Admin Registered Successfully! (Role: System Admin)

-- Admin Access --
1. Set Credentials
2. Login
3. Back
Choice: 2

--- Admin Login ---
Enter Name: laiba
Enter Password: 1234
Login successful! ID: ADM-007

1. Monitor
2. Report
3. Manage DB
4. Logout
Choice: 1
Monitoring activity...
```

Wrong Password and Username

```
-- Admin Access --
1. Set Credentials
2. Login
3. Back
Choice: 2

--- Admin Login ---
Enter Name: maleeha
Enter Password: 1234
!! You are not allowed to use the admin panel !!
```