

CLOUD COMPUTING / VERSION CONTROL LAB

LAB 02

Hands-On Git and Version Control

Student Name	Laiba Amjad_____
Registration / Roll No.	FA24B1-SE-021_____
GitHub Username	laibaamjad065_
Course	Cloud Computing
Lab	Lab 02
Submission Repository	CC
Submission Directory	Labs/Lab02

Getting Started

- Install Git on your PC.

Evidence

```
ubuntu login: laibaamjad065
Password:
Login incorrect

ubuntu login: laibaamjad065
Password:
Welcome to Ubuntu 26.04.1 LTS (GNU/Linux 7.0.0-31-generic x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:        https://ubuntu.com/pro

System information as of Fri Sep 18 07:07:44 AM UTC 2026

System load:  0.84          Processes:      249
Usage of /:   50.9% of 9.75GB Users logged in:    0
Memory usage: 21%          IPv4 address for ens33: 192.168.201.129
Swap usage:   0%

 * Canonical Workshop gives developers fast, composable, reproducible, and
   secure developer environments that are perfect for agentic workflows.

   https://ubuntu.com/workshop

Expanded Security Maintenance for Applications is not enabled.

8 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status


laibaamjad065@ubuntu:~$ git --version
git version 2.53.0
laibaamjad065@ubuntu:~$ _
```

Git installation/version evidence.

Task 1: Create Private GitHub Repository

- Create a private repository named exactly CC_Lab2_Practice.
- Use split-screen evidence with the required Ubuntu terminal identity.

Evidence



Private repository status and terminal identity.

Task 2: Connect Repository via SSH

- Generate an Ed25519 SSH key.
- Show only the public key.
- Add the public key to GitHub.
- Clone CC_Lab2_Practice using SSH.

Evidence

```
laibaamjad065@ubuntu:~$ ssh-keygen -t ed25519 -C "fa24b1-se-021@fjwu.edu.pk"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/laibaamjad065/.ssh/id_ed25519):
Enter passphrase for "/home/laibaamjad065/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/laibaamjad065/.ssh/id_ed25519
Your public key has been saved in /home/laibaamjad065/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:ZUADIDv8Q1XXY5oMFU0x0kcS0+fb1BxGD2KH2xFY4h8 fa24b1-se-021@fjwu.edu.pk
The key's randomart image is:
+--[ED25519 256]--+
|  . .o+=.B@%X. |
| .o . .-++@++ . |
| + . .o+0Eo o |
| + . .o+.o. . |
| o S o.o .o |
| . o ... |
+-----[SHA256]-----+
laibaamjad065@ubuntu:~$ cat ~/.ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIL7gA2/KSbs7r+8Ef1YPHuTuzPLUghAtdoiQjp/r6dcc fa24b1-se-021@fjwu.edu.pk
laibaamjad065@ubuntu:~$
```

SSH key generation + public key.

github.com/settings/keys

Settings

You have successfully added the key 'Ubuntu VM'.

Laiba Amjad (laibaamjad065)

Your personal account

Menu

SSH keys

New SSH key

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

Authentication keys

Ubuntu VM

SHA256:DqQo4TSH+LWN7/pp0M99X2q8UGuAEzYQ2Ihdz/0Ro8

Added on Sep 18, 2026

Never used — Read/write

Delete

Check out our guide to [connecting to GitHub using SSH keys](#) or [troubleshoot common SSH problems](#).

GPG keys

New GPG key

Ubuntu 64-bit - VMware Workstation

File Edit View VM Tabs Help

Library

My Computer

Ubuntu 64-bit

Documentation: <https://docs.ubuntu.com>

Management: <https://landscape.canonical.com>

Support: <https://ubuntu.com/pro>

System Information as of Fri Sep 10 07:12:47 AM UTC 2026

System load: 0.22

Processes: 221

Usage of /: 51.5% of 9.75GB

Users logged in: 0

Memory usage: 22%

IPv4 address for ens3: 192.168.201.129

Swap usage: 0%

Canonical Workshop gives developers fast, composable, reproducible, and secure developer environments that are perfect for agentic workflows.

<https://ubuntu.com/workshop>

Expanded Security Maintenance for Applications is not enabled.

8 updates can be applied immediately.

To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.

See <https://ubuntu.com/esm> or run: sudo pro status

laibaamjad065@ubuntu:~\$ ssh-keygen -t ed25519 -C "fa24b1-se-021@fjwu.edu.pk"

Generating public/private ed25519 key pair.

Enter file in which to save the key (/home/laibaamjad065/.ssh/id_ed25519):

Enter passphrase for "/home/laibaamjad065/.ssh/id_ed25519" (empty for no passphrase):

Enter same passphrase again:

Your identification has been saved in /home/laibaamjad065/.ssh/id_ed25519

Your public key has been saved in /home/laibaamjad065/.ssh/id_ed25519.pub

The key fingerprint is:

SHA256:ZUADIDv8Q1XXY5oMFU0x0kcS0+fb1BxGD2KH2xFY4h8 fa24b1-se-021@fjwu.edu.pk

The key's randomart image is:

+--[ED25519 256]--+

| . .o+=.B@%X. |

| .o . .-++@++ . |

| + . .o+0Eo o |

| + . .o+.o. . |

| o S o.o .o |

| . o ... |

+-----[SHA256]-----+

laibaamjad065@ubuntu:~\$ cat ~/.ssh/id_ed25519.pub

ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIL7gA2/KSbs7r+8Ef1YPHuTuzPLUghAtdoiQjp/r6dcc fa24b1-se-021@fjwu.edu.pk

laibaamjad065@ubuntu:~\$

GitHub SSH key entry.

```
fatal: Authentication failed for 'https://github.com/laibaamjad065/CC_Lab2_Practice.git/'
laibaamjad065@ubuntu:~$ git clone https://github.com/laibaamjad065/CC_Lab2_Practice.git
Cloning into 'CC_Lab2_Practice'...
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
warning: You appear to have cloned an empty repository.
laibaamjad065@ubuntu:~$
```

Successful SSH clone.

Task 3: Configure Git Username and Email

- Set global user.name and user.email.
- Verify with git config --list.

Evidence

```
git@github.com: Permission denied (publickey).
laibaamjad065@ubuntu:~$ git config --global user.name "Laiba Amjad"
laibaamjad065@ubuntu:~$ git config --global user.email "fa24b1-se-021@fjwu.edu.pk"
```

Git identity configuration.

```
laibaamjad065@ubuntu:~$ git config --list
user.name=Laiba Amjad
user.email=fa24b1-se-021@fjwu.edu.pk
```

Configuration verification.

Task 4: Explore the .git Folder

- Enter the cloned repository.
- Run ls -la .git and inspect the directory.
- Do not manually modify .git files.

Evidence

```

laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ cd ..; ls -la; cd CC_Lab2_Practice
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ cd CC_Lab2_Practice
-bash: cd: CC_Lab2_Practice: No such file or directory
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ ls -la
total 16
drwxrwxr-x 3 laibaamjad065 laibaamjad065 4096 Sep 18 08:12 .
drwxr-x--- 5 laibaamjad065 laibaamjad065 4096 Sep 18 08:10 ..
drwxrwxr-x 6 laibaamjad065 laibaamjad065 4096 Sep 18 08:10 .git
-rw-rw-r-- 1 laibaamjad065 laibaamjad065 24 Sep 18 08:12 hello.txt
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ ls -a .git
. . . HEAD config description hooks info objects refs
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ _

```

.git contents.

Task 5: Local Repository Management

- Remove .git and demonstrate the git status error.
- Run git init.
- Create README.md, stage it, and make Initial commit.
- Add origin, set main, and push.

Evidence

```

laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ rm -rf .git
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ git status
fatal: not a git repository (or any of the parent directories): .git
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$

```

.git removal + status error.

```

laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: will change to 'main' in Git 3.0. To configure the initial branch name
hint: to use in all of your new repositories, which will suppress this warning,
hint: call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
hint:
hint: Disable this message with "git config set advice.defaultBranchName false"
Initialized empty Git repository in /home/laibaamjad065/CC_Lab2_Practice/.git/
laibaamjad065@ubuntu: ~/CC_Lab2_Practice$ _

```

git init.

```
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ echo "# Lab02 Git Practice" >> README.md
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git add README.md
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git commit -m "Initial commit"
[master (root-commit) 5f9c5c8] Initial commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

README.md initial commit.

```
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git remote add origin https://github.com/laibaamjad065/CC_Lab2_Practice.git
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git branch -M main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git push -u origin main
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 241 bytes | 80.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/laibaamjad065/CC_Lab2_Practice.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

First push to GitHub.

Task 6: File Status & Staging

- Create notes.txt with the required note.
- Run git status.
- Stage and commit notes.txt.
- Edit notes.txt and repeat the status/commit steps.

Evidence

```
branch 'main' set up to track 'origin/main'.
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ echo "Adding some test notes" >> notes.txt
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.txt
    notes.txt

nothing added to commit but untracked files present (use "git add" to track)
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

Status after notes.txt creation.


```
nothing added to commit but untracked files present (use 'git add' to track)
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git add notes.txt
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git commit -m "Add notes.txt"
[main 96ffb19] Add notes.txt
 1 file changed, 1 insertion(+)
 create mode 100644 notes.txt
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

notes.txt commit.

Task 7: Branch Creation Using GitHub GUI

- Create bugfix/user-auth-error in GitHub GUI.
- Pull/synchronize the branch locally and show the branch list.

Evidence



GUI branch creation.

```

laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git fetch origin
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
From https://github.com/laibaamjad065/CC_Lab2_Practice
 * [new branch]      bugfix/user-auth-error -> origin/bugfix/user-auth-error
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout bugfix/user-auth-error
branch 'bugfix/user-auth-error' set up to track 'origin/bugfix/user-auth-error'.
Switched to a new branch 'bugfix/user-auth-error'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git branch -a
 * bugfix/user-auth-error
  main
  remotes/origin/HEAD -> origin/main
  remotes/origin/bugfix/user-auth-error
  remotes/origin/main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$

```

Local branch list after pull.

Task 8: Branch Creation and Push Using Git Bash

- Create feature/db-connection.
- Push it to the remote.

Evidence

```

remotes/origin/main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout -b feature/db-connection
Switched to a new branch 'feature/db-connection'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git push origin feature/db-connection
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature/db-connection' on GitHub by visiting:
remote:      https://github.com/laibaamjad065/CC_Lab2_Practice/pull/new/feature/db-connection
remote:
To https://github.com/laibaamjad065/CC_Lab2_Practice.git
 * [new branch]      feature/db-connection -> feature/db-connection
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ _

```

Branch creation and push.

Task 9: Branching & Merging

- Create feature-1.

- Modify main.py, stage and commit.
- Switch to main and merge feature-1.
- Push main and feature-1.

Evidence

```
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout -b feature-1
Switched to a new branch 'feature-1'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

feature-1 creation.

```
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ echo "def hello(): print('Hello World')" > main.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git add main.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git commit -m "Add new function to main.py"
[feature-1 00652f9] Add new function to main.py
 1 file changed, 1 insertion(+)
 create mode 100644 main.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

main.py change + commit.

```
Merge made by the 'ort' strategy.
 main.py | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 main.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

Merge into main.

```

laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git push origin main
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 2 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (11/11), 1.05 KiB | 214.00 KiB/s, done.
Total 11 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/laibaamjad065/CC_Lab2_Practice.git
  5f9c5c8..16fb6f0  main -> main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git push origin feature-1
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'feature-1' on GitHub by visiting:
remote:   https://github.com/laibaamjad065/CC_Lab2_Practice/pull/new/feature-1
remote:
To https://github.com/laibaamjad065/CC_Lab2_Practice.git
 * [new branch]      feature-1 -> feature-1
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ _


```

Branch pushes.


Task 10: Pull Request and Branch Review

- Create PR feature/db-connection → main.
- Review and merge in GitHub GUI.
- Delete the merged branch.


Evidence



PR creation.



PR review/merge.



GUI branch deletion.

Task 11: Detailed Branch Strategy

- Create develop, staging, feature/*, and bugfix/* branches.
- Demonstrate feature/bugfix → develop → staging → main.

Evidence

```

laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout -b develop
Switched to a new branch 'develop'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout -b staging
Switched to a new branch 'staging'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git branch -a
  bugfix/user-auth-error
  develop
  feature-1
  feature/db-connection
  main
* staging
remotes/origin/HEAD -> origin/main
remotes/origin/bugfix/user-auth-error
remotes/origin/feature-1
remotes/origin/feature/db-connection
remotes/origin/main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$

```

Branch list.

```

remotes/origin/main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout -b feature/login-page
Switched to a new branch 'feature/login-page'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ echo "login code" > login.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git add login.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git commit -m "Add login page feature"
[feature/login-page 8492118] Add login page feature
 1 file changed, 1 insertion(+)
   create mode 100644 login.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout develop
Switched to branch 'develop'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git merge feature/login-page
Updating 16fb6f0..8492118
Fast-forward
 login.py | 1 +
 1 file changed, 1 insertion(+)
   create mode 100644 login.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout staging
Switched to branch 'staging'
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git merge develop
Updating 16fb6f0..8492118
Fast-forward
 login.py | 1 +
 1 file changed, 1 insertion(+)
   create mode 100644 login.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ _

```

Merges into develop/staging.

```
Merge made by the 'ort' strategy.
 db.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 db.txt
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git merge staging
Already up to date.
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git push origin main develop staging
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 339 bytes | 339.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/laibaamjad065/CC_Lab2_Practice.git
 339e164..7e72521  main -> main
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

Final merge into main.

Task 12: Code Review Workflow

- Create a feature-to-main PR with title/description.
- Assign a reviewer.
- Capture request changes and a practice rejected/closed PR.
- Fix issues and push new commits.
- Capture merge confirmation/result and delete the branch.


Evidence

The screenshot shows the GitHub interface for opening a pull request. At the top, there's a navigation bar with links to Code, Issues, Pull requests, Actions, Projects, Security and quality, Insights, and Settings. Below this, the main heading is 'Open a pull request', followed by a subtext: 'Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).' Below the heading, there's a comparison bar showing 'base: main' and 'compare: feature/code-review' with a green checkmark and the text 'Able to merge. These branches can be automatically merged.' To the left of the comparison bar is a user profile icon. Below the comparison bar, there's a section 'Add a title *' with a text input field containing 'Add code review test file'. Below the title section is 'Add a description' with a 'Write' tab and a 'Preview' tab. The 'Write' tab is active, showing a rich text editor with a toolbar and a text area containing 'Add your description here...'. On the right side of the form, there are several sections: 'Reviewers' with 'No reviews', 'Assignees' with 'No one—assign yourself', 'Labels' with 'None yet', 'Projects' with 'None yet', and 'Milestone' with 'No milestone'. Each of these sections has a gear icon to its right.


PR title/description.

The screenshot shows a close-up of the 'Reviewers' section of the GitHub pull request form. The section is titled 'Reviewers' in blue text with a gear icon to its right. Below the title, there's a box with the text 'Request up to 15 reviewers'. Inside this box is a text input field with the placeholder text 'Type or choose a user'. Below the input field, it says 'Nothing to show'. Below the 'Reviewers' section, there are three more sections: 'Labels' with 'None yet', 'Projects' with 'None yet', and 'Milestone' with 'No milestone'. Each of these sections has a gear icon to its right. At the bottom of the section, there's a 'Development' section with the text 'Use [Closing keywords](#) in the description to automatically close issues'.


Assigned reviewer.




Request changes/comments.




Rejected/closed practice PR.




Updated PR with new commits.



Merge confirmation/style.



Merged PR result.



Branch deleted after merge.

Task 13: Branch Cleanup Best Practices

- Delete one merged remote branch through GitHub UI.
- Delete another remote branch with `git push origin --delete <branch-name>`.
- Update local repository and delete the local merged branch as instructed.

Evidence

bugfix/user-auth-error



Deleted now

11/0



GUI remote branch deletion.

```
laibaamjad065@ubuntu:~$ cd CC_Lab2_Practice
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git pull origin main
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 919 bytes | 919.00 KiB/s, done.
From https://github.com/laibaamjad065/CC_Lab2_Practice
* branch      main      -> FETCH_HEAD
7e72521..30ca0cb main    -> origin/main
Updating 7e72521..30ca0cb
Fast-forward
 review.py | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 review.py
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git fetch --prune
Username for 'https://github.com': laibaamjad065
Password for 'https://laibaamjad065@github.com':
From https://github.com/laibaamjad065/CC_Lab2_Practice
- [deleted]      (none)      -> origin/bugfix/user-auth-error
- [deleted]      (none)      -> origin/feature/code-review
- [deleted]      (none)      -> origin/feature/db-connection
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git branch -D feature-1 bugfix/user-auth-error feature/code-review
Deleted branch feature-1 (was 00652f9).
Deleted branch bugfix/user-auth-error (was 5f9c5c8).
Deleted branch feature/code-review (was c883551).
laibaamjad065@ubuntu:~/CC_Lab2_Practice$ git branch
  develop
  feature/db-connection
  feature/login-page
* main
  staging
laibaamjad065@ubuntu:~/CC_Lab2_Practice$
```

Terminal remote deletion command.