73 4 5 6 7 1 P1 P2 P3 P3 P4 P6 P6 B B F 10 13 : 1,2-15-10-11-16-10 FCFs) Process P2 | P3 | 14

/FCF	5)				
Process A		CT TAT	INT		
P_1		80 80	179		
P2 1 P3 2		110 108	98		
P3 2 P4 3		130 127	126	,	
P5 4	50	80 176	100		,
GantChart	PIII 1 Sc	0 100 110	13.1		
Average T		179+98+		6 —	
	= 4	/10 = 82	Ans		
	4T BT	CT [23	TAT	14	P
1	ري ع	20	15 8	13 3	3
P3 1	5	10	4	0	7
P5 2	2	19	5	1	1
P1 6 P2 5 P3 1 P4 0	ST 13T 3	18	TAT 17	14 13 3	1 1 1 3 0 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

gart chart :

	24 1	03/	P8/P6		Palp		,1	
9	4	9	10	18	20	1 23		

(SRTF)

Process	(AT)	BT 1	CTI	TAT		Io
PT	0	27	00	THI	WT	RT
1 _	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	20	20	12	()
PD	1 1	MAG	10	9	5	$\tilde{\bigcirc}$
P3	β	25	4	\mathcal{Z}	0	
•	2	1×0	7	2	, ,	0
PY			\supset			1
DE	14	13	13	9	6	1
<i>Y</i> 5	1		17		a	16
Ρ6)	18 1	1			0
,		1	ļ	\		1

Gant Chart

PI	Pa	P3	P3	Py	P6	Pa	Ps	PI
0 1	્રે	3	. 4	5	7	_	10	3 20

(CFS ,				
	AT	BT	CT	TAT	INT
	0	80	80	80	0
	1	20	100	99	79
	2	10	110	108	98
	[*] 3	20	130	127	107
	4	50	180	176	126

hast	P	1 Pa	IP.	PL	, P.5	
	,1	80	100	110	130	180
ge Time	· =	C+	19+0	78+1	c7+1;	×26
<i>)</i> ,		4/8				

F)	13T	CĪ	TAT	WT	R.T
6	3	23	17	14	14
5	2	20	15	13	2
1	5	18	8	3	0
0	4	10	4	U	1
3	1 8	14	5	7	

Scanned with CamScanner