

Logistic Regression using Class Weights

Accuracy: 0.9985

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.56	0.82	0.67

Logistic Regression using Undersampled Data:

Accuracy: 0.975

	Precision	Recall	F1 Score
Not Fraud	1	0.98	0.99
Fraud	0.06	0.88	0.11

Logistic Regression using SMOTE:

Accuracy: 0.9760

	Precision	Recall	F1 Score
Not Fraud	1	0.98	0.99
Fraud	0.06	0.86	0.11

XG Boost on Test:

Accuracy:0.9994

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.95	0.71	0.81

XG Boost on Train:

Accuracy: 0.9995

	Precision	Recall	F1 Score
Not Fraud	1	1	1

Fraud	0.95	0.77	0.85
-------	------	------	------

Decision Tree on Test:

Accuracy: 0.9993

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.86	0.71	0.78

Decision Tree on Train:

Accuracy: 0.9998

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.99	0.92	0.95

Random Forest on Test:

Accuracy: 0.9995

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.95	0.76	0.84

Random Forest on Train:

Accuracy: 0.9996

	Precision	Recall	F1 Score
Not Fraud	1	1	1
Fraud	0.96	0.81	0.88

KNN:

Accuracy: 0.9994

	Precision	Recall	F1 Score
--	-----------	--------	----------

Not Fraud	1	1	1
Fraud	0.91	0.70	0.79

Naive Bayes:

Accuracy: 0.978

	Precision	Recall	F1 Score
Not Fraud	1	0.98	0.99
Fraud	0.06	0.8	0.11