

DELIVERY REPORT

PetPluse

Veterinarian & Trainer Dashboards

A record of the work completed on the professional dashboards and the surrounding platform, together with the technical detail behind each change and the work still queued.

Platform	PetPluse — pet-care platform (React 19 / Vite · Node + Express · PostgreSQL on Supabase)
Deployment	https://petpulse-showcase.vercel.app
Repository	github.com/laila2005/PetPulse
Report date	18 August 2026
Scope	Veterinarian dashboard · Trainer dashboard · shared professional platform · new platform capabilities · queued work

10 VET DASHBOARD ITEMS	7 TRAINER DASHBOARD ITEMS	14 OTHER NEW CAPABILITIES	12 TASKS QUEUED
--	---	---	---

1. Veterinarian Dashboard

Ten changes, from the patient list through to how a confirmed appointment reaches the owner. Each entry states what changed and, in the smaller line, the technical detail behind it.

01 Patient records rebuilt

The patient list showed counts that did not match reality and omitted data the page had already fetched. Visit totals, last visit and next scheduled visit are now correct, and the clinic a patient belongs to is shown.

visit_count uses COUNT(*) FILTER (WHERE status IN ('completed','confirmed') AND appointment_time <= NOW()); last_visit filtered to the past; next_visit added. Access rule is any non-cancelled appointment – an earlier "completed or confirmed only" draft would have emptied every vet's patient list.

02 Confirm actually confirms

Pressing Confirm on an appointment appeared to work and then reverted to pending, and the owner never received an email. The status now persists and the owner is emailed on confirmation.

New updateAppointmentStatus with ownership authorisation and an enum-validated status; owners may only cancel. Confirmation email carries calendar links.

03 Add to calendar

A confirmed appointment can be added to Google Calendar or any phone calendar directly from the confirmation email.

RFC 5545 .ics generated server-side with UID from the appointment id, UTC stamps, correct line folding and a 2-hour VALARM; the download link is protected by an HMAC token compared with timingSafeEqual.

04 Reschedule notifications corrected

The reschedule notice was partly hardcoded and stated the wrong time. It now names who moved the appointment, which pet it concerns, and the correct new time.

Formatted in Africa/Cairo with daylight-saving handled, notifies the other party rather than the actor, and sends email alongside the in-app notification.

05 Clinic name in the header

The dashboard header showed a generic label instead of the clinic the vet actually runs.

Header reads vet_profiles.clinic_name, falling back to the address, and shows a prompt to complete the profile when neither is set rather than printing a placeholder as fact.

06 Pagination on long lists

The appointment tracker and patient list grew unusable as records accumulated. Both now page with Previous / Next controls.

Shared usePagination hook clamps the current page when the list shrinks instead of resetting to page 1, so confirming the last item on page 3 does not throw the user back to the top. Controls render nothing when everything fits on one page.

07 Profile photo and banner

There was no way to set a profile picture — every professional appeared as a generic icon on the page clients judge them by. A photo and an optional cover banner can now be uploaded.

users.profile_pic_url and the provider profile cover_url already existed and PUT /auth/profile already wrote both; the dashboard simply never exposed a control. Uploads go through the existing Cloudinary route with a 5 MB ceiling and type check.

08 Preview your own public page

"View Booking Page" sent the vet to their own public profile and was refused by the pet-owner route guard. A professional can now open the page their clients book from.

The guard moved off the route and onto the booking panel: viewing a provider profile is public, booking is the pet-owner action. Own page renders a labelled preview instead of a booking button.

09 Client conversations open correctly

"Chat with client" opened an empty inbox with no composer instead of the conversation.

The action now resolves the conversation for that client and opens it directly, rather than routing to the inbox root.

10 Clinic team seats

Assistant (reception) seats are managed from the dashboard: create, disable and revoke, with every action recorded.

Seats are users with role `clinic_assistant` and `manager_vet_id` set; `/api/clinic/*` is `requireRole('vet')` and each action writes an `audit_logs` entry.

2. Trainer Dashboard

Trainers and veterinarians shared one dashboard, and the working surface had been built for a clinic. The separation below is the first phase of giving trainers their own; the remaining phases are listed in section 5.

01 Clinic controls removed from the trainer view

A trainer's dashboard offered a "Clinic Team" tab. Every click failed, because the endpoints behind it are restricted to veterinarians — a solo trainer has no clinic and no assistant seats to manage. The tab is now hidden for trainers.

`ProfessionalDashboard.jsx` rendered the tab unconditionally while `/api/clinic/*` is `requireRole('vet')`, so every request answered 403 and read as the app being broken. Gated behind `isVet`, matching the guard already on the patient list.

02 Header no longer states a placeholder as fact

A trainer who had not completed their profile was introduced as "Certified Pet Trainer at Your Academy / Private Practice" — neither their title nor their venue. The header now shows what they actually entered, or invites them to add it.

The fallback string was being rendered in the position where the real credential belongs; replaced with a conditional that links into the profile wizard when the fields are empty.

03 Session Tracker instead of Appointment Tracker

Trainers run sessions, not clinical consultations. The tracker and its empty states now use the trainer's vocabulary.

Role-conditional copy throughout the tracker panel; nothing on a trainer's screen now refers to a clinic.

04 Profile photo and banner

Same control as the veterinarian dashboard: an uploadable profile picture and an optional cover banner, so a trainer is not represented by a generic icon.

Shared handler writing `users.profile_pic_url` and `trainer_profiles.cover_url` through `PUT /auth/profile`.

05 Preview your own booking page

The trainer-facing "View Booking Page" button was blocked by the pet-owner guard. It now opens their real public page with a preview label.

`/trainer-details` is the shared public provider profile serving both vets and trainers, so the route is public and only the booking action is role-gated.

06 Trainer-appropriate profile wizard

The public profile builder speaks the trainer's language throughout: certifications, training methodology, session pricing and service area rather than clinical credentials.

Verified end to end: every label, placeholder and suggestion list branches on role, with a separate specialty vocabulary for trainers.

07 Trainer rating shown honestly

A trainer with no reviews shows "New" rather than a fabricated score.

The rating reads a computed average and falls back to a New badge when there are no reviews, instead of defaulting to a value.

3. Shared Professional Platform

Work that serves both dashboards and the pet owners who book through them.

01 Email notifications for messages and connection requests

A professional now receives an email when a client messages them or sends a connection request, naming the sender and linking straight to the conversation.

A 30-minute quiet period prevents an active back-and-forth generating one email per line, implemented by checking the previous message timestamp with `OFFSET 1 LIMIT 1`.

02 Role badges in the community

Veterinarians, trainers, shop owners and clinic assistants are identified on their posts and comments, with their clinic or shop name and a distinct colour per role. Pet owners carry no badge, so a badge always means something.

Shared RoleBadge component: vet blue with clinic name, trainer emerald, vendor amber with shop name, clinic assistant sky, admin violet, owner null.

03 Pagination component

A shared Previous / Next control now used across the long professional lists.

`usePagination` returns the slice plus clamped page state; the control renders nothing at a single page rather than showing dead buttons.

04 Appointment cancellation and rescheduling by conversation

A pet owner can cancel or reschedule through the assistant instead of booking a duplicate appointment, which is what previously happened.

Dedicated intent detection routed ahead of the booking rail, with ownership verified in the SQL `WHERE` clause before anything changes.

4. Other New Platform Capabilities

Delivered in the same period, outside the two dashboards.

Capability	What it does, and how
Shop storefronts	Every shop now has its own page at a permanent address, replacing a filtered marketplace view. Slugs are generated once and never change on rename, so shared links keep working. Backfilled all 17 live shops, resolving a four-way name collision and transliterating an Arabic name rather than percent-encoding it. Old <code>?shop=Name</code> links resolve and redirect. 50 unit tests.
Storefront editor	Shop owners edit their bio, logo, cover, opening hours, delivery and returns terms beside a live view of the real page, with a completeness meter naming what is missing and why it matters. Server-side validation rejects non-http image URLs, closing times before opening times, invalid weekdays and future founding years.
Bulk product import	A shop can upload its whole catalogue as a spreadsheet instead of typing products one at a time, and sees exactly what will be created or skipped before anything is written. Hand-written RFC 4180 parser – quoted commas, embedded newlines, CRLF, Excel BOM; column aliases in English and Arabic; prices like "1,200.50" and "EGP 300". 48 tests.
Honest product ratings	Unrated products showed five gold stars. They now show grey and say so, and a shop's rating agrees with its own products. Three causes: a database default of 5.0, a front-end fallback inventing 4.8 stars from 45 reviews, and three fabricated named testimonials injected whenever the reviews request returned nothing.
Customer reporting and moderation queue	Customers can report a listing, and administrators review every report with a required note that is recorded. Generic <code>content_reports</code> table so products, posts and lost-and-found reuse it; one open report per person per target enforced by a partial unique index, plus a daily ceiling.

Capability	What it does, and how
Follow a shop	Customers can follow a shop and see its follower count. shop_follows table with a unique constraint; toggle endpoint; owners cannot follow their own shop.
Pet name validation	The assistant stored interface labels as pet names. A name is now validated as a name. Detector in a shared intents module – length and word-count bounds plus not-a-name patterns in English and Arabic – tested against the real function rather than a copy.
Assistant booking flow	Booking through the assistant now offers a tappable date-and-time picker built from the provider's real opening hours, and refuses times in the past. Deterministic date parsing handles "next Tuesday", "tomorrow at 4", Arabic-Indic numerals and ISO stamps; date and time parsed independently so a bare "14:00" binds to the anchor date.
Knowledge retrieval ranking	The assistant ranked answers by how many words happened to appear, so common words outweighed meaningful ones. Rare terms now carry the weight. IDF-style weighting with word-boundary matching, a heading bonus and a minimum-share threshold; species matching prevents a cat question returning dog guidance.
Assistant reliability	The assistant sometimes stopped responding mid-answer. A good knowledge-base answer is no longer discarded when the model provider is throttled. The streaming path now recovers, emitting a retrieval answer and a completion event instead of failing silently.
Admin insights resilience	The admin analytics panel showed "Executive Insights Offline" whenever the summariser was busy, discarding metrics that had already been computed. It now always renders. The deterministic summary is now the failure path as well as the no-provider path, and the response states which one produced it.
Admin dashboard performance	The two heaviest admin pages were exhausting the database connection pool. 15 sequential queries reduced to 2 and 8 to 1, using FILTER clauses for week-over-week windows. Query time 1122 ms to 75 ms and 704 ms to 86 ms; every value verified identical to the previous code.
User location in admin	Administrators can see a user's location in the Users detail view. Surfaced from the existing latitude, longitude and neighbourhood columns.
Platform rename	The platform is now PetPluse throughout the interface, page titles, metadata and email templates. 320 occurrences across 104 files. Lowercase identifiers were deliberately untouched – they appear only in deployment URLs, browser storage keys, image folder paths and the mail sender, where renaming would break live links and sign users out.

5. Tasks Queued

Planned and specified, not yet built. Each carries the technical approach so it can be picked up directly.

#	Task	Description and technical approach
01	Trainer programmes	Trainers sell a course, not a single appointment. Introduce training_programmes (format private/group/in-home, session_count, duration, price, max_dogs, level) and make a booking an enrolment with sessions hanging off it. A Programmes tab takes the slot the clinic team tab vacated, and programmes are listed on the public trainer page.

#	Task	Description and technical approach
02	Trainer client progress	Add training_enrolments with per-session notes — goals, what was practised, homework for the owner, skills mastered — and a My Clients tab showing dog, owner, "session 3 of 6", next date and progress. The same progress appears on the owner's pet profile, which is what drives a re-booking.
03	Group classes	A class becomes one entry with a roster and capacity rather than N appointments at the same time, with a waitlist when full and per-session attendance feeding the progress record. Kept behind the existing feature flag because group pricing touches refunds and no-shows.
04	Storefront customer loop	"More from this shop" on product pages, message the owner using the existing messaging, and storefront view and product-open counts so the owner sees whether customisation paid off.
05	Follow notifications and feed ranking	Notify a shop owner when someone follows them, in-app and by email, with a per-shop mute toggle; and rank posts from followed shops higher in the community timeline. Builds on the shop_follows table already shipped.
06	Edit a submitted ad campaign	A submitted campaign shows only "Awaiting Approval" with no way to change or cancel it. Allow editing while pending and unpaid, returning the request to pending review after an edit.
07	Remove hardcoded ratings on profile pages	The owner profile prints a fixed "4.9 Rating" and the trainer page renders fixed gold-star testimonial blocks — invented feedback about real people. Replace with real data or an honest empty state, as already done in the marketplace.
08	Clinic wallet	A page where a clinic tracks earnings and expenses and withdraws funds. Phase 1 needs no migration: an append-only ledger where the balance is always derived and never stored, with amounts held as integer piastres to avoid floating-point drift.
09	Reduce assistant cost per message	Each request carries roughly 1,887 fixed tokens against a 6,000-per-minute allowance, which is what limits throughput to about three messages a minute. Trim the fixed prompt and tool schema payload.
10	Assistant hardening follow-ups	Close a cold-start path where a guardrail import is not awaited, stop the stored chat transcript surviving a change of signed-in user, and extend the output guardrail to Arabic replies.
11	Marketing banner	A 16:9 web banner in the brand palette — royal blue, white, orange accents — with clean negative space for overlaid text, hand-authored as vector artwork so it scales without loss.
12	Interactive presentation deck	An HTML slide deck for the project defence: keyboard and click navigation, flip cards and reveals, device mockups of the real platform, following the brand identity.

6. Quality Verification

Automated checks run after every change in this period.

Suite	Result	Covers
Assistant evaluation harness	141 passed	Safety guardrails in English and Arabic, date parsing, route integrity, intent detection
Spreadsheet import	48 passed	Parser edge cases, column aliases, every rejection reason
Shop address generation	50 passed	Real production shop names, collisions, URL-unsafe input
Front-end build	Clean	Full production bundle

Prepared for the PetPluse graduation project. Figures quoted for query timings, test counts and record counts were measured against the live deployment and database at the time of writing.