

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1> git commit -a -m "Primeros ficheros"
[main 3f4239e] Primeros ficheros
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fichero1.html
 create mode 100644 fichero2.html

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git log

commit 3f4239e55f989fe76221a130af72f8361b84906f (HEAD -> main)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date:   Mon Feb 3 11:05:13 2025 +0100

    Primeros ficheros

commit 682bb357e218287b8a6d17cadd241466f88c76eb (origin/main, origin/HEAD)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date:   Mon Feb 3 10:56:59 2025 +0100

    Initial commit

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 296 bytes | 296.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/laila2110/Ejercicio_Git_1.git
 682bb35..3f4239e  main -> main
```

main  

Go to file + <> Code

---

 **laila2110** Primeros ficheros 3f4239e · 2 minutes ago 

 README.md	Initial commit	10 minutes ago
 fichero1.html	Primeros ficheros	2 minutes ago
 fichero2.html	Primeros ficheros	2 minutes ago

---

 README 

```
C:\Users\laila>git config --global user.name "laila2110"

C:\Users\laila>git config --global user.email "laila.belhachmi@educa.madrid.org"

C:\Users\laila>git clone https://github.com/laila2110/Ejercicio_Git_1.git
Cloning into 'Ejercicio_Git_1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

C:\Users\laila>
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits>git clone https://github.com/laila2110/Ejercicio_Git_1.git
Cloning into 'Ejercicio_Git_1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

C:\Users\laila\OneDrive\Documentos\Entornos\gits> cd C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git sta
tus
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        fichero1.html
        fichero2.html

nothing added to commit but untracked files present (use "git add" to tr
ack)
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git add
.

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git sta
tus
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   fichero1.html
        new file:   fichero2.html
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1> git co
mmit -a -m "Primeros ficheros"
[main 3f4239e] Primeros ficheros
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fichero1.html
 create mode 100644 fichero2.html

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>|
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git log

commit 3f4239e55f989fe76221a130af72f8361b84906f (HEAD -> main)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date:   Mon Feb 3 11:05:13 2025 +0100


    Primeros ficheros

commit 682bb357e218287b8a6d17cadd241466f88c76eb (origin/main, origin/HEAD)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date:   Mon Feb 3 10:56:59 2025 +0100

    Initial commit

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 296 bytes | 296.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/laila2110/Ejercicio_Git_1.git
682bb35..3f4239e  main -> main
```

 main  

Go to file

+

<> Code

 **laila2110** Primeros ficheros 3f4239e · 2 minutes ago 

 README.md	Initial commit	10 minutes ago
 fichero1.html	Primeros ficheros	2 minutes ago
 fichero2.html	Primeros ficheros	2 minutes ago

 README 

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git add
.

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git add
<fichero3.html>
La sintaxis del comando no es correcta.

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git add
fichero3.html

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git com
mit -m "Nuevo fichero añadido"
[main 64c0725] Nuevo fichero añadido
 2 files changed, 1 insertion(+)
 create mode 100644 fichero3.html

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git pus
h
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 290 bytes | 290.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/laila2110/Ejercicio_Git_1.git
 3f4239e..64c0725  main -> main
```

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git log

commit 64c0725dcff4a5bd4b203a37bda27c4a33887b02 (HEAD -> main, origin/main, origin/HEAD)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Mon Feb 3 11:14:56 2025 +0100







    Nuevo fichero añadido

commit 3f4239e55f989fe76221a130af72f8361b84906f
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Mon Feb 3 11:05:13 2025 +0100

    Primeros ficheros

commit 682bb357e218287b8a6d17cadd241466f88c76eb
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Mon Feb 3 10:56:59 2025 +0100

    Initial commit
```

 <b>laila2110</b> Nuevo fichero añadido		64c0725 · 3 minutes ago	
 README.md	Initial commit	21 minutes ago	
 fichero1.html	Nuevo fichero añadido	3 minutes ago	
 fichero2.html	Primeros ficheros	12 minutes ago	
 fichero3.html	Nuevo fichero añadido	3 minutes ago	

## Ejercicio 2

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git push
Everything up-to-date

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch
* main

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch nuevaRamita

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch
* main
  nuevaRamita

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git checkout nuevaRamita
Switched to branch 'nuevaRamita'

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```



nuevos cambios en la nueva rama

commit 4d855e1d49588bd66f57ca3b31baebf7938e0e1f (origin/main, origin/main, main)

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Thu Feb 6 21:35:38 2025 +0100

cambio en el fichero4.html

commit ff3bb5acf2e71cc11d785dd99269131b4c95776b

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Thu Feb 6 21:32:30 2025 +0100

nuevo fichero4.html

commit e96c104290c132f13cd336b076b758781c4b14ad

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Thu Feb 6 21:29:48 2025 +0100

nuevos cambios en los ficheros

commit 64c0725dcff4a5bd4b203a37bda27c4a33887b02

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Mon Feb 3 11:14:56 2025 +0100

Nuevo fichero añadido

commit 3f4239e55f989fe76221a130af72f8361b84906f

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Mon Feb 3 11:05:13 2025 +0100

Primeros ficheros

commit 682bb357e218287b8a6d17cadd241466f88c76eb

author: laila2110 <laila.belhachmi@educa.madrid.org>

date: Mon Feb 3 10:56:59 2025 +0100

Initial commit

END)

```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch
* main

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch nuevaRamita

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch
* main
  nuevaRamita

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git checkout nuevaRamita
Switched to branch 'nuevaRamita'

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git status
On branch nuevaRamita
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   fichero4.html

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        fichero5.html

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git commit -a "nuevos cambios en la nueva rama"
fatal: paths 'nuevos cambios en la nueva rama ...' with -a does not make sense

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git commit -a -m "nuevos cambios en la nueva rama"
[nuevaRamita 5311879] nuevos cambios en la nueva rama
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git log
```

1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio\_Git\_1>git log

```
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
commit 5311879705e4f1e12c2cbb69b842ecfbb57c7852 (HEAD -> nuevaRamita)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Thu Feb 6 22:45:04 2025 +0100
```

nuevos cambios en la nueva rama

```
commit 4d855e1d49588bd66f57ca3b31baebf7938e0e1f (origin/main, origin/HEAD, main)
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Thu Feb 6 21:35:38 2025 +0100
```

cambio en el fichero4.html

```
commit ff3bb5acf2e71cc11d785dd99269131b4c95776b
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Thu Feb 6 21:32:30 2025 +0100
```

nuevo fichero4.html

```
commit e96c104290c132f13cd336b076b758781c4b14ad
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Thu Feb 6 21:29:48 2025 +0100
```

nuevos cambios en los ficheros

```
commit 64c0725dcff4a5bd4b203a37bda27c4a33887b02
Author: laila2110 <laila.belhachmi@educa.madrid.org>
Date: Mon Feb 3 11:14:56 2025 +0100
```


Nuevo fichero añadido



```
commit 3f4239e55f989fe76221a130af72f8361b84906f
Author: laila2110 <laila.belhachmi@educa.madrid.org>
```


```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git branch
main
* nuevaRamita




C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git push -u origin nuevaRamita
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 325 bytes | 81.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
remote:
remote: Create a pull request for 'nuevaRamita' on GitHub by visiting:
remote:   https://github.com/laila2110/Ejercicio_Git_1/pull/new/nuevaRamita
remote:
To https://github.com/laila2110/Ejercicio_Git_1.git
 * [new branch]      nuevaRamita -> nuevaRamita
branch 'nuevaRamita' set up to track 'origin/nuevaRamita'.

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>|
```

 Ejercicio\_Git\_1 Public

 Pin  Unwatch 1

 nuevaRamita had recent pushes 32 seconds ago Compare & pull request

 main  2 Branches  0 Tags  t Add file Code



```
C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git pull
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (1/1), 911 bytes | 101.00 KiB/s, done.
From https://github.com/laila2110/Ejercicio_Git_1
   4d855e1..8f4225f  main       -> origin/main
Merge made by the 'ort' strategy.
 fichero4.html | 2 + -
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git status
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 12 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 568 bytes | 113.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/laila2110/Ejercicio_Git_1.git
   8f4225f..2f155ac  main -> main

C:\Users\laila\OneDrive\Documentos\Entornos\gits\Ejercicio_Git_1>
```