Laravel 簡化會員系統 API 設計

身份驗證 API

註冊

• 請求方式: POST

• 路由: /api/auth/register

• 參數:

```
{
    "name": "使用者名稱",
    "email": "user@example.com",
    "password": "密碼",
    "password_confirmation": "確認密碼"
}
```

● 回應:

登入

• 請求方式: POST

• 路由: /api/auth/login

• 參數:

```
{
    "email": "user@example.com",
    "password": "密碼",
```

```
"remember_me": false
}
```

● 回應:

```
{
 "success": true,
  "message": "登入成功",
  "data": {
   "user": {
     "id": 1,
     "name": "使用者名稱",
     "email": "user@example.com",
     "roles": ["user"],
     "permissions": ["view-profile"]
   },
   "access_token": "JWT令牌",
   "token_type": "Bearer",
   "expires_at": "2025-03-13T12:00:00.000000Z"
 }
}
```

登出

- 請求方式: POST
- 路由: /api/auth/logout
- 標頭: Authorization: Bearer {token}
- 回應:

```
{
    "success": true,
    "message": "成功登出"
}
```

發送重設密碼郵件

- 請求方式: POST
- 路由:/api/auth/password/email
- 參數:

```
{
    "email": "user@example.com"
}
```

● 回應:

```
{
    "success": true,
    "message": "密碼重設郵件已發送"
}
```

重設密碼

- 請求方式: POST
- 路由: /api/auth/password/reset
- 參數:

```
{
    "email": "user@example.com",
    "password": "新密碼",
    "password_confirmation": "確認新密碼",
    "token": "重設令牌"
}
```

● 回應:

```
{
    "success": true,
    "message": "密碼已重設"
}
```

用戶資料 API

獲取個人資料

- 請求方式: GET
- 路由: /api/user/profile
- 標頭: Authorization: Bearer {token}
- 回應:

```
{
    "success": true,
    "data": {
        "user": {
            "id": 1,
            "name": "使用者名稱",
            "email": "user@example.com",
            "profile": {
                  "phone": "0912345678",
                  "address": "台北市大安區",
                 "birthday": "1990-01-01",
```

更新個人資料

- 請求方式: PUT
- 路由: /api/user/profile
- 標頭: Authorization: Bearer {token}
- 參數:

```
{
    "name": "新使用者名稱",
    "phone": "0912345678",
    "address": "台北市大安區",
    "birthday": "1990-01-01",
    "gender": "male"
}
```

● 回應:

```
"success": true,
 "message": "個人資料已更新",
  "data": {
   "user": {
     "id": 1,
     "name": "新使用者名稱",
     "email": "user@example.com",
     "profile": {
       "phone": "0912345678",
       "address": "台北市大安區",
       "birthday": "1990-01-01",
       "avatar": "uploads/avatars/user1.jpg",
       "gender": "male"
   }
 }
}
```

上傳頭像

- 請求方式: POST
- 路由: /api/user/avatar
- 標頭: Authorization: Bearer {token}
- 參數: form-data 格式,包含 avatar 檔案
- 回應:

```
{
    "success": true,
    "message": "頭像已更新",
    "data": {
        "avatar_url": "uploads/avatars/user1_updated.jpg"
    }
}
```

更改密碼

- 請求方式: PUT
- 路由: /api/user/password
- 標頭: Authorization: Bearer {token}
- 參數:

```
{
    "current_password": "當前密碼",
    "password": "新密碼",
    "password_confirmation": "確認新密碼"
}
```

● 回應:

```
{
    "success": true,
    "message": "密碼已更新"
}
```

獲取登入活動

- 請求方式: GET
- 路由:/api/user/login-activities
- 標頭: Authorization: Bearer {token}
- 回應:

```
{
    "success": true,
    "data": {
```

```
"activities": [
        "id": 1,
        "ip_address": "192.168.1.1",
        "user_agent": "Mozilla/5.0...",
        "login_at": "2025-03-12T10:00:00.000000Z",
        "logout_at": "2025-03-12T11:00:00.000000Z",
        "status": "success"
      },
        "id": 2,
        "ip_address": "192.168.1.1",
        "user_agent": "Mozilla/5.0...",
        "login_at": "2025-03-11T10:00:00.000000Z",
        "logout_at": "2025-03-11T11:00:00.000000Z",
        "status": "success"
      }
    ]
 }
}
```

管理員 API

獲取所有用戶

- 請求方式: GET
- 路由: /api/admin/users
- 標頭: Authorization: Bearer {token}
- 權限要求: manage-users
- 查詢參數: page, per_page, search, sort_by, sort_dir
- 回應:

```
],
    "pagination": {
        "total": 100,
        "per_page": 10,
        "current_page": 1,
        "last_page": 10
    }
}
```

編輯用戶角色

- 請求方式: PUT
- 路由: /api/admin/users/{user_id}/roles
- 標頭: Authorization: Bearer {token}
- 權限要求: manage-roles
- 參數:

```
{
    "roles": [1, 2]
}
```

● 回應:

```
{
    "success": true,
    "message": "用戶角色已更新",
    "data": {
        "user": {
            "id": 1,
            "name": "使用者1",
            "email": "user1@example.com",
            "roles": ["user", "editor"]
        }
    }
}
```

管理角色和權限

- 請求方式: GET
- 路由: /api/admin/roles
- 標頭: Authorization: Bearer {token}
- 權限要求: manage-roles
- 回應:

```
"success": true,
  "data": {
   "roles": [
     {
       "id": 1,
       "name": "admin",
       "description": "管理員角色",
       "permissions": [
         {
           "id": 1,
           "name": "manage-users",
           "description": "管理用戶"
         },
           "id": 2,
           "name": "manage-roles",
           "description": "管理角色"
       ]
     },
       "id": 2,
       "name": "user",
       "description": "一般用戶角色",
       "permissions": [
         {
           "id": 3,
           "name": "view-profile",
           "description": "查看個人資料"
         }
       ]
     }
   ]
 }
}
```