ACTIVITY ANSWER SHEET

Name	Laila D. Matin-ao
Section:	BSIT- 3R1

Instructions:
1. Push your output on your GITHUB repository.
2. Use the answer sheet provided save it as PDF file then push it to your GitHub.
3. Answer the ff. problems write it on the answer sheet.
4. Late submissions will no longer be accepted.
5. Caught copying outputs of others will be given sanctions.
6. Failure to follow these instructions will be given sanctions.

Activity 1: Control Structures
1. Write down the syntax in PHP for the ff.

1. if	if (condition) {
	    code to be executed if condition is true;
	}

2. if…else	if (condition) {
	    code to be executed if condition is true;
	} else {
	    code to be executed if condition is false;
	}

3. if…else if…else	if (condition) {
	    code to be executed if this condition is true;
	} elseif (condition) {
	    code to be executed if first condition is false and this condition is true;
	} else {
	    code to be executed if all conditions are false;
	}

4. switch…case	switch (n) {
	    case label1:
	        code to be executed if n=label1;
	        break;
	    case label2:
	        code to be executed if n=label2;
	        break;
	    case label3:
	        code to be executed if n=label3;
	        break;
	    ...
	    default:
	        code to be executed if n is different from all labels;
	}

5. for loop	for (init counter; test counter; increment counter) {
	    code to be executed for each iteration;
	}

6. do while loop	do { code to be executed; } while (condition is true);

7. while loop	while (condition is true) {
	    code to be executed;
	}

8. foreach loop	foreach ($array as $value) {
	  code to be executed;
	}

9. break statement	Break;
10. continue statement	Continue;

11. try…catch	try {
	    // run your code here
	}
	catch (exception $e) {
	    //code to handle the exception
	}

2. Solve the ff. problem using PHP.
   a. Write a program that checks if value is a number (integer).

   Sample input: '1'   Sample input: 1
   Expected output: Not a number   Expected output: A number

```php
<?php

    $number = '1';
     if (is_integer($number)){
        echo "a number";

     }else{
        echo "not a  number";
     }

?>
```

   b. Write a program that checks if a value is positive or negative and odd or even.

   Sample input: 0   Sample input: -1
   Expected output: Positive & Even   Expected output: Negative and Odd

```php
<?php
   $number = 50 ;

   if($number>0){
      if($number%2 == 0){
         echo "{$number} is positive and even";

      }else{
         echo "($number) is positive and odd";
      }
   }else{
      if($number%2 ==0){
         echo "$number is negative and even";
      }else{
         echo "$number is negative and odd";
      }
   }
?>
```

   c. Write a program that checks if a value is palindrome.

   Sample input: Anna   Sample input: Bogart
   Expected output: Palindrome   Expected output: Not a Palindrome

```php
<?php
   $word = "level";

   if(strrev($word) == $word){

      echo "{$word} is a palindrome";

   }else{

      echo "{$word} is not a palindrome";

   }
```

```php
?>
```

d. Write a program to calculate and print the factorial of a number using a for loop.
    Sample input: 4
    Expected output: 24

```php
<?php
  $i = 0;

  $rep = 4;

  $fact = 1;

  for($i = 1;$i < $rep;$i++){
    $fact =$fact * ($i+1);
  }
   echo $fact;

?>
```

e. Write a PHP program to generate and display the first n lines of a Floyd triangle.
    Sample input: 3
    Sample output:
      1
      2 3
      4 5 6

```php
<?php
  $lineNum = 3;

  $count = 1;

  $s = 0;

  $i = 0;

  for ($i = $lineNum;$i >= 0;$i--){

    for ($j = $i; $j < $lineNum;$j++){
      printf("%4s", $count);
      $count++;
    }
    echo nl2br("\n");
  }

?>
```

Activity 2: PHP Built-in Functions

Write down the functionalities of the ff. built-in functions in PHP.

Array	The array functions allow you to access and manipulate arrays. Simple and multi-dimensional arrays are supported. array_fill() Fills an array with values array_fill_keys() Fills an array with values, specifying keys array_filter() Filters the values of an array using a callback function array_flip() Flips/Exchanges all keys with their associated values in an array array_intersect() Compare arrays, and returns the matches (compare values only)
Calendar	The calendar extension contains functions that simplifies converting between different calendar formats. cal_days_in_month() Returns the number of days in a month for a specified year and calendar easter_days() Returns the number of days after March 21, that the Easter Day is in a specified year frenchtojd() Converts a French Republican date to a Julian Day Count gregoriantojd() Converts a Gregorian date to a Julian Day Count jddayofweek() Returns the day of the week
Date	The date/time functions allow you to get the date and time from the server where your PHP script runs. You can then use the date/time functions to format the date and time in several ways. checkdate() Validates a Gregorian date date_add() Adds days, months, years, hours, minutes, and seconds to a date date_create_from_format() Returns a new DateTime object formatted according to a specified format date_create()Returns a new DateTime object date_date_set() Sets a new date
Directory	The directory functions allow you to retrieve information about directories and their contents. getcwd() Returns the current working directory opendir() Opens a directory handle readdir() Returns an entry from a directory handle

	rewinddir() Resets a directory handle scandir() Returns an array of files and directories of a specified directory
Error	The error functions are used to deal with error handling and logging. The error functions allow us to define own error handling rules, and modify the way the errors can be logged. The logging functions allow us to send messages directly to other machines, emails, or system logs. The error reporting functions allow us to customize what level and kind of error feedback is given. display_startup_errors "0" log_errors "0" log_errors_max_len "1024" ignore_repeated_errors "0" ignore_repeated_source "0"
File System	The filesystem functions allow you to access and manipulate the filesystem. allow_url_fopen "1" Allows fopen()-type functions to work with URLs PHP_INI_SYSTEM allow_url_include "0" (available since PHP 5.2) PHP_INI_SYSTEM user_agent NULL Defines the user agent for PHP to send (available since PHP 4.3) PHP_INI_ALL default_socket_timeout "60" Sets the default timeout, in seconds, for socket based streams (available since PHP 4.3) PHP_INI_ALL sys_temp_dir"" (available since PHP 5.5) PHP_INI_SYSTEM
Filter	This PHP filters is used to validate and filter data coming from insecure sources, like user input. filter_id() Returns the filter ID of a specified filter name filter_input() Gets an external variable (e.g. from form input) and optionally filters it filter_input_array() Gets external variables (e.g. from form input) and optionally filters them filter_list() Returns a list of all supported filter names filter_var() Filters a variable with a specified filter
FTP	The FTP functions give client access to file servers through the File Transfer Protocol (FTP).

	The FTP functions are used to open, login and close connections, as well as upload, download, rename, delete, and get information on files from file servers. Not all of the FTP functions will work with every server or return the same results. The FTP functions became available with PHP 3. ftp_login() Logs in to the FTP connection ftp_mdtm() Returns the last modified time of a specified file ftp_mkdir() Creates a new directory on the FTP server ftp_mlsd() Returns the list of files in the specified directory ftp_nb_continue() Continues retrieving/sending a file (non-blocking)
Libxml	The libxml functions and constants are used together with SimpleXML, XSLT and DOM functions. libxml_clear_errors() Clears the libxml error buffer libxml_disable_entity_loader() Enables the ability to load external entities libxml_get_errors() Gets the errors from the the libxml error buffer libxml_get_last_error() Gets the last error from the the libxml error buffer libxml_set_external_entity_loader() Changes the default external entity loader
Mail	The mail() function allows you to send emails directly from a script. ezmlm_hash() Calculates the hash value needed by EZMLM mail() Allows you to send emails directly from a script
Math	The math functions can handle values within the range of integer and float types. decbin() Converts a decimal number to a binary number dechex() Converts a decimal number to a hexadecimal number decoct() Converts a decimal number to an octal number deg2rad() Converts a degree value to a radian value exp() Calculates the exponent of e
Misc	The misc. functions were only placed here because none of the other categories seemed to fit. defined() Checks whether a constant exists die() Alias of exit() eval() Evaluates a string as PHP code exit() Prints a message and exits the

	current script get_browser() Returns the capabilities of the user's browser
MySQLi	The MySQLi functions allows you to access MySQL database servers. errno() Returns the last error code for the most recent function call error() Returns the last error description for the most recent function call error_list() Returns a list of errors for the most recent function call fetch_all() Fetches all result rows as an associative array, a numeric array, or both fetch_array() Fetches a result row as an associative, a numeric array, or both
Network	The Network functions contains various network function and let you manipulate information sent to the browser by the Web server, before any other output has been sent. getprotobyname() Returns the protocol number for a given protocol name getprotobynumber() Returns the protocol name for a given protocol number getservbyname() Returns the port number for a given Internet service and protocol getservbyport() Returns the Internet service for a given port and protocol header_register_callback() Calls a header function
SimpleXML	SimpleXML is an extension that allows us to easily manipulate and get XML data. SimpleXML provides an easy way of getting an element's name, attributes and textual content if you know the XML document's structure or layout. SimpleXML turns an XML document into a data structure you can iterate through like a collection of arrays and objects. getDocNamespaces() Returns the namespaces declared in document getName() Returns the name of an element getNamespaces() Returns the namespaces used in document registerXPathNamespace() Creates a namespace context for the next XPath query saveXML() Alias of asXML()
Stream	Streams are the way of generalizing file, network, data compression, and other operations which share a common set of functions and uses. In its simplest definition, a stream is a resource object which exhibits streamable behavior. That

	is, it can be read from or written to in a linear fashion, and may be able to fseek() to an arbitrary location within the stream. stream_context_get_options() stream_context_get_params() stream_context_set_default() stream_context_set_options() stream_context_set_params()
String	The PHP string functions are part of the PHP core. No installation is required to use these functions. crc32() Calculates a 32-bit CRC for a string crypt() One-way string hashing echo() Outputs one or more strings explode() Breaks a string into an array fprintf() Writes a formatted string to a specified output stream
XML Parser	The XML functions lets you parse, but not validate, XML documents. xml_get_current_column_number() Returns the current column number from the XML parser xml_get_current_line_number() Returns the current line number from the XML parser xml_get_error_code() Returns an error code from the XML parser xml_parse() Parses an XML document xml_parse_into_struct() Parses XML data into an array
Zip	The Zip files functions allows you to read ZIP files. zip_entry_name() Returns the name of a ZIP directory entry zip_entry_open() Opens a directory entry in a ZIP file for reading zip_entry_read() Reads from an open directory entry in the ZIP file zip_open() Opens a ZIP file archive zip_read() Reads the next file in a open ZIP file archive
Timezones	PHP Date/Time Functions PHP gmdate() Function PHP strtotime() Function PHP Date and Time PHP Tryit Editor v1.1

Activity 3: Regular Expression

1. Define Regular Expression (RegEx) and provide example programming scenario where you can use (RegEx). Provide example syntax in PHP.

Regular expressions are powerful pattern matching algorithm that can be performed in a single expression.

When creating a custom HTML template. Regular expressions can be used to identify the template tags and replace them with actual data.

```php
<?php
function_name('/pattern/',subject);
?>
```

2. Solve the ff. problem using Regular Expressions.
   a. Write a PHP script that checks if a string contains another string
      Sample String: 'The quick brown fox'
      Test input: 'Fox'
      Expected output: Fox is found the string

```php
<?php
$string = "The quick brown fox";
$testing = "/Fox/i";
if (preg_match($testing, $string))
{
        echo "Fox is found in the string";
}
else
{
        echo "Fox is not found in the string";
}
?>
```

   b. Write a PHP script that removes the last word from a string.
      Sample String: 'The quick brown fox'
      Expected output: 'The quick brown'

```php
<?php
$string = "The quick brown fox";
echo preg_replace('/\W\w+\s*(\W*)$/', '$1', $string)."\n";
?>
```

   c. Write a PHP script to remove nonnumeric characters except comma and dot.
      Sample String: '/$123,34.00A#'
      Expected output: 123,34.00

```php
<?php
$str = "/$123,34.00A#";
echo preg_replace("/[^0-9,.]/", "", $str)."\n";
?>
```

d. Write a PHP script to extract text (within parenthesis) from a string.
   Sample String: 'The quick brown [fox].'
   Expected output: Fox

```php
<?php
$str = 'The quick brown [fox].';
preg_match('#\[(.*?)\]#', $str, $match);
print $match[1]."\n";
?>
```

e. Write a PHP script to remove all characters from a string except a-z A-Z 0-9 or " ".
   Sample String: 'abcde$ddfd @abcd)der]'
   Expected output: abcdeddfd abcd der

```php
<?php
$alphabet = 'abcde$ddfd @abcd  )der]';
$run = preg_replace("/[^A-Za-z0-9 ]/", '', $alphabet);
echo 'Output : '.$run."\n";
?>
```

Activity 4: Error Handling

1. List down the different PHP errors. Provide example code on how to handle these errors.

*Notice Errors
```php
<?php

// Turn off all error reporting
error_reporting(0);

// Report simple running errors
error_reporting(E_ERROR | E_WARNING | E_PARSE);

// Reporting E_NOTICE can be good too (to report uninitialized
// variables or catch variable name misspellings ...)
error_reporting(E_ERROR | E_WARNING | E_PARSE | E_NOTICE);

// Report all errors except E_NOTICE
error_reporting(E_ALL & ~E_NOTICE);

// Report all PHP errors (see changelog)
error_reporting(E_ALL);

// Report all PHP errors
error_reporting(-1);

// Same as error_reporting(E_ALL);
ini_set('error_reporting', E_ALL);

?>
```

```
*Warning Errors
set_error_handler("warning_handler", E_WARNING);
dns_get_record(...)
restore_error_handler();

function warning_handler($errno, $errstr) {
// do something

*Parse Errors
try{
eval("echo 'bebe' echo 'bobo'");

}catch(ParseError $p){

    echo $p->getMessage();
}


*Fatal Errors
set_error_handler('myErrorHandler');
register_shutdown_function('fatalErrorShutdownHandler');
function myErrorHandler($code, $message, $file, $line) {
  ...
}
function fatalErrorShutdownHandler()
{
  $last_error = error_get_last();
  if ($last_error['type'] === E_ERROR) {
    // fatal error
    myErrorHandler(E_ERROR, $last_error['message'], $last_error['file'], $last_error['line']);
  }
}
```