

autocoder — First Run

The exact commands to go from nothing to a running swarm, on every agentic platform

Claude Code · Codex · Droid (Factory) · Antigravity / Gemini · OpenCode

verified against the repo — every command, script path & flag checked

First Run — Claude Code

/ = in Claude Code

\$ = your terminal

```
# 1 · add the marketplace
/plugin marketplace add laird/agents
# 2 · install the plugin, then activate it this session
/plugin install autocoder@plugin-marketplace
/reload-plugins
# 3 · install utility scripts (symlinks start-parallel → ~/.local/bin)
/install
# 4 · choose the issue source (github or file)
/set-issue-source
# 5 · run it
/fix          # one pass      /fix-loop # continuous    /stop-loop # stop
# 6 · launch an agentic swarm (terminal, from the target repo)
$ start-parallel 3 --agent claude --mux tmux --issue-source github
```

Prereqs: git repo · `tmux` / `cmux` for a swarm · `gh auth login` for the GitHub backend

First Run — Codex

\$ = your terminal (script-driven, not slash-commands)

```
# 1 · install skills, aliases & parallel-agent commands into a repo
bash scripts/install-codex.sh /path/to/target-repo
# 2 · run one autocoder pass
bash scripts/codex-autocoder.sh fix
# 3 · run continuously
bash scripts/codex-fix-loop.sh
# 4 · launch an agentic swarm (defaults to tmux; pass cmux to override)
bash scripts/start-parallel-codex.sh 3
```

Optional aliases: source `scripts/codex-shell-aliases.sh` → `startct`, `startcc`, `joinct`, `joincc`

Prereqs: git repo · `tmux` / `cmux` for a swarm · Codex CLI installed

First Run — Droid (Factory)

\$ = your terminal

```
# 1 · install skills, droids, aliases & parallel-agent commands into a repo
bash scripts/install-droid.sh /path/to/target-repo
# 2 · run one autocoder pass
bash scripts/droid-autocoder.sh fix
# 3 · run continuously
bash scripts/droid-fix-loop.sh
# 4 · launch an agentic swarm (arg order: <mux> <count>)
bash scripts/droid-start-parallel.sh tmux 3
```

Or install as a plugin: `droid plugin marketplace add https://github.com/laird/agents` → `droid plugin install autocoder@plugin-marketplace`

Optional aliases: `source scripts/droid-shell-aliases.sh` → `startdt`, `startdc`, `joindt`, `joindc`

First Run — Antigravity / Gemini

One slide, because both drive **Google's Gemini models** — same model family, two different runtimes. Install the one you use (or both): the **Antigravity IDE** loads the `.agent/` directory; the **Gemini CLI** loads the `skills/` extensions. Neither needs the other.

Antigravity engine (`.agent/` workflows) / = in Antigravity

```
# 1 · install the .agent/ directory into your project
$ curl -sSL https://raw.githubusercontent.com/laird/agents/master/scripts/install.sh | bash
# 2 · run the workflows inside Antigravity
/fix          /fix-loop
```

Gemini CLI (runtime scripts) \$ = your terminal

```
bash scripts/gemini-autocoder.sh fix      # one pass
bash scripts/gemini-fix-loop.sh          # continuous
start-parallel 3 --agent gemini --mux tmux # swarm (aliases: startgt / startgc)
```

First Run — OpenCode

\$ = your terminal (config-based; core autocoder workflow)

```
# 1 · copy the OpenCode agent configs into your project
cp -r /path/to/agents/agents /your/project/

# 2 · run the autocoder agent from OpenCode
#    (defined in agents/autocoder/agent.md – triage, fix, test, propose)
```

Scope: OpenCode ships the **core** autocoder workflow. Manager-session features — blocked-issue review, worker monitoring, and swarm dispatch — live in the Claude Code, Antigravity, Codex, and Droid integrations.

Prereqs: git repo · OpenCode configured to load the `agents/` directory

Verified against the repo

- **Checked & correct** — every install/run/swarm command above: script paths exist, slash-command files exist (`/fix`, `/install`, `/set-issue-source`, ...), `--agent` / `--mux` flags match `start-parallel --help`, `start-parallel-codex.sh 3` (number-first) is accepted, OpenCode `agents/autocoder/agent.md` and Antigravity `.agent/workflows/fix.md` present.
- **Found 3 stale references in the current README** (pre-existing) — `scripts/codex-stop-loop.sh` and `scripts/droid-stop-loop.sh` are documented but **do not exist** (loops stop on `ctrl-c`); and the Antigravity install URL points at a `main` branch that doesn't exist — corrected to `master` on these slides. Recommend fixing the README.