

Hands-on Class Project – Part #1

```
DROP TABLE criminals CASCADE CONSTRAINTS;  
DROP TABLE crimes CASCADE CONSTRAINTS;
```

```
CREATE TABLE criminals  
(criminal_id NUMBER(6),  
last VARCHAR2(15),  
first VARCHAR2(10),  
street VARCHAR2(30),  
city VARCHAR2(20),  
state CHAR(2),  
zip CHAR(5),  
phone CHAR(10),  
v_status CHAR(1) DEFAULT 'N',  
p_status CHAR(1) DEFAULT 'N' );
```

```
CREATE TABLE crimes  
(crime_id NUMBER(9),  
criminal_id NUMBER(6),  
classification CHAR(1),  
date_charged DATE,  
status CHAR(2),  
hearing_date DATE,  
appeal_cut_date DATE);
```

```
ALTER TABLE crimes  
MODIFY (classification DEFAULT 'U');
```

```
ALTER TABLE crimes  
ADD (date_recorded DATE DEFAULT SYSDATE);
```

```
ALTER TABLE criminals  
ADD CONSTRAINT criminals_id_pk PRIMARY KEY (criminal_id);
```

```
ALTER TABLE criminals  
ADD CONSTRAINT criminals_vstatus_ck CHECK (v_status IN('Y','N'));
```

```
ALTER TABLE criminals  
ADD CONSTRAINT criminals_pstatus_ck CHECK (p_status IN('Y','N'));
```

```
ALTER TABLE crimes  
ADD CONSTRAINT crimes_id_pk PRIMARY KEY (crime_id);
```

Hands-on Class Project – Part #1

ALTER TABLE crimes

ADD CONSTRAINT crimes_class_ck CHECK (classification IN('F','M','O','U'));

ALTER TABLE crimes

ADD CONSTRAINT crimes_status_ck CHECK (status IN('CL','CA','IA'));

ALTER TABLE crimes

ADD CONSTRAINT crimes_criminalid_fk FOREIGN KEY (criminal_id)
REFERENCES criminals(criminal_id);

ALTER TABLE crimes

MODIFY (criminal_id NOT NULL);

DROP TABLE aliases CASCADE CONSTRAINTS;

DROP TABLE criminals CASCADE CONSTRAINTS;

DROP TABLE crimes CASCADE CONSTRAINTS;

DROP TABLE appeals CASCADE CONSTRAINTS;

DROP TABLE officers CASCADE CONSTRAINTS;

DROP TABLE crime_officers CASCADE CONSTRAINTS;

DROP TABLE crime_charges CASCADE CONSTRAINTS;

DROP TABLE crime_codes CASCADE CONSTRAINTS;

DROP TABLE prob_officers CASCADE CONSTRAINTS;

DROP TABLE sentences CASCADE CONSTRAINTS;

DROP sequence appeals_id_seq;

DROP table prob_contact CASCADE CONSTRAINTS;

CREATE TABLE aliases

(alias_id NUMBER(6),
criminal_id NUMBER(6),
alias VARCHAR2(10));

CREATE TABLE criminals

(criminal_id NUMBER(6),
last VARCHAR2(15),
first VARCHAR2(10),
street VARCHAR2(30),
city VARCHAR2(20),
state CHAR(2),
zip CHAR(5),
phone CHAR(10),
v_status CHAR(1) DEFAULT 'N',
p_status CHAR(1) DEFAULT 'N');

Hands-on Class Project – Part #1

```
CREATE TABLE crimes
(crime_id NUMBER(9),
criminal_id NUMBER(6),
classification CHAR(1),
date_charged DATE,
status CHAR(2),
hearing_date DATE,
appeal_cut_date DATE);
```

```
CREATE TABLE sentences
(sentence_id NUMBER(6),
criminal_id NUMBER(9),
type CHAR(1),
prob_id NUMBER(5),
start_date DATE,
end_date DATE,
violations NUMBER(3));
```

```
CREATE TABLE prob_officers
(prob_id NUMBER(5),
last VARCHAR2(15),
first VARCHAR2(10),
street VARCHAR2(30),
city VARCHAR2(20),
state CHAR(2),
zip CHAR(5),
phone CHAR(10),
email VARCHAR2(30),
status CHAR(1) DEFAULT 'A',
mgr_id NUMBER(5) );
```

```
CREATE TABLE officers
(officer_id NUMBER(8),
last VARCHAR2(15),
first VARCHAR2(10),
precinct CHAR(4),
badge VARCHAR2(14),
phone CHAR(10),
status CHAR(1) DEFAULT 'A' );
```

```
CREATE TABLE crime_codes
(crime_code NUMBER(3),
code_description VARCHAR2(30));
```

Hands-on Class Project – Part #1

```
ALTER TABLE crimes  
  MODIFY (classification DEFAULT 'U');
```

```
ALTER TABLE crimes  
  ADD (date_recorded DATE DEFAULT SYSDATE);
```

```
ALTER TABLE prob_officers  
  ADD (pager# CHAR(10));
```

```
ALTER TABLE aliases  
  MODIFY (alias VARCHAR2(20));
```

```
ALTER TABLE criminals  
  ADD CONSTRAINT criminals_id_pk PRIMARY KEY (criminal_id);
```

```
ALTER TABLE criminals  
  ADD CONSTRAINT criminals_vstatus_ck CHECK (v_status IN('Y','N'));
```

```
ALTER TABLE criminals  
  ADD CONSTRAINT criminals_pstatus_ck CHECK (p_status IN('Y','N'));
```

```
ALTER TABLE aliases  
  ADD CONSTRAINT aliases_id_pk PRIMARY KEY (alias_id);
```

```
ALTER TABLE aliases  
  ADD CONSTRAINT appeals_criminalid_fk FOREIGN KEY (criminal_id)  
    REFERENCES criminals(criminal_id);
```

```
ALTER TABLE aliases  
  MODIFY (criminal_id NOT NULL);
```

```
ALTER TABLE crimes  
  ADD CONSTRAINT crimes_id_pk PRIMARY KEY (crime_id);
```

```
ALTER TABLE crimes  
  ADD CONSTRAINT crimes_class_ck CHECK (classification IN('F','M','O','U'));
```

```
ALTER TABLE crimes  
  ADD CONSTRAINT crimes_status_ck CHECK (status IN('CL','CA','IA'));
```

```
ALTER TABLE crimes  
  ADD CONSTRAINT crimes_criminalid_fk FOREIGN KEY (criminal_id)  
    REFERENCES criminals(criminal_id);
```

Hands-on Class Project – Part #1

```
ALTER TABLE crimes
```

```
  MODIFY (criminal_id NOT NULL);
```

```
ALTER TABLE prob_officers
```

```
  ADD CONSTRAINT probofficers_id_pk PRIMARY KEY (prob_id);
```

```
ALTER TABLE prob_officers
```

```
  ADD CONSTRAINT probofficers_status_ck CHECK (status IN('A','I'));
```

```
ALTER TABLE sentences
```

```
  ADD CONSTRAINT sentences_id_pk PRIMARY KEY (sentence_id);
```

```
ALTER TABLE sentences
```

```
  ADD CONSTRAINT sentences_crimeid_fk FOREIGN KEY (criminal_id)
    REFERENCES criminals(criminal_id);
```

```
ALTER TABLE sentences
```

```
  MODIFY (criminal_id NOT NULL);
```

```
ALTER TABLE sentences
```

```
  ADD CONSTRAINT sentences_probid_fk FOREIGN KEY (prob_id)
    REFERENCES prob_officers(prob_id);
```

```
ALTER TABLE sentences
```

```
  ADD CONSTRAINT sentences_type_ck CHECK (type IN('J','H','P'));
```

```
ALTER TABLE officers
```

```
  ADD CONSTRAINT officers_id_pk PRIMARY KEY (officer_id);
```

```
ALTER TABLE officers
```

```
  ADD CONSTRAINT officers_status_ck CHECK (status IN('A','I'));
```

```
ALTER TABLE crime_codes
```

```
  ADD CONSTRAINT crimecodes_code_pk PRIMARY KEY (crime_code);
```

```
CREATE TABLE appeals
```

```
  (appeal_id NUMBER(5),
```

```
   crime_id NUMBER(9) NOT NULL,
```

```
   filing_date DATE,
```

```
   hearing_date DATE,
```

```
   status CHAR(1) DEFAULT 'P',
```

```
   CONSTRAINT appeals_id_pk PRIMARY KEY (appeal_id),
```

```
   CONSTRAINT appeals_crimeid_fk FOREIGN KEY (crime_id)
```

Hands-on Class Project – Part #1

```
REFERENCES crimes(crime_id),  
CONSTRAINT appeals_status_ck CHECK (status IN('P','A','D')) );
```

```
CREATE TABLE crime_officers  
(crime_id NUMBER(9),  
officer_id NUMBER(8),  
CONSTRAINT crimeofficers_cid_oid_pk PRIMARY KEY (crime_id,officer_id),  
CONSTRAINT crimeofficers_crimeid_fk FOREIGN KEY (crime_id)  
REFERENCES crimes(crime_id),  
CONSTRAINT crimeofficers_officerid_fk FOREIGN KEY (officer_id)  
REFERENCES officers(officer_id) );
```

```
CREATE TABLE crime_charges  
(charge_id NUMBER(10),  
crime_id NUMBER(9) NOT NULL,  
crime_code NUMBER(3) NOT NULL,  
charge_status CHAR(2),  
fine_amount NUMBER(7,2),  
court_fee NUMBER(7,2),  
amount_paid NUMBER(7,2),  
pay_due_date DATE,  
CONSTRAINT crimecharges_id_pk PRIMARY KEY (charge_id),  
CONSTRAINT crimecharges_crimeid_fk FOREIGN KEY (crime_id)  
REFERENCES crimes(crime_id),  
CONSTRAINT crimecharges_code_fk FOREIGN KEY (crime_code)  
REFERENCES crime_codes(crime_code),  
CONSTRAINT crimecharges_status_ck CHECK (charge_status IN('PD','GL','NG')) );
```

```
INSERT INTO crime_codes  
VALUES (301,'Agg Assault');
```

```
INSERT INTO crime_codes  
VALUES (302,'Auto Theft');
```

```
INSERT INTO crime_codes  
VALUES (303,'Burglary-Business');
```

```
INSERT INTO crime_codes  
VALUES (304,'Criminal Mischief');
```

```
INSERT INTO crime_codes  
VALUES (305,'Drug Offense');
```

Hands-on Class Project – Part #1

```
INSERT INTO crime_codes  
VALUES (306,'Bomb Threat');
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (100, 'Peek', 'Susan', 'Virginia Beach', 'A', NULL);
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (102, 'Speckle', 'Jeff', 'Virginia Beach', 'A', 100);
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (104, 'Boyle', 'Chris', 'Virginia Beach', 'A', 100);
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (106, 'Taps', 'George', 'Chesapeake', 'A', NULL);
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (108, 'Ponds', 'Terry', 'Chesapeake', 'A', 106);
```

```
INSERT INTO prob_officers (prob_id, last, first, city, status, mgr_id)  
VALUES (110, 'Hawk', 'Fred', 'Chesapeake', 'I', 106);
```

```
INSERT INTO officers (officer_id, last, first, precinct, badge, phone, status)  
VALUES (111112, 'Shocks', 'Pam', 'OCVW', 'E5546A33', '7574446767', 'A');
```

```
INSERT INTO officers (officer_id, last, first, precinct, badge, phone, status)  
VALUES (111113, 'Busey', 'Gerry', 'GHNT', 'E5577D48', '7574446767', 'A');
```

```
INSERT INTO officers (officer_id, last, first, precinct, badge, phone, status)  
VALUES (111114, 'Gants', 'Dale', 'SBCH', 'E5536N02', '7574446767', 'A');
```

```
INSERT INTO officers (officer_id, last, first, precinct, badge, phone, status)  
VALUES (111115, 'Hart', 'Leigh', 'WAVE', 'E5511J40', '7574446767', 'A');
```

```
INSERT INTO officers (officer_id, last, first, precinct, badge, phone, status)  
VALUES (111116, 'Sands', 'Ben', 'OCVW', 'E5588R00', '7574446767', 'I');
```

```
INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)  
VALUES (1020, 'Phelps', 'Sam', '1105 Tree Lane', 'Virginia Beach', 'VA', '23510',  
7576778484, 'Y', 'N');
```

```
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,  
hearing_date, appeal_cut_date)
```

Hands-on Class Project – Part #1

```
VALUES (10085, 1020, 'F', '03-SEP-08', 'CA', '15-SEP-08', '15-DEC-08');

INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5000, 10085, 301, 'GL', 3000, 200, 40, '15-OCT-08');
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5001, 10085, 305, 'GL', 1000, 100, NULL, '15-OCT-08');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1000, 1020, 'J', NULL, '15-SEP-08', '15-SEP-10', 0);
INSERT INTO aliases(alias_id, criminal_id, alias)
VALUES (100, 1020, 'Bat');
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (10085, 111112);
INSERT INTO criminals(criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1021, 'Sums', 'Tammy', '22 E. Ave', 'Virginia Beach', 'VA', '23510',
        7575453390, 'N', 'Y');
INSERT INTO crimes(crime_id, criminal_id, classification, date_charged, status,
                   hearing_date, appeal_cut_date)
VALUES (10086, 1021, 'M', '20-OCT-08', 'CL', '05-DEC-08', NULL);
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5002, 10086, 304, 'GL', 200, 100, 25, '15-FEB-09');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1001, 1021, 'P', 102, '05-DEC-08', '05-JUN-09', 0);
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (10086, 111114);

INSERT INTO criminals(criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1022, 'Caulk', 'Dave', '8112 Chester Lane', 'Chesapeake', 'VA', '23320',
        7578403690, 'N', 'Y');
INSERT INTO crimes(crime_id, criminal_id, classification, date_charged, status,
                   hearing_date, appeal_cut_date)
VALUES (10087, 1022, 'M', '30-OCT-08', 'IA', '05-DEC-08', '15-MAR-09');
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5003, 10087, 305, 'GL', 100, 50, 150, '15-MAR-09');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1002, 1022, 'P', 108, '20-MAR-09', '20-AUG-09', 0);
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (10087, 111115);
```

Hands-on Class Project – Part #1

```
INSERT INTO aliases (alias_id, criminal_id, alias)
VALUES (101, 1022, 'Cabby');
INSERT INTO appeals (appeal_id, crime_id, filing_date, hearing_date, status)
VALUES (7500, 10087, '10-DEC-08', '20-DEC-08', 'A');
INSERT INTO appeals (appeal_id, crime_id, filing_date, hearing_date, status)
VALUES (7501, 10086, '15-DEC-08', '20-DEC-08', 'A');
INSERT INTO appeals (appeal_id, crime_id, filing_date, hearing_date, status)
VALUES (7502, 10085, '20-SEP-08', '28-OCT-08', 'A');
INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1023, 'Dabber', 'Pat', NULL, 'Chesapeake', 'VA', '23320',
        NULL, 'N', 'N');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
                    hearing_date, appeal_cut_date)
VALUES (10088, 1023, 'O', '05-NOV-08', 'CA', NULL, NULL);
INSERT INTO crime_charges (charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5004, 10088, 306, 'PD', NULL, NULL, NULL, NULL);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10088, 111115);

INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1025, 'Cat', 'Tommy', NULL, 'Norfolk', 'VA', '26503',
        NULL, 'N', 'Y');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
                    hearing_date, appeal_cut_date)
VALUES (10089, 1025, 'M', '22-OCT-08', 'CA', '25-NOV-08', '15-FEB-09');
INSERT INTO crime_charges (charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5005, 10089, 305, 'GL', 100, 50, NULL, '15-FEB-09');
INSERT INTO sentences (sentence_id, criminal_id, type, prob_id, start_date,
                       end_date, violations)
VALUES (1004, 1025, 'P', 106, '20-DEC-08', '20-MAR-09', 0);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10089, 111115);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10089, 111116);

INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1026, 'Simon', 'Tim', NULL, 'Norfolk', 'VA', '26503',
        NULL, 'N', 'Y');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
                    hearing_date, appeal_cut_date)
VALUES (10090, 1026, 'M', '22-OCT-08', 'CA', '25-NOV-08', '15-FEB-09');
INSERT INTO crime_charges (charge_id, crime_id, crime_code, charge_status,
```

Hands-on Class Project – Part #1

```
        fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5006, 10090, 305, 'GL', 100, 50, NULL, '15-FEB-09');
INSERT INTO sentences (sentence_id, criminal_id, type, prob_id, start_date,
        end_date, violations)
VALUES (1005, 1026, 'P', 106, '20-DEC-08', '20-MAR-09', 0);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10090, 111115);

INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1027, 'Pints', 'Reed', NULL, 'Norfolk', 'VA', '26505',
        NULL, 'N', 'Y');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
        hearing_date, appeal_cut_date)
VALUES (10091, 1027, 'M', '24-OCT-08', 'CA', '28-NOV-08', '15-FEB-09');
INSERT INTO crime_charges (charge_id, crime_id, crime_code, charge_status,
        fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5007, 10091, 305, 'GL', 100, 50, 20, '15-FEB-09');
INSERT INTO sentences (sentence_id, criminal_id, type, prob_id, start_date,
        end_date, violations)
VALUES (1006, 1027, 'P', 106, '20-DEC-08', '20-MAR-09', 0);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10091, 111115);

INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1028, 'Mansville', 'Nancy', NULL, 'Norfolk', 'VA', '26505',
        NULL, 'N', 'Y');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
        hearing_date, appeal_cut_date)
VALUES (10092, 1028, 'M', '24-OCT-08', 'CA', '28-NOV-08', '15-FEB-09');
INSERT INTO crime_charges (charge_id, crime_id, crime_code, charge_status,
        fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5008, 10092, 305, 'GL', 100, 50, 25, '15-FEB-09');
INSERT INTO sentences (sentence_id, criminal_id, type, prob_id, start_date,
        end_date, violations)
VALUES (1007, 1028, 'P', 106, '20-DEC-08', '20-MAR-09', 0);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (10092, 111115);

INSERT INTO criminals (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1024, 'Perry', 'Cart', NULL, 'Norfolk', 'VA', '26501',
        NULL, 'N', 'Y');
INSERT INTO crimes (crime_id, criminal_id, classification, date_charged, status,
        hearing_date, appeal_cut_date)
VALUES (10093, 1024, 'M', '22-OCT-08', 'CA', '25-NOV-08', '15-FEB-09');
```

Hands-on Class Project – Part #1

```
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5009, 10093, 305, 'GL', 100, 50, NULL, '15-FEB-09');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1003, 1024, 'P', 106, '20-DEC-08', '20-MAR-09', 1);
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (10093, 111115);

INSERT INTO criminals(criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1029, 'Statin', 'Penny', NULL, 'Norfolk', 'VA', '26505',
        NULL, 'N', 'Y');
INSERT INTO crimes(crime_id, criminal_id, classification, date_charged, status,
                   hearing_date, appeal_cut_date)
VALUES (10094, 1029, 'M', '26-OCT-08', 'CA', '26-NOV-08', '17-FEB-09');
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5010, 10094, 305, 'GL', 50, 50, NULL, '17-FEB-09');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1008, 1029, 'P', 106, '20-DEC-08', '05-FEB-09', 1);
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (10094, 111115);

INSERT INTO criminals(criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1030, 'Panner', 'Lee', NULL, 'Norfolk', 'VA', '26505',
        NULL, 'N', 'Y');
INSERT INTO crimes(crime_id, criminal_id, classification, date_charged, status,
                   hearing_date, appeal_cut_date)
VALUES (25344031, 1030, 'M', '26-OCT-08', 'CA', '26-NOV-08', '17-FEB-09');
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
VALUES (5011, 25344031, 305, 'GL', 50, 50, NULL, '17-FEB-09');
INSERT INTO sentences(sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1009, 1030, 'P', 106, '20-DEC-08', '05-FEB-09', 1);
INSERT INTO crime_officers(crime_id, officer_id)
VALUES (25344031, 111115);

INSERT INTO crimes(crime_id, criminal_id, classification, date_charged, status,
                   hearing_date, appeal_cut_date)
VALUES (25344060, 1030, 'M', '18-NOV-08', 'CL', '26-NOV-08', NULL);
INSERT INTO crime_charges(charge_id, crime_id, crime_code, charge_status,
                           fine_amount, court_fee, amount_paid, pay_due_date)
```

Hands-on Class Project – Part #1

```
VALUES (5012, 25344060, 305, 'GL', 50, 50, 100, '17-FEB-09');
INSERT INTO sentences (sentence_id, criminal_id, type, prob_id, start_date,
                      end_date, violations)
VALUES (1010, 1030, 'P', 106, '06-FEB-09', '06-JUL-09', 0);
INSERT INTO crime_officers (crime_id, officer_id)
VALUES (25344060, 111116);
```

```
CREATE SEQUENCE appeals_id_seq
START WITH 7505
NOCACHE
NOCYCLE;
```

```
CREATE TABLE prob_contact
(prob_cat number(2),
 low_amt number(5),
 high_amt number(5),
 con_freq VARCHAR2(20) );
```

```
INSERT INTO prob_contact
VALUES(10, 1, 80, 'Weekly');
```

```
INSERT INTO prob_contact
VALUES(20, 81, 160, 'Every 2 weeks');
INSERT INTO prob_contact
VALUES(30, 161, 500, 'Monthly');
```

```
CREATE TABLE criminals_dw
(criminal_id NUMBER(6),
 last VARCHAR2(15),
 first VARCHAR2(10),
 street VARCHAR2(30),
 city VARCHAR2(20),
 state CHAR(2),
 zip CHAR(5),
 phone CHAR(10),
 v_status CHAR(1),
 p_status CHAR(1) );
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1020, 'Phelps', 'Sam', '1105 Tree Lane', 'Virginia Beach', 'VA', '23510',
```

Hands-on Class Project – Part #1

```
7576778484, 'Y', 'N');
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1021, 'Sums', 'Tammy', '22 E. Ave', 'Virginia Beach', 'VA', '23510',
       7575453390, 'N', 'Y');
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1022, 'Caulk', 'Dave', '8112 Chester Lane', 'Chesapeake', 'VA', '23320',
       7578403690, 'N', 'Y');
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1023, 'Dabber', 'Pat', NULL, 'Chesapeake', 'VA', '23320',
       NULL, 'N', 'N');
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1024, 'Perry', 'Cart', '11 New St.', 'Surry', 'VA', '54501',
       NULL, 'N', 'Y');
```

```
INSERT INTO criminals_dw (criminal_id, last, first, street, city, state, zip, phone, v_status, p_status)
VALUES (1025, 'Cat', 'Tommy', NULL, 'Norfolk', 'VA', '26503',
       7578889393, 'N', 'Y');
```