




Cisco Packet Tracer Student
File
Edit
Options
View
Tools
Extensions
Help
Logical
[Root]
New Cluster
1841
Router0
1841
Router1
2950T-24
Switch1
2950T-24
Switch2
PC-PT
PC0
PC-PT
PC1
PC-PT
PC2
PC-PT
PC3


Cisco Packet Tracer Student
File Edit Options View Tools Extensions Help
Logical
[Root]
New Cluster
Move Object
1841
Router0
1841
Router1
2950T-24
Switch1
2950T-24
Switch2
PC-PT
PC0
PC-PT
PC1
PC-PT
PC2
PC-PT
PC3


Cisco Packet Tracer Student
File Edit Options View Tools Extensions Help
Logical
[Root]
New Cluster
1841 Router0
1841 Router1
2960-24 Switch1
2960-24 Switch2
PC-PT PC0
PC-PT PC1
PC-PT PC2
PC-PT PC3
Time: 01:01:40.070
Power Cycle Devices
PLAY CONTROLS:
Back
Auto Capture / Play
End Devices
Copper Cross-Over
PC0
Physical
Config
Desktop
Custom Interface
Command Prompt
Pinging 192.168.3.5 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 192.168.3.5:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
PC>ping 192.168.2.7
Pinging 192.168.2.7 with 32 bytes of data:
Reply from 192.168.2.7: bytes=32 time=0ms TTL=128
Reply from 192.168.2.7: bytes=32 time=6ms TTL=128
Reply from 192.168.2.7: bytes=32 time=0ms TTL=128
Reply from 192.168.2.7: bytes=32 time=7ms TTL=128
Ping statistics for 192.168.2.7:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 6ms, Maximum = 0ms, Average = 7ms
PC>ping 192.168.2.9
Pinging 192.168.2.9 with 32 bytes of data:
Reply from 192.168.2.9: bytes=32 time=0ms TTL=128
Reply from 192.168.2.9: bytes=32 time=0ms TTL=128
Reply from 192.168.2.9: bytes=32 time=0ms TTL=128
Reply from 192.168.2.9: bytes=32 time=0ms TTL=128
Ping statistics for 192.168.2.9:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 0ms, Average = 0ms
PC>


Cisco Packet Tracer Student
File Edit Options View Tools Extensions Help
Logical
[Root]
New Cluster
1841 Router0
1841 Router1
2960-24 Switch1
2960-24 Switch2
PC-PT PC0
PC-PT PC1
PC-PT PC2
PC-PT PC3
Time: 01:01:40.070
Power Cycle Devices
PLAY CONTROLS:
Back
Auto Capture / Play
Capture / Forward
End Devices
New
Toggle PDU List Window
Copper Cross-Over
PC2
Physical
Config
Desktop
Custom Interface
Command Prompt
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 192.168.2.7:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
PC>ping 192.168.3.5
Pinging 192.168.3.5 with 32 bytes of data:
Reply from 192.168.3.5: bytes=32 time=21ms TTL=128
Reply from 192.168.3.5: bytes=32 time=9ms TTL=128
Reply from 192.168.3.5: bytes=32 time=6ms TTL=128
Reply from 192.168.3.5: bytes=32 time=6ms TTL=128
Ping statistics for 192.168.3.5:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 6ms, Maximum = 21ms, Average = 10ms
PC>ping 192.168.3.7
Pinging 192.168.3.7 with 32 bytes of data:
Reply from 192.168.3.7: bytes=32 time=1ms TTL=128
Reply from 192.168.3.7: bytes=32 time=0ms TTL=128
Reply from 192.168.3.7: bytes=32 time=0ms TTL=128
Reply from 192.168.3.7: bytes=32 time=0ms TTL=128
Ping statistics for 192.168.3.7:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms
PC>