



Using the ^%GSIZE Routine

Version 2026.1
2026-04-20

Using the ^%GSIZE Routine

PDF generated on 2026-04-20

InterSystems IRIS Version 2026.1

Copyright © 2026 InterSystems Corporation

All rights reserved.

InterSystems®, HealthShare Care Community®, HealthShare Unified Care Record®, InterSystems IRIS® IntegratedML®, InterSystems Caché®, InterSystems Ensemble®, InterSystems HealthShare®, InterSystems IRIS®, InterSystems IRIS® for Health, and TrakCare are registered trademarks of InterSystems Corporation. HealthShare® Health Connect Cloud™, InterSystems® Data Fabric Studio™, and InterSystems Supply Chain Orchestrator™ are trademarks of InterSystems Corporation. TrakCare is a registered trademark in Australia and the European Union.

All other brand or product names used herein are trademarks or registered trademarks of their respective companies or organizations.

This document contains trade secret and confidential information which is the property of InterSystems Corporation, One Congress Street, Boston, MA 02114, or its affiliates, and is furnished for the sole purpose of the operation and maintenance of the products of InterSystems Corporation. No part of this publication is to be used for any other purpose, and this publication is not to be reproduced, copied, disclosed, transmitted, stored in a retrieval system or translated into any human or computer language, in any form, by any means, in whole or in part, without the express prior written consent of InterSystems Corporation.

The copying, use and disposition of this document and the software programs described herein is prohibited except to the limited extent set forth in the standard software license agreement(s) of InterSystems Corporation covering such programs and related documentation. InterSystems Corporation makes no representations and warranties concerning such software programs other than those set forth in such standard software license agreement(s). In addition, the liability of InterSystems Corporation for any losses or damages relating to or arising out of the use of such software programs is limited in the manner set forth in such standard software license agreement(s).

THE FOREGOING IS A GENERAL SUMMARY OF THE RESTRICTIONS AND LIMITATIONS IMPOSED BY INTERSYSTEMS CORPORATION ON THE USE OF, AND LIABILITY ARISING FROM, ITS COMPUTER SOFTWARE. FOR COMPLETE INFORMATION REFERENCE SHOULD BE MADE TO THE STANDARD SOFTWARE LICENSE AGREEMENT(S) OF INTERSYSTEMS CORPORATION, COPIES OF WHICH WILL BE MADE AVAILABLE UPON REQUEST.

InterSystems Corporation disclaims responsibility for errors which may appear in this document, and it reserves the right, in its sole discretion and without notice, to make substitutions and modifications in the products and practices described in this document.

For Support questions about any InterSystems products, contact:

InterSystems Worldwide Response Center (WRC)

Tel: +1-617-621-0700

Tel: +44 (0) 844 854 2917

Email: support@InterSystems.com

Table of Contents

- Using the ^%GSIZE Routine..... 1
 - 1 Basics 1
 - 2 See Also 2

Using the ^%GSIZE Routine

The ^%GSIZE routine enables you to determine the size of one or more [globals](#).

1 Basics

To use this routine:

1. Start an [ObjectScript shell](#).
2. Start the routine:

```
do ^%GSIZE
```

3. The first prompt lets you specify the database to look at. The prompt refers to the directory that contains the database file:

```
Directory name: c:\intersystems\iris211\mgr\enslib\ =>
```

The default is the globals database used by the namespace that you are currently in. You can either press **Enter** to accept this default, or type a full directory name and then press **Enter**.

4. The next prompt is as follows:

```
All Globals? No =>
```

If you want information on all globals, enter Y (case-insensitive). Otherwise press **Enter**.

Note: If you request information on all globals, that includes all the internal, undocumented globals as well as your own globals. Some of these are quite large.

5. If you did not enter Y in the previous step, the next prompt looks like the following, which is asking for a global name:

```
Global ^
```

Type the global name, without the leading caret and press **Enter**.

Repeat as necessary. When you are done entering global names, press **Enter** again. Then the routine displays a message indicating how many globals you have selected:

```
All Globals? No => No
Global ^IRIS.Msg
Global ^Ens.Config
Global ^
2 globals selected from 64 available globals.
```

6. The next prompt asks whether to provide a full report on the globals:

```
Show details?? No =>
```

If you want full information, enter Y (case-insensitive). Otherwise press **Enter**

7. Press **Enter** for the next two prompts, which let you specify where to write the output:

```
Device:
```

and

Right margin: 80 =>

8. The routine then displays output like the following (using N for the Show details prompt):

```
Global Size Display of c:\intersystems\iris211\mgr\enslib\
2:44 PM Aug 15 2024

Ens.Config      1    IRIS.Msg      906
TOTAL:          907
```

When using Y for the Show details prompt, the report looks like this instead:

```
Global Size Display of c:\intersystems\iris211\mgr\enslib\
2:44 PM Aug 15 2024

Ens.Config      1    IRIS.Msg      906
TOTAL:          907
directory: c:\intersystems\iris211\mgr\enslib\
Page: 1          GLOBAL SIZE                                     15 Aug xxxx
                                                                2:42 PM

Global          Blocks      Bytes Used      Packing      Contig.
-----
Ens.Config      1          36          0 %          0
IRIS.Msg        906      5,550,960      75 %        746

TOTAL          Blocks      Bytes Used      Packing      Contig.
-----
                907      5,550,996      75 %        746
<RETURN> to continue or '^' to STOP:
```

2 See Also

- Globals (APIs) (which lists APIs that get the sizes of globals)