



InterSystems Supported Platforms

Version 2026.1
2026-04-20

InterSystems®, HealthShare Care Community®, HealthShare Unified Care Record®, InterSystems IRIS® IntegratedML®, InterSystems Caché®, InterSystems Ensemble®, InterSystems HealthShare®, InterSystems IRIS®, InterSystems IRIS® for Health, and TrakCare are registered trademarks of InterSystems Corporation. HealthShare® Health Connect Cloud™, InterSystems® Data Fabric Studio™, and InterSystems Supply Chain Orchestrator™ are trademarks of InterSystems Corporation. TrakCare is a registered trademark in Australia and the European Union.

All other brand or product names used herein are trademarks or registered trademarks of their respective companies or organizations.

This document contains trade secret and confidential information which is the property of InterSystems Corporation, One Congress Street, Boston, MA 02114, or its affiliates, and is furnished for the sole purpose of the operation and maintenance of the products of InterSystems Corporation. No part of this publication is to be used for any other purpose, and this publication is not to be reproduced, copied, disclosed, transmitted, stored in a retrieval system or translated into any human or computer language, in any form, by any means, in whole or in part, without the express prior written consent of InterSystems Corporation.

The copying, use and disposition of this document and the software programs described herein is prohibited except to the limited extent set forth in the standard software license agreement(s) of InterSystems Corporation covering such programs and related documentation. InterSystems Corporation makes no representations and warranties concerning such software programs other than those set forth in such standard software license agreement(s). In addition, the liability of InterSystems Corporation for any losses or damages relating to or arising out of the use of such software programs is limited in the manner set forth in such standard software license agreement(s).

THE FOREGOING IS A GENERAL SUMMARY OF THE RESTRICTIONS AND LIMITATIONS IMPOSED BY INTERSYSTEMS CORPORATION ON THE USE OF, AND LIABILITY ARISING FROM, ITS COMPUTER SOFTWARE. FOR COMPLETE INFORMATION REFERENCE SHOULD BE MADE TO THE STANDARD SOFTWARE LICENSE AGREEMENT(S) OF INTERSYSTEMS CORPORATION, COPIES OF WHICH WILL BE MADE AVAILABLE UPON REQUEST.

InterSystems Corporation disclaims responsibility for errors which may appear in this document, and it reserves the right, in its sole discretion and without notice, to make substitutions and modifications in the products and practices described in this document.

For Support questions about any InterSystems products, contact:

InterSystems Worldwide Response Center (WRC)
Tel: +1-617-621-0700
Tel: +44 (0) 844 854 2917
Email: support@InterSystems.com

Table of Contents

1 Supported Technologies	1
1.1 Supported Platforms	1
1.1.1 Operating System Patches and Service Packs	1
1.1.2 Distribution Kits and Operating System Versions	1
1.1.3 Server Platforms	2
1.1.4 Container Platforms	2
1.1.5 Cloud Platforms	3
1.1.6 Development Platforms	3
1.1.7 Hardware Considerations	3
1.2 Supported File Systems	4
1.3 Supported Web Servers	4
1.4 Supported Web Browsers	5
1.5 ODBC Support	6
1.6 Node.js Support	6
1.7 Platform Endianness	6
1.8 Supported SQL Gateway Databases	7
1.9 Supported .NET Frameworks	7
1.10 Supported Java Technologies	8
1.11 Embedded Python Support	9
1.12 Other Supported Technologies	10
1.13 Other Supported Features	10
2 Supported Languages	11
2.1 InterSystems IRIS	11
2.2 NLP	12
3 Supported Version Compatibility	13
3.1 ODBC and JDBC Compatibility	13
3.2 Web Gateway Compatibility	13
3.3 Backup Restore Compatibility	14
3.4 Journal Restore Compatibility (Upgrade Implications)	14
3.5 Mirror Compatibility	14
3.6 Mirror Arbiter (ISCAgent) Compatibility	15
3.7 ECP Compatibility	15
4 Cross-Product Technology Matrix	17

1

Supported Technologies

This page lists the technologies that InterSystems products support.

1.1 Supported Platforms

This release supports the listed server platforms and operating system releases on the indicated InterSystems products.

- [Server Platforms](#)
- [Container Platforms](#)
- [Cloud Platforms](#)
- [Development Platforms](#)

1.1.1 Operating System Patches and Service Packs

Because InterSystems relies on the operating system vendor to ensure compatibility, InterSystems does not certify its products for specific operating system patches or service packs.

In the rare event that a specific patch or service pack (SP) is required to run InterSystems products, the appropriate table indicates the explicit requirement.

If a vendor introduces new features or functionality in a base version to create a new offering, InterSystems does not do additional testing but relies on the vendor to assure the quality of the base version.

1.1.2 Distribution Kits and Operating System Versions

When selecting a distribution kit, be sure to choose the correct kit for the version of the Operating System that you are running. Some products provide a separate kit for each supported Operating System version.

When you upgrade your Operating System, verify whether your currently installed kit is still compatible with your new Operating System. If not, you will need to install a new kit that matches your new OS version, even though the product's version has not changed.

1.1.3 Server Platforms

Platform	Notes
IBM AIX® 7.2, 7.3 for POWER System-64 (POWER 8 and higher)	InterSystems IRIS supports OpenSSL 3.0 on AIX 7.2 and 7.3 via the aixopenssl30 kit. This kit has, as prerequisites, the latest Tech Level for either AIX 7.2 and 7.3. InterSystems IRIS for AIX was compiled using the IBM XL C/C++ for AIX 16.1.x and 17.1.x compilers. If the system on which you are installing InterSystems IRIS does not have both of these versions of the compiler or runtime already installed, you must install them both. First install 16.1.x, then 17.1.x. See https://www.ibm.com/support/pages/node/612497#171X for more information.
Microsoft Windows: • Server 2019, 2022, and 2025 for x86-64 • Windows OS 10 and 11 for x86-64	
Oracle Linux 9 and 10 for x86-64	Unmodified kernel.
Red Hat Enterprise Linux 9 and 10 for x86-64 or ARM64	To use Kerberos on the Red Hat platform, you must install the krb5-devel package in addition to the krb5-libs package. See the Red Hat Linux Platform Notes section of the “Preparing to Install InterSystems IRIS” chapter of the <i>Installation Guide</i> for detailed information on obtaining these components. See Red Hat's support lifecycle page for guidance on currently supported minor versions.
SUSE Linux Enterprise Server 15 (SP6 and up) and 16 for x86-64	See SUSE's support lifecycle page for guidance on currently supported minor versions. InterSystems IRIS requires OpenSSL 3, which is the default starting with SP6.
Ubuntu 22.04, 24.04 LTS for x86-64 or ARM64	A default Ubuntu setting can result in semaphore deletion. See the Ubuntu Platform Notes section of the “Preparing to Install InterSystems IRIS” chapter of the <i>Installation Guide</i> for more information.

1.1.4 Container Platforms

Container images from InterSystems comply with the [Open Container Initiative \(OCI\)](#) specification and are built using the Docker Enterprise Edition engine, which fully supports the OCI standard. InterSystems containers therefore are supported on any OCI compliant runtime engine on Linux-based operating systems, both on-premises and in public clouds.

Container host systems are subject to the InterSystems Minimum Supported CPU policy.

InterSystems container images are built and tested using Ubuntu as their base operating system. These images are available for the CPU architectures shown below:

Image Operating System	CPU Architecture
Ubuntu 24.04	- Intel/AMD 64-bit - ARM 64-bit

1.1.5 Cloud Platforms

InterSystems IRIS can be successfully deployed on cloud platforms that meet both of the following criteria:

- The operating system platform is in the supported [Server Platform](#) list.
- The cloud platform provides support for their infrastructure.

Customers using mirroring on cloud virtual machines should note that the public clouds require IP addresses, as opposed to virtual IPs, for mirroring.

1.1.6 Development Platforms

In addition to the listed [Server Platforms](#), the following platforms are supported for development work:

Platform	Notes
Apple macOS 13, 14, 15, and 26 for ARM	Use the current version of OpenSSL. You can install this using Homebrew: https://formulae.brew.sh/formula/openssl@3 InterSystems IRIS requires several dependencies to run on this platform. See Installing Required Dependencies for more information. Key Management Interoperability Protocol (KMIP) is not supported on macOS. On the M1 platform, Shared Memory Connections (SHM) for Java are not supported.

Support for development platforms is subject to the following qualifications:

- Development platforms are to be used for application development only; they are not supported for deployment of applications.
- The results of comparative analysis will not be underwritten by InterSystems. No valid conclusions can be drawn from performance, sizing, or other measurements taken on supported development platforms versus other supported platforms.
- InterSystems will reevaluate its continued support for these platforms with each major release of InterSystems IRIS.

1.1.7 Hardware Considerations

In most cases, this document focuses specifically on operating system versions, and only generally on the characteristics of the underlying hardware. This section is intended as a refinement of that approach, describing specific features of individual hardware offerings that InterSystems products recognize and use to their advantage.

Minimum Supported CPU

InterSystems IRIS running on Intel and AMD (amd64/x86_64) processors must include the AVX, AVX2, BMI, and BMI2 instructions.

1.2 Supported File Systems

This release supports the following file systems on the specified platforms:

Platform	Recommended File System	Other Supported File Systems
Apple macOS	HFS	APFS
IBM AIX® for POWER System-64	JFS2 ^{3,4}	
Microsoft Windows for x86-64	NTFS	
Oracle Linux for x86-64	XFS ⁴	
Red Hat Enterprise Linux for x86-64 or ARM64	XFS ⁴	ext3 ¹ , ext4 ^{1,2,4} , NFS
SUSE Linux Enterprise for x86-64	XFS ⁴	Btrfs ⁴ , ext3 ¹ , ext4 ^{1,2,4} , NFS
Ubuntu for x86-64 or ARM64	XFS ⁴	Btrfs ⁴ , ext3 ¹ , ext4 ^{1,2,4} , NFS

¹ The `data=journal` mount option for ext3/ext4 file systems is not supported.

² For customers wishing to use ext4, InterSystems recommends it only be used for journal and WIJ volumes, and the XFS file system be used for data volumes.

³ For optimum journaling performance, the `cio` mount option is recommended for JFS2 file systems.

⁴ This file system enables faster database creation and expansion operations when compared with other options available.

1.3 Supported Web Servers

This release supports CSP technology on the following web servers for the indicated platforms. This does not necessarily mean that all InterSystems products run on these platforms, but rather that the InterSystems Web Gateway component does.

Web Server	Platform
Apache 2.4	• Apple macOS • IBM AIX® for POWER System-64[*] • Microsoft Windows^{**} • Oracle Linux • Red Hat Enterprise Linux • SUSE Linux Enterprise • Ubuntu
Microsoft IIS 7.0 and later	• Microsoft Windows
Nginx (Stable)	• Apple macOS • IBM AIX® for POWER System-64 • Microsoft Windows • Red Hat Enterprise Linux • SUSE Linux Enterprise • Ubuntu

^{*}Using Kerberos security and/or SSL for the Web Gateway on 64-bit UNIX® platforms requires 64-bit Apache.

^{**}Requires manual configuration. See Install a Stand-Alone Web Gateway for details.

1.4 Supported Web Browsers

InterSystems IRIS supports CSP on the web browsers listed in the following tables.

Browser Platforms

Newer versions of the browsers listed in the following table will be supported with the understanding that critical issues may be found that will have to be corrected in a major release of InterSystems IRIS. Those fixes will not be backported to earlier releases of InterSystems IRIS.

InterSystems also requires that browsers support the XML HTTP interface which limits support for some older browser versions.

Platform	Supported Web Browsers
Windows	Chrome, Edge, Firefox, Opera
Linux	Firefox
Android	Chrome
iOS	Safari
macOS	Chrome, Firefox, Opera, Safari

Portals

Support for the InterSystems IRIS Management Portal is limited to the browsers listed in the following table. Except where noted, this includes support for InterSystems IRIS® Business Intelligence functionality. New versions released by vendors are assumed to provide backward compatibility; they are supported as described in [Supported Web Browsers](#) and are tested as they become available.

Web Browser (Platform)	Version
Chrome (Windows, macOS)	latest released
Edge (Windows)*	latest released
Firefox (Windows, macOS, Linux)	latest released

*At this time, InterSystems does not fully support InterSystems IRIS® Business Intelligence functionality on Microsoft Edge.

1.5 ODBC Support

InterSystems products support multithreaded ODBC on most platforms.

The InterSystems ODBC driver on UNIX®-based systems supports the following driver managers:

- The iODBC driver manager (see <http://www.iodbc.org>) — for use with the Unicode and 8-bit ODBC APIs; works with the **select** executable and the following drivers:

libirisodbc35.so	iODBC 3.5 driver
libirisodbcw35.so	iODBC 3.5 Unicode driver

- The unixODBC driver manager (see <http://www.unixodbc.org>) — for use with the 8-bit ODBC API only; works with the **selectu** executable and the following driver:

libirisodbcuw35.so	unixODBC 3.5 Unicode driver
libirisodbcu6435.so	unixODBC Real Mode built 3.5 driver

1.6 Node.js Support

This release supports Node.js clients on the platforms and operating system versions listed in the [Supported Server Platforms](#) table. For information about installation and configuration, see Native SDK for Node.js.

1.7 Platform Endianness

When restoring a backup or transferring a database, the target system must be the same Endianness (Big-endian or Little-endian) as the source system; for example, if a backup was created on a Big-endian system, it cannot be restored to a Little-endian system. For information, see [Using cvendian to Convert Between Big-endian and Little-endian Systems](#).

The following table identifies the Endianness of the supported server platforms for this release:

Platform	Endianness
Apple macOS	Little-endian
IBM AIX® for POWER System-64	Big-endian
Microsoft Windows for x86-64	Little-endian
Oracle Linux for x86-64	Little-endian
Red Hat Enterprise Linux for x86-64 or ARM64	Little-endian
SUSE Linux Enterprise Server for x86-64	Little-endian
Ubuntu for x86-64 or ARM64	Little-endian

1.8 Supported SQL Gateway Databases

The InterSystems IRIS SQL Gateway supports access to external databases from InterSystems IRIS so long as:

- The external database is supported by its manufacturer. For example, InterSystems IRIS can support a connection to Oracle 10g as long as Oracle 10g is still in Oracle's extended maintenance window.
- The connecting driver is compliant with the appropriate protocol. InterSystems IRIS supports ODBC 3.0 through 3.7 as well as JDBC 4.0 through 4.3.

The SQL Gateway provides features for querying external databases using the InterSystems IRIS SQL dialect. InterSystems regularly tests these features against the latest versions of the following database systems:

- IBM Db2
- IBM Informix
- Microsoft SQL Server
- MySQL
- Oracle
- Sybase Adaptive Server Enterprise

1.9 Supported .NET Frameworks

InterSystems supports .NET on Windows, Linux, and macOS. Versions of the .NET Framework are supported only on Windows. All InterSystems assemblies for .NET are installed to the .NET GAC (Global Assembly Cache) when InterSystems IRIS is installed.

You can use any version of Visual Studio that is supported by Microsoft for your .NET development, with the following exception: Entity Framework (EF) development requires specific Visual Studio tools to be installed in order to work with newer versions of Visual Studio. The current EF Provider supports up to VS 2019 for InterSystems IRIS. VS 2022 is not supported.

Note: The InterSystems IRIS installation procedure does not install or upgrade any version of .NET or .NET Framework. Your client system must have a supported version of .NET or .NET Framework installed in order to use these assemblies.

There is a separate version of the IRISClient assembly (InterSystems.Data.IRISClient.dll) for each supported version of .NET and .NET Framework. These files are located in the following subdirectories of <iris-install-dir>\dev\dotnet (see “Installation Directory” in the *Installation Guide* for the location of <iris-install-dir> on your system):

- .NET Framework 3.5: \dev\dotnet\bin\v3.5
- .NET Framework 4.6.2: \dev\dotnet\bin\v4.6.2
- .NET 6.0: \dev\dotnet\bin\net6.0
- .NET 9.0: \dev\dotnet\bin\net9.0

The current default version is .NET 9.0.

Note: **Extra Requirements for XEP**

If your application uses both .NET Framework and XEP (see *Persisting .NET Objects with InterSystems XEP*), you must also declare the InterSystems.Data.XEP.dll assembly.

There is a separate version of this file for each of the following .NET Framework versions:

- .NET Framework 3.5: \dev\dotnet\bin\v3.5
- .NET Framework 4.6.2: \dev\dotnet\bin\v4.6.2

XEP does not require a separate assembly if your application uses .NET 6.0 or higher.

In some applications, the .NET Framework assemblies may be used to load unmanaged code libraries. Both 32-bit and 64-bit assemblies are provided for each supported version, which makes it possible to create gateway applications for 64-bit Windows that can load 32-bit libraries.

If you wish to use a version other than the default for your system, some extra configuration will be required to set the path to your desired language platform.

Note: InterSystems IRIS .NET clients do not support Kerberos because the .NET Framework does not include direct Kerberos support.

1.10 Supported Java Technologies

InterSystems Java products require a Java Development Kit (JDK) from Oracle (or a compatible JDK). This release supports the following JDKs:

Development Kits	Versions
Java SE Development Kit (JDK)	8 and higher
OpenJDK	8 and higher

Please contact InterSystems if you would like to take advantage of InterSystems product license sharing when running Java on Windows Terminal Servers.

1.11 Embedded Python Support

The following table summarizes the versions of Python supported when using Embedded Python with InterSystems products. (Supported operating system versions are those listed in the [Supported Server Platforms](#) table.)

The default version of Python supported for Embedded Python is the version that comes with your operating system and is the version tested by InterSystems for use with Embedded Python.

The Flexible Python Runtime feature allows you to use a version of Python higher than the default version of Python for your operating system. The table indicates the latest version of Python enabled with Flexible Python Runtime for each operating system.

For more information, see [Installing Embedded Python](#).

Important: InterSystems IRIS does not support free threading in Python when used with Embedded Python. Do not disable the global interpreter lock (GIL) if you are using Embedded Python. For more information, see [Python support for free threading](#).

Note: The limitations in the table below do not apply to code written in Python that interacts with the InterSystems IRIS kernel using a driver in an InterSystems IRIS software development kit (SDK).

Platform	Default Version of Python Supported for Embedded Python	Latest Version of Python Enabled with Flexible Python Runtime
Apple macOS	Python 3.11 (installation with Homebrew recommended)	N/A
IBM AIX® for POWER System-64	Python 3.9.18+ (installed from the AIX Toolbox for Open Source Software) ^{1, 2}	N/A
Microsoft Windows for x86-64	N/A	Python 3.14
Oracle Linux for x86-64	Oracle Linux 9: Python 3.9 ¹ Oracle Linux 10: Python 3.12	Latest version available for the platform
Red Hat Enterprise Linux for x86-64 or ARM64	Red Hat 9: Python 3.6 ¹ Red Hat 10: Python 3.12	Latest version available for the platform
SUSE Linux Enterprise for x86-64	SUSE 15: Python 3.9 ¹ SUSE 16: Python 3.13	Latest version available for the platform
Ubuntu for x86-64 or ARM64	Ubuntu 22.04: Python 3.10 Ubuntu 24.04: Python 3.12	Latest version available for the platform

¹ This version of Python is no longer supported by the Python Software Foundation, however, it continues to be supported by the platform vendor.

² This version of Python is the only version supported on AIX. Later versions are not enabled at this time.

1.12 Other Supported Technologies

This release supports other technologies as specified in the following tables:

Supported Libraries	Version
ICU	69.1
Xerces	3.2
Xalan	1.12 [*]
OpenSSL	Instance-specific; to determine the version in use by the instance, call \$SYSTEM.Encryption.OpenSSLVersion()

* New at this release.

ODBC Driver Managers	Version
unixODBC	2.3.4
iODBC	3.52.4

1.13 Other Supported Features

InterSystems products support the LDAP protocol, multithreaded callin, T-SQL programming extensions, the MQ Interface, and IntegratedML as indicated in the following table. (Supported operating system versions are those listed in the [Supported Server Platforms](#) table.)

Platform	Supported Features
Apple macOS	LDAP, T-SQL, IntegratedML
IBM AIX® for POWER System-64	LDAP, T-SQL, MQ Interface ¹
Microsoft Windows for x86-64	LDAP, Multithreaded Callin, T-SQL, MQ Interface ¹ , IntegratedML
Oracle Linux for x86-64	LDAP, Multithreaded Callin, T-SQL, MQ Interface ¹
Red Hat Enterprise Linux for x86-64 or ARM64	LDAP, Multithreaded Callin, T-SQL, MQ Interface ¹ , IntegratedML
SUSE Linux Enterprise for x86-64	LDAP, Multithreaded Callin, T-SQL, MQ Interface ¹ , IntegratedML
Ubuntu for x86-64 or ARM64	LDAP, Multithreaded Callin, T-SQL, MQ Interface ¹ , IntegratedML

¹ The minimum version supported by InterSystems IRIS is WebSphere MQ V7.0.

2

Supported Languages

InterSystems IRIS provides National Language Support (NLS) for selected regions in one or more character sets. InterSystems IRIS also includes utility translations for some languages. These localizations exist for the languages as indicated in the following table.

InterSystems IRIS documentation is available in English and Japanese.

2.1 InterSystems IRIS

The languages in the following table are supported by InterSystems IRIS in this release:

Language	Character Sets	Utility Translation
Arabic	CP1256 (Arabic), Latin/Arabic, Unicode	
Chinese (Simplified)	GB18030 (Chinese National Standard), Unicode	
Chinese (Traditional)	Unicode	
Chinese (Mandarin)	Unicode	Included
Czech	CP1250 (Central Europe), Latin-2, Unicode	
Danish	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	
Dutch	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
English	ASCII [†] , Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
Finnish	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	
French	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
German	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
Greek	CP1253 (Greek), Latin-G, Unicode	
Hebrew	CP1257 (Hebrew), Latin-H, Unicode	
Hungarian	CP1250 (Central Europe), Latin-2, Unicode	
Italian	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included

Language	Character Sets	Utility Translation
Japanese	Unicode	Included
Korean	Unicode	Included
Lithuanian	CP1257 (Baltic), Latin-4, Latin-6, Latin-7, Unicode	
Maltese	Latin-3, Unicode	
Polish	CP1250 (Central Europe), Latin-2, Unicode	
Portuguese (Brazil)	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
Russian	CP1251 (Cyrillic), Latin-C, Unicode	Included
Slovak	Unicode	
Slovenian	Unicode	
Spanish	Latin-1, Latin-9, CP1252 (Western Europe), Unicode	Included
Thai	CP874 (Thai), Latin-T, Unicode	
Turkish	Unicode	
Ukrainian	Unicode	Included

[†] US English only.

2.2 NLP

The following languages are supported by Natural Language Processing in this release:

- Dutch
- English
- French
- German
- Japanese
- Portuguese
- Russian
- Spanish
- Swedish
- Ukrainian

3

Supported Version Compatibility

This page describes which components of InterSystems IRIS® data platform can be used across different release versions.

Note: Throughout this page, “version 2025.1” refers to InterSystems IRIS version 2025.1.

For information about compatibility between InterSystems IRIS and other InterSystems software, see the *InterSystems IRIS Migration Guide* on the WRC distribution site under **Docs**.

3.1 ODBC and JDBC Compatibility

While InterSystems IRIS ODBC and JDBC clients are forward- and backward-compatible with all versions of InterSystems IRIS, it is best practice to keep them updated to benefit from the latest bug fixes, client/server capabilities, and optimizations.

Customers are advised to upgrade their client libraries before upgrading their InterSystems IRIS server.

The following table describes the version interoperability between ODBC and JDBC clients, and servers.

Client Version	Server Version
2025.1	2018.1 through 2025.1
2024.3	2018.1 through 2024.3
2024.2	2018.1 through 2024.2
2024.1	2018.1 through 2024.1
2023.2	2018.1 through 2023.2
2023.1	2018.1 through 2023.1

3.2 Web Gateway Compatibility

The InterSystems Web Gateway is backward-compatible with earlier versions of InterSystems IRIS. However, using an earlier version of the Web Gateway with a newer version of InterSystems IRIS is not supported.

Customers are advised to upgrade the Web Gateway before upgrading their InterSystems IRIS server.

The following table describes the version interoperability between the Web Gateway and InterSystems IRIS.

Web Gateway Version	Compatible InterSystems IRIS Versions
2025.1	2018.1 through 2025.1
2024.3	2018.1 through 2024.3
2024.2	2018.1 through 2024.2
2024.1	2018.1 through 2024.1
2023.2	2018.1 through 2023.2
2023.1	2018.1 through 2023.1

3.3 Backup Restore Compatibility

Backups should always be restored on an InterSystems IRIS instance that is running the same, or a more recent version, than the instance that created the backup. This is because an older version of InterSystems IRIS may not be able to process newer features.

3.4 Journal Restore Compatibility (Upgrade Implications)

Journal file restores are guaranteed to be successful when restored on an InterSystems IRIS instance that is running the same, or a more recent version than the instance that created the journal file. More specifically, a journal file restore is guaranteed to be successful if the target instance uses the same version or a later version of the journal file format, relative to the journal file being used. On the other hand, journal file restores are *not* guaranteed to be successful when restoring to an older instance.

Important: InterSystems IRIS 2025.1 introduces a new journal file format that is incompatible with earlier versions. Journal files created by instances running InterSystems IRIS 2025.1 or later cannot be restored on instances running any version prior to InterSystems IRIS 2025.1.

As a consequence, for a mirrored system, when you upgrade to a version from one version to another that uses a different journal file format, you must take care to do the upgrades in the correct order. Specifically, always upgrade backup members *before* upgrading the primary.

InterSystems strongly recommends always upgrading to the most recent maintenance release available for your InterSystems IRIS version to ensure feature compatibility.

3.5 Mirror Compatibility

All members of a mirror must run on the same version of InterSystems IRIS. There are two exceptions:

1. Mirror members may run on different versions for the duration of a mirror upgrade. See *Upgrading a Mirror* in the “Upgrading InterSystems IRIS” chapter of the *Installation Guide*. Once an upgraded mirror member becomes primary, you cannot allow the other failover member or any DR async members to become primary or access the application, until that member has been upgraded.
2. Async members may run on a different version than the other members of the mirror, for the following reasons:

- DR async members may continue to run on an older version for an extended period of time, as part of a broader upgrade strategy. For example, to fall back to after upgrading the primary and backup members.
- Reporting async members may run on a newer version to take advantage of a newer reporting features when upgrading the primary and backup members is not warranted.

Mirroring relies on journaling, hence the restrictions and recommendations described in the previous section also apply here.

3.6 Mirror Arbiter (ISCAgent) Compatibility

The ISCAgent serving as arbiter does not have to run the same version of InterSystems IRIS as the members of the mirror for which it is configured. We recommend that the arbiter always run a version greater than or equal to the highest version of the mirror members that connect to it. InterSystems recommends that you upgrade the arbiter when you upgrade the mirror members, so you can be sure to have the latest version of the ISCAgent.

3.7 ECP Compatibility

ECP is backward and forward compatible between InterSystems IRIS versions. This includes compiled routines and class definitions, which can be passed over ECP and run on instances that are running a different version of InterSystems IRIS. However, application code on both ends of an ECP connection must be compatible. For example, if your code performs different business logic on different ECP servers, then your overall application behavior will be unpredictable.

Customers are advised to ensure that their feature usage is compatible with all of their versions of InterSystems IRIS that are connected via ECP. For example, InterSystems IRIS 2021.2 introduced transparent stream compression. If a newer server writes stream data via ECP to an older server, the stream data won't be readable on servers running versions that don't support transparent stream compression. Such incompatibilities can exist and are typically addressed in Maintenance Releases. InterSystems strongly recommends always upgrading your ECP configurations to the most recent maintenance release available for your InterSystems IRIS version.

Once a database has been updated to the extended database format, it can be mounted only by instances of InterSystems IRIS 2026.1 or later and cannot be mounted or accessed via ECP by earlier instances (see Extended Database Size).

4

Cross-Product Technology Matrix

In general, connectivity components of InterSystems IRIS are not compatible with older InterSystems products. However, there are certain exceptions. For information about cross-product compatibility, see “Coexistence & Compatibility” in the InterSystems IRIS Migration Guide. You can download this guide from the [WRC Document Distribution page](#) (login required).

