React.js Component Creation

name : Laka Chandra Sekhar

email : 218x5a0514@khitguntur.ac.in

phone no : 7330722435

Roll NO : 218x5a0514 (CSE)

College Name : Kallam Haranadhareddy Institute of Technology

source code :

CARD COMPONENT :



BUTTON COMPONENT :



APP COMPONENT :





approach :

1. initially taking an array of objects like below

```
const cards = [
  {
    url:image1,
    title:"Audi R8",
    description:"The definition of a supercar describes an expensive car that's flashy,"
  },
  {
    url:image2,
    title:"Maserati MC20",
    description:"The definition of a supercar describes an expensive car that's flashy"
  },
  {
    url:image3,
    title:"Porsche 911 GT3 RS",
    description:"The definition of a supercar describes an expensive car that's flashy"
  },
  {
    url:image4,
    title:"Lamborghini Huracan Tecnica",
    description:"The definition of a supercar describes an expensive car that's flashy"
  },
  {
    url:image5,
    title:"Rimac Nevera",
    description:"The definition of a supercar describes an expensive car that's flashy"
  },
  {
    url:image6,
    title:"ferrari F9",
    description:"The definition of a supercar describes an expensive car that's flashy"
  },
]
```

2 . Passing this card array to child (card component) of App component by using props;

3 . getting data as argument like {card} in card component.

4 . in card component i use one state [show, setShow] to get extra info as description.

5 . When we click the button then show becomes true by assigning setShow (!show) .

OUTPUT :



AFTER BUTTON CLICKS :




localhost:3000
Audi R8
The definition of a supercar describes an expensive car that's flashy,
show less
Maserati MC20
show more
Porsche 911 GT3 RS
The definition of a supercar describes an expensive car that's flashy
show less
Lamborghini Huracan Tecnica
show more
Rimac Nevera
The definition of a supercar describes an expensive car that's flashy
show less