



https://lakecountryhuntclub.com/



Performance



Accessibility




Best Practices



SEO




Progressive
Web App



0-49



50-89



90-100

47

Performance

Metrics



● First Contentful Paint

1.6 s

■ Time to Interactive

6.1 s

▲ Speed Index

6.5 s

▲ Total Blocking Time

1,250 ms

▲ Largest Contentful Paint


8.8 s

● Cumulative Layout Shift

0.069

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

[View Treemap](#)



Show audits relevant to: All FCP LCP TBT CLS

Opportunities – These suggestions can help your page load faster. They don't [directly affect](#) the Performance score.

Opportunity	Estimated Savings
▲ Properly size images	1.65 s ^

Serve images that are appropriately-sized to save cellular data and improve load time.
[Learn more.](#)

[Show 3rd-party resources \(0\)](#)

URL	Resource Size	Potential Savings
 ...files/9691D3D2....jpg?v=167... &width=1100 (lakecountryhuntclub.com)	380.9 KiB	152.5 KiB
 ...files/LCHC_main_logo_light_512x512_5a7f81e4-3864-44b8-ac....png?... (lakecountryhuntclub.com)	12.7 KiB	9.9 KiB

▲ Properly size images	1.65 s ^
------------------------	----------

Serve images that are appropriately-sized to save cellular data and improve load time.
[Learn more.](#)

[Show 3rd-party resources \(0\)](#)

URL	Resource Size	Potential Savings
 ...files/9691D3D2....jpg?v=167... &width=1100 (lakecountryhuntclub.com)	380.9 KiB	152.5 KiB
 ...files/LCHC_main_logo_light_512x512_5a7f81e4-3864-44b8-ac....png?... (lakecountryhuntclub.com)	12.7 KiB	9.9 KiB

■ Serve images in next-gen formats	0.15 s ^
------------------------------------	----------

Image formats like WebP and AVIF often provide better compression than PNG or

JPEG, which means faster downloads and less data consumption. [Learn more.](#)

Show 3rd-party resources (0)

URL	Resource Size	Potential Savings
 ...files/716B40C7-....jpg?v=169... &width=360 (lakecountryhuntclub.com)	85.1 KiB	34.3 KiB

■ **Avoid serving legacy JavaScript to modern browsers** 0.15 s 

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. [Learn More](#) TBT

Show 3rd-party resources (0)

URL	Potential Savings
...assets/shop_events_listener-65cd0ba....js (lakecountryhuntclub.com)	0.1 KiB
...assets/shop_events_listener-65cd0ba....js:1:400 (lakecountryhuntclub.com)	@babel/plugin-transform-classes

Diagnostics — More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

▲ **Largest Contentful Paint image was lazily loaded** 

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more.](#)

Element



```
section#shopify-section-template--17024615252252__image_banner >
div#Banner-template--17024615252252__image_banner >
div.banner__media > img

src="https://lakecountryhuntclub.com/cdn/shop/files/9691D3D2-802A-40CA-904B-685..."/>
srcset="//lakecountryhuntclub.com/cdn/shop/files/9691D3D2-802A-40CA-
```

Element

904B-685107FBA..." width="3024" height="4032.0" loading="lazy" sizes="100vw" style="object-position:54.4444% 7.6667%;">>

▲ Minimize main-thread work — 4.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#) [TBT]

Category	Time Spent
Script Evaluation	2,080 ms
Style & Layout	991 ms
Other	595 ms
Script Parsing & Compilation	535 ms
Rendering	404 ms
Parse HTML & CSS	176 ms

■ Reduce JavaScript execution time — 2.6 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#). [TBT]

Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
https://lakecountryhuntclub.com	2,324 ms	748 ms	18 ms
...wpm/b27de2f9bw3d786b6dpc46d0da3m3b2e6571m.js (lakecountryhuntclub.com)	685 ms	389 ms	235 ms
...boomerang/shopify-boomerang-1.0.0.min.js (lakecountryhuntclub.com)	446 ms	428 ms	5 ms
Unattributable	370 ms	12 ms	1 ms
...storefront/features-87e8399....js (lakecountryhuntclub.com)	277 ms	32 ms	245 ms
...assets/shop_events_listener-65cd0ba....js (lakecountryhuntclub.com)	250 ms	248 ms	1 ms

URL	Total CPU Time	Script Evaluation	Script Parse
/s/trekkie.storefront.63bc615....min.js (cdn.shopify.com)	149 ms	136 ms	9 ms
...sandbox/modern (lakecountryhuntclub.com)	127 ms	57 ms	13 ms

○ Avoid chaining critical requests – 10 chains found ^

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load.

[Learn more](#). FCP LCP

Maximum critical path latency: **970 ms**

Initial Navigation



○ User Timing marks and measures – 7 user timings ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

Name	Type	Start Time	Duration
wpm:completed	Measure	235.23 ms	1,122.61 ms
shopify.content_for_header.start	Mark	159.38 ms	
shopify.content_for_header.end	Mark	162.65 ms	
wpm:start	Mark	235.25 ms	

Name	Type	Start Time	Duration
wpm:pixel:register:completed:shopify-app-pixel:app	Mark	1,266.6 ms	
wpm:pixel:register:completed:shopify-custom-pixel:custom	Mark	1,357.59 ms	
wpm:pixels:resolved	Mark	1,357.85 ms	

○ Keep request counts low and transfer sizes small – 68 requests • 1,405 KiB ^

To set budgets for the quantity and size of page resources, add a `budget.json` file. [Learn more.](#)

Resource Type	Requests	Transfer Size
Total	68	1,404.9 KiB
Other	22	580.3 KiB
Image	5	577.5 KiB
Script	13	125.6 KiB
Document	2	63.3 KiB
Stylesheet	25	40.9 KiB
Font	1	17.3 KiB
Media	0	0.0 KiB
Third-party	15	601.7 KiB

○ Largest Contentful Paint element – 1 element found ^

This is the largest contentful element painted within the viewport. [Learn More](#) [LCP]

Element





```
section#shopify-section-template--17024615252252__image_banner >
div#Banner-template--17024615252252__image_banner >
div.banner__media > img

```

○ Avoid large layout shifts – 5 elements found ^

These DOM elements contribute most to the CLS of the page. [CLS](#)

Element	CLS Contribution
 <p>Upland Bird Guide & Retail Brand Working to making hunting & fishing more acces...</p> <pre><main id="MainContent" class="content-for-layout focus-none" role="main" tabindex="-1"></pre>	0.059
 <p>Book a Hunt, Buy a Shirt! Lake Country Hunt Club is the answer to your need fo...</p> <pre><div class="rich-text__wrapper rich-text__wrapper--center page-width"></pre>	0.006
 <p>Lake Country Hunt Club</p> <pre><h1 class="header__heading"></pre>	0.002
 <p>Cart</p> <pre><div class="header__icons"></pre>	0.001
 <p>Menu</p> <pre><header-drawer data-breakpoint="tablet"></pre>	0.001

○ Avoid long main-thread tasks – 16 long tasks found ^

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn more](#) [TBT](#)

Show 3rd-party resources (2)

URL

Start Time Duration

...boomerang/shopify-boomerang-

2,207 ms 307 ms

URL	Start Time	Duration
1.0.0.min.js (lakecountryhuntclub.com)		
https://lakecountryhuntclub.com	1,880 ms	262 ms
...		
wpm/b27de2f9bw3d786b6dpc46d0da3m3b2e6571m.js (lakecount ryhuntclub.com)	7,931 ms	245 ms
https://lakecountryhuntclub.com	1,664 ms	216 ms
https://lakecountryhuntclub.com	2,567 ms	195 ms
https://lakecountryhuntclub.com	1,172 ms	192 ms
...assets/shop_events_listener-65cd0ba....js (lakecountryhuntclub.com)	8,176 ms	191 ms
...		
wpm/b27de2f9bw3d786b6dpc46d0da3m3b2e6571m.js (lakecount ryhuntclub.com)	7,758 ms	173 ms
...		
wpm/b27de2f9bw3d786b6dpc46d0da3m3b2e6571m.js (lakecount ryhuntclub.com)	7,587 ms	171 ms
https://lakecountryhuntclub.com	1,364 ms	153 ms
https://lakecountryhuntclub.com	2,852 ms	148 ms
https://lakecountryhuntclub.com	1,517 ms	147 ms
/s/trekkie.storefront.63bc615....min.js (cdn.shopify.com)	2,762 ms	90 ms
https://lakecountryhuntclub.com	2,142 ms	65 ms
https://lakecountryhuntclub.com	2,514 ms	53 ms
/s/trekkie.storefront.63bc615....min.js (cdn.shopify.com)	3,000 ms	50 ms

Passed audits (30) ^

● Eliminate render-blocking resources ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#) FCP LCP

● Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more.](#) [FCP](#) [LCP](#)

● Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more.](#)

[FCP](#) [LCP](#)

● Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn more.](#) [FCP](#) [LCP](#)

● Reduce unused JavaScript

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn more.](#) [LCP](#)

● Efficiently encode images

Optimized images load faster and consume less cellular data. [Learn more.](#)

● Enable text compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more.](#) [FCP](#) [LCP](#)

● Preconnect to required origins

Warnings:

- A `<link rel=preconnect>` was found for "https://cdn.shopify.com" but was not used by the browser. Check that you are using the `crossorigin` attribute properly.
- A `<link rel=preconnect>` was found for "https://fonts.shopifycdn.com" but was not used by the browser. Only use `preconnect` for important origins that the page will certainly request.
- More than 2 `<link rel=preconnect>` connections were found. These should be used sparingly and only to the most important origins.

Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. [Learn more.](#) [FCP](#) [LCP](#)

● Initial server response time was short — Root document took 60 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more.](#) [FCP](#) [LCP](#)

Show 3rd-party resources (0)

URL	Time Spent
-----	------------

https://lakecountryhuntclub.com	60 ms
---	-------

● Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn more.](#) [FCP](#) [LCP](#)

○ Preload key requests

Consider using `<link rel=preload>` to prioritize fetching resources that are currently requested later in page load. [Learn more.](#) [FCP](#) [LCP](#)

● Use video formats for animated content

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#) [LCP](#)

● Remove duplicate modules in JavaScript bundles

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. [TBT](#)

○ Preload Largest Contentful Paint image

Preload the image used by the LCP element in order to improve your LCP time. [Learn more.](#) [LCP](#)

● Avoids enormous network payloads — Total size was 1,405 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn more.](#) [LCP](#)

Show 3rd-party resources (5)

URL	Transfer Size
-----	---------------

...files/9691D3D2....jpg?v=167...&width=1100 (lakecountryhuntclub.com)	382.0 KiB
---	-----------

...assets/app.baseline.en.d102fc1....js (cdn.shopify.com)	199.7 KiB
---	-----------

URL	Transfer Size
...assets/vendors~app.baseline.en.1188b90....js (cdn.shopify.com)	138.8 KiB
...files/716B40C7-....jpg?v=169...&width=360 (lakecountryhuntclub.com)	85.8 KiB
...assets/checkout-web-ui~app.baseline.en.26a0342....js (cdn.shopify.com)	83.5 KiB
...files/image.jpg?v=169...&width=360 (lakecountryhuntclub.com)	48.6 KiB
...files/DNR_Pheas....jpg?v=169...&width=360 (lakecountryhuntclub.com)	47.8 KiB
https://lakecountryhuntclub.com	46.8 KiB
...assets/Information.baseline.en.3c067bc....js (cdn.shopify.com)	43.9 KiB
...assets/checkout-web-packages~app.baseline.en.4e70883....js (cdn.shopify.com)	29.0 KiB

● Uses efficient cache policy on static assets – 1 resource found ^

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

Show 3rd party resources (0)

URL	Cache TTL	Transfer Size
...assistant/assistant_n4.bcd3d09....woff2?h1=...	30 d	
(lakecountryhuntclub.com)	10 h	17 KiB
	30 m	

● Avoids an excessive DOM size – 509 elements ^

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#) TBT

Statistic	Element	Value
Total DOM Elements		509
Maximum DOM Depth	<s class="price-item price-item--regular">	18
Maximum Child Elements	 section#shopify-section-template-17024615252252_f3074b77-a313-435e-a9cc-164f4fcc5c65 > div#Banner-template-17024615252252_f3074b77-a313-435e-a9cc-	38

Statistic	Element	Value
	164f4fcc5c65 > div.banner__media > svg.placeholder-svg <svg class="placeholder-svg" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 1052 400">	
● All text remains visible during webfont loads ^		
Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more . FCP LCP		
● Minimize third-party usage — Third-party code blocked the main thread for 30 ms ^		
Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. Learn more . TBT		
<input type="checkbox"/> Show 3rd-party resources (0)		
Third-Party	Transfer Size	Main-Thread Blocking Time
Shopify	602 KiB	27 ms
/s/trekkie.storefront.63bc615....min.js (cdn.shopify.com)	27 KiB	27 ms
...		
assets/app.baseline.en.d102fc1....js (cdn.shopify.com)	200 KiB	0 ms
...		
assets/vendors~app.baseline.en.1188b90....js (cdn.shopify.com)	139 KiB	0 ms
...assets/checkout-web-ui~app.baseline.en.26a0342....js (cdn.shopify.com)	84 KiB	0 ms
...		
assets/Information.baseline.en.3c067bc....js (cdn.shopify.com)	44 KiB	0 ms
Other resources	109 KiB	0 ms
○ Lazy load third-party resources with facades ^		
Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. Learn more . TBT		
● Uses passive listeners to improve scrolling performance ^		

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

● **Avoids `document.write()`** ^

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).

○ **Avoid non-composited animations** ^

Animations which are not composited can be janky and increase CLS. [Learn more](#) CLS

● **Image elements have explicit `width` and `height`** ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn more](#) CLS

● **Has a `<meta name="viewport">` tag with `width` or `initial-scale`** ^

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more](#). TBT

● **Minify CSS** ^

Minifying CSS files can reduce network payload sizes. [Learn more](#). FCP LCP

● **Minify JavaScript** ^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#). FCP LCP

● **Efficiently encode images** ^

Optimized images load faster and consume less cellular data. [Learn more](#).

● **Enable text compression** ^

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#). FCP LCP

● **Use video formats for animated content** ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#) LCP



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically detected so manual testing is also encouraged.

Names and labels – These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements



```
section#shopify-section-template-17024615252252__image_banner >
div#Banner-template--17024615252252__image_banner >
div.banner__media > img

```

Additional items to manually check (10) – These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

○ The page has a logical tab order

^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more](#).

○ Interactive controls are keyboard focusable

^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more](#).

○ Interactive elements indicate their purpose and state

^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more](#).

○ The user's focus is directed to new content added to the page

^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more](#).

○ User focus is not accidentally trapped in a region

^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more](#).

○ Custom controls have associated labels

^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more](#).

○ Custom controls have ARIA roles

^

Custom interactive controls have appropriate ARIA roles. [Learn more](#).

○ Visual order on the page follows DOM order

^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more](#).

○ Offscreen content is hidden from assistive technology

^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more](#).

○ HTML5 landmark elements are used to improve navigation

^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more](#).

Passed audits (23)



● [aria-*] attributes match their roles



Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

● button, link, and menuitem elements have accessible names



When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more](#).

● [aria-hidden="true"] is not present on the document <body>



Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn more](#).

● [aria-hidden="true"] elements do not contain focusable descendants



Focusable descendants within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more](#).

● [role]s have all required [aria-*] attributes



Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

● Elements with an ARIA [role] that require children to contain a specific [role] have all required children.



Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

● [role] values are valid



ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

- [aria-*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

- [aria-*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

- Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more.](#)

- The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

- Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

- [id] attributes on active, focusable elements are unique

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more.](#)

- ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

- Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more.](#)

- <html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page

isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

● <html> element has a valid value for its [lang] attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

● Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

● Links have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

● Lists contain only elements and script supporting elements (<script> and <template>). ^

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

● List items () are contained within or parent elements ^

Screen readers require list items ('') to be contained within a parent `` or `` to be announced properly. [Learn more](#).

● [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).

● No element has a [tabindex] value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

Not applicable (19) ^

○ [accesskey] values are unique ^

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

○ ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ ARIA meter elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ ARIA progressbar elements have accessible names ^

When a `progressbar` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ [role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more.](#)

○ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ ARIA tooltip elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ ARIA treeitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

○ <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

○ Definition list items are wrapped in `<dl>` elements ^

Definition list items (``<dt>`` and ``<dd>``) must be wrapped in a parent ``<dl>`` element to ensure that screen readers can properly announce them. [Learn more](#).

○ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn more](#).

○ `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

○ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an ``<input>`` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

○ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).

○ `<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to ``<object>`` elements helps screen readers convey meaning to users. [Learn more](#).

○ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring ``<td>`` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

○ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more.](#)

○ [\[lang\] attributes have a valid value](#) ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more.](#)

○ [<video> elements contain a <track> element with \[kind="captions"\]](#) ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more.](#)



Best Practices

○ [Detected JavaScript libraries](#) ^

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
boomerang.js	2.3.2
Shopify	
core-js	

Trust and Safety

▲ [Links to cross-origin destinations are unsafe](#) ^

Add `rel="noopener"` or `rel="noreferrer"` to any external links to improve performance and prevent security vulnerabilities. [Learn more](#).

Failing Anchors



Powered by Shopify
<a target="_blank" rel="nofollow"
href="https://www.shopify.com?
utm_campaign=poweredby&utm_medium=shopify&utm_sour..."
>

○ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn more](#)

Description	Directive	Severity
script-src directive is missing. This can allow the execution of unsafe scripts.	script-src	High
Missing object-src allows the injection of plugins that execute unsafe scripts. Consider setting object-src to 'none' if you can.	object-src	High

General

○ Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more](#).

Name	Version
boomerang.js	2.3.2
Shopify	
core-js	

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Show 3rd-party resources (0)

Source	Description
... v1/produce:1:0 (lakecountryhun tclub.com)	Failed to load resource: the server responded with a status of 400 ()

Passed audits (13) ^

- Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

- Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).

- Avoids front-end JavaScript libraries with known security vulnerabilities ^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

- Allows users to paste into password fields ^

Preventing password pasting undermines good security policy. [Learn more](#).

- Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more](#).

- Serves images with appropriate resolution ^

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn more](#).

- Page has the HTML doctype ^

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more](#).

- Properly defines charset ^

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more](#).

● **Avoids `unload` event listeners**

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Consider using the `pagehide` or `visibilitychange` events instead. [Learn more](#)

● **Avoids Application Cache**

Application Cache is deprecated. [Learn more](#).

● **Avoids deprecated APIs**

Deprecated APIs will eventually be removed from the browser. [Learn more](#).

● **Page has valid source maps**

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more](#).

● **No issues in the `Issues` panel in Chrome Devtools**

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Not applicable (1)

○ **Fonts with `font-display: optional` are preloaded**

Preload `optional` fonts so first-time visitors may use them. [Learn more](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more](#).

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app's content.

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing Elements





```
section#shopify-section-template--17024615252252__image_banner >
div#Banner-template--17024615252252__image_banner >
div.banner__media > img

```

Mobile Friendly — Make sure your pages are mobile friendly so users don't have to pinch or zoom in order to read the content pages. [Learn more](#).

■ Tap targets are not sized appropriately — 96% appropriately sized tap targets

Interactive elements like buttons and links should be large enough (48x48px), and have enough space around them, to be easy enough to tap without overlapping onto other elements. [Learn more](#).

Tap Target	Size	Overlapping Target
 <pre> Subscribe <button type="su bmit" class="n ewsletter-form__button field_button" name="commit" id="Subscribe" aria- label="Subscribe"> </pre>	44x47	 <pre> and brand content with your customers. Subscribe to our emails Email → </pre> <pre> form#ContactFooter > div.newsletter- form_field- wrapper > div.field > input#NewsletterForm--footer <input id="NewsletterForm--footer" type="email" name="contact[email]" class="field_input" value="" aria- required="true" autocorrect="off" autocapitalize="off" autocomplete="email" placeholder="Email" required="" </pre>

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices.

○ Structured data is valid

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (12)

● Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more.](#) [TBT](#)

● Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

● Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more](#).

● Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more](#).

● Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more](#).

● Links are crawlable ^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn More](#)

● Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more](#).

● robots.txt is valid ^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

● Document has a valid [hreflang](#) ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more](#).

● Document has a valid [rel=canonical](#) ^

Canonical links suggest which URL to show in search results. [Learn more](#).

● Document uses legible font sizes – **98.93% legible text** ^

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more](#).

Show 3rd party resources (0)

Source	Selector	% of Page Text	Font Size
User Agent Stylesheet	small	1.07%	8.33333px
...assets/base.css? v=8829080...:1:10028 (lakecountryhuntclub.com)	.caption	0.00%	10px
Legible text		98.93%	≥ 12px

● Document avoids plugins

Search engines can't index plugin content, and many devices restrict plugins or don't support them. [Learn more.](#)



Progressive Web App

These checks validate the aspects of a Progressive Web App. [Learn more.](#)

⊕ Installable

▲ Web app manifest or service worker do not meet the installability requirements — 1 reason

Service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. With proper service worker and manifest implementations, browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)

Failure reason

No manifest was fetched

PWA Optimized

- ▲ Does not register a service worker that controls page and [start_url](#)

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more.](#)

- ▲ Is not configured for a custom splash screen **Failures: No manifest was fetched.**

A themed splash screen ensures a high-quality experience when users launch your app from their homescreens. [Learn more.](#)

Does not set a theme color for the address bar.

- ▲ **Failures: No manifest was fetched, The theme-color meta tag did not contain a valid CSS color.**

The browser address bar can be themed to match your site. [Learn more.](#)

- Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more.](#)

- Has a `<meta name="viewport">` tag with [width](#) or [initial-scale](#)

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more.](#) [TBT](#)

- ▲ Does not provide a valid [apple-touch-icon](#)

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More.](#)

- ▲ Manifest doesn't have a maskable icon **No manifest was fetched**

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more.](#)

Additional items to manually check (3) — These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

○ Site works cross-browser ^

To reach the most number of users, sites should work across every major browser. [Learn more](#).

○ Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

○ Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

Runtime Settings

URL	https://lakecountryhuntclub.com/
Fetch Time	Jul 28, 2023, 3:59 PM EDT
Device	Emulated Moto G4
Network throttling	150 ms TCP RTT, 1,638.4 Kbps throughput (Simulated)
CPU throttling	4x slowdown (Simulated)
Channel	node
User agent (host)	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/93.0.4577.0 Safari/537.36
User agent (network)	Mozilla/5.0 (Linux; Android 7.0; Moto G (4)) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/94.0.4590.2

CPU/Memory Power 876

Axe version 4.2.3

Generated by Lighthouse 8.5.1 | [File an issue](#)